

GOVERNMENT OF TELANGANA



COMMON SCHEDULE OF RATES AS PER T.S STANDARD DATA FOR THE YEAR 2020-21 (Effective from 1st June 2020)

BOARD OF CHIEF ENGINEERS

MASTER INDEX

S.No	Description	Page No.	
		From	To
1	Part-I (Irrigation & CAD Works)	01	28
2	Part-II (Road & Bridge Works)	29	44
3	Part-III (Building Works)	45	412
4	Part-IV (Public Health Works)	413	516
5	Annexure-Latest GO's -Seigniorage Charges	517	

Proc. No. ENC/AW/P&M/EE/DEE-1/AEE.1/SoR 2020-21 /Vol.I Dt:01.06.2020

- Sub:** Schedule of Rates as per Telangana Revised Standard Data for the year 2020-21 -Irrigation & CAD works(Part-I), Road & Bridge Works (Part-II), Building Work Items(Part-III) and Public Health Items (Part-IV)-Approved-Printing & Communication of SoRs - Reg.
- Ref:**
- 1) G.O.Ms.No.49,I&CAD (PW:Reforms)Dept., dt:2.3.2009
 - 2) ENC (PH) Lr.No. AEE(T)/DEE(T)/Sor 2020-21/2020-1 Dt.16.05.2020
 - 3) ENC (SR & CRN) R&B Dept Lr.No. 5040/EE(R)/DEE1/AEE1/2020 dt. 20.05.2020
 - 4) ENC(NH & Bldgs) R&B Dept Lr. No. DEEII/AE10/Bldgs/SoR 2020-21 Dt:21.05.2020
 - 5) Industrial Consumer Price Index points obtained from Commissioner, Labour Department
 - 6) Minutes of Board of Chief Engineers (BOCEs) meeting on finalization of Schedule of Rates 2020-21 held on 19.05.2020.

--:oOo:--

The Government have approved Revised Standard Data vide ref 1st cited. The Schedule of Rates as per Telangana Revised Standard Data for the year 2020-21 is approved based on the following.

The Engineer-in-Chief (IW), I&CAD Dept., has furnished the draft rates proposed for Labour Rates and Basic data for Irrigation Items Part-I of Common SoR for the year 2020-21.

The Engineer-in-Chief (SR & CRN), R&B Dept has furnished the draft rates for the Part-II of Common SoR for Roads & Bridge items for the year 2020-21.

The Engineer-in-Chief (NH & Bldgs), R&B Dept has furnished the draft rates for the Part-III of Common SoR i.e., Buildings & Electrical items for the year 2020-21.

The Engineer-in-Chief (PH), PH&ME Dept has furnished Part-IV of Common SoR for Public Health works items and Public Health Materials for the year 2020-21.

The draft schedule of rates for the year 2020-21 as furnished by the Engineer-in-Chief (IW), I&CAD Dept., Engineer-in-Chief (NH&Bldgs), R&B Dept., Engineer-in-Chief (SR & CRN), R&B Dept., Engineer-in-Chief (PH), PH&ME Dept were discussed in detail and finalized in the annual Board of Chief Engineers meeting held on 19.05.2020 at 11.00 AM in BOCE's Conference hall, Jalasoudha, I&CAD Dept., Hyderabad.

The procedure for the adoption of Irrigation work items, lead & lift charges (Common to all departments) is incorporated in the Annexure-A of schedule of rates (SoR).

The approved basic rates are applicable to the datas as per Revised Standard Data approved by the Government vide G.O.1st cited.

The Government vide G.O. MS.No.15 T.R&B(R-1) Department Dt: 24.12.2014 have issued orders for adoption of MoRTH data by all Engineering Departments of Telangana State in respect of Road and Bridge works, with prevailing Standard Schedule of Rates in preparation of estimates. The Government approval is necessary to adopt any other data.

The lead & lift charges are common to all Engineering Departments. The detailed calculations are incorporated in the Lead & lift chapter in the I&CAD Works (Part-I) of Telangana Revised Standard Data.

One hard copy & compact disc containing Schedule of Rates is here with communicated.

No other items other than the items communicated by this office shall be introduced in the SoR.

The Heads of Department and Officers mentioned below are authorized to print the Schedule of Rates for the year 2020-21. The unauthorized printing & selling of the SoR is strictly prohibited. The Schedule of Rates for 2020-21 will be in force until the new SoR comes in to force.

Any discrepancies found (or) corrections required in SoR 2020-21 may be brought to the notice of the undersigned for issuing necessary corrigendum/ addendum.

The revised rates will come into force from 1st June of 2020.

The receipt of the proceedings may be acknowledged.

Encl: SoR 2020-21 containing Part-I (Irrigation & CAD works), Part-II (Road & Bridge works) Part-III (Buildings works) and Part-IV (Public Health works)

Sd/- B. Nagendra Rao; Dt:01.06.2020
Engineer-in-Chief(A.W)
Irrigation & CAD Department and
Chairman, Board of Chief Engineers

- I. Copy submitted to the Principle Secretary to Govt., I&CAD Dept., 6th Floor, B.R.K. Bhavan, Hyderabad for favour of information.
- II. Copy Communicated to the following Heads of Departments along with Enclosures for information.
 1. Engineer-in-Chief (NH & Buildings), Roads & Buildings Department.
 2. Engineer-in-Chief (SR & CRN), Roads & Buildings Department
 3. Engineer-in-Chief (P.H.), PH & ME Department.

4. Engineer-in-Chief (P.R.), Panchayat Raj Department.
 5. Engineer-in-Chief (RWS) R W S & S, Department.
 6. Schedule of Rates 2020-21 & Standard data, Part-1 (Irrigation & CAD works) placing in Web site of Irrigation & CAD Department for favour of information and necessary action.
- III. Copy to the Superintending Engineer, Irrigation Circle, Irrigation & CAD Department, Red Hills, Hyderabad for necessary action
- IV. Copy communicated to the DEE (computers) with a request place the Proceedings in I& CADD department website for wide publicity.

Sd/- **B. Nagendra Rao**; Dt:01.06.2020
Engineer-in-Chief(A.W)
Irrigation & CAD Department and
Chairman, Board of Chief Engineers

ANNEXURE- A

1. The SPIU (Irrigation), Centre for Good Governance (CGG), Hyderabad has developed software package linking the basic input data of Irrigation with approved data of Irrigation work items.
2. The lead and lift charges are common to all Engineering Departments. The detailed calculations are incorporated in the Lead & Lift charges chapter in the I&CAD works (Part-1) of Telangana Revised standard data.
3. The estimate sanctioning authority shall physically verify each and every Irrigation work item data incorporated in the estimate with basic input data before sanction of the estimate. Any lapses or arithmetic errors arising in the sanction of data's /estimate due to adoption of the software package lies entirely on the concerned estimate sanctioning authority only.
4. Any discrepancies / corrections required for improper basic input data appearing in the approved data's of Irrigation work items in the software package and hard copy of SoR & Standard data's (part-1) may be brought to the notice of undersigned for issuing corrections.
5. Estimate Sanction Authority shall examine the Components/Materials/Items proposed for arriving finished rate in the Data. Any Items Components/Materials/Items not required for that work, can be deleted by the Estimate Sanctioning Authority while according the approval to Datas.

Sd/- B. Nagendra Rao; Dt .01.06.2020
Engineer-in-Chief (A.W)
Irrigation & CAD Department and
Chairman, Board of Chief Engineers

Preamble
(SoR 2020-21)
Common to all Engineering
Departments

I. PREAMBLE

1. AREA ALLOWANCES:

A) CORPORATIONS & MUNICIPALITIES:

1. a). 25% extra over the basic rates on labour component of works is allowed in all Municipal Corporation Limits of Telangana except Greater Hyderabad (up to a belt of 12 Kms. from Municipal Corporation limits) and other corporations as notified by the Government from time to time.
- b). 40% extra over the basic rates on labour component of works is allowed in Greater Hyderabad (up to a belt of 12 Km from Municipal Corporation limits).
2. 20% extra over basic rates on labour component of works is allowed in all District Headquarters and the remaining Municipal limits (up to a belt of 12 Kms from Municipal limits).

B) JAIL COMPOUNDS:

20% extra is allowed over labour rates for the works in the Jail compounds. Only equivalent number of Man Mazdoor shall be provided in the Jail premises and no women Mazdoor are allowed inside.

C) INDUSTRIAL AREA:

20% over basic rates on labour component of works is allowed for works situated within 10km belt of Industrial area of Jeedimetla, in Malkajgiri District, Lingampally, Tandur, Ibrahimpatnam and Kothuru in Ranga Reddy District, Patancheru, Ramachandrapur in Sangareddy District, Bibinagar in Yadadri-Bhongiri District, Wadepally in Nalgonda District, Nagapally (Centenary Colony, Begumpet "X" roads), Takkalapally, Ramagundam and Godavarikhani in Peddapally District, Manchiryal, Mandamarri, Bellampalli in Manchiryal District, Sarpaka, Kothagudem, Paloncha and Manguguru in Bhadradi-Kothagudem district, Singareni Collieries area limits in Khammam and Bhadradi-Kothagudem, Jayashankar-Bhoopalpally and Mulugu districts.

D) AGENCY / TRIBAL AREAS:

1. 25% extra is allowed for the works located within the interior Agency / Tribal limits, i.e. for the works located within & upto 16 KMs from any all-weather route inside Agency / Tribal.
2. 40% extra is allowed for the works located within the interior Agency / Tribal limits, i.e. for the works located beyond 16 KMs from any all-weather route inside Agency / Tribal.

NOTE:

- a) *No extra percentage is permissible in respect of Forest produce such as Bamboo, Rellu grass and for all materials obtained from outside the Agency / Tribal.*

- b) *The extra percentage under Agency / Tribal areas allowance may be allowed on the labour component and on the labour charges in the rates for conveyance of materials.*
- c) *The extra percentage on cost of materials in Agency / Tribal areas can be allowed on the labour component only, if they are manufactured in the Agency / Tribal areas itself except Forest produce.*

E) GHAT ROADS:

For Ghat Roads and other roads steeper than 1 in 20, the length of the road may be taken as 1.5 times the existing length of the road for the purpose of leads only for conveyance of materials based on the certificate for the Ghat Road given by the Superintending Engineer concerned.

Foot Note: Under compelling circumstances, the concerned Chief Engineer can adopt the equivalent length of road as 2 ½ times of actual length.

Note:

Area allowances: If more than one area allowance (such as those) for (1) Municipalities (2) Agency / Tribal areas (3) Industrial areas are applicable for a particular situation, only the maximum out of the allowable percentages is to be allowed.

3. EXCAVATION OF TRIAL TRENCHES, TRIAL PITS AND EXCAVATION IN RESTRICTED PLACES:

a). TRENCHES:

1) Trenches of not more than 2 meters in width : 25% extra

b). TRIAL PITS:

- 1) Up to 2 Meters depth : 25% extra
- 2) 2 Meters to 4 Meters depth : 50% extra
- 3) 4 Meters to 6 Meters depth : 75% extra
- 4) 6 Meters to 8 Meters depth : 100% extra
- 5) 8 Meters to 9 Meters depth : 150% extra
- 6) More than 9 Meters depth : 200% extra

c) EXCAVATION IN RESTRICTED PLACES: -

- 1) Foundation of Buildings : 75% extra
- 2) For pipe lines where the depth is 1.5 times or more than the width : 75% extra
- 3) For pipe lines where the depth is 1.5 times or more than the width : 120% extra
- 4) Silt removal in restricted areas such as U.T's., Culverts and Syphons. : 120% extra
- 5) Excavation of field channels : 75% extra

- 6) For narrow trenches not more than 2 meters in width and depth not less than twice the width and for excavation of road boundary drains, model sections of canals. : 75% extra
- 7) High berm cutting of not more than 150 mm average thickness and sectioning for roads : 50% extra

Note: 1) *The extra percentage is allowed over Common item for all earth works (COM-MWRK-Manual Works) for corresponding soil and Standard data items. It includes the charges for all lifts and initial lead but does not include dewatering charges if any in respect of all the items under (A) and (B) above.*

2) *The above extra percentages in respect of excavation in hard rock for restricted places are to be allowed for (2/3)rd of the cost and shall not to be allowed in respect of items involving blasting component which may be taken as (1/3)rd of the cost.*

3. MANUFACTURED SAND:

As per GO Ms No 37 Industries and Commerce (Mines-I) Dept., dated 29.05.2018, the Government have directed all the Engineering Works Departments to use Manufactured Sand (Rock sand) and natural river sand in the ratio of 50:50 in all the mixes of Cement concrete and in the items of works where sand is used earlier, to reduce the burden on Natural Resources and to make the sustainable ecosystem. Accordingly, the Manufactured Sand/Rock Sand shall be substituted proportionately in respective data items.

4. FLY ASH BRICKS:

As per recommendations of Board of Chief Engineers dated 11.11.2016, and MoEF & CC amended Notification No S.O 254(E), dated 25.01.2016 all Engineering Departments shall mandatorily adopt Fly ash bricks and other Fly ash based products in Buildings and other allied works proposed within 100 Km radius of fly ash generating Coal/Lignite based Thermal Power plants in Telangana.

5. CONVEYANCE OF BITUMEN (BULK AND PACKED)

Packed Bitumen	---	Rs 2.25 per Km/MT
Bulk Bitumen	---	Rs 2.00 per Km/MT (Round the trip)

6. SEIGNIORAGE CHARGES

Note: *The rates of the materials indicated in the SoR are exclusive of Seigniorage Charges.*

Appropriate Seigniorage Charges for relevant materials as fixed by the Government from time to time shall be kept in Part-II of Schedule-A i.e., under reimbursable items as recommended by the Board of Chief Engineers.

The concerned Technical sanctioning authority should ensure that the relevant Seigniorage charges of work items shall be reconciled separately duly excluding from the data, so that, the Seigniorage charges are not affected by quoted Tender percentage.

7. G S T (Goods & Service Tax):

The GST (Goods & Service Tax) on **Works Contract** shall be implemented as per orders of the Government from time to time. At present, GST @ 5% on Works Contract where in earth work component is 75% or more and for all other works GST @ 12% will be applicable.

II. GUIDE LINES

- 1) The Schedule of Rates (**SoR**) is formulated under four Parts, which are applicable to all the Engineering Departments and other Organizations under the control of Telangana State Government.

PART -1: Irrigation & CAD (Dam and Allied Works, Canals and Allied Works, Canal C.D. Works, Tunnels and Allied Works, Preliminary and Maintenance Works, Hydraulic Gates and allied works and Leads and Lifts applicable to all Departments.

PART -2: Roads and Bridges

PART -3: Buildings including Electrical Works

PART -4: Drinking Water Supply and Public Health (Only for works done by manual means)

2) Brief description of item of work:

Brief description of the item of work to cover all important aspects of the work included in the Data. On reading the description of the item, the user should be in a position to assess the various cost components involved in the work.

3) Data for assessing quantities:

The data reflects various assessments / assumptions made in arriving at the quantities of materials, machinery, labour and other in-puts. In case of plants and equipment the output of main plant is worked out and the requirement of all other inputs and assessed to match the output of the main plant. Cycle time of operations is the criteria for assessing the output of equipment. Generally, the equipment manufacturers furnish the output of machinery under ideal conditions of working. Suitable job and management efficiency factors are considered while working out the average output of machinery under field conditions. In case of combination of machinery and manpower, the assessment of manpower shall match the output of machinery.

Though cycle time of operations is the criteria for hourly / daily out-put of machinery work-force, the actual progress of work depends on several other factors such as power interruptions, minor break-downs, time for meals and other needs of work-force, stray rains

etc. Therefore, it is the general practice to consider 50 minutes as the actual working time per hour for working out the hourly / daily out-put of machinery / work-force. CWC / BIS guide-lines stipulate the actual working hours for the purpose of equipment planning and utilisation. The daily out-put is computed duly considering the actual available working time and feedback from the field.

- For gate and hoist works, it is the general practice to specify the quantity of work in terms of number of sets of embedded parts / gates. The requirement of machinery and work-force for cutting, bending, fabrication, erection, painting etc., is assessed to commensurate with the task involved.
- The data for gates and E.M. Parts is arrived per Metric Tonne (MT) quantity.
- The data for Hoists and Gantry Cranes is worked out on the basis of capacity in tonnage.

4. The lead and lift charges provided in SoR are generally applicable and common to all Engineering Departments. Any item which is not covered in this part, the rates as provided in the data of the relevant works may be adopted in preparation of estimates.

5. Input Basic Materials needed for all works are listed and incorporated in the data. The requirements are analyzed and the specifications adopted shall confirm to Standards published by the BIS.

- The labour and material rates will be communicated by the Board of Chief engineers.
- Unless otherwise specified, all material rates shall be exclusive of GST.
- For Sand, Gravel, Murrum, Stones, Coarse Aggregates etc, the rates are ex-quarry/Stock yard, adding loading charges by machinery / manual means and idle hire charges of machinery as per table under chapter “ conveyance or lead and lift charges”, as applicable.
- For AC sheets, GI sheets, Hume pipes, wood and stone slabs, the rates are to be taken prevailing at major commercial centre near project area. The lead charges, as applicable are to be added in preparing estimates
- For Steel and Cement, the rates are delivery at site excluding GST.
- The specifications of the aggregates for sizes and gradation and its adoption shall be as per IS 383.

6. The Labour component in the data is mentioned for unit work.

- No allowance towards labour importation and labour amenities added extra as they are included in the recommended overheads.
- On Labour Component: Certain additional allowances are added extra to the wages of labour (,i.e. only on labour component in the work item) in the form of percentage, as recommended by the Government/Board of chief engineers due to statutory and other provisions.

7) Hire Charges Of Machinery: The machinery and /or group of machinery For items of works and their output has been worked out based on the availability of machinery generally in the market and working in the field successfully, duly considering cycle time, idle time, operator efficiency, type of work etc.

- The hire charge of a machinery / equipment is worked out based on the guidelines published by CWC and BIS codes.
- For the other machinery not covered by the list, the R&B and other users may adopt hire charges as recommended by the MORTH.

8) Lead Charges

- a. The high level committee has recommended to adopt, for conveyance by head load, a minimum lead of 50 meters and additional lead up to 150 meters in the intervals of 50 meters. Beyond 150 meters lead, only machinery rates are to be adopted.
- b. The basic work item rates provided in the Standard Data & Schedule of rates include 50 m or 1 km as initial lead and no lead charges shall be allowed where the source of material is within the initial lead specified in item rate. Additional lead charges shall be allowed for the lead exceeding initial lead specified in the item rate. The Guidelines may be followed regarding adding Lead charges as given against each chapter.
- c. For the materials where the basic rates are mentioned as “Quarry Rates” in the SoR, which includes initial lead of 1.00km lead charges are to be added for the lead distances from the approved quarries as applicable
- d. The lead charges per unit quantity for conveyance of the materials are worked out, and included in the schedule of rates in increment of 50 m for head load and in increment of 1 km for mechanical mode.
- e. The rates for lead charges by head load up to 150 meters and by machinery up to 5 km, shall be cumulative and inclusive of lead charges for preceding lead. For lead beyond 5 km, the lead charges shall be worked out on per km basis.

9. Loading and Unloading Charges for Materials

The following features are considered:

- a. Loading and unloading charges are not payable for conveyance by head load.
- b. Loading and unloading charges are not payable for conveyance by mechanical means, for disposal of excavated material unless specified.
- c. The rates for unloading of materials except earth, sand, gravel, coarse aggregate, rubble, size stone and cut stone, are inclusive of stacking wherever applicable.

10. Lift Charges:

- a. The data includes initial lift charges of 3.0 meters, for materials conveyance by head load, Additional leads in the interval of 1.0 meters are worked out, as additional labour input and incorporated in the chapter on” Lead and lifts”

- b. Where the conveyance / lifting of material is done by mechanical means, lift charges shall not be considered, as the cycle time of operation of the machine includes lifts involved.
- c. The data and rates for lift charges is cumulative and are inclusive of rates for preceding lifts also.

11. Wastage of Materials

- a) **Cement:** No wastage allowance is recommended towards the quantity of cement used in works, as the wastage is already included in the input and in major works bulk quantities are used.
- b) **Steel:** The wastage of steel @ 2.5% is allowed for gates and allied structures. For RCC works the wastage is @2.5% for the reinforcement rods above 36mm dia. and @ 5% for rods below 36mm dia. including overlaps, if they are not welded. If welding is adopted for the reinforcement rods even for below 36mm dia, 2.5% of wastage is only recommended.

12. In Respect of RCC Works, the rate for cement concrete for 1 cum is worked out separately for all grades based on Indian Standards. The rate of Reinforcement steel per MT is calculated separately and to be added in the estimates of RCC works as a separate item.

13. Soil Classification: The Committee recommended to allow uniform classification of soils for all Departments and data is worked out accordingly.

- 1. All soils
- 2. Marshy soil
- 3. Ordinary rock (Not Requiring Blasting),
- 4. Hard rock
 - a. Hard Rock (Requiring Blasting)
 - b. Hard Rock (Controlled Blasting)
 - c. Removable by Chiseling (Blasting Prohibited)

14. Use of Super Plasticizers and Admixtures:

Concrete admixtures such as Air-Entraining Agent (AEA) / Water reducing agent can be used advantageously for better quality concrete. The high level committee has recommended to adopt for super plasticizers and admixtures at 0.4% on cement for concrete work as per MORTH standards for batching plants.

15. Contractors overheads, profit and other provisions:

- a) The provisions allowed in G.O.Ms.No.94, I&CAD, dated 01.07.03, need not be added separately for the items covered in the contractor overhead charges.
- b) For all Road & Bridge works Overheads & Contractors profit shall be allowed as specified in the **MORTH** Standard Data Book.

- c) Overheads and Contractor's profit @ 13.615% shall be allowed in the data which includes labour importation and amenities etc. as mentioned below.

The overhead charges include the following elements:

- i. Site accommodation, setting up plant, access road, water supply, electricity and general site arrangements.
- ii. Office furniture, equipment and communications
- iii. Expenditure on:
 - a. Corporate office of contractor
 - b. Site supervision
 - c. Documentation and "as built" drawings
- iv. Mobilisation/ De-Mobilisation of resources
- v. Labour camps with minimum amenities and transportation to work sites.
- vi. Light vehicles for site supervision including administrative and managerial requirements.
- vii. Laboratory equipment and quality control including field and laboratory testing.
- viii. Minor T & P and survey instruments and setting outworks, including verification of line, dimensions, trial pits and bore holes, where required.
- ix. Watch and ward
- x. Traffic management during construction
- xi. Expenditure on safeguarding environment
- xii. Sundries
- xiii. Financing Expenditure

16. Role of Central Competent Agency For Schedule Of Rates (Board Of Chief Engineers)

- a) The Board of Chief Engineers under the Chairmanship of Engineer-in-Chief, (Administration) I&CAD Department is the competent authority to finalize and recommend the Schedule of Rates applicable for all Engineering Departments. The Board has to assess and incorporate only the three basic inputs required to generate unit work item rates as below.

1. Basic rates of labour:

Wages of labour commonly required in execution of works has to be arrived and incorporated in the schedule of rates (**Basic input of Labour wages**), without adding extra towards area allowances (like municipality allowance, tribal area and ghat road allowances etc, which shall be added to the rates where applicable in the form of separate percentage as explained in the preceding paras. The rates shall be the prevailing daily rates in the State and shall not be less than the minimum wages fixed by the Government from time to time.

2. Materials Rates:

The basic input material rates common to all departmental works are listed out and incorporated (in the chapter “Basic inputs”) The material specifications adopted shall confirm to Standards published by the BIS.

The Prevailing market rates for all basic input materials shall be obtained from the major commercial centers near the project areas. Average of the rates, ignoring freak rates, shall be reckoned as the prevailing market rate excluding all taxes viz., GST.

For sand, gravel, murrum, stones, aggregates etc., the rates are ex-quarry/stock yard including loading charges and idle hire charges. For steel, Cement, AC sheets, GI sheets, Hume pipes, wood and stone slabs, the rates prevailing at major commercial centre near project area has to be adopted.

3. Use Rate of Machinery:

The third parameter for incorporation in the Basic Inputs, is the use rate of machinery. To arrive at the use rate of machinery, the inputs to be incorporated are

- i. The list and capital cost of machinery required to be used in the construction activity, The rate has to be obtained from major manufacturers and outlet sources and the rate shall be the current market price excluding all taxes and duties i.e G.S.T etc. and including freight charges.
 - ii. The prevailing fuel charges of petrol and diesel are ascertained and average rate adopted
 - iii. Borrow rate of interest as fixed by the Government/competent authority be indicated.
 - iv. For the other machinery not covered by the list, the R&B and other users may adopt hire charges as recommended by the MORTH
- b) The Chairman, Board of Chief Engineers(BOCEs) or competent authority appointed by the Government, based on the approved basic inputs, load the above three basic parameters in the software program. The unit rate of all works including hire charges of all machinery will be generated automatically for adoption.

The Chairman, BOCEs shall communicate the uniform Schedule of rates arrived from Standard Data, to all users for uniform and direct adoption in all infrastructure Departments, as applicable.

Sd/- B.Nagendra Rao Dt 01.06.2020
 Engineer-in-Chief (AW)
 I & CAD Department and
 Chairman, Board of Chief Engineers

ANNEXURE (For Buildings)

- 1) The Committee comprising of Chief Engineers of departments in-charge of execution of building works for finalization of Standard Schedule of Rates for Buildings (Electrical & Civil), constituted vide G.O. Rt. No: 471 TR&B (R-1) Dept., Dt. 20.4.2007, has agreed to have a separate 'Schedule of Rates' for Buildings (Civil & Electrical). The meeting of the above "SoR Committee for Telangana Buildings (Civil & Electrical)" was convened on 18-05-2020 with an objective to finalize and release the Telangana Buildings-SoR: 2020-21.
- 2) The rates of labour, common materials & work items, Public Health items, conveyance rates of materials & hire charges approved and published in Common SoR-2020-21 remain applicable. The specifications, stipulations & all other conditions of Common-SoR other than those specified in this context remain applicable.
- 3) The committee of Chief Engineers on Buildings-SoR: 2020--21 (Civil & Electrical) has met in the chambers of Engineer-in-Chief (R&B), Buildings & NH on 18.05.2020 at 11.00 A.M. and approved the Telangana Buildings SoR: 2020-21.
- 4) SSR Rates for Civil, Sanitary & water supply items are purely for the guidance of the officers in preparation of estimates vide Para 113 of APPWD code. Authority who prepares the estimate is however responsible for proper rates as envisaged in Para 45 of APPWD code.
- 5) The rates published in the Buildings SoR are ceiling rates and the estimate preparing authorities are responsible for the correctness and reasonableness of the rates and technical specifications adopted in the estimates.
- 6) Over Heads and Contractor's profit @13.615% shall be allowed in all Building works.
- 7) Water Lead Charges:
WATER LEADS:
The following labour is allowed for conveyance of water for every ½ Kilometer lead or part there of over the initial lead of ½ kilometer.
 - a) Cement Concrete : 1.5 Women Mazdoor/Cum.
 - b) Masonry : 1.0 Woman Mazdoor/Cum.
 - c) Plastering : 0.5 Woman Mazdoor/10 Sq.m

Note: - For Water leads of over 2 KMs, specific approval of Chief Engineer concerned is necessary.

PART-I
IRRIGATION & CAD
WORKS

**BASIC DATA
FOR
IRRIGATION WORK ITEMS**

PART-1 INDEX

IRRIGATION & CAD WORKS

S.No.	Description	Page No	
		From	To
1	Irrigation Work Items	01	11
2	Labour Rates	15	18
3	Hire Charges	21	22
4	Conveyance Charges of Materials	25	27

**SCHEDULE OF RATES
BASIC DATA FOR
IRRIGATION WORK ITEMS
FOR THE YEAR 2020-21
STATEMENT OF RATES FOR MATERIALS**

General Guide Lines for Revising Rates of Materials

1. Average of the prevailing market rates, ignoring freak rates, shall be the criteria for fixing market rates for materials.
2. The rates for materials is exclusive of seigniorage charges wherever applicable.
3. The rates for materials, except those for which lead charges are admissible as per the statement of lead charges, shall be for all leads.
4. The rates provided for useful rubble / stone chips from excavation shall be at dump yard

Sl. No.	Description of material	Unit	Scheduled Rates for the Year 2020-21
1	Acetylene gas	cum	368.00
2	Asphalt 80/100 Grade	Kg	45.00
3	Binding wire	Kg	60.00
4	Burnt stone slab 10 cm thick	sqm	270.00
5(a)	Ordinary Portland Cement (43/53 GRADE) *(Note: As per Monthly rate fixed by Sub Committee)	tonne	5500.00
5(b)	Portland Pozzolona cement *(Note as per monthly rate fixed by committee)	tonne	5400.00
5(c)	Portland Slag Cement *(Note as per monthly rate fixed by sub-committee)	tonne	5300.00
6	Chequered plate	Kg	58.00
7	Coarse aggregate 10-4.75 mm(excluding Seigniorage charges)	cum	760.00
8	Coarse aggregate 20-10 mm(excluding Seigniorage charges)	cum	990.00
9	Coarse aggregate 40-20 mm(excluding Seigniorage charges)	cum	890.00
10	Coarse aggregate 80-40 mm(excluding Seigniorage charges)	cum	510.00
<i>The aggregate rates mentioned above (from Sl.No.7 to Sl.No.10) are exclusive of Seigniorage charges but including blasting charges of Rs.70/cum and 25% machine crushing charges. However, if the metal is obtained from hand broken, the blasting and crushing charges shall be deducted. The aggregate shall be HB Stone of Granite, Dolomite, Dolerite and Trap. (Quartzite and Basalt with aggregate impact of less than 20)</i>			
11	Coir brush	Each	46.00
12	Copper sheet 16 SWG	kg	625.00
13	Coursed rubble stone 30 x 30 x 45 cm(excluding Seigniorage charges)	Each	25.00
14	Coursed rubble stone 30 x 30 x 60 cm(excluding Seigniorage charges)	Each	30.00
15	Curing Compound	Ltr	125.00

Sl. No.	Description of material	Unit	Scheduled Rates for the Year 2020-21
16	D - cord	Rm	9.00
17	Delay - noiseless trunk	Each	18.00
18	Detonating fuse coil	Rm	7.00
19	Detonating shock tube / Cord relays	Rm	32.00
20	Detonator delay type	Each	16.00
21	Detonator electric	Each	10.00
22	Detonator ordinary	Each	9.00
23	Empty cement bag	Each	6.00
24	Explosive ANFO	kg	61.00
25	Explosive ANFO high strength booster	kg	74.00
26	Explosive small dia (Kelvex-220 or equivalent)	kg	81.00
27 (a)	Fine aggregate/ sand(un-screened) for Concrete & Filtering items) (excluding Seigniorage charges)	cum	570.00
27 (b)	Fine aggregate/Sand(unscreened)for filling and blind age (excluding Seigniorage charges)	cum	570.00
28	Fine aggregate /Sand (Screened) for Mortar ,Plastering items and Sand blasting items(excluding Seigniorage charges)	cum	760.00
29	Geo-textile (filter fabric) 160 gsm	sqm	39.00
30	Geo-textile (filter fabric) 200 gsm	sqm	48.00
31	Geo-textile (filter fabric) 250 gsm	sqm	54.00
32	G I Pipe 100 mm dia B Class	Rm	750.00
33	G I Pipe 15 mm dia A class	Rm	90.00
34	G I pipe 25 mm dia A class	Rm	140.00
35	G I pipe 40 mm dia B class	Rm	237.00
36	G I pipe 50 mm dia A class	Rm	270.00
37	G I Pipe 80 mm dia B Class	Rm	485.00
38	G.I Bolts / Nuts and Washers	kg	92.00
39 (a)	G.I sheet (plain)	tonne	57120.00
39 (b)	G.I sheet (Corrugated)	tonne	59160.00
40	Hariyala turfing sods	sqm	38.00
41	Hectometer stone one line dressed	Each	315.00
42	Hemp yarn	kg	79.00
43	Honne wood planks	cum	63240.00
44	Hume pipe with collar 150 mm dia (NP2) PH Rate	Rm	315.00
45	Hume pipe with collar 300 mm dia (NP2) PH Rate	Rm	530.00
46	J- Bolts 30 cm long	Each	40.00
47	Jungle wood planks	cum	26000.00

Sl. No.	Description of material	Unit	Scheduled Rates for the Year 2020-21
48	Khandki stone 15 to 20 cm height	Each	15.00
49	Khandki stone 20 to 25 cm height	Each	18.00
50	Khandki stone 25 to 30 cm height	Each	20.00
51	Kilometer stone one line dressed	Each	500.00
52	LDPE sheet (Geo membrane) 500 micron thick	sqm	95.00
53	LDPE sheet (Geo membrane) 750 micron thick	sqm	135.00
54	LDPE sheet (Geo membrane) 1000 micron thick	sqm	185.00
55	M S Bolts / Nuts / Washers	kg	79.00
56	Murum(including loading charges but excluding Seigniorage charges)	cum	225.00
57	Oxalic acid	Ltr	85.00
58	Oxygen gas	cum	47.00
59	PVC sealing strip	Rm	45.00
60	PVC water stopper 310 mm wide	Rm	424.00
61	PVC pipe of 100 mm dia	Rm	164.00
62	Reinforcement steel (HYSD/TMT) from Primary steel producers like TATA, SAIL, VSP, JSW, SHYAM STEEL, GOEL TMT, V-XEGA, JINDAL PANTHER and BALAJI SHAKTI *(Note: As per Monthly rate fixed by Sub-Committee)	tonne	41,500.00
63	Resin bond Cement capsule	Each	50.00
64	Rough stone 20 x 20 x 75 cm (Including Loading charges but excluding Seigniorage Charges)	Each	35.00
65(a)	Shahabad stone slab polished (including loading charges but excluding Seigniorage charges)	sqm	250.00
65(b)	Shahabad stone slab non polished (including loading charges but excluding Seigniorage charges)	sqm	230.00
66	Stone chips (at dump yard/Spoil)(including loading charges but excluding Seigniorage charges)	cum	200.00
67	Stone chips (at quarry)(including loading charges but excluding Seigniorage charges)	cum	485.00
68	Structural steel angle / channel / beam / bars *(Note: As per Monthly rate fixed by Sub-Committee)	tonne	45,000.00
69	Structural steel plate / flats (including loading charges) *(Note: As per Monthly rate fixed by Sub-Committee)	tonne	44,000.00
70	Super Plasticizer (Conplast RP-264 or equivalent)	kg	61.00
71	Synthetic Enamel paint 1st quality	Ltr	210.00
72	Synthetic adhesive (Resin + Hardener)	Kg	285.00
73	Tar felt joint filler board 12 mm thick	sqm	379.00
74	Tar felt joint filler board 20 mm thick	sqm	580.00
75	Through stones 20 x 20 x 30 to 45 cm (including loading charges but excluding Seigniorage charges)	Each	26.00

Sl. No.	Description of material	Unit	Scheduled Rates for the Year 2020-21
76	Through stones 25 x 25 x 45 to 60 cm long (including loading charges but excluding Seigniorage charges)	Each	45.00
77	Through stones 30 x 30 x 65 to 75 cm long (including loading charges but excluding Seigniorage charges)	Each	69.00
78	Un-coursed rubble stones (at dump yard /Spoil) (including loading charges but excluding Seigniorage charges)	cum	189.00
79	Un-coursed rubble stones (at quarry)(including loading charges but excluding Seigniorage charges)	cum	370.00
80	Water proofing compound	kg	95.00
81	Welding electrodes 4 mm dia	Each	11.00
82	Wire brush	Each	38.00
83	Wire mesh 20 gauge	sqm	220.00
84	Zinc chromate red oxide primer paint	Ltr	164.00
85	inorganic zinc silicate	Ltr	480.00
86	solvent less coal tar epoxy paint	Ltr	206.00
87	Zinc phosphate primer (as per BIS)	Ltr	179.00
88	Allkyd based iron oxide paint (as per BIS)	Ltr	151.00
89 (a)	a) Cost of HDPE (80mm dia)	Rm	175.00
89 (b)	b) Light black MS casing pipe 80mm dia (4mm thick)	Rm	574.00
90	welded steel wire fabric 100X100X5 mm size	Kg	163.00
91	Protective Mastic	Ltr	415.00
92	Solvent less coal tar epoxy (brown)	Ltr	206.00
93	Excavation of drain with Excavator	cum	42.00
94	Crushed stone sand/Rock sand 4.75mm to 2.36 mm as per IS 383 (1970) (excluding Seigniorage charges)	Cum	590.00
95	Fly ash conforming to IS: 3812 (Part II & I)	Cum	72.00
96	Benching old embankment slopes 0.45 X 0.45 M	RM	7.00
97	Laying of Sand Bags in the stipulated places including cost of empty cement bag, sand, thread, stitching charges and labour charges etc., with 13.615% overhead charges and contractors profit.	per bag	33.00
98	Rough stone for revetment 225mm thick (including Loading charges but excluding Seigniorage charges)	cum	210.00
99	Eradication of Weed growth from Drains, Canals by spraying Chemicals	sqm	3.00
100	Thinner	Ltr	77.00
101	Credit for excavated rock found suitable for use	Cum	215.00
102	Earth Cost or compensation for earth taken from private land (Excluding Seigniorage Charges)	Cum	69.00

MATERIALS FOR GATES & HOISTS
FOR THE YEAR 2020-21

GUIDE LINES

1. For cast steel / Alloy steel / Forged steel / Bronze, aluminum alloy components the rates shall be inclusive of cost of basic metal for these components, casting / forging charges, machining charges and applicable excise duty on finished alloy component.
2. For other materials the rates shall be prevailing market rates.

Sl. No.	Description of material	Unit	Scheduled Rates for the Year 2020-21
1	Alloy steel (IS : 1570-carbon steel) shafts	Kg	228.00
2	Alloy steel (IS : 1570-stainless steel) pins	Kg	386.00
3	Bolt / Nut / Washer (hot dipped galvanized)	Kg	110.00
4	Bolt / Nut / Washer (stainless steel)	Kg	312.00
5(a)	Bronze (IS:305)bearings/bushes	Kg	870.00
5(b)	Aluminium alloy(IS:305)bearings/bushes	Kg	375.00
6	Cast iron blocks	Kg	78.00
7	Cast steel drums / gears	Kg	218.00
8	Cast steel pinions	Kg	204.00
9	Cast steel wheels / pulleys / hubs / rollers / retainers	Kg	165.00
10	Chemical for de-greasing/ de-rusting/phosphate coating	Ltr	142.00
11	Coal tar epoxy paint	Ltr	211.00
12	Forged steel hooks / shackles	Kg	235.00
13	MS pipe 200 / 300 mm dia	Kg	153.00
14	MS pipe 32 mm dia	Rm	179.00
15	MS pipe 25 mm dia	Rm	145.00
16(a)	Rubber bottom seal (IS : 11855) 120 X 16 mm	Rm	730.00
16(b)	Rubber bottom seal (IS : 11855) 120 X 20 mm	Rm	835.00
17(a)	Rubber side seal (music note type Teflon claded) (IS : 11855) 36Ø 113 X 14 mm	Rm	1,400.00
17(b)	Rubber side seal (music note type Teflon claded) (IS : 11855) 50Ø 125 X 16 mm	Rm	2,160.00
18(a)	Rubber side seal (music note type uncladed) (IS : 11855) 36Ø 113 X 14 mm	Rm	1,269.00
18(b)	Rubber side seal (music note type uncladed) (IS : 11855) 50Ø 125 X 16 mm	Rm	1,870.00
19	Rubber side seal Z-type (IS : 11855)	Rm	1,755.00
20(a)	Rubber corner seal (Teflon claded) (IS : 11855) 36 Ø 113 X 14 mm	Each	2,800.00

Sl. No.	Description of material	Unit	Scheduled Rates for the Year 2020-21
20(b)	Rubber corner seal (Teflon claded) (IS : 11855) 50Ø 125 X 16 mm	Each	3,780.00
21(a)	Rubber corner seal (un claded) (IS : 11855) 36Ø 113 X 14 mm	Each	2,532.00
21(b)	Rubber corner seal (un claded) (IS : 11855) 50Ø 125 X 16 mm	Each	3,376.00
22	Stainless steel plates / flats	Kg	270.00
23	Welding electrode 4 mm dia x 450 mm (radiographic low hydrogen)	Each	18.00
24	Welding electrode 4 mm dia x 450 mm (stainless steel)	Each	25.00
25	Wire rope 6x37 construction (IS : 2266)	Kg	206.00
26	Zinc	Kg	185.00
27	Zinc rich (zinc content : 90 %) epoxy primer	Ltr	612.00

DETAILS OF CAPITAL COST OF MACHINERY / EQUIPMENT
GUIDE LINES FOR FIXING CAPITAL COST OF MACHINERY / EQUIPMENT
FOR THE YEAR 2020-21

1. The Capital cost of machinery / equipment shall be for new machinery / equipment and shall be inclusive of all taxes, duties, other levies.
2. The cost of transport vehicles / equipment shall be exclusive of cost of tyres and tubes.
3. The cost of drill rods / drill bits / air hose / water hose / road tax / insurance charges and other consumable accessories shall not be included in the capital cost.
4. In cases, where the current capital cost of machinery / equipment could not be collected through enquiries, the capital cost considered for previous year may be updated on the basis of average percentage increase / decrease in the index for machinery published in the R.B.I Bulletin.

Sl. No.	Description of material	Unit	Scheduled Rates for the Year 2020-21
1	Agitator car / Transit mixer 2 cum (excluding tyres)	Each	23,05,200.00
	tyres and tubes 6 sets		97,125.00
2	Air compressor 5 cmm electric	Each	7,29,300.00
3	Air compressor 7 cmm diesel	Each	9,79,710.00
4	Air compressor 7 cmm electric	Each	9,39,600.00
5	Air compressor 8.5 cmm diesel	Each	11,10,270.00
6	Air compressor 8.5 cmm electric	Each	11,47,500.00
7	Air compressor 15 cmm electric	Each	14,03,010.00
8	Angle Dozer 90 HP	Each	55,50,000.00
9	Batching plant 0.5 cum with accessories	Each	12,69,900.00
10	Batching plant 2 x 1.00 cum with accessories	Each	43,75,800.00
11	Batching plant 2 x 1.50 cum with accessories	Each	57,63,000.00
12	Bending machine	Each	5,55,500.00
13	Clamp shell and hoisting ropes	Each	32,025.00
14	Concrete bucket 1.5 cum	Each	57,120.00
15	Concrete hand mixer 45/30 ltr	Each	17,065.00
16	Concrete mixer 300/200 ltr(diesel)	Each	1,62,750.00
17	Concrete mixer 300/200 ltr (electric)	Each	1,56,450.00
18	Concrete mixer 600/400 ltr(diesel)	Each	2,70,810.00
19	Concrete mixer 600/400 ltr (electric)	Each	2,65,200.00
20	Concrete paver 100 Sqm / hr	Each	24,00,000.00
21	Convey mucker (excluding tyres)	Each	39,62,700.00
	Tyres and tubes 6 sets		95,000.00
22	Core drilling machine	Each	11,75,040.00
23	Diesel generating set 30 KVA	Each	5,35,000.00
24	Diesel generating set 50 KVA	Each	7,87,500.00
25	Diesel Loco 45 HP	Each	21,77,700.00
26	Dewatering pump 5 HP diesel	Each	34,680.00
27	Dewatering pump 5 HP electric	Each	25,200.00
28	Dewatering pump 10 HP diesel	Each	64,260.00
29	Dewatering pump 10 HP electric	Each	58,140.00
30	Dewatering pump 20 HP diesel	Each	2,05,000.00
31	Dewatering pump 20 HP electric	Each	1,10,250.00

Sl. No.	Description of material	Unit	Scheduled Rates for the Year 2020-21
32	Drifter	Each	11,27,100.00
33	Drilling jumbo (excluding tyres)	Each	13,50,000.00
	Tyres and tubes 6 sets		96,600.00
34	Dumper 4.5 cum (excluding tyres)	Each	15,81,000.00
	Tyres and tubes 6 sets		97,700.00
35	Geophysical Ele.resistivity meter	Each	5,05,000.00
36	Grouting pump	Each	1,55,040.00
37	Guniting / sand blasting equipment	Each	2,95,800.00
38	Ice plant with accessories 30 t / day	Each	25,20,000.00
39	Jack hammer	Each	73,000.00
40	Needle vibrator 40 mm petrol	Each	15,750.00
41	Needle vibrator 40 mm electric	Each	15,120.00
42	Needle vibrator 60 mm petrol	Each	17,085.00
43	Needle vibrator 60 mm electric	Each	16,740.00
44	Planing machine 4 m stroke	Each	8,00,700.00
45	Plate shearing machine up to 12 mm	Each	4,77,750.00
46	Pneumatic placer 0.5 cum	Each	6,04,860.00
47	Pneumatic tamper	Each	90,825.00
48	Pug cutting machine	Each	18,375.00
49	Pusher leg	Each	55,125.00
50	Road roller diesel 10 t	Each	9,30,000.00
51	Shovel 0.50 cum 75 HP	Each	38,00,000.00
52	Shovel 0.85 cum 110 HP	Each	64,00,000.00
53	Stationery derrick crane 5 t	Each	6,68,100.00
54	Tipper 5 cum (excluding tyres)	Each	17,82,000.00
	Tyres and tubes 6 sets		96,600.00
55	Tipping tub 1.5 cum	Each	2,75,100.00
56	Tower crane 5 tonne	Each	79,05,000.00
57	Transformer 250 KVA	Each	4,72,500.00
58	Truck 10 t (excluding tyres)	Each	15,75,000.00
	Tyres and tubes 6 sets		96,600.00
59	Truck mounted derrick crane 5 t (excluding tyres)	Each	23,73,000.00
	Tyres and tubes 6 sets		97,700.00
60	Upright drilling machine	Each	60,900.00
61	Ventilation fan 20 HP	Each	2,78,250.00
62	Vibratory pad foot roller 8 t	Each	30,24,300.00
63	Wagon drill	Each	6,65,040.00
64	Water tanker 8000 Ltr. (excluding tyres)	Each	15,17,250.00
	Tyres and tubes 6 sets		97,700.00
65	Welding set	Each	48,960.00
66	Winch 35 HP electric	Each	3,80,000.00
67	Hydraulic Truck Crane 30T	Each	1,57,50,000.00
	tyres and tubes 6 sets		2,02,700.00
68	Hydraulic Truck Crane 16T	Each	1,02,00,000.00
	tyres and tubes 6 sets		2,04,800.00
69	Heavy Duty Airless Spray Painting Equipment	Each	5,01,840.00

ACCESSORIES TO MACHINERY / EQUIPMENT
FOR THE YEAR 2020-21

Sl. No.	Description of material	Unit	Scheduled Rates for the Year 2020-21
1	Casing shoe bit	Each	9,830.00
2	Diamond core bit BX size	Each	10,045.00
3	Diamond core bit NX size	Each	12,150.00
4	Double tube core barrel	Each	13,125.00
5	Extension drill rod with coupling sleeve	Rm	2,215.00
6	Jack hammer drill rod 1.5 m	Each	4,750.00
7	Jack hammer drill rod 2.5 m	Each	5,900.00
8	Nozzle for Guniting / sand blasting gun	Each	725.00
9	Paving Cylinder	Each	26,460.00
10	Rails 30R (30 kg / m)	tonne	50,140.00
11	Reamer shell	Each	5,100.00
12	T.C. Cross bit 50 mm dia	Each	4,785.00
13	T.C. Cross bit 75 mm dia	Each	10,350.00
14	T.C. Cross bit 100 mm dia	Each	12,165.00
15	Tyres and Tubes for truck	Set	15,700.00
16	Wire rope 16 mm dia	Rm	250.00

OTHER COSTS ON MATERIAL / MACHINERY / EQUIPMENT
FOR THE YEAR 2020-21

1. The rate provided for 'SUNDRIES' (Lump sum provision for unquantified inputs in the data rates) shall be updated on the basis of general percentage increase / decrease in the market rates or on the basis of R.B.I ' All Commodity' index.
2. The rate for structural steel fabrication shall include cost of all materials (except structural steel), machinery, labour and one coat of primer painting.
3. Demand charges and electric power charges shall be as per prevailing APCPDCL tariff.
4. Rate of interest on capital cost shall be as approved by Government or other competent authority.

Sl. No.	Description of material	Unit	Scheduled Rates for the Year 2020-21
1	Air hose 25 mm dia	Rm	163.00
2	Air hose 50 mm dia	Rm	249.00
3	Demand charges (HT-I : General-11 KVA category) on power supply	KVA / month	390.00
4	Diesel	Ltr	67.82
5	Electric power (HT-VIII Category) including tax (1.5 times of the Tariff of HT-I(A): General-11 KVA category)	Kwhr	10.00
6	Excise duty on Gates / Hoist supplies	%	0.00
7	Insurance charges on machinery	% / annum	0.00
8	Interest on capital cost	% / annum	9%
9	Lubricants	Ltr	240.00
10	Petrol	Ltr	73.97
11	Rivets	Kg	90.00
12	Road tax on transport vehicles	Rs./annum	R.T.A
13	Shalimastic sealing compound	Kg	94.00
14	Shutter oil	Ltr	34.00
15	Structural steel fabrication	Kg	29.00
16	Sundries (Lump sum for un quantified inputs)	LS	22.00
17	Water hose (pressure) 20 mm dia	Rm	162.00
18	Steel wedges	LS	17.00
19	Elbows / Nipple / Plugs etc.,	LS	18.00
20	Soldering materials	LS	17.00
21	Steam circulation arrangement	LS	18.00
22	Fuel charges (gas for heating)	LS	17.00
23	Vulcanizing materials	LS	18.00
24	Gas cutting set (2 No's 15 m hose and nozzle unit)	Each	15,100.00
25	Grease	Kg	242.00
26	Welding holder set (cable / holder / gloves /mask etc)	Each	8,500.00
27	Use rate of ropes	LS	158.00

MATERIALS FOR GATES AND HOISTS
FOR THE YEAR 2020-21

Sl. No.	Description of material	Unit	Scheduled Rates for the Year 2020-21
1	Worm reducers	Each	2,10,600.00
2	Electric motor 20 HP(Double Shaft)	Each	1,08,000.00
3	Electric motor 17.5 HP(Double Shaft)	Each	76,500.00
4	Electric motor 12.5 HP(Double Shaft)	Each	65,790.00
5	Electric motor 5 HP(Double Shaft)	Each	31,110.00
6	Electric motor 3 HP (Double Shaft)	Each	20,580.00
7	Electric motor 2 HP (Double Shaft)	Each	11,880.00
8	Floating shaft 300 mm dia	Kg	190.00
9	Manual operating system	Each	28,875.00
10	Gate position indicator	Each	2,14,200.00
11	Ele-magnetic brake	Each	33,000.00
12	Electric cable / switch / control panel etc	LS	58,650.00
13	Wire rope sockets	Each	4,990.00

LABOUR RATES

**LABOUR RATES
FOR THE YEAR 2020-21**

Sl. No.	Category of Worker	Scheduled Rates for the Year 2020-21
I	SKILLED CATEGORY:	
1	Bar bender	615.00
2	Black smith / Tin smith / Rivetor	515.00
3	Blaster	615.00
4	Carpenter Cl- I	615.00
5	Electrician (Licensed)	590.00
6	Fitter Cl- I	590.00
7	Floor Polisher / Tile Layer	515.00
8	Foreman	605.00
9	Gauge reader	510.00
10	Maistry / Work Inspector with Non-technical Qualification SSLC/SSC/HSC	615.00
11	Mason Cl- I / Brick layer Cl- I	520.00
12	Mechanic Cl- I	545.00
13	Operator Air compressor / DG set	545.00
14	Operator Batching plant	595.00
15	Operator Bus/Ambulance/ Lorry/ Tanker	595.00
16	Operator Concrete / Asphalt mixer	555.00
17	Operator Concrete / Asphalt paver	555.00
18	Operator Concrete pump / Placer/ ice plant	555.00
19	Operator Core drilling machine	595.00
20	Operator Crane/ Tower crane/ Cable way	595.00
21	Operator Drilling jumbo / Loco / Winch	545.00
22	Operator Grouting/ Guniting/ Shotcreting	545.00
23	Operator Jackhammer/Pneumatic tamper	545.00
24	Operator Pump / Ventilation fan	545.00
25	Operator Lathe/Drilling/Shearing machine	595.00
26	Operator Bending / Planing machine	545.00
27	Operator Road roller	600.00
28	Operator Shovel / Scraper / Dozer	600.00
29	Operator Spillway / Sluice gate	555.00
30	Operator Crusher / Conveyor / Mucker	555.00
31	Operator Tipper / Dumper / Transit mixer	595.00

Sl. No.	Category of Worker	Scheduled Rates for the Year 2020-21
32	Operator Concrete vibrator	555.00
33	Operator Vibratory plain / pad foot roller	550.00
34	Operator Wagon drill / Drifter	595.00
35	Painter Cl- I	595.00
36	Plumber / Pipe fitter	605.00
37	Sarang / Khalasi	545.00
38	Spun pipe moulder	550.00
39	Stone chiseller Cl- I / Stone cutter Cl- I	550.00
40	Struct. steel Fabricator / Marker / Erector	625.00
41	Welder / Gas Cutter	555.00
42	Welder (X-ray quality)	595.00
43	caulker	595.00
44	Bore Mechanic	595.00
45	Plumber Class-I	605.00
II.	SEMI SKILLED CATEGORY:	
1	Asphalt Sprayer / Boiler attendant	490.00
2	Bhisti	490.00
3	Boatman with boat	490.00
4	Carpenter Cl- II / Erector shuttering	490.00
5	Cartman with double bullock cart	545.00
6	Cartman with single bullock cart	490.00
7	Chavali / Navagani	490.00
8	Crowbarman / Jumper man	490.00
9	Fitter Cl- II	490.00
10	Gang man / Head / Survey mazdoor	490.00
11	Gardener / Trained mali	490.00
12	Helper Air compressor / DG set	490.00
13	Helper Batching plant	490.00
14	Helper Blasting	490.00
15	Helper Bus/ Ambulance/ Lorry/ Tanker	490.00
16	Helper Bending/Shearing/Planing machine	490.00
17	Helper Carpenter	490.00
18	Helper Concrete / Asphalt mixer	490.00
19	Helper Concrete / Asphalt paver	490.00
20	Helper Core drilling machine	490.00

Sl. No.	Category of Worker	Scheduled Rates for the Year 2020-21
21	Helper Crane/ Tower crane/ Cable way	490.00
22	Helper Drilling jumbo / Loco / Winch	490.00
23	Helper Fitter / Fabrication/Electrician	490.00
24	Helper Grouting/ Guniting/ Shotcreting	490.00
25	Helper Jack hammer / Pneumatic tamper	490.00
26	Helper Laboratory / Instrumentation	490.00
27	Helper Road roller	490.00
28	Helper Shovel / Scraper / Dozer	490.00
29	Helper Crusher / Conveyor / Mucker	490.00
30	Helper Tipper / Dumper/ Transit mixer	490.00
31	Helper Vibrator	490.00
32	Helper Vibratory plain/ pad foot roller	490.00
33	Helper Wagon drill/ Drifter	490.00
34	Lineman Electric / Telephone	490.00
35	Mason Cl- II / Brick layer Cl-II	490.00
36	Mechanic Cl- II	490.00
37	Painter Cl- II	490.00
38	Patkari / Neeraganti / Sowdy	490.00
39	Stone Chiseller Cl- II	490.00
40	Stone breaker / Hammer man	490.00
41	Valve man / Canal sluice operator	490.00
42	Plumber Class-II	490.00
43	Sewer Cleaner	490.00
III.	UN-SKILLED CATEGORY:	
1	Cement / Asphalt handling mazdoor	465.00
2	Civic worker	465.00
3	Man mazdoor	465.00
4	Woman mazdoor	465.00
5	Watchman	465.00
IV.	OTHER CATEGORY:	
1	Care-taker / conductor / Lift Attender	490.00
2	Cook / Mess man	490.00
3	Dhobi	490.00
4	Diploma Engineer / Surveyor	885.00
5	Diver with headgear	595.00

Sl. No.	Category of Worker	Scheduled Rates for the Year 2020-21
6	Graduate / Laboratory Assistant	615.00
7	Graduate Engineer/ Geologist	1120.00
8	Horticulture Assistant / Photographer	545.00
9	ITI certificate holder / Tracer / Printer	625.00
10	Literate mazdoor	465.00
11	Stenographer / Computer Operator	650.00
12	Telephone / Wireless Operator	605.00
13	Typist / Job Typist	605.00
14	CAD operator with Diploma in Engineering/General degree with CAD certificate	885.00
15	Jeep Driver	575.00
16	Data Processing Operator	780.00
17	Laboratory Chemist with M.Sc/B.sc Chemistry having Computer Knowledge./ Laboratory Microbiologist with M.Sc / B .Sc Microbiology or B.Sc with BZC having Computer Knowledge.	885.00

Note:-

1. The wage should not be less than the minimum wages of schedule of employment, subject to out turn.
2. 25% extra over the corresponding Labour rates in respect of the work to be done during night time subject to issue of certificate accordingly by the concerned estimate sanctioning authority for providing in the data and by concerned Executive Engineer in charge of the work for payment. The night time allowance is applicable only to the works done under all Municipality limits only.

HIRE CHARGES

HIRE CHARGES OF MACHINERY
FOR THE YEAR 2020-21

Sl. No	Description of machinery	Unit	Hire charge in Rs	Fuel charge in Rs	Crew Charge in Rs.	Total in Rs.
1	Agitator car / Transit mixer 2 cum	Hour	779.50	1025.80	338.50	2143.80
2	Air compressor 5 cmm (electric)	Hour	103.70	302.10	201.80	607.60
3	Air compressor 7 cmm (diesel)	Hour	235.60	839.30	258.30	1333.20
4	Air compressor 7 cmm (electric)	Hour	133.60	402.80	201.80	738.20
5	Air compressor 8.5 cmm (diesel	Hour	267.00	1049.10	258.30	1574.40
6	Air compressor 8.5 cmm (electric)	Hour	163.20	503.60	201.80	868.60
7	Air compressor 15 cmm (electric)	Hour	127.40	1119.00	215.30	1461.70
8	Angle Dozer 90 HP	Hour	1662.70	717.60	283.40	2663.70
9	Batching plant 0.5 cum(6 cum/hr)	Hour	109.20	134.30	406.10	649.60
10	Batching plant 2 x 1.00 cum(15 cum/hr)	Hour	376.30	402.80	406.10	1185.20
11	Batching plant 2 x 1.50 cum(50 cum/hr)	Hour	495.60	492.40	406.10	1394.10
12	Bending machine 3000 x 12 mm	Hour	40.20	134.30	161.50	336.00
13	Clamp shell and hoisting ropes	Hour	5.80	0.00	0.00	5.80
14	Concrete bucket 1.5 cum	Hour	15.50	0.00	0.00	15.50
15	Concrete hand mixer 45 / 30 ltr	Hour	5.80	0.00	0.00	5.80
16	Concrete mixer 300 / 200 (diesel)	Hour	55.60	93.30	271.70	420.60
17	Concrete mixer 300 / 200 ltr (electric)	Hour	53.50	44.80	271.70	370.00
18	Concrete mixer 600 / 400 (diesel)	Hour	92.50	186.50	271.70	550.70
19	Concrete mixer 600 / 400 ltr (electric	Hour	90.60	89.50	271.70	451.80
20	Concrete paver 100 sqm / hr	Hour	331.80	0.00	521.70	853.50
21	Convey mucker	Hour	809.30	311.50	217.40	1338.20
22	Core drilling machine	Hour	320.90	279.80	338.50	939.20
23	Diesel generating set 30 KVA	Hour	66.70	746.00	161.50	974.20
24	Diesel generating set 50 KVA	Hour	98.20	1119.00	161.50	1378.70
25	Diesel Loco 45 HP	Hour	369.50	629.50	201.80	1200.80
26	Dewatering pump 5 HP (diesel)	Hour	8.30	93.30	136.00	237.60
27	Dewatering pump 5 HP (electric)	Hour	2.80	44.80	102.00	149.60
28	Dewatering pump 10 HP (diesel)	Hour	15.50	186.50	136.00	338.00
29	Dewatering pump 10 HP (electric	Hour	6.60	89.50	102.00	198.10
30	Dewatering pump 20 HP (diesel)	Hour	49.30	373.00	136.00	558.30
31	Dewatering pump 20 HP (electric	Hour	12.40	179.00	102.00	293.40
32	Drifter	Hour	320.50	0.00	423.20	743.70
33	Drilling jumbo	Hour	372.40	50.40	215.30	638.10
34	Dumper 4.5 cum	Hour	613.70	470.00	270.80	1354.50

Sl. No	Description of machinery	Unit	Hire charge in Rs	Fuel charge in Rs	Crew Charge in Rs.	Total in Rs.
35	Geophysical Electric resistivity meter	Hour	100.70	0.00	0.00	100.70
36	Grouting pump	Hour	35.30	44.80	322.90	403.00
37	Guniting / sand blast equipment	Hour	111.90	0.00	269.10	381.00
38	Ice plant & accessories 30 t / day	Hour	168.20	1275.70	163.00	1606.90
39	Jack hammer	Hour	20.80	0.00	403.70	424.50
40	Needle vibrator 40 mm (petrol)	Hour	5.80	20.30	195.60	221.70
41	Needle vibrator 40 mm (electric)	Hour	5.60	9.00	195.60	210.20
42	Needle vibrator 60 mm (petrol)	Hour	6.30	30.50	195.60	232.40
43	Needle vibrator 60 mm (electric)	Hour	6.20	13.40	195.60	215.20
44	Planing machine 4 m stroke	Hour	110.70	134.30	258.30	503.30
45	Plate shearing machine upto 12 mm	Hour	43.30	179.00	169.30	391.60
46	Pneumatic placer 0.5 cum	Hour	171.60	0.00	108.20	279.80
47	Pneumatic tamper	Hour	20.70	0.00	322.90	343.60
48	Pug cutting machine	Hour	7.00	4.50	0.00	11.50
49	Pusher leg	Hour	12.50	0.00	0.00	12.50
50	Road roller diesel 10 t	Hour	203.20	839.30	272.10	1314.60
51	Shovel 0.50 cum 75 HP	Hour	964.30	559.50	283.40	1807.20
52	Shovel 0.85 cum 110 HP	Hour	1624.00	1025.80	283.40	2933.20
53	Stationery derrick crane	Hour	81.20	0.00	0.00	81.20
54	Tipper 5 cum	Hour	471.60	352.50	211.60	1035.70
55	Tipping tub 1.5 cum	Hour	70.50	0.00	0.00	70.50
56	Tower crane 5 tonne	Hour	834.00	232.80	225.70	1292.50
57	Transformer 250 KVA	Hour	4974.40	0.00	0.00	4974.40
58	Truck 10 t	Hour	428.60	352.50	211.60	992.70
59	Truck mounted Derric crane 5 t	Hour	595.40	352.50	211.60	1159.50
60	Upright drilling machine/Grinder	Hour	23.20	44.80	232.10	300.10
61	Ventilation fan 20 HP	Hour	11.30	179.00	35.20	225.50
62	Vibratory pad foot roller 8 t	Hour	1325.00	1212.30	324.50	2861.80
63	Wagon drill	Hour	181.60	0.00	338.50	520.10
64	Water tanker 8000 ltr	Hour	417.80	352.50	211.60	981.90
65	Welding set	Hour	15.30	107.40	0.00	122.70
66	Winch 35 HP (electric)	Hour	124.70	219.30	322.90	666.90
67	Tractor with 2T roller	Hour				345.00
68	Hydraulic Truck Crane 30T	Hour	3159.00	118.80	637.70	3915.50
69	Hydraulic Truck Crane 16T	Hour	2123.30	75.00	637.70	2836.00
70	Heavy Duty Airless Spray Painting Equipment	Hour	121.60			121.60

CONVEYANCE CHARGES OF MATERIAL

LEAD/LIFT/LOADING & UNLOADING CHARGES FOR THE YEAR 2020-21

LEAD, LIFT, LOADING AND UNLOADING CHARGES FOR MATERIALS

1. For total lead up to 150 m (including initial lead) lead charges by head load only shall be adopted irrespective of mode of conveyance.
2. For total lead exceeding 150 m conveyance by mechanical means only shall be adopted irrespective of mode of conveyance.
3. The rates for loading at quarry including idle hire charges of trucks and hire charges per for each kilometre and up to 5 km are cumulative and inclusive of total charges for preceding lead.
4. Unless otherwise specified lead charges for Earth / Sand / Gravel / Aggregates and Stones are for loose volume and not for compacted or in-situ volume.
5. The rates for lift charges, lead charges, hire charges are cumulative and inclusive of rates for preceding lift, lead and hire charges
6. Lift charges are not payable where conveyance of materials is by mechanical means to final placing point.
7. Loading and unloading charges are not payable for conveyance by head load.
8. Loading charges are not payable for conveyance by mechanical means for disposal of excavated materials beyond initial lead of 50 m wherever specified.
9. Loading and unloading charges are not payable for conveyance by mechanical means for disposal of excavated materials beyond initial lead of 1 km wherever specified.
10. The rates for unloading of materials except earth, sand, gravel, coarse aggregate, rubble, size stone and cut stone are inclusive of stacking.
11. Hire charges are per 1KM for tippers and trucks for transport of materials from work site to dump yard and other places are cumulative& includes previous km up to 5 kms.
12. The lead & lift charges are inclusive of contractor's profit and overhead charges of 13.615%
13. *During the BoCE meeting held on 26.05.2016, it is observed that the in some of the estimates, Lead charges are being added directly to the material basic rates for arriving the finished item rate. In view of that, the BoCE has instructed to see that while arriving the finished item rate the lead charges are to be added to the material basic rates only after deducting the provision of Contractor's Profit and Overhead charges.*

COM-LDLFT-1

A. (Lead) Conveyance Charges for materials by head load

	Total distance (Total lead includes initial lead)	Earth / Sand /Gravel / Murrum / Lime/ Surki/ Size stone / Cut stone Rubble / Coarse aggregate Rs/ Cum	Cement / Reinforcement steel Strutrural steel Rs / tonne	PCC slab/ Shahbad slab / CC block/ BS slab / Late-rite / Wood Rs / cum
1	2	3	4	5
1	Total lead upto 50 m (covered by item rate)	Initial Lead	Initial Lead	Initial Lead
2	Total lead upto 100 m	75.50	44.00	96.10
3	Total lead upto 150 m	150.90	88.10	192.10

Notes:

1. No loading or unloading charges are admissible for conveyance by head load.
2. For total lead exceeding 150 m conveyance charges by mechanical means only shall be adopted irrespective of mode of conveyance.
3. The Lead Charges are inclusive of 13.615% Contractor Profit and Overhead charges

COM-LDLFT-2

B. (Lead) Conveyance charges for machinery per kilometer for transporting materials by tippers and trucks excluding loading, unloading and idle hire charges of machinery.

(No loading and unloading charges allowed for machinery loading and unloading)

Sl. No	Distance	(Lead) charges for trucks and tippers for Earth / Sand /Gravel / Murrum/ Lime/ Surki/ per cu.meter	(Lead) charges for trucks and tippers for Rubble/Size stones/ Cut Stones/ Coarse aggregate per cu.meter	(Lead) charges for trucks and tippers for Cement/ Steel/ RCC poles/ AC & GI sheets/ Packed materials/ tonne	(Lead) charges for trucks and tippers per cu.meter for PCC slabs/ Shahabad slabs/ CC & Laterite blocks/ Wood/ cum	(Lead) charges for per cu.meter for water/ 1000 litres	(Lead) charges for trucks per 1000 Nos. of Bricks
1	2	3	4	5	6	7	8
1	Lead up to 1 km	35.30	33.80	21.10	49.80	20.90	56.40
2	Lead up to 2 km	49.40	47.40	29.60	69.70	29.30	79.00
3	Lead up to 3 km	65.90	65.90	41.20	96.90	39.00	105.30
4	Lead up to 4 km	80.00	80.00	50.00	117.70	47.40	127.80
5	Lead up to 5 km	94.10	94.10	58.80	138.40	55.80	150.40
6	for Every km beyond 5 km upto 30 km	14.10	14.10	8.80	20.80	8.40	22.60
7	for Every km beyond 30 km	11.80	11.80	7.40	17.30	7.00	18.80

Note: The Lead Charges are inclusive of 13.615% Contractor Profit and Overhead charges

COM-LDLFT-3

C. LOADING AND UNLOADING CHARGES BY MANUAL MEANS (idle hire charges of trucks are not added)

Sl No.	Description of item	Earth / Sand /Gravel Murrum/ Surki/ Rs / cum	Rubble/ size stone/ cut stone/ Coarse aggregate,Lime in Rs/cum	Cement in Rs/tonne	Steel in Rs./tonne	Brick work Rs/1000 No
1	2	3	4	5	6	7
1	Loading	25.00	50.10	82.60	99.00	68.80
2	Unloading	12.50	25.05	82.60	99.00	68.80

Note: The Lead Charges are inclusive of 13.615% Contractor Profit and Overhead charges

COM-LDLFT-4**D. LOADING AND UNLOADING CHARGES BY MANUAL MEANS (including idle hire charges of trucks)**

Sl No.	Description of item	Earth / Sand /Gravel /Murrum/ / Surki/ Rs / cum	Rubble/ size stone/ cut stone/ Coarse aggregate,Lime in Rs/cum	Cement in Rs/tonne	Steel in Rs./tonne	Brick work Rs/1000 No
1	2	3	4	5	6	7
1	Loading	127.60	152.60	195.40	211.80	254.90
2	Unloading	46.60	76.30	195.40	211.80	254.90

COM-LDLFT-5**E. LOADING AND UNLOADING CHARGES BY MECHANICAL MEANS (including idle hire charges of trucks)**

Sl No.	Description of item	Earth / Sand /Gravel /Murrum/ Surki Rs / cum	Rubble/ size stone/ cut stone/ Coarse aggregate, Lime in Rs/cum
1	2	3	4
1	Loading	55.80	110.90
2	Unloading	17.80	17.80

Note: The Lead Charges are inclusive of 13.615% Contractor Profit and Overhead charges

COM-LDLFT-6**F. LIFT CHARGES FOR MATERIALS BY HEAD LOAD**

Sl No.	Total lift (Total lift includes initial lift)	Earth / Sand /Gravel /Murrum/ Lime/ Surki/ Size stone / Cut stone Rubble / Coarse aggregate Rs / cum	Cement / Reinforcement steel Structural steel Rs / tonne	PCC slab/ Shahbad slab / CC block/ BS slab / Laterite / Wood Rs / cum
1	2	3	4	5
1	Total lift upto 3 m (covered by item rate)	Initial lift	Initial lift	Initial lift
2	For Every 1.00 Lift beyond initial lift of 3 meters	8.80	6.40	11.70

PART-II
ROADS & BRIDGES WORKS

PART-II INDEX

Roads & Bridge Works

S.No.	Description	Page No	
		From	To
1	Labour Rates	31	33
2	Material & Work Items	34	41
3	Hire Charges	42	44

LABOUR RATES

Sl. No	S.S. Item No.	Description	Unit (Per)	Scheduled Rates for the Year 2020-21	Remarks
1	2	3	4	5	6
(A)	SKILLED WORKMEN				
		First Class			
1	a	stone cutter	Day	550	As per I&CAD (S.No.39)
2	b	Mason Cl-I/Brick Layer	Day	520	As per I&CAD (S.No.11)
3	c	Carpenter	Day	615	As per I&CAD (S.No.4)
4	d	Painter	Day	595	As per I&CAD (S.No.35)
5	e	Plumber	Day	605	As per I&CAD (S.No.36)
6	f	Welder	Day	555	As per I&CAD (S.No.41)
7	g	Fitter	Day	590	As per I&CAD (S.No.6)
8	h	Electrician	Day	590	As per I&CAD (S.No.5)
9	1	Cook	Day	490	As per I&CAD (S.No.2) Other Category
10	2	Mechanic	Day	545	As per I&CAD (S.No.12)
11	5	Well Sinker	Day		
12	6	Blaster(licensed)	Day	615	As per I&CAD (S.No.3)
13	3	Barbender	Day	615	As per I&CAD (S.No.1)
14	7	Tipper and Heavy Vehicle Driver above 12 T	Day	595	As per I&CAD (S.No.15)
15		Road Roller Driver (7.5 T to 12 T)	Day	600	As per I&CAD (S.No.27)
		<u>Operator</u>			
16		Concrete Mixer	Day	555	As per I&CAD (S.No.16)
17		Vibrator	Day	555	As per I&CAD (S.No.32)
18		Jack Hammer	Day	545	As per I&CAD (S.No.23)
19		Driller	Day	595	As per I&CAD (S.No.34)
20	11	Pump operator	Day	545	As per I&CAD (S.No.24)
21	13	Wireless Operator	Day	605	As per I&CAD (S.No.12) Other Category
22	15	Jeep Driver	Day	575	As per I&CAD (S.No.15)

Sl. No	S.S. Item No.	Description	Unit (Per)	Scheduled Rates for the Year 2020-21	Remarks
					Other Category
23	16	Work Inspector with I.T.I qualification	Day	625	As per I&CAD (S.No.9) Other Category
24	17	Work Inspector with LCE, LME,L.E.E qualification	Day	885	As per I&CAD (S.No.4) Other Category
25	18	Work Inspector with B.E (Civil Mechanical and Electrical qualification	Day	1120	As per I&CAD (S.No.7) Other Category
26	19	Work Inspector with Non-technical qualification SSLC/SSC/HSC	Day	615	As per I&CAD (S.No.10)
27	27 a(i)	Typist/Job Typist	Day	605	As per I&CAD (S.No.13) Other Category
28	a (ii)	Computer operator	Day	650	As per I&CAD (S.No.11) Other Category
29	b	"CAD Operator with Diploma in Engineering /General degree with CAD certificate"	Day	885	As per I&CAD (S.No.14) Other Category
(B) SEMI -SKILLED WORKMEN					
SECOND CLASS					
30	1	Mason	Day	490	As per I&CAD (S.No.35) Semi-Skilled
31	b	Brick Layer and Stone Cutter	Day	490	As per I&CAD (S.No.35) Semi-Skilled
32	c	Carpenter	Day	490	As per I&CAD (S.No.4) Semi-Skilled
33	d	Painter	Day	490	As per I&CAD (S.No.37) Semi-Skilled
34	10	Telephone Operator	Day	605	As per I&CAD (S.No.12) Other Category
35	13	Hammer Man	Day	490	As per I&CAD (S.No.40) Semi-skilled
36	1	Head Mazdoor (Mukaddar)	Day	490	As per I&CAD (S.No.10) Semi Skilled
(C) UNSKILLED WORKMEN					
37	2	Man Mazdoor	Day	465	As per I&CAD (S.No.3) Un-Skilled
38	3	Watch Man	Day	465	As per I&CAD (S.No.5) Un-Skilled
39	5	Woman Mazdoor	Day	465	As per I&CAD (S.No.4)

Sl. No	S.S. Item No.	Description	Unit (Per)	Scheduled Rates for the Year 2020-21	Remarks
					Un-Skilled
Note : Whenever unskilled workmen are engaged for cleaning of Sewers & Septic Tanks, they may be paid double of the above wages.					
(D) OTHER CONVEYANCE ITEMS					
40	1	Single bullock with driver and cart	Day	490	As per I&CAD (S.No.6) Semi Skilled
	2	Bullock pair with driver	Day		
41	3	Bullock pair with driver and cart	Day	545	As per I&CAD (S.No.5) Semi Skilled
42	6	Nava with crew	Day	490	As per I&CAD (S.No.3) Semi Skilled
Note :-					
1) The wage should not be less than the minimum wages of schedule of employment, subject to out turn.					
2) 25% extra over the corresponding labour rates in respect of the work to be done during night time subject to issue of certificate accordingly by the concerned estimate sanctioning authority for providing in the data and by concerned Executive Engineer in charge of the work for payment. The night time allowance is applicable only to the works done under Greater Hyderabad Muncipal Corporation and Greater Warangal Municipal Corporation limits only.					

MATERIAL RATES

Sl. No	S.S. Item No.	Description	Unit	Scheduled Rates for the Year 2020-21	Remarks
1	2	3	4		7
		(A) STONE AND ROAD MATERIALS			
		ROUGH STONE QUARRIED INCLUDING WEDGING, BREAKING, BURNING, SPLITTING			
1	22.a	For R.R Masonary Work (other than Granite, Dolomite and Trap	1 cum	152	Retained as per SoR 2019-20
2	b.i	For SS Revetment work 225 mm	1 cum	152	do
3	b.ii	For SS Revetment work 300 mm	1 cum	156	do
4	b.iii	For SS Revetment work 450 mm	1 cum	129	do
5	c	Jeddy Stone above 450 mm to 600 mm	1 cum	179	do
6	d I.	Laterite for revetment 225 mm	1 cum	112	do
7	d II.	Laterite for revetment 300 mm	1 cum	131	do
8	d.iii	Granite for revetment 225 mm	1 cum	146	do
9	d.iv	Granite for revetment 300 mm	1 cum	148	do
		Note:- Only when other than granite is not available			
10	e	Laterite for masonry	1 cum	129	do
11	f	Cyclopean stones above 0.2 cum	1 cum	241	do
12	g	For R.R.Masonry works (granite, dolomite and trap variety) including loading & unloading	1 cum	239	do
13		NOTE:- For items 22(a) to 22© ,22d.iii,22d.iv 22(f) and 22(g) add extra Rs /cum, wherever quarrying is done by blasting	1 cum	70	do
		COURSED RUBBLE STONE QUARRYING WEDGING, BREAKING, BURNING AND SPLITTING FOR SS FIRST SORT WORKS			
14	23.a	Granite, dolomite and trap	1 cum	249	do
15	b	For other varieties	1 cum	179	do
16	27	Granite stone slabs for culverts, lintels and copings (3 faces dressed coarsed rubble masonry)	1 cum	1642	do
17		NOTE: - For items 23(a), 23(b) and 27 add extra Rs. Per Cum, wherever quarrying is done by blasting	1 cum	70	do
18	28	Bond stones (600 x 200 x 200 mm)	each	29	do
19	b	Chainage stones and Centre line stones (750x150x150xmm)	each	35	do
	29 (a)	Kilometers stones (1100 x 370 x 250 mm)	each	Based on detailed	

Sl. No	S.S. Item No.	Description	Unit	Scheduled Rates for the Year 2020-21	Remarks
	b	5th Kilometers stones (1520 x 520 x 250 mm)	each	analysis as per MoRTH Data	
	30 (a)	Hectometers stones (900 x 200 x 200 mm)	each		
20	31	Demarcation Stones (900 x 150 x 150 mm)	each	67	do
21	32.a	Guard Stones (1200 x 200 x 200 mm)	each	97	do
22	b	Guide Stones (800 x 150 x150 mm)	each	67	do
23	c	Carving letters and figures in stone up to 100 mm size	each	8	do
24	d	Carving letters and figures in stone above 100 mm size	each	9	do
		HARD BROKEN STONE OF GRANITE, TRAP AND DOLERITE FREE FROM DUST OBTAINED BY QUARRYING, WEDGING, BREAKING, BURNING AND SPLITTING .			
25	33.a	- do - 6mm size (IS383,1970)	1 cum	505	do
26	b	- do - 10mm size (IS383,1970)	1 cum	657	do
27	c	- do - 12mm size (IS383,1970)	1 cum	781	do
28	d	- do - 20mm size (IS383,1970)	1 cum	870	do
29	e	- do - 25mm size (IS383,1970)	1 cum	830	do
30	f	- do - 40mm size (IS383,1970)	1 cum	505	do
31	g	- do - 50mm size (IS383,19705)	1 cum	433	do
32	h	- do - 60mm size (IS383,1970)	1 cum	398	do
33	l	- do - 65mm size (IS383,1970)	1 cum	360	do
34	j	- do - 75mm size (IS383,1970)	1 cum	289	do
35	k	- do - 75 to 100mm size (IS383,1970)	1 cum	236	do
36		NOTE:- (1) Add extra Rs. /- per cum for items 33 (a) to 33 (k) if the metal is obtained by blasting		70	do
37		(2) Add 25% extra per cum if the metal is obtained by machine crushing excluding cost of blasting.		25%	do
38		(3) Deduct Rs. /- per cum if the metal or rubble is obtained from surface stone and boulders.		9.9	do
39		(4) Add Rs. /- per cum for selection of stones and boulders from excavated spoil dumps for items 33 a to 33 k, when this addition of Rs. /- per Cum is allowed deduction of Rs. /- per Cum mentioned under Note (3) above should invariably be made.		17	do
		SOFT BROKEN STONE SCREENED AND FREE FROM DUST			
40	33.l	- do - 40 mm size (IS383,1970)	1 Cum	117	do

Sl. No	S.S. Item No.	Description	Unit	Scheduled Rates for the Year 2020-21	Remarks
41	33.m	- do - 50 mm size (IS383,1970)	1 Cum	105	do
42	33.n	- do - 60 mm size (IS383,1970)	1 Cum	83	do
43	33.o	- do - 65 mm size (IS383,1970)	1 Cum	74	do
44	33.p	- do - 75 mm size (IS383,1970)	1 Cum	69	do
		HARD BROKEN STONE OF GRANITE TRAP DOLERITE AND DOLAMITE FREE FROM DUST OBTAINED BY QUARRYING WEDGING, BREAKING, BURNING AND SPLITTING (QUARTZITE AND BASALT WITH AGGREGATE IMPACT OF LESS THAN 20)			
45	33a	-do- 2.36 mm to 5 mm size (IRC, MORTH &MORD)	1 cum	485	do
	b	-do- 5 mm to 7 mm size (IRC, MORTH & MORD)	1 cum	485	do
46	c	-do- 9.5 mm to 11.2 mm size (IRC, MORTH & MORD)	1 cum	620	do
47	d	-do- 12mm to 14 mm size (IRC, MORTH & MORD)	1 cum	700	do
48	e	-do- 19 mm to 22 mm size (IRC,MORTH & MORD)	1 cum	821	do
49	f	-do- 25 mm to 27 mm size (IRC,MORTH &MORD)	1 cum	790	do
50	g	-do- 40 mm to 45 mm size (IRC , MORTH &MORD)	1 cum	520	do
51	h	-do- 50 mm to 55 mm size (IRC,MORTH & MORD)	1 cum	440	do
52	i	-do- 60 mm to 63 mm size (IRC, MORTH &MORD)	1 cum	400	do
53	j	-do- 65 mm size (IRC ,MORTH &MORD)	1 cum	360	do
54	k	-do- 75 mm size (IRC,MORTH &MORD)	1 cum	290	do
55	1	NOTE:- Add extra Rs. /- per cum for items 33 (a) to 33 (j) if the metal is obtained by blasting	1 cum	70	do
56	2	Add 25% extra per cum if the metal is obtained by machine crushing excluding cost of blasting.	1 cum	25%	do
57	3	Deduct Rs. /- per cum if the metal or rubble is obtained from surface stones and boulders	1 cum	9.9	do
58	4	Add Rs. /- per cum for selection of stones and boulders from excavated soil dumps for items 33 (a) to 33 (k), when this addition of Rs. /- per cum allowed deduction of Rs. /- per cum mentioned under note (3) above should invariably be made	1 cum	17	do

Sl. No	S.S. Item No.	Description	Unit	Scheduled Rates for the Year 2020-21	Remarks
		HARD BROKEN STONE OTHER THAN GRANITE SUCH AS QUARTZ, QUARTZ-NAPA AND BASALT SCREENED AND FREE FROM DUST			
59	33.q	- do - 10 mm size (IS383,1970)	1 Cum	367	do
60		-do- 9.5 mm to 11.2 mm size (IRC,MORTH & MORD)	1 Cum	367	do
61	r	- do - 12 mm size (IS383,1970)	1 Cum	344	do
62		-do- 12mm to 14 mm size (IRC , MORTH & MORD)	1 Cum	344	do
63	s	- do - 20 mm size (IS383,1970)	1 Cum	278	do
64		-do- 19 mm to 22 mm size (IRC,MORTH & MORD)	1 Cum	278	do
65	t	- do - 25 mm size (IS383,1970)	1 Cum	273	do
66	u	- do - 40 mm size (IS383,1970)	1 Cum	162	do
67		-do- 40 mm to 45 mm size (IRC , MORTH & MORD)	1 Cum	162	do
68	v	- do - 50 mm size (IS383,1970)	1 Cum	143	do
69		-do- 50 mm to 55 mm size (IRC,MORTH &MORD)	1 Cum	143	do
70	33.w	- do - 65 mm size (IS383,1970)	1 Cum	135	do
71		-do- 60 mm to 65 mm size (IRC, MORTH &MORD)	1 Cum	135	do
72	x	- do - 75 mm size (IS383,1970)	1 Cum	111	do
73		- do - 75 mm size (IRC ,MORTH & MORD)	1 Cum	111	do
74	y	- do - 75 to 100 mm size (IS383,1970)	1 Cum	87	do
75		- do - 75 to 100 mm (IRC, MORTH & MORD)	1 Cum	87	do
		OTHER ITEMS			
76	33.z1	Laterite 40 to 75 mm (ring)	1 Cum	96	do
77	z2	kankar, hard broken kankar 40 to 75 mm (ring)	1 Cum	71	do
78	z3	Soling stone of 150 mm size of granite, trap and Dolomite varieties.	1 Cum	90	do
79		NOTE:- (1) Add extra for items to 33(z3) Rs /- Per cum, wherever quarrying is done by blasting. (2) Wherever controlled blasting is resorted to the Chief Engineer concerned shall approve the observed data in support of SS item No. 22 a to 22 c , 22g, 23	1 Cum	70	do
80	z4	Soling stone of 150 mm size other than granite variety	1 Cum	63	do
81	z5	Soling Stone laterite, Kankar 150mm,	1 Cum	39	do

Sl. No	S.S. Item No.	Description	Unit	Scheduled Rates for the Year 2020-21	Remarks
		surface stone			
82	z6	Field picked metal unbroken 20 mm size	1 Cum	52	do
83	z7	- do - 25 mm size	1 Cum	40	do
84	z8	- do - 40 mm size	1 Cum	46	do
85	z9	- do - 50 mm size	1 Cum	40	do
86	z10	- do - 60 mm size	1 Cum	34	do
87	z11	- do - 80 mm size	1 Cum	30	do
88		NOTE:- Add Rs. /- Per Cum for selection of stone and boulders from excavated spoil dumps for items 33 (Q) TO 33 Z , when this addition of Rs. /- Per cum is allowed deduction of Rs. /- per cum should invariably be made towards the metal or rubble if it is obtained from surface stone and boulders.			do
89	34	Gravel	1 Cum	98	do
90	35 a	Quarry rubbish	1 Cum	77	do
91	b	HBG Stone Chips 2.36mm and below	1 Cum		As per I&CAD S.No 67 of Materials
		NOTE: Add 25% extra per cum for item 91(b) if the metal is obtained by machine crushing excluding cost of blasting			
92	36.a	Sand for mortar, ceiling coat including washing screening etc.,	1 Cum		As per I&CAD S.No 28 of Materials
93	36.b	Sand for Concrete	1 Cum		As per I&CAD S.No 27 of Materials
94	36.c	Sand for filling and blindage	1 Cum		As per I&CAD S.No 27 of Materials
95	37	Clay for puddle and masonry Items 38 (a) to 39 (h) As per local prevailing rates based on competitive quotations.	1 Cum	33	do
		(C) LIME AND CEMENT			
96	40 to 41(c)				
97	42	Cement	Metric Tonne		

Sl. No	S.S. Item No.	Description	Unit	Scheduled Rates for the Year 2020-21	Remarks
NOTE: (1) The rate is material at site (No conveyance charges to be allowed) 2)As per the rates applicable to the District. 3) Least of the (1) and (2) above may allowed 4) The price of cement will be reviewed and fixed on monthly basis as per G.O.Ms.No.94 T,R&B Dept Dt16-4-2008 and rates will be communicated separately.					
98	42.a	Labour for mixing cement mortar	1 Cum	Based on detailed analysis as per MoRTH Data	
99	b	Mixing of cement mortar by machine	1 Cum		
100	c	Grinding lime mortar or Surkhi mortar	1 Cum	89	do
101	d	Shell lime slaked and screened	1 Cum	893	do
102	e	White cement	1 Kg.	Building SSR	
(D) MORTARS					
103	43 to 45	Items 43 to 45			
(E) METAL AND IRON WORKS					
104		Mild steel rods 6mm dia.	One Metric Tonne	Monthly Rates will be communicated by Govt.	
105		Mild steel flats	One Metric Tonne		
106		Mild Steel, Structural Steel, I.e., Angles, Channels and I sections.	One Metric Tonne		
107		High Yield Strength Deformed Bars	One Metric Tonne		
108		Mild Steel Plates	One Metric Tonne		
NOTE: (1) The rate are inclusive of sales tax. 2) As per the rates applicable to the District. 3) Least of the (1) and (2) above may allowed 4) The prices of steel will be reviewed and fixed on monthly basis as per G.O.Ms.No.94 T,R&B Dept, Dt 16-4-2008 and rates will be communicated separately.					
III RATES OF WORKS					
(A) CLEARING SITE					
109	1.a	Clearing heavy Jungle	1 Sqm	Based on detailed analysis as per MoRTH Data	
110	b	Clearing light Jungle	1 Sqm		

Sl. No	S.S. Item No.	Description	Unit	Scheduled Rates for the Year 2020-21	Remarks
111	c	Clearing Scrub Jungle	1 Sqm		
112	d	Clearing Juliflora (Prosafis) jungle including up-rooting and removing of Juliflora stumps.	1 Sqm	3.5	do
113	2.a.i	Cutting and removing Palmyrah trees including stacking of girth 30 to 100 cm.	Each	18	do
114	ii	- do - 100 to 200 cm.	Each	42	do
115	2.b.i	Uprooting and removing Palmyrah stumps including stacking of girth 30 to 100 cm.	Each	44	do
116	ii	- do - 100 to 200 cm.	Each	46	do
117	2.c.i	Cutting and removing date trees including stacking of girth 30 to 100 cm	Each	23	do
118	ii	- do - 100 to 200 cm	Each	33	do
119	d.i	Uprooting and removing stumps of date trees including stacking of girth 30 to 100 cm.	Each	23	do
120	ii	- do - 100 to 200 cm	Each	29	do
121	e i	Cutting and removing other kind of trees including stacking of girth 30 to 100 cm	Each	29	do
122	ii	- do - 100 to 200 cm	Each	44	do
123	iii	- do - above 200 cm	Each	71	do
124	f.i	Uprooting and removing stumps of other kind of trees including stacking of girth 30 to 100 cm.	Each	23	do
125	ii	- do - 100 to 200 cm	Each	31	do
126	iii	- do - above 200 cm	Each	39	do
127	3.a	Uprooting and clearing prickly pear jungle	1 Sq.m	2	do
128	b	- do - under 2.5 meters height including burning and burying as directed.	1 Sq.m	2.9	do
129	c	- do - over 2.5 meters height including burning and burying with an initial lead of conveyance	1 Sq.m	3.3	do
130	4.a	Removing of natchu, goobi, thooti etc., from drains, channels including clearance if not more than 1 metre depth of water with an initial lead of 10 metres and lift of 2 metres.	1 Sq.m	1.8	do
131	b.i	Clearing alchi, tilla	1 Sq.m	3.6	do
132	b.ii	Removal of Jammu	1 Sq.m	3.1	do
133	c.i	Removal of imponea, cornea	1 Sq.m	3.4	do

Sl. No	S.S. Item No.	Description	Unit	Scheduled Rates for the Year 2020-21	Remarks
134	c.ii	Removal of water hyacinth up to 30 cm thick.	1 Sq.m	3.5	do
135	c.iii	- do - more than 30 cm thick	1 Sq.m	4.8	do
136	d	Removal of natchu, goobi, thooti etc., for every extra lead or lift over the initial lead or lift.	1 Sq.m	1.3	do
		(B) DISMANTLING			
	5	DISMANTLING, CLEARING AWAY MATERIALS USEFUL FOR REUSE.			
137	n.(i)	Dry rough stone revetment for aprons and stacking within 40 metres	1 cum	59	do
		(C) QUARRYING AND BLASTING			
138	6	Blasting and removing hard granite measured in solid	1 cum	Based on detailed analysis as per MoRTH Data	
	7	Drilling holes in hard granite or sheet rock			
	a)	Manually (Hand)			
139	i)	20 mm dia meter	1 RM	118	do
140	ii)	25 mm dia meter	1 RM	124	do
141	iii)	36 mm dia meter	1 RM	143	do
	b)	Pneumatic Compressor			
142	i)	20 mm dia meter	1 RM	133	do
143	ii)	25 mm dia meter	1 RM	144	do
144	iii)	36 mm dia meter	1 RM	157	do
	8	Grouting the holes with neat cement slurry excluding cost of steel			
145	i)	20 mm dia meter	1 RM	84	do
146	ii)	25 mm dia meter	1 RM	105	do
147	iii)	36 mm dia meter	1 RM	131	do
271		Jute Rope	Mtr	8.3	do
272		De bonding Strips	Mtr	10	do
273		Selent	Ltr	66	do
274		Ply sheet 125 micron	1 Sqm	17	do
275		Rural water	1 kl	73	do
276		Urban water	1 kl	98	c

HIRE CHARGES FOR MACHINERY

Sl. No.	Description		Unit	Hire Charges for 2020-21 (Rupees)	Remarks
	Machine	Activity			
1	2	3	4	6	7
1	Dozer(D 80)	Spreading	Per Hour		As per I&CAD S.No 8
		Cutting			
		Cleaning			
2	Dozer(D 50)	Spreading Cutting Cleaning	Per Hour	1758.40	
3	Mortor Grader	Clearing	Per Hour	3601.92	
		Spreading			
		GSB			
		WMM			
4	Hydraulic Excavator	Soil Ordinary	Per Hour		As per I&CAD S.No.52
		Soil Marshy			
		Soil unsuitable			
5	Front end loader	Soil loading	Per Hour	1843.52	
		Aggregate loading	Per Hour		
6	Tipper- 5.5 Cum	Transportation of soil, GSB,WMM, Hot mix etc	Per Hour	8.00	As per I&CAD S.No.54
			Per tonne Km		
7	Vibratory roller 8 tonne	Earth/Soil, GSB,	Per Hour		As per I&CAD S.No.62
		WMM			
8	Smooth wheeled roller 8 tonne	Soil compaction ,BM compaction	Per Hour		As per I&CAD S.No.50
9	Water tanker 8 Kilolitre	Water transport	Per Hour		As per I&CAD S.No.64
10	Water tanker 6 Kilolitre	Water transport	Per Hour	698.88	
11	Tractor	Pulling	Per Hour	464.80	
12	Tractor with rotavator	Scarifying	Per Hour	472.64	
13	Tractor with ripper attachment	Scarifying	Per Hour	568.23	
14	Air Compressor	General purpose	Per Hour		As per I&CAD S.No.2
15	Wet mix plant 60 TPH	Wet mix	Per Hour	1843.52	
16	Mechanical broom Hydraulic	Surface cleaning	Per Hour	399.84	
17	Bitumen Pressure Distributor	Applying bitumen tack coat	Per Hour	1677.76	
18	Emulsion Pressure	Applying emulsion	Per Hour	963.20	

Sl. No.	Description		Unit	Hire Charges for 2020-21 (Rupees)	Remarks
	Machine	Activity			
	Distributor	tack coat			
19	Hot mix Plant - 120 TPH capacity	DBM/BM/SDC /Premix	Per Hour	31556.00	
20	Hot mix Plant - 100 TPH capacity	DBM/BM/SDC /Premix	Per Hour	27071.52	
21	Hot mix Plant - 60 TPH capacity	DBM/BM/SDC /Premix	Per Hour	24268.16	
22	Hot mix Plant - 40 to 60 TPH capacity	DBM/BM/SDC /Premix	Per Hour	21414.40	
23	Paver Finisher Hydrostatic with sensor control 100 TPH	DBM/BM/SDC /Premix	Per Hour	3426.65	
24	Paver finisher Mechanical 100	Paving of WMM, paving of DLC	Per Hour	2518.88	
25	Hydraulic Chip Spreader	Surface dressing	Per Hour	2875.04	
26	Tandem Road roller	Rolling of Asphaltic surface	Per Hour	1843.52	
27	Pneumatic Road roller	Rolling of Asphaltic surface	Per Hour	1436.96	
28	Pot-Hole repair machine	Repair of pot-holes	Per Hour	946.40	
29	Bitumen boiler oil fired	Bitumen Spraying	Per Hour	234.08	
30	GSB Plant 50 Cum	Producing GSB	Per Hour	1280.16	
31	Mastic Cooker	Mastic wearing coat	Per Hour	72.80	
32	Batching and Mixing Plant (a) 30 Cum capacity	Concrete mixing	Per Hour	1379.73	As per I&CAD S.No.10
	(b) 15 - 20 Cum capacity	Concrete mixing	Per Hour		
33	Transit mixer	Transportation of concrete mix	Per Hour		As per I&CAD S.No.1
34	Concrete pump of 45 and 30 cum	Pumping of Concrete	Per Hour	899.36	
35	Cranes				
	(a) 80 tonnes	Lifting purpose	Per Hour	1311.52	
	(b) 35 tonnes			885.92	
	(c) 3 tonnes			394.24	
	(d)Crane with grab bucket 0.75 cum	Well foundation	Per Hour	2419.2	
(e)Crane with grab bucket 1 cum	Well foundation	Per Hour	3955.84		
36	Concrete bucket	For pouring concrete	Per Hour		As per

Sl. No.	Description		Unit	Hire Charges for 2020-21 (Rupees)	Remarks
	Machine	Activity			
					I&CAD S.No.14
37	Kerb casting machine	Kerb making	Per Hour	348.32	
38	Concrete mixer	Concrete mixing	Per Hour	726.88	As per I&CAD S.No.18
	(a)0.28 cum				
	(b) 1.0 cum	Concrete mixing	Per Hour		
39	Piling rig with bantonite pump	0.75 m dia to 1.20 m dia boring attachment	Per Hour	6132	
40	Concrete paver finisher with 40 HP motor	Paving of concrete surface	Per Hour	3248	
41	Integrated stone crusher	Crushing of spalls 100 TPH	Per Hour	9757.44	
		Crushing of spalls 200 TPH	Per Hour	20573.28	
42	Pre stressing jack with pump and access	Stressing of steel wires/ stands	Per Hour	157.92	
43	Generator	Generation of electric energy			As per I&CAD S.No.23
	250 KVA		per hour	2072.00	
	125 KVA		per hour	1478.40	
	100 KVA		per hour	1261.12	
	30 KVA		per hour		
44	Pneumatic sinking of Plants	Pneumatic sinking of wells	Per K.m.	62.72	
45	Truck 5.5 cum per 10 tonnes	Material transport	Per Km.		As per I&CAD S.No.58
46	Road marking machine	Road marking	Per Hour	124.32	
47	Mobile slurry seal equipment	Mixing and laying slurry seal	Per Hour	1261.12	
48	Plate compacter	For compacting in medians	Per Hour	53.76	
49	Drilling equipment	For drilling	Per Hour		As per I&CAD S.No.22
<p>Note: The above hire charges of machinery & plant includes crew, oils, conveyance of machinery to site and all other incidental charges.</p>					

PART-III BUILDING WORKS

PART-III INDEX

Building Works

S.No.	Description	Page No	
		From	To
1	Civil Items	47	165
2	Plumbing Items	169	235
3	Electrical Items	239	411

INDEX FOR CIVIL ITEMS OF THE TELANGANA BUILDING SOR 2020-21

Sl. No	ITEM CODE	DESCRIPTION OF THE ITEM	UNIT	Scheduled Rates for the Year 2020-21
A	SECTION	BRICKS & BUILDING BLOCKS		
		(Excluding taxes, Cost of conveyance, unloading & stacking)		
I	SUB-SECTION	ORDINARY CLAY BRICKS		
1	TBSC-A.I-01	Common burnt clay bricks of class as per Table-1 of IS:1077-1992 Non-Modular or traditional size 23 x 11 x 7 cm	Each	6.50
2	TBSC-A.I-02	Common burnt clay bricks of class as per Table-1 of IS:1077-1992 Modular or traditional size 19 x 9 x 9 cm	Each	7.50
II	SUB-SECTION	FLY-ASHCEMENT/LIMESOLIDBLOCKS		
3	TBSC-A.II-01	Fly ash cement/lime solid blocks with compressive strength of 75 kg/sq.cm - IS:12894- 1990 - CLASS - 7.5 290 x 225 x 140 mm	Each	25.00
4	TBSC-A.II-02	Fly ash cement/lime solid blocks with compressive strength of 75 kg/sq.cm - IS:12894- 1990 - CLASS - 7.5 290 x 200 x 140 mm	Each	23.00
5	TBSC-A.II-03	Fly ash cement/lime solid blocks with compressive strength of 75 kg/sq.cm - IS:12894- 1990 - CLASS - 7.5 290 x 150 x 140 mm	Each	20.00
6	TBSC-A.II-04	Fly ash cement/lime solid blocks with compressive strength of 75 kg/sq.cm - IS:12894- 1990 - CLASS - 7.5 290 x 112/100 x 140 mm	Each	14.00
7	TBSC-A.II-05	Fly ash cement/lime solid blocks with compressive strength of 75 kg/sq.cm - IS:12894- 1990 - CLASS - 7.5 225 x 100 x 60 mm	Each	8.00
8	TBSC-A.II-06	Fly ash cement/lime solid blocks with compressive strength of 75 kg/sq.cm - IS:12894- 1990 - CLASS - 7.5 145 x 225 x 140 mm	Each	15.00
9	TBSC-A.II-07	Fly ash cement/lime solid blocks with compressive strength of 75 kg/sq.cm - IS:12894- 1990 - CLASS - 7.5 145 x 200 x 140 mm	Each	12.00
10	TBSC-A.II-08	Fly ash cement/ lime solid blocks with compressive strength of 50 kg/sq.cm - IS:12894- 1990 - CLASS - 5 290 x 225 x 140 mm	Each	24.00
11	TBSC-A.II-09	Fly ash cement/ lime solid blocks with compressive strength of 50 kg/sq.cm - IS:12894- 1990 - CLASS - 5 290 x 200 x 140 mm	Each	19.00
12	TBSC-A.II-10	Fly ash cement/ lime solid blocks with compressive strength of 50 kg/sq.cm - IS:12894- 1990 - CLASS - 5 290 x 150 x 140 mm	Each	20.00
13	TBSC-A.II-11	Fly ash cement/ lime solid blocks with compressive strength of 50 kg/sq.cm - IS:12894- 1990 - CLASS - 5 290 x 112/100 x 140 mm	Each	11.00

Sl. No	ITEM CODE	DESCRIPTION OF THE ITEM	UNIT	Scheduled Rates for the Year 2020-21
14	TBSC-A.II-12	Fly ash cement/ lime solid blocks with compressive strength of 50 kg/sq.cm - IS:12894- 1990 - CLASS - 5 225 x 100 x 60 mm	Each	6.00
15	TBSC-A.II-13	Fly ash cement/ lime solid blocks with compressive strength of 50 kg/sq.cm - IS:12894- 1990 - CLASS - 5 145 x 225 x 140 mm	Each	12.00
16	TBSC-A.II-14	Fly ash cement/ lime solid blocks with compressive strength of 50 kg/sq.cm - IS:12894- 1990 - CLASS - 5 145 x 200 x 140 mm	Each	11.00
III	SUB-SECTION	AUTOCLAVED CONCRETE BLOCKS		
17	TBSC-A.III-01	Supply of Aerated (Cellular) Autoclaved Concrete Blocks conforming to IS:2185 (Part-3) - 1984 and IS:6441-1972 of Compressive strength 3 N/mm ² (landing cost - including cost of conveyance, loading & unloading) 600 x 200 x 100mm	Each	47.00
18	TBSC-A.III-02	Supply of Aerated (Cellular) Autoclaved Concrete Blocks conforming to IS:2185 (Part-3) - 1984 and IS:6441-1972 of Compressive strength 3 N/mm ² (landing cost - including cost of conveyance, loading & unloading) 600 x 200 x 150mm	Each	69.00
19	TBSC-A.III-03	Supply of Aerated (Cellular) Autoclaved Concrete Blocks conforming to IS:2185 (Part-3) - 1984 and IS:6441-1972 of Compressive strength 3 N/mm ² (landing cost - including cost of conveyance, loading & unloading) 600 x 200 x 200mm	Each	93.00
20	TBSC-A.III-04	Supply of Aerated (Cellular) Autoclaved Concrete Blocks conforming to IS:2185 (Part-3) - 1984 and IS:6441-1972 of Compressive strength 3 N/mm ² (landing cost - including cost of conveyance, loading & unloading) 600 x 200 x 230mm	Each	106.00
B	SECTION	NATURAL FLOORING STONES (Excluding taxes, unloading & stacking)		
I	SUB-SECTION	LOCALLY AVAILABLE FLOORING STONES		
21	TBSC-B.I-01	Shahabad / Tandur Rough Stone slabs of all sizes up to 25 mm in thickness	1 Sqm	95.00
22	TBSC-B.I-02	Shahabad / Tandur Rough Stone slabs of all sizes between 25 mm - 40 mm thickness	1 Sqm	123.00
23	TBSC-B.I-03	Polished Shahabad/ Tandur stone slabs of all sizes between 15 - 18 mm thickness	1 Sqm	164.00
24	TBSC-B.I-04	Kadapa slabs of 40 mm thick of all sizes	1 Sqm	95.00
25	TBSC-B.I-05	Kadapa slabs of 50 mm thick of all sizes	1 Sqm	110.00
26	TBSC-B.I-06	Polished black Kadapa slabs of all sizes between 15 - 18 mm thickness	1 Sqm	137.00
27	TBSC-B.I-07	Polished black Kadapa slabs of all sizes between 25 - 30 mm thickness	1 Sqm	164.00
28	TBSC-B.I-08	Polished White Bethamcherla (marble type) stone of all sizes and between 22-25 mm thickness	1 Sqm	382.00
29	TBSC-B.I-09	Polished Coloured Bethamcherla (marble type) stone of all sizes and between 22-25 mm thickness	1 Sqm	273.00
II	SUB-	NATURAL FLOORING STONES - MARBLE		

Sl. No	ITEM CODE	DESCRIPTION OF THE ITEM	UNIT	Scheduled Rates for the Year 2020-21
	SECTION			
30	TBSC-B.II-01	Polished Marble slabs of Dongari/ Adanga/ Marodh/ Rajgangpur etc., variety of thickness between 16 mm to 20 mm of sizes from 600 mm to 900 mm	1 Sqm	661.00
31	TBSC-B.II-02	Polished Marble slabs of Dongari/ Adanga/ Marodh/ Rajgangpur etc., variety of thickness between 16 mm to 20 mm of sizes up to 600 mm	1 Sqm	534.00
32	TBSC-B.II-03	Polished Marble slabs of any variety and gang saw cut (Such as Dongari/ Adanga/ Marodh/ Rajgangpuretc) 16 mm to 20 mm (average) thick (0.610 M width of any length)	1 Sqm	907.00
33	TBSC-B.II-04	Polished Marble Tiles of 8 - 10 mm thickness of all sizes and varieties	1 Sqm	432.00
III	SUB-SECTION	NATURAL FLOORING STONES - GRANITE		
34	TBSC-B.III-01	High Polished Granite 16 to 18 mm thick up to 8'-00 (2.43 M) other than black/ premium colours	1 Sqm	3,118.00
35	TBSC-B.III-02	High Polished Granite 16 to 18 mm thick up to 8'-00 (2.43 M) other than black and regular colours	1 Sqm	2,709.00
36	TBSC-B.III-03	High Polished Granite 16 to 18 mm thick up to 8'-00 (2.43 M) black	1 Sqm	2,303.00
37	TBSC-B.III-04	Granite stone tiles 8 mm thick (mirror polished of all shades)	1 Sqm	1,057.00
C	SECTION	WALL & FLOOR TILES		
		(Excluding taxes but including cost of loading, cost of conveyance, unloading & stacking)		
I	SUB-SECTION	NON-PORCELAIN CERAMIC FLOOR TILES		
38	TBSC-C.I-01	Supply of Non-skid red or white full body Ceramic floor tiles of size 300 x 300 mm and thickness between 7-8 mm 1st quality conforming to IS:13711, IS:13712, IS:13630 (Parts 1 to 15) of any colour and finish in all shades and designs	1 Sqm	300.00
39	TBSC-C.I-02	Supply of Non-skid red or white full body Ceramic floor tiles of size 400 x 400 mm and thickness between 7-8 mm 1st quality conforming to IS:13711, IS:13712, IS:13630 (Parts 1 to 15) of any colour and finish in all shades and designs	1 Sqm	310.00
40	TBSC-C.I-03	Supply of Non-skid red or white full body Ceramic floor tiles of size 600 x 600 mm and thickness between 8-10 mm 1st quality conforming to IS:13711, IS:13712, IS:13630 (Parts 1 to 15) of any colour and finish in all shades and designs	1 Sqm	485.00
41	TBSC-C.I-04	Supply of Non-skid red or white full body Ceramic floor tiles of scratch free-stain free and scratch free-Nano finish of size 600 x 600 mm and thickness between 8-10 mm 1st quality conforming to IS:13711, IS:13712, IS:13630 (Parts 1 to 15) of any colour and finish in all shades and designs	1 Sqm	485.00
II	SUB-SECTION	PORCELAIN VITRIFIED FLOOR TILES		
42	TBSC-C.II-01	Supply of ordinary soluble salt porcelain vitrified tiles screen printed and polished of size 400 x	1 Sqm	Deleted

Sl. No	ITEM CODE	DESCRIPTION OF THE ITEM	UNIT	Scheduled Rates for the Year 2020-21
		400 mm and thickness between 8-9 mm 1st quality conforming to IS:13711, IS:13712, IS:13630 (Parts 1 to 15) of any colour and finish in all shades and designs		
43	TBSC-C.II-02	Supply of soluble salt porcelain vitrified tiles screen printed and polished of size 600 x 600 mm and thickness between 8-10 mm 1st quality conforming to IS:13711, IS:13712, IS:13630 (Parts 1 to 15) of any colour and finish in all shades and designs	1 Sqm	421.00
44	TBSC-C.II-03	Supply of Nano polished /stain free soluble salt porcelain vitrified tiles screen printed of size 600 x 600 mm and thickness between 8-10 mm 1st quality conforming to IS:13711, IS:13712, IS:13630 (Parts 1 to 15) of any colour and finish in all shades and designs	1 Sqm	421.00
45	TBSC-C.II-04	Supply of Nano polished soluble salt porcelain vitrified tiles screen printed of size 800 x 800 mm and thickness between 9-11 mm 1st quality conforming to IS:13711, IS:13712, IS:13630 (Parts 1 to 15) of any colour and finish in all shades and designs	1 Sqm	500.00
46	TBSC-C.II-05	Supply of Double charged / multi charged stain free full body porcelain vitrified tiles with double layer pigment of size 600 x 600 mm and thickness between 8-10 mm 1st quality conforming to IS:13711, IS:13712, IS:13630 (Parts 1 to 15) of any colour and finish in all shades and designs	1 Sqm	550.00
47	TBSC-C.II-06	Supply of Double charged / multi charged stain free full body porcelain vitrified tiles with double layer pigment of size 800 x 800 mm and thickness between 9-11 mm 1st quality conforming to IS:13711, IS:13712, IS:13630 (Parts 1 to 15) of any colour and finish in all shades and designs	1 Sqm	600.00
48	TBSC-C.II-07	Supply of Double charged / multi charged stain free full body porcelain vitrified tiles with double layer pigment of size 1000 x 1000 mm and thickness between 12-15 mm 1st quality conforming to IS:13711, IS:13712, IS:13630 (Parts 1 to 15) of any colour and finish in all shades and designs	1 Sqm	700.00
49	TBSC-C.II-08	Supply of digital / polished glazed full body porcelain vitrified tiles with any type of design texture such as marble finish, wooden, bamboo, stone finishes etc., scratch less, stain free and of size 800 x 800 mm and thickness between 9-11 mm 1st quality conforming to IS:13711, IS:13712, IS:13630 (Parts 1 to 15) of any colour and finish in all shades and designs	1 Sqm	650.00
50	TBSC-C.II-09	Supply of digital / polished glazed full body porcelain vitrified tiles with any type of design texture such as marble finish, wooden, bamboo, stone finishes etc., scratch less, stain free and of size 900 x 900 mm and thickness between 9-11 mm 1st quality conforming to IS:13711, IS:13712,	1 Sqm	800.00

Sl. No	ITEM CODE	DESCRIPTION OF THE ITEM	UNIT	Scheduled Rates for the Year 2020-21
		IS:13630 (Parts 1 to 15) of any colour and finish in all shades and designs		
51	TBSC-C.II-10	Supply of digital / polished glazed full body porcelain vitrified tiles with any type of design texture such as marble finish, wooden, bamboo, stone finishes etc., scratch less, stain free and of size 1000 x 1000 mm and thickness between 12-15 mm 1st quality conforming to IS:13711, IS:13712, IS:13630 (Parts 1 to 15) of any colour and finish in all shades and designs	1 Sqm	1,000.00
52	TBSC-C.II-11	Supply of digital / polished glazed full body porcelain vitrified tiles with any type of design texture such as marble finish, wooden, bamboo, stone finishes etc., scratch less, stain free and of size 1200 x 600 mm and thickness between 12-15 mm 1st quality conforming to IS:13711, IS:13712, IS:13630 (Parts 1 to 15) of any colour and finish in all shades and designs	1 Sqm	750.00
53	TBSC-C.II-12	Supply of full body heavy duty industrial variety porcelain vitrified tile of size 300 x 300 / 200 x 100 mm and thickness between 10-12 mm 1st quality conforming to IS:13711, IS:13712, IS:13630 (Parts 1 to 15) of any colour and finish in all shades and designs	1 Sqm	
54	TBSC-C.II-13	Supply of full body heavy duty industrial variety/ tact porcelain vitrified tile of size 300 x 300 / 200 x 100 mm and thickness between 12-15 mm 1st quality conforming to IS:13711, IS:13712, IS:13630 (Parts 1 to 15) of any colour and finish in all shades and designs	1 Sqm	Deleted
55	TBSC-C.II-14	Supply of full body heavy duty industrial variety porcelain vitrified tile of size 300 x 300 / 200 x 100 mm and thickness between 18-20 mm 1st quality conforming to IS:13711, IS:13712, IS:13630 (Parts 1 to 15) of any colour and finish in all shades and designs	1 Sqm	
56	TBSC-C.II-15	Supply of full body heavy duty industrial variety porcelain vitrified tile of size 400 x 400 mm and thickness between 10 -12 mm 1st quality conforming to IS:13711, IS:13712, IS:13630 (Parts 1 to 15) of any colour and finish in all shades and designs	1 Sqm	
57	TBSC-C.II-16	Supply of full body heavy duty industrial variety porcelain vitrified tile of size 600 x 600 mm and thickness between 10 - 12 mm 1st quality conforming to IS:13711, IS:13712, IS:13630 (Parts 1 to 15) of any colour and finish in all shades and designs	1 Sqm	Deleted
III	SUB-SECTION	CERAMIC WALL TILES		
58	TBSC-C.III-01	Supply of glazed red or white full body ceramic wall tiles of size 200 x 300 mm / 245 mm x 325 mm and thickness 6 mm 1st quality conforming to IS:13711, IS:13712, IS:13630 (Parts 1 to 15)of any colour and finish in all shades and designs	1 Sqm	300.00

Sl. No	ITEM CODE	DESCRIPTION OF THE ITEM	UNIT	Scheduled Rates for the Year 2020-21
59	TBSC-C.III-02	Supply of glazed red or white full body ceramic wall tiles of size 300 x 450 mm / 320 mm x 400 mm and thickness 6 mm 1st quality conforming to IS:13711, IS:13712, IS:13630 (Parts 1 to 15) of any colour and finish in all shades and designs	1 Sqm	400.00
60	TBSC-C.III-03	Supply of glazed red or white full body ceramic wall tiles of size 300 x 600 mm and thickness between 6-8 mm 1st quality conforming to IS:13711, IS:13712, IS:13630 (Parts 1 to 15) of any colour and finish in all shades and designs	1 Sqm	550.00
IV	SUB-SECTION	PORCELAIN WALL TILES		
61	TBSC-C.IV-01	Supply of glazed full body porcelain wall tiles of size 300 x 600 mm with any type of design texture such as marble finish, wooden, bamboo, stone finishes etc., scratch less, stain free and thickness between 6-8 mm 1st quality conforming to IS:13711, IS:13712, IS:13630 (Parts 1 to 15) of any colour and finish in all shades and designs	1 Sqm	550.00
62	TBSC-C.IV-02	Supply of digital / polished glazed full body porcelain wall tiles of size 300 x 600 mm with any type of design texture such as marble finish, wooden, bamboo, stone finishes etc., scratch less, stain free and thickness between 6-8 mm 1st quality conforming to IS:13711, IS:13712, IS:13630 (Parts 1 to 15) of any colour and finish in all shades and designs	1 Sqm	500.00
63	TBSC-C.IV-03	Supply of digital / polished glazed full body porcelain highlighter wall tiles of size 300 x 600 mm with any type of design texture such as marble finish, wooden, bamboo, stone finishes etc., scratch less, stain free and thickness between 6-8 mm 1st quality conforming to IS:13711, IS:13712, IS:13630 (Parts 1 to 15) of any colour and finish in all shades and designs	1 Sqm	500.00
64	TBSC-C.IV-04	Supply of screen printed glazed full body porcelain wall tiles of size 300 x 600 mm with any type of design texture such as marble finish, wooden, bamboo, stone finishes etc., scratch less, stain free and thickness between 6-8 mm 1st quality conforming to IS:13711, IS:13712, IS:13630 (Parts 1 to 15) of any colour and finish in all shades and designs	1 Sqm	550.00
65	TBSC-C.IV-05	Supply of glazed full body porcelain wall tiles of size 400 x 600 mm with any type of design texture such as marble finish, wooden, bamboo, stone finishes etc., scratch less, stain free and thickness between 6-8 mm 1st quality conforming to IS:13711, IS:13712, IS:13630 (Parts 1 to 15) of any colour and finish in all shades and designs	1 Sqm	650.00
66	TBSC-C.IV-06	Supply of glazed full body porcelain wall tiles of size 600 x 800 mm with any type of design texture such as marble finish, wooden, bamboo, stone finishes etc., scratch less, stain free and thickness between 7-9 mm 1st quality conforming	1 Sqm	Deleted

Sl. No	ITEM CODE	DESCRIPTION OF THE ITEM	UNIT	Scheduled Rates for the Year 2020-21
		to IS:13711, IS:13712, IS:13630 (Parts 1 to 15) of any colour and finish in all shades and designs		
67	TBSC-C.IV-07	Supply of glazed full body porcelain premium plain design highlighter combination floor and wall tiles set with floor tiles of thickness 14-16 mm and wall tiles of thickness 8-10 mm but excluding highlighters 1st quality conforming to IS:13711, IS:13712, IS:13630 (Parts 1 to 15) of any colour and finish in all shades and designs	1 Sqm	Deleted
68	TBSC-C.IV-08	Supply of glazed full body porcelain premium plain design highlighter combination floor and wall tiles set with floor tiles of thickness 14-16 mm and wall tiles of thickness 8-10 mm but including highlighters 1st quality conforming to IS:13711, IS:13712, IS:13630 (Parts 1 to 15) of any colour and finish in all shades and designs	1 Sqm	Deleted
69	TBSC-C.IV-09	Providing and fixing wall dado with epoxy emulsion grout/ synthetic/ resin based adhesive in specified thick and pointing with specified colour epoxy grout excluding cost of tiles	1 Sqm	306.00
70	TBSC-C.IV-10	Providing and fixing wall dado with cement based adhesive in specified thick and pointing with specified colour epoxy grout excluding cost of tiles	1 Sqm	155.00
71	TBSC-C.IV-11	Providing and fixing flooring with full depth jointing and pointing to the Vitrified/ Ceramic Tile flooring in specified thick for tiles of any sizes with epoxy emulsion grout/ synthetic / resin adhesive in width of 3-5 mm with Nylon spacers excluding cost of tiles.	1 Sqm	323.00
72	TBSC-C.IV-12	Providing and fixing flooring with full depth jointing and pointing to the Vitrified/ Ceramic Tile flooring in specified thick for tiles of any sizes with cement based adhesive in width of 3-5 mm with Nylon spacers excluding cost of tiles .	1 Sqm	163.00
73	TBSC-C.IV-13	Providing and fixing flooring with full depth jointing and pointing to the Marble/ Granite flooring for any sizes with epoxy emulsion grout/ synthetic / resin based adhesive in width of 3-5 mm excluding cost of tiles.	1 Sqm	644.00
74	TBSC-C.IV-14	Providing and fixing flooring with full depth jointing and pointing to the Marble/ Granite flooring for any sizes with cement based adhesive in width of 3-5 mm excluding cost of tiles.	1 Sqm	326.00
V	SUB-SECTION	GLASS MOSAIC TILES		
75	TBSC-C.V-01	Supply of glazed full body glass mosaic tiles of 20 x 20 x 4 mm thick in specified pattern 1st Quality of any colour and design	1 Sqm	
76	TBSC-C.V-02	Providing Glass Mosaic tiles using specified pattern fixing in specified thick epoxy emulsion grout of epoxy resins and filler powder of approved colour grout including all taxes excluding cost of tiles	1 Sqm	Deleted
77	TBSC-	Providing Glass Mosaic tiles using specified	1 Sqm	

Sl. No	ITEM CODE	DESCRIPTION OF THE ITEM	UNIT	Scheduled Rates for the Year 2020-21
	C.V-03	pattern fixing in specified thick cementitious powder mix cement grout and approved colour grout including all taxes excluding cost of tiles		
VI	SUB-SECTION	WALL CLADDING TILES		
78	TBSC-C.VI-01	Supply of glazed full body porcelain tiles for external cladding purposes of any size and thickness between 6-10 mm 1st quality conforming to IS:13711, IS:13712, IS:13630 (Parts 1 to 15) of any colour and finish in all shades and designs	1 Sqm	550.00
79	TBSC-C.VI-02	Supply of glazed red or white full body ceramic tiles for external cladding purposes of any size and thickness between 5-7 mm 1st quality conforming to IS:13711, IS:13712, IS:13630 (Parts 1 to 15) of any colour and finish in all shades and designs	1 Sqm	480.00
80	TBSC-C.VI-03	Supply of glazed red or white full body ceramic tiles for external cladding purposes of any size and thickness between 10-12 mm 1st quality conforming to IS:13711, IS:13712, IS:13630 (Parts 1 to 15) of any colour and finish in all shades and designs	1 Sqm	520.00
81	TBSC-C.VI-04	Supply of glazed red or white full body ceramic tiles for external cladding purposes of any size and thickness between 18-20 mm 1st quality conforming to IS:13711, IS:13712, IS:13630 (Parts 1 to 15) of any colour and finish in all shades and designs	1 Sqm	Deleted
VII	SUB-SECTION	TERRAZZO FLOOR TILES (PLAIN & CHEQURED)		
82	TBSC-C.VII-01	Supplying precast terrazzo tiles conforming to IS: 13801 using marble aggregates of size 10 mm , sand, marble powder, white cement pigments etc., with terrazzo topping not less than 6 mm of tiles overall size not less than 20 mm thick white shades.	1 Sqm	261.00
83	TBSC-C.VII-02	Supplying precast terrazzo plain tiles conforming to IS: 13801 using marble aggregates of size 10 mm , sand, marble powder, white cement pigmentsetc., with terrazzo topping not less than 6 mm of tiles overall size not less than 20 mm thick any colouredshades.	1 Sqm	278.00
84	TBSC-C.VII-03	Supplying precast terrazzo chequered tiles conforming to IS: 13801 using marble aggregates of size 10 mm , sand, marble powder, white cement pigments etc., with terrazzo topping not less than 6 mm of tiles overall size not less than 20mmthickofanycolouredshades.	1 Sqm	285.00
VIII	SUB-SECTION	CEMENT CONCRETE FLOOR TILES (PLAIN & CHEQURED)		
85	TBSC-C.VIII-01	Supplying plain Cement Concrete general purpose tiles conforming to IS: 13801 using aggregates, cement, pigments of size 300 x 300 mm and thickness 20 mm of any shades.	1 Sqm	245.00

Sl. No	ITEM CODE	DESCRIPTION OF THE ITEM	UNIT	Scheduled Rates for the Year 2020-21
86	TBSC-C.VIII-02	Supplying Chequered Cement Concrete heavy duty tiles conforming to IS: 13801 using aggregates, cement, pigments of size 300 x 300 mm and thickness 20 mm of any shades.	1 Sqm	258.00
87	TBSC-C.VIII-03	Supplying plain Cement Concrete general purpose tiles conforming to IS: 13801 using aggregates, cement, pigments of size 300 x 300 mm and thickness 25 mm of any shades.	1 Sqm	261.00
88	TBSC-C.VIII-04	Supplying Chequered Cement Concrete heavy duty tiles conforming to IS: 13801 using aggregates, cement, pigments of size 300 x 300 mm and thickness 25 mm of any shades.	1 Sqm	274.00
89	TBSC-C.VIII-05	Supplying plain Cement Concrete general purpose tiles conforming to IS: 13801 using aggregates, cement, pigments of size 400 x 400 mm and thickness 25 mm of any shades.	1 Sqm	285.00
90	TBSC-C.VIII-06	Supplying Chequered Cement Concrete heavy duty tiles conforming to IS: 13801 using aggregates, cement, pigments of size 400 x 400 mm and thickness 25 mm of any shades.	1 Sqm	300.00
91	TBSC-C.VIII-07	Supply of high strength Cement Concrete plain Step tiles with edge half rounded and grooved conforming to IS: 13801 using aggregates, cement, pigments of regular colour, design and of 25 mm thickness	1 Sqm	427.00
92	TBSC-C.VIII-08	Supply of high strength Cement Concrete terrazzo/pre-polished/ chequered Step tiles with edge rounded and grooved conforming to IS: 13801 using aggregates, cement, pigments of any premium colour, design and of 25 mm thickness	1 Sqm	449.00
IX	SUB-SECTION	PRE-CAST CONCRETE BLOCKS FOR PAVING		
93	TBSC-C.IX-01	Supply of precast concrete blocks for paving of M-30 grade and thickness not less than 50 mm for Non-traffic areas conforming to IS 15658:2006 in all shapes and designs as per the manufacturer's specification	1 Sqm	304.00
94	TBSC-C.IX-02	Supply of precast concrete blocks for paving of M-35 grade and thickness not less than 60 mm for Light traffic areas conforming to IS 15658:2006 in all shapes and designs as per the manufacturer's specification	1 Sqm	328.00
95	TBSC-C.IX-03	Supply of precast concrete blocks for paving of M-40 grade and thickness not less than 80 mm for Medium traffic areas conforming to IS 15658:2006 in all shapes and designs as per the manufacturer's specification	1 Sqm	470.00
96	TBSC-C.IX-04	Supply of precast concrete blocks for paving of M-50 grade and thickness not less than 100 mm for Heavy traffic areas conforming to IS 15658:2006 in all shapes and designs as per the manufacturer's specification	1 Sqm	518.00
97	TBSC-C.IX-05	Supply of precast concrete blocks for paving of M-55 grade and thickness not less than 120 mm for very heavy traffic areas conforming to IS	1 Sqm	589.00

Sl. No	ITEM CODE	DESCRIPTION OF THE ITEM	UNIT	Scheduled Rates for the Year 2020-21
		15658:2006 in all shapes and designs as per the manufacturer's specification		
98	TBSC-C.IX-06	Labour charges for laying & fixing of precast concrete blocks for paving of all grades, any thickness, all sizes & shapes including all labour charges for loading & unloading, laying to desired lines and levels complete excluding cost of cement, sand, water, electricity etc	1 Sqm	198.00
X	SUB-SECTION	VINYL FLOORING		
99	TBSC-C.X-01	Vinyl Flooring Sheets/ tiles having a nominal total thickness of 2 mm with a wearing surface impregnated polyurethane homogeneous mixture of PVC, Plasticizers, Urethane, color pigments with wearing resistance and Fire Resistance as per standards	1 Sqm	771.00
100	TBSC-C.X-02	Vinyl Composition Floor Tiles of size 305 mm x 305 mm having an overall thickness of 2.0mm with a wearing surface impregnated polyurethane homogeneous mixture of PVC, Plasticizers, Urethane, color pigments with wearing resistance and Fire Resistance as per standards	1 Sqm	528.00
101	TBSC-C.X-03	Vinyl Flooring Sheets or tiles having a nominal total thickness of 1.5 mm with a wearing surface impregnated polyurethane homogeneous mixture of PVC, Plasticizers, Urethane, color pigments with wearing resistance and Fire Resistance as per standards	1 Sqm	383.00
D	SECTION	TIMBER & ROOFING MATERIALS		
		(Excluding taxes but including cost of loading, cost of conveyance, unloading & stacking)		
		Note: Before proposing the Teak Wood items, the estimating authorities shall obtain prior approval from the competent authority		
I	SUB-SECTION	MEDIUM TEAK WOOD		
102	TBSC-D.I-01	Medium Teak Wood scantlings: up to 2.0 M	1 cum	72,620.00
103	TBSC-D.I-02	Medium Teak Wood scantlings: 2.0 to 3.0 M	1 cum	80,689.00
104	TBSC-D.I-03	Medium Teak Wood scantlings: above 3.0 M	1 cum	88,759.00
105	TBSC-D.I-04	Medium Teak Wood Planks: any thickness	1 cum	1,45,240.00
II	SUB-SECTION	BEST TEAK WOOD		
106	TBSC-D.II-01	Best Teak Wood scantlings: up to 2.0 M	1 cum	1,25,068.00
107	TBSC-D.II-02	Best Teak Wood scantlings: 2.0 to 3.0 M	1 cum	1,33,137.00
108	TBSC-D.II-03	Best Teak Wood scantlings: above 3.0 M	1 cum	1,41,206.00
109	TBSC-D.II-04	Best Teak Wood Planks: any thickness	1 cum	1,57,344.00
III	SUB-	BURMA TEAK WOOD		

Sl. No	ITEM CODE	DESCRIPTION OF THE ITEM	UNIT	Scheduled Rates for the Year 2020-21
	SECTION			
110	TBSC-D.III-01	Burma Teak Wood scantlings: up to 2.0 M	1 cum	1,71,857.00
111	TBSC-D.III-02	Burma Teak Wood scantlings: 2.0 to 3.0 M	1 cum	1,76,765.00
112	TBSC-D.III-03	Burma Teak Wood scantlings: above 3.0 M	1 cum	1,85,920.00
113	TBSC-D.III-04	Burma Teak Wood Planks: any thickness	1 cum	2,01,319.00
IV	SUB-SECTION	ASSAM TEAK WOOD		
114	TBSC-D.IV-01	Assam Teak Wood scantlings: any length	1 cum	46,071.00
115	TBSC-D.IV-02	Assam Teak Wood Planks: any thickness	1 cum	66,803.00
V	SUB-SECTION	SAL/COUNTRYWOOD		
116	TBSC-D.V-01	Sal Wood scantlings: any length	1 cum	44,785.00
117	TBSC-D.V-02	Sal Wood Planks: any thickness	1 cum	59,715.00
VI	SUB-SECTION	ROOFING MATERIAL		
118	TBSC-D.VI-01	A.C sheet Corrugated 6 mm thick	1 Sqm	220.00
119	TBSC-D.VI-02	A.C sheet plain 4 m thick	1 Sqm	158.00
120	TBSC-D.VI-03	A.C sheet plain 6 m thick	1 Sqm	164.00
121	TBSC-D.VI-04	Plain or Corrugated Galvanized iron sheets as per IS 277 (0.1mm to 0.8mm thickness)	1 kg	60.00
122	TBSC-D.VI-05	Supply of Pre-painted Galvalume Trapezoidal Profile Roofing sheets with 0.50mm thickness, Coating: Alu-Zinc coating AZ150 GSM. Tensile Strength: 550 MPA. Paint coating: Regular Modified Polyester painting. Painting Thickness (Top): 18 to 20 Microns, (Bottom): 5 to 7 Microns. Sheet Width: 1.020, Length: Maximum 12 Meters with Regular Range Colours	1 Sqm	387.00
123	TBSC-D.VI-06	Supply of Pre-painted Galvalume Trapezoidal Profile Roofing sheets with 0.47mm thickness, Coating: Alu-Zinc coating AZ150 GSM. Tensile Strength: 550 MPA. Paint coating: Regular Modified Polyester painting. Painting Thickness (Top): 18 to 20 Microns, (Bottom): 5 to 7 Microns. Sheet Width: 1.020, Length: Maximum 12 Meters with Regular Range Colours	1 Sqm	377.00
124	TBSC-D.VI-07	Supply of Pre-painted Galvanized Trapezoidal Profile Roofing sheets with 0.50mm thickness, Coating: Zinc coating Z120 GSM. Tensile Strength: 300 MPA. Paint coating: Regular Modified Polyester painting. Painting Thickness (Top): 18 to 20 Microns, (Bottom): 5 to 7 Microns. Sheet Width: 1.020, Length: Maximum 12 Meters with Regular Range Colours	1 Sqm	339.00

Sl. No	ITEM CODE	DESCRIPTION OF THE ITEM	UNIT	Scheduled Rates for the Year 2020-21
125	TBSC-D.VI-08	Supply of Pre-painted Galvanized Trapezoidal Profile Roofing sheets with 0.47mm thickness, Coating: Zinc coating Z120 GSM. Tensile Strength: 300 MPA. Paint coating: Regular Modified Polyester painting. Painting Thickness (Top): 18 to 20 Microns, (Bottom): 5 to 7 Microns. Sheet Width: 1.020, Length: Maximum 12 Meters with Regular Range Colours	1 Sqm	319.00
126	TBSC-D.VI-09	Supply of Roof Accessories medium size: Ridge, Barge Cap, Corner Trim, L-Flashing, Down Pipes, Gutter etc., with 0.50mm thick, Width: 0.585, Length: Maximum 2½ Meters	1 RM	260.00
127	TBSC-D.VI-10	Supply of Roof Accessories medium size: Ridge, Barge Cap, Corner Trim, L-Flashing, Down Pipes, Gutter etc., with 0.47mm thick, Width: 0.585, Length: Maximum 2½ Meters	1 RM	232.00
	TBSC-D.VI-11	Supply of fibre reinforced corrugated sheets 6mm thick(Non asbestos) in compliance with Type-A Category -C class-7 of IS 14871 for roofing	1 Sqm	320.00
	TBSC-D.VI-12	Supply of pre painted fibre reinforced corrugated sheets 6mm thick(Non asbestos) in compliance with Type-A Category -C class-7 of IS 14871 for roofing	1 Sqm	380.00
128	TBSC-D.VI-11	Supply of UV resistant multi-wall polycarbonate sheets for roofing of any colour - 6 mm thick	1 Sqm	1,276.00
129	TBSC-D.VI-12	Aluminium universal glazing set 40 mm wide for jointing and fixing polycarbonate sheets	1 RM	127.00
130	TBSC-D.VI-13	75 mm long screws -	1 Each	5.00
131	TBSC-D.VI-14	G.I scam bolts & nuts	1 Each	6.00
132	TBSC-D.VI-15	G.I bolts & nuts	1 Each	6.00
133	TBSC-D.VI-16	G.I 'J' bolts 8 mm Diameter	1 Each	10.00
134	TBSC-D.VI-17	G.I Washers	1 Each	2.00
135	TBSC-D.VI-18	Limpet washers (for scam & 'J' bolts)	1 Each	2.00
136	TBSC-D.VI-19	Bitumen washers	1 Each	2.00
E	SECTION	STEEL MATERIALS		
		(Excluding taxes but including cost of loading, cost of conveyance, unloading & stacking)		
I	SUB-SECTION	MILD STEEL MATERIALS		
137	TBSC-E.I-01	Supply & fixing of Rolling shutter made of 80 x 1.25 mm machine rolled CRCA laths, interlocked together through their entire length and jointed together at the ends by end-locks, mounted on specially designed pipe shaft of 50mm Diameter nominal bore MS B class pipe with brackets, plates, guide channels, stoppers, bottom locking plates and arrangements for inside & outside locking with push-pull operations including cost	1 Sqm	3,962.00

Sl. No	ITEM CODE	DESCRIPTION OF THE ITEM	UNIT	Scheduled Rates for the Year 2020-21
		of hood cover and springs complete, painted with one coat of approved steel primer, locks, ball bearings, all accessories etc complete for finished item of work as per special Spec:1108		
138	TBSC-E.I-02	Supplying & fixing collapsible steel shutters with vertical, double channel of 20 x10x2 mm of 100 mm centre ,Bracers with flat iron 40x40x6 mm with 38 mm Diameter steel pulleys, the top, bottom and side vertical frames of the collapsible gate with 65x65mmx8mm MS Angle and middle guide rail at site height with 65mmx8mm MS flat for the pulleys to guide and fixed with necessary hold fasts, bolts, nuts, rivets, locking arrangements, stoppers, handles, all accessories all fixtures and painted with one coat of approved steel primer etc., complete for finished item of work as per special Spec1105	1 sqm	3466.00
139	TBSC-E.I-03	Expanded metal sheets as per IS-412-1962-Light Weight-25 mm(SWM)x75 mm (LWM)3.25 mm Wide and 1.25 mm thick	1 Sqm	160.00
140	TBSC-E.I-04	Expanded metal sheets as per IS-412-1962-Light Weight-20 mm(SWM)x60 mm(LWM) 2.50 mm Wide and 1.25 mm thick	1 Sqm	160.00
141	TBSC-E.I-05	Expanded metal sheets as per IS-412-1962-Light Weight-20 mm(SWM)x50 mm(LWM) 2.50 mm Wide and 1.25 mmthick	1 Sqm	160.00
142	TBSC-E.I-06	Expanded metal sheets as per IS-412-1962-Medium Weight-25 mm(SWM)x75 mm(LWM) 3.25 mm Wide and 1.60 mm thick	1 Sqm	218.00
143	TBSC-E.I-07	Expanded metal sheets as per IS-412-1962-Medium Weight-20 mm(SWM)x60 mm(LWM) 2.50 mm Wide and 1.60 mm thick	1 Sqm	218.00
144	TBSC-E.I-08	Expanded metal sheets as per IS-412-1962-Medium Weight-20 mm(SWM)x50 mm(LWM) 2.50 mm Wide and 1.60 mm thick	1 Sqm	218.00
145	TBSC-E.I-09	Expanded metal sheets as per IS-412-1962- Heavy Weight-25 mm(SWM)x75 mm(LWM) 3.25 mm Wide and 2.24 mm thick	1 Sqm	249.00
146	TBSC-E.I-10	Expanded metal sheets as per IS-412-1962- Heavy Weight-20 mm(SWM)x60 mm(LWM) 2.50 mm Wide and 2.24 mm thick	1 Sqm	249.00
147	TBSC-E.I-11	Expanded metal sheets as per IS-412-1962- Heavy Weight-20 mm(SWM)x50 mm(LWM) 2.50 mm Wide and 2.24 mm thick	1 Sqm	249.00
148	TBSC-E.I-12	Rabbit wire mesh (chicken mesh) of not less than 30 gauge	1 Sqm	19.00
149	TBSC-E.I-13	Country Nails	1 Kg	61.00
150	TBSC-E.I-14	Wire Nails	1 Kg	61.00
151	TBSC-E.I-15	Mild Steel Tubes & pipes of all Diameters as per IS-1161	1 Kg	61.00
II	SUB-SECTION	GALVANIZED STEEL MATERIALS		
152	TBSC-	Supplying Galvanized Steel Barbed wire	1 Kg	90.00

Sl. No	ITEM CODE	DESCRIPTION OF THE ITEM	UNIT	Scheduled Rates for the Year 2020-21
	E.II-01	conforming to IS 278 - 1978 : Type A - IOWA Type Designation as per standard specification		
153	TBSC-E.II-02	Supplying Galvanized Steel Barbed wire conforming to IS 278 - 1978 : Type B - Glidden Type Designation as per standard specification	1 Kg	90.00
154	TBSC-E.II-03	Galvanized Iron fly proof wire mesh of not less than 20 gauge	1 Sqm	236.00
155	TBSC-E.II-04	Hot dipped Galvanized Iron Chain link mesh 8 gauge - (4.0 mm) as per IS: 2721-1979: 2"x2"(50 mm x 50 mm) - 8Gauge	1 Sqm	519.00
156	TBSC-E.II-05	Hot dipped Galvanized Iron Chain link mesh 8 gauge - (4.0 mm) as per IS: 2721-1979: 2½"x2½"(63mmx63mm)-8Gauge	1 Sqm	411.00
157	TBSC-E.II-06	Hot dipped Galvanized Iron Chain link mesh 8 gauge - (4.0 mm) as per IS: 2721-1979: 3"x3"(76 mm x 76 mm) - 8Gauge	1 Sqm	351.00
158	TBSC-E.II-07	Hot dipped Galvanized Iron Chain link mesh 8 gauge - (4.0 mm) as per IS: 2721-1979: 4"x4" (102 mm x 102 mm) - 8 Gauge	1 Sqm	261.00
159	TBSC-E.II-08	Hot dipped Galvanized Iron Chain link mesh 8 gauge - (4.0 mm) as per IS: 2721-1979 - PVC Coated - 2"x2" (50 mm x 50 mm) - 8 Gauge	1 Sqm	626.00
160	TBSC-E.II-09	Hot dipped Galvanized Iron Chain link mesh 8 gauge - (4.0 mm) as per IS: 2721-1979 - PVC Coated - 2½"x2½" (63 mm x 63 mm) - 8 Gauge	1 Sqm	519.00
161	TBSC-E.II-10	Hot dipped Galvanized Iron Chain link mesh 8 gauge - (4.0 mm) as per IS: 2721-1979 - PVC Coated - 3"x3" (76 mm x 76 mm) - 8 Gauge	1 Sqm	428.00
162	TBSC-E.II-11	Hot dipped Galvanized Iron Chain link mesh 8 gauge - (4.0 mm) as per IS: 2721-1979 - PVC Coated - 4"x4" (102 mm x 102 mm) - 8 Gauge	1 Sqm	334.00
III	SUB-SECTION	STAINLESS STEEL MATERIALS		
163	TBSC-E.III-01	Stainless Steel Tubes, sections, plates, sheets & pipes of all sizes & Diameters for - 304 Grade	1 Kg	387.00
164	TBSC-E.III-02	Stainless steel fly proof wire mesh of not less than 20 gauge	1 Sqm	522.00
F	SECTION	GLASS MATERIALS		
		(Excluding taxes but including cost of loading, cost of conveyance, unloading & stacking)		
I	SUB-SECTION	PLAIN GLASS PANES		
165	TBSC-F.I-01	Plain Float Glass 4 mm thick	1 Sqm	400.00
166	TBSC-F.I-02	Plain Float Glass 5 mm thick	1 Sqm	507.00
167	TBSC-F.I-03	Plain Float Glass 6 mm thick	1 Sqm	629.00
168	TBSC-F.I-04	Plain Float Glass 8 mm thick	1 Sqm	845.00
169	TBSC-F.I-05	Plain Float Glass 10 mm thick	1 Sqm	890.00
170	TBSC-F.I-06	Plain Float Glass 12 mm thick	1 Sqm	1,067.00
II	SUB-	PIN HEADED GLASS PANES		

Sl. No	ITEM CODE	DESCRIPTION OF THE ITEM	UNIT	Scheduled Rates for the Year 2020-21
	SECTION			
171	TBSC-F.II-01	Pin headed Glass 4 mm thick	1 Sqm	300.00
172	TBSC-F.II-02	Pin headed Glass 5 mm thick	1 Sqm	390.00
III	SUB-SECTION	TINTED GLASS PANES		
173	TBSC-F.III-01	Tinted - Bronze/ Green Glass 4 mm thick	1 Sqm	467.00
174	TBSC-F.III-02	Tinted - Bronze/ Green Glass 5 mm thick	1 Sqm	584.00
175	TBSC-F.III-03	Tinted - Bronze/ Green Glass 6 mm thick	1 Sqm	700.00
176	TBSC-F.III-04	Tinted - Bronze/ Green Glass 8 mm thick	1 Sqm	1,002.00
177	TBSC-F.III-05	Tinted - Bronze/ Green Glass 10 mm thick	1 Sqm	1,168.00
178	TBSC-F.III-06	Tinted - Bronze/ Green Glass 12 mm thick	1 Sqm	1,402.00
IV	SUB-SECTION	FROSTED/ GROUND GLASS PANES		
179	TBSC-F.IV-01	Frosted / Ground Glass 4 mm thick	1 Sqm	539.00
180	TBSC-F.IV-02	Frosted / Ground Glass 5 mm thick	1 Sqm	678.00
V	SUB-SECTION	TOUGHENED GLASS PANES		
181	TBSC-F.V-01	Toughened Plain Glass 5 mm (including Glass)	1 Sqm	812.00
182	TBSC-F.V-02	Toughened Plain Glass 6 mm (including Glass)	1 Sqm	938.00
183	TBSC-F.V-03	Toughened Plain Glass 8 mm (including Glass)	1 Sqm	1,251.00
184	TBSC-F.V-04	Toughened Plain Glass 10 mm (including Glass)	1 Sqm	1,500.00
185	TBSC-F.V-05	Toughened Plain Glass 12 mm (including Glass)	1 Sqm	1,749.00
G	SECTION	PAINTS & POLISHES		
		(Excluding taxes but including cost of loading, cost of conveyance, unloading & stacking)		
I	SUB-SECTION	PRIMERS, FILLERS & BASES		
186	TBSC-G.I-01	Supply of water based Cement Primer of Interior Grade- 1	1 Kg	150.00
187	TBSC-G.I-02	Supply of water based Cement Primer of Exterior Grade- 2	1 Kg	191.00
188	TBSC-G.I-03	Supply of wall putty of White Cement or Polymer or Cementbased	1 Kg	35.00
189	TBSC-G.I-04	Acrylic spray plaster in paste form made with specially selected inert mineral fillers, antifungal agents to protect the material the acrylic binding medium used gives good surface adhesion any grade	1 Kg	28.00
190	TBSC-G.I-05	Supply of Red Oxide Primer Paint for iron works of Grade -1	1 Lit	129.00

Sl. No	ITEM CODE	DESCRIPTION OF THE ITEM	UNIT	Scheduled Rates for the Year 2020-21
191	TBSC-G.I-06	Supply of Zinc Chromate Yellow Oxide Primer paint for iron works	1 Lit	185.00
192	TBSC-G.I-07	Supply of Wood Primer	1 Lit	144.00
193	TBSC-G.I-08	Supply of Metal paste (Putty) for steel works	1 Kg	144.00
194	TBSC-G.I-09	Supply of Putty for wood work (Powder chalk)	1 Kg	144.00
195	TBSC-G.I-10	Supply of White Lead	1 Kg	103.00
196	TBSC-G.I-11	Supply of Synthetic clear Varnish	1 Lit	144.00
197	TBSC-G.I-12	Supply of Spirit	1 Lit	101.00
198	TBSC-G.I-13	Supply of Linseed Oil	1 Lit	58.00
199	TBSC-G.I-14	Supply of thinner for melamine polish/ French polish	1 Lit	133.00
200	TBSC-G.I-15	Supply of thinner for Poly-urethane polish	1 Lit	272.00
201	TBSC-G.I-16	Supply of French Polish	1 Lit	188.00
202	TBSC-G.I-17	Supply of ready made Wax Polish	1 Kg	572.00
203	TBSC-G.I-18	Supply of wood adhesive compound	1 Kg	224.00
204	TBSC-G.I-19	Supply of anti-corrosive grade - 1 bitumen paint of black colour	1 Lit	516.00
II	SUB-SECTION	LIME, DISTEMPERS & CEMENT PAINTS		
205	TBSC-G.II-01	Supply of paint grade lime for white / colour wash	Kg 1	22.00
206	TBSC-G.II-02	Supply of Dry Powder Distemper	Kg 1	43.00
207	TBSC-G.II-03	Supply of acrylic based Oil Bound washable Distemper	Kg 1	54.00
208	TBSC-G.II-04	Supply of Water proof Cement paint	Kg 1	51.00
III	SUB-SECTION	EMULSION BASED PAINTS		
209	TBSC-G.III-01	Supply of acrylic emulsion paint interior grade having VOC (Volatile Organic Compound) content less than 50 grams/ Lit.	Lit 1	195.00
210	TBSC-G.III-02	Supply of acrylic emulsion paint exterior grade with silicon additives having VOC (Volatile Organic Compound) content less than 50grams/ Lit.	Lit 1	204.00
211	TBSC-G.III-03	Supply of acrylic emulsion paint weather proof water-based, modified acrylic with silicon additives exterior grade having VOC (Volatile Organic Compound) content less than 50grams/ Lit.	1 Lit	225.00
IV	SUB-SECTION	SOLVENT BASED PAINTS		
212	TBSC-	Supply of solvent based latex paint having VOC	1 Lit	245.00

Sl. No	ITEM CODE	DESCRIPTION OF THE ITEM	UNIT	Scheduled Rates for the Year 2020-21
	G.IV-01	(Volatile Organic Compound) content less than 50 grams/ Lit.		
213	TBSC-G.IV-02	Supply of synthetic polymer luxury plastic emulsion / solvent based lustre paint of superior grade having VOC (Volatile Organic Compound) content less than 50 grams/ Lit.	1 Lit	430.00
V	SUB-SECTION	OIL BASED ENAMEL PAINTS		
214	TBSC-G.V-01	Supply of ready mixed Synthetic Enamel paints in all shades Grade - I having VOC (Volatile Organic Compound) content less than 50grams/ Lit.	1 Lit	251.00
215	TBSC-G.V-02	Supply of ready mixed Synthetic Enamel paints in all shades Grade - II having VOC (Volatile Organic Compound) content less than 50grams/ Lit.	1 Lit	191.00
VI	SUB-SECTION	TEXTURE PAINTS		
216	TBSC-G.VI-01	Exterior grade Texture ready mixed paint with sand texture added sand particles Acrylic copolymers and mineral compounds, bactericides and various additives.	1 Kg	37.00
217	TBSC-G.VI-02	Exterior grade Texture ready mixed plaster made with natural minerals - granite flakes/ marble flakes/ powder, sand and other carefully selected and sieved minerals in an acrylic bindingmedium	1 Kg	47.00
VII	SUB-SECTION	SPECIAL PAINTS		
218	TBSC-G.VII-01	Supply of Melamine Polish	1 Lit	317.00
219	TBSC-G.VII-02	Supply of Interior Grade Poly-Urethane Polish	1 Lit	645.00
220	TBSC-G.VII-03	Supply of Exterior Grade Poly-Urethane Polish	1 Lit	788.00
221	TBSC-G.VII-04	Supply of grade-1 aluminium paint	1 Lit	258.00
H	SECTION	PARTICLE BOARDS		
		(Excluding taxes but including cost of loading, cost of conveyance, unloading & stacking)		
I	SUB-SECTION	MELAMINE FACED PLAIN PARTICLE BOARD		
222	TBSC-H.I-01	Melamine faced Single Deco Plain Particle Board- 8 mm thick conforming to IS 3129	1 Sqm	613.00
223	TBSC-H.I-02	Melamine faced Single Deco Plain Particle Board- 12 mm thick conforming to IS 3129	1 Sqm	696.00
224	TBSC-H.I-03	Melamine faced Single Deco Plain Particle Board- 18 mm thick conforming to IS 3129	1 Sqm	806.00
225	TBSC-H.I-04	Melamine faced Single Deco Plain Particle Board- 25 mm thick conforming to IS 3129	1 Sqm	914.00
226	TBSC-H.I-05	Melamine faced Single Deco Plain Particle Board- 35 mm thick conforming to IS 3129	1 Sqm	1,519.00
227	TBSC-H.I-06	Melamine faced Twin Deco Plain Particle Board- 8 mm thick conforming to IS 3129	1 Sqm	706.00
228	TBSC-H.I-07	Melamine faced Twin Deco Plain Particle Board- 12 mm thick conforming to IS 3129	1 Sqm	806.00
229	TBSC-H.I-08	Melamine faced Twin Deco Plain Particle Board- 18 mm thick conforming to IS 3129	1 Sqm	933.00

Sl. No	ITEM CODE	DESCRIPTION OF THE ITEM	UNIT	Scheduled Rates for the Year 2020-21
230	TBSC-H.I-09	Melamine faced Twin Deco Plain Particle Board-25 mm thick conforming to IS 3129	1 Sqm	1,033.00
231	TBSC-H.I-10	Melamine faced Twin Deco Plain Particle Board-35 mm thick conforming to IS 3129	1 Sqm	1,941.00
II	SUB-SECTION	INSULATING PARTICLE BOARDS		
232	TBSC-H.II-01	Natural Colour-Insulating Board - 12 mm thick conforming to IS 3348	1 Sqm	229.00
233	TBSC-H.II-02	Natural Colour-Insulating Board - 18 mm thick conforming to IS 3348	1 Sqm	338.00
234	TBSC-H.II-03	Natural Colour-Insulating Board - 25 mm thick conforming to IS 3348	1 Sqm	431.00
235	TBSC-H.II-04	White Insulating Board - 12 mm thick conforming to IS3348	1 Sqm	279.00
236	TBSC-H.II-05	White Insulating Board - 18 mm thick conforming to IS3348	1 Sqm	398.00
237	TBSC-H.II-06	White Insulating Board - 25 mm thick conforming to IS3348	1 Sqm	354.00
III	SUB-SECTION	MEDIUM DENSITY FIBRE BOARDS		
238	TBSC-H.III-01	Medium Fibre Board: Interior Grade - 6 mm thick conforming to IS 15932	1 Sqm	373.00
239	TBSC-H.III-02	Medium Fibre Board: Interior Grade - 8 mm thick conforming to IS 15932	1 Sqm	423.00
240	TBSC-H.III-03	Medium Fibre Board: Interior Grade - 12 mm thick conforming to IS 15932	1 Sqm	566.00
241	TBSC-H.III-04	Medium Fibre Board: Interior Grade - 15 mm thick conforming to IS 15932	1 Sqm	720.00
242	TBSC-H.III-05	Medium Fibre Board: Interior Grade - 18 mm thick conforming to IS 15932	1 Sqm	803.00
243	TBSC-H.III-06	Medium Fibre Board: Interior Grade - 25 mm thick conforming to IS 15932	1 Sqm	1,140.00
244	TBSC-H.III-07	Medium Fibre Board: Interior Grade - 30 mm thick conforming to IS 15932	1 Sqm	1,377.00
245	TBSC-H.III-08	Medium Fibre Board: Interior Grade - 35 mm thick conforming to IS 15932	1 Sqm	1,503.00
246	TBSC-H.III-09	Medium Fibre Board: Exterior Grade - 6 mm thick conforming to IS 15932	1 Sqm	507.00
247	TBSC-H.III-10	Medium Fibre Board: Exterior Grade - 8 mm thick conforming to IS 15932	1 Sqm	590.00
248	TBSC-H.III-11	Medium Fibre Board: Exterior Grade - 12 mm thick conforming to IS 15932	1 Sqm	782.00
249	TBSC-H.III-12	Medium Fibre Board: Exterior Grade - 15 mm thick conforming to IS 15932	1 Sqm	983.00
250	TBSC-H.III-13	Medium Fibre Board: Exterior Grade - 18 mm thick conforming to IS 15932	1 Sqm	1,100.00
251	TBSC-H.III-14	Medium Fibre Board: Exterior Grade - 25 mm thick conforming to IS 15932	1 Sqm	1,466.00
252	TBSC-H.III-15	Medium Fibre Board: Exterior Grade - 30 mm thick conforming to IS 15932	1 Sqm	1,825.00
253	TBSC-H.III-16	Medium Fibre Board: Exterior Grade - 35 mm thick conforming to IS 15932	1 Sqm	2,156.00
254	TBSC-H.III-17	MDF Board: Plain-Interior - 9 mm thick conforming to IS 15932	1 Sqm	342.00
255	TBSC-	MDF Board: Plain-Interior - 12 mm thick	1 Sqm	389.00

Sl. No	ITEM CODE	DESCRIPTION OF THE ITEM	UNIT	Scheduled Rates for the Year 2020-21
	H.III-18	conforming to IS 15932		
256	TBSC-H.III-19	MDF Board: Plain-Interior - 18 mm thick conforming to IS 15932	1 Sqm	481.00
257	TBSC-H.III-20	MDF Board: Plain-Interior - 25 mm thick conforming to IS 15932	1 Sqm	578.00
258	TBSC-H.III-21	MDF Board: Plain-Interior - 30 mm thick conforming to IS 15932	1 Sqm	880.00
259	TBSC-H.III-22	MDF Board: Plain-Interior - 35 mm thick conforming to IS 15932	1 Sqm	1,040.00
260	TBSC-H.III-23	MDF Board: Plain-Exterior - 9 mm thick conforming to IS 15932	1 Sqm	447.00
261	TBSC-H.III-24	MDF Board: Plain-Exterior - 12 mm thick conforming to IS 15932	1 Sqm	481.00
262	TBSC-H.III-25	MDF Board: Plain-Exterior - 18 mm thick conforming to IS 15932	1 Sqm	631.00
263	TBSC-H.III-26	MDF Board: Plain-Exterior - 25 mm thick conforming to IS 15932	1 Sqm	792.00
264	TBSC-H.III-27	MDF Board: Plain-Exterior - 30 mm thick conforming to IS 15932	1 Sqm	1,040.00
265	TBSC-H.III-28	MDF Board: Plain-Exterior - 35 mm thick conforming to IS 15932	1 Sqm	1,200.00
266	TBSC-H.III-29	MDF Board: Interior-One Side Laminated -9 mm thick conforming to IS 15932	1 Sqm	536.00
267	TBSC-H.III-30	MDF Board: Interior-One Side Laminated -12 mm thick conforming to IS15932	1 Sqm	606.00
268	TBSC-H.III-31	MDF Board: Interior-One Side Laminated -18 mm thick conforming to IS15932	1 Sqm	705.00
269	TBSC-H.III-32	MDF Board: Interior-One Side Laminated -25 mm thick conforming to IS15932	1 Sqm	792.00
270	TBSC-H.III-33	MDF Board: Interior-One Side Laminated -30 mm thick conforming to IS15932	1 Sqm	1,145.00
271	TBSC-H.III-34	MDF Board: Interior-One Side Laminated -35 mm thick conforming to IS15932	1 Sqm	1,221.00
272	TBSC-H.III-35	MDF Board: Exterior-One Side Laminated -9 mm thick conforming to IS 15932	1 Sqm	616.00
273	TBSC-H.III-36	MDF Board: Exterior-One Side Laminated -12 mm thick conforming to IS 15932	1 Sqm	692.00
274	TBSC-H.III-37	MDF Board: Exterior-One Side Laminated -18 mm thick conforming to IS 15932	1 Sqm	783.00
275	TBSC-H.III-38	MDF Board: Exterior-One Side Laminated -25 mm thick conforming to IS 15932	1 Sqm	916.00
276	TBSC-H.III-39	MDF Board: Exterior-One Side Laminated -30 mm thick conforming to IS 15932	1 Sqm	1,221.00
277	TBSC-H.III-40	MDF Board: Exterior-One Side Laminated -35 mm thick conforming to IS 15932	1 Sqm	1,297.00
278	TBSC-H.III-41	MDF Board: Interior-Both Side Laminated -9 mm thick conforming to IS 15932	1 Sqm	612.00
279	TBSC-H.III-42	MDF Board: Interior-Both Side Laminated -12 mm thick conforming to IS 15932	1 Sqm	692.00
280	TBSC-H.III-43	MDF Board: Interior-Both Side Laminated -18 mm thick conforming to IS 15932	1 Sqm	792.00
281	TBSC-H.III-44	MDF Board: Interior-Both Side Laminated -25 mm thick conforming to IS 15932	1 Sqm	995.00
282	TBSC-H.III-45	MDF Board: Interior-Both Side Laminated -30 mm thick conforming to IS 15932	1 Sqm	1,221.00

Sl. No	ITEM CODE	DESCRIPTION OF THE ITEM	UNIT	Scheduled Rates for the Year 2020-21
283	TBSC-H.III-46	MDF Board: Interior-Both Side Laminated -35 mm thick conforming to IS 15932	1 Sqm	1,297.00
284	TBSC-H.III-47	MDF Board: exterior-Both Side Laminated -9 mm thick conforming to IS 15932	1 Sqm	692.00
285	TBSC-H.III-48	MDF Board: exterior-Both Side Laminated -12 mm thick conforming to IS 15932	1 Sqm	783.00
286	TBSC-H.III-49	MDF Board: exterior-Both Side Laminated -18 mm thick conforming to IS 15932	1 Sqm	926.00
287	TBSC-H.III-50	MDF Board: exterior-Both Side Laminated -25 mm thick conforming to IS 15932	1 Sqm	1,012.00
288	TBSC-H.III-51	MDF Board: exterior-Both Side Laminated -30 mm thick conforming to IS 15932	1 Sqm	1,281.00
289	TBSC-H.III-52	MDF Board: exterior-Both Side Laminated -35 mm thick conforming to IS 15932	1 Sqm	1,374.00
IV	SUB-SECTION	CEMENT BONDED PLAIN & PARTICLE BOARDS		
290	TBSC-H.IV-01	Cement Bonded Board conforming to IS:14862-2000 - 4mm Thick	1 Sqm	145.00
291	TBSC-H.IV-02	Cement Bonded Board conforming to IS:14862-2000 - 6mm Thick	1 Sqm	207.00
292	TBSC-H.IV-03	Cement Bonded Board conforming to IS:14862-2000 - 8mm Thick	1 Sqm	266.00
293	TBSC-H.IV-04	Cement Bonded Board conforming to IS:14862-2000 - 10mm Thick	1 Sqm	306.00
294	TBSC-H.IV-05	Cement Bonded Board conforming to IS:14862-2000 - 12mm Thick	1 Sqm	382.00
295	TBSC-H.IV-06	Cement Bonded Board conforming to IS:14862-2000 - 14mm Thick	1 Sqm	426.00
296	TBSC-H.IV-07	Cement Bonded Board conforming to IS:14862-2000 - 16mm Thick	1 Sqm	485.00
297	TBSC-H.IV-08	Cement Bonded Board conforming to IS:14862-2000 - 18mm Thick	1 Sqm	550.00
298	TBSC-H.IV-09	Cement Bonded Board conforming to IS:14862-2000 - 20mm Thick	1 Sqm	583.00
299	TBSC-H.IV-10	Cement bonded particle board conforming to IS 14276-6 mm thick	1 Sqm	221.00
300	TBSC-H.IV-11	Cement bonded particle board conforming to IS 14276- 8 mm thick	1 Sqm	303.00
301	TBSC-H.IV-12	Cement bonded particle board conforming to IS 14276- 10 mm thick	1 Sqm	376.00
302	TBSC-H.IV-13	Cement bonded particle board conforming to IS 14276- 12 mm thick	1 Sqm	452.00
303	TBSC-H.IV-14	Cement bonded particle board conforming to IS 14276- 16 mm thick	1 Sqm	596.00
304	TBSC-H.IV-15	Cement bonded particle board conforming to IS 14276- 20 mm thick	1 Sqm	740.00
305	TBSC-H.IV-16	Cement bonded particle board conforming to IS 14276- 25 mm thick	1 Sqm	942.00
306	TBSC-H.IV-17	Cement bonded particle board conforming to IS 14276- 30 mm thick	1 Sqm	1,124.00
307	TBSC-H.IV-18	Cement bonded particle board conforming to IS 14276- 40 mm thick	1 Sqm	1,480.00
308	TBSC-H.IV-19	Pre-laminated cement bonded particle board-6 mm thick	1 Sqm	526.00
309	TBSC-	Pre-laminated cement bonded particle board-8	1 Sqm	568.00

Sl. No	ITEM CODE	DESCRIPTION OF THE ITEM	UNIT	Scheduled Rates for the Year 2020-21
	H.IV-20	mm thick		
310	TBSC-H.IV-21	Pre-laminated cement bonded particle board- 10 mm thick	1 Sqm	610.00
311	TBSC-H.IV-22	Pre-laminated cement bonded particle board- 12 mm thick	1 Sqm	667.00
312	TBSC-H.IV-23	Pre-laminated cement bonded particle board- 16 mm thick	1 Sqm	741.00
313	TBSC-H.IV-24	50 mm thick SOLID WALL PANEL Sandwich panels made of light weight FRACC non-asbestos fibre reinforced cement concrete	1 Sqm	971.00
314	TBSC-H.IV-25	75 mm thick SOLID WALL PANEL Sandwich panels made of light weight FRACC non-asbestos fibre reinforced cement concrete	1 Sqm	1,166.00
J	SECTION	PLYWOODS, LAMINATES & VENEERS		
		(Excluding taxes but including cost of loading, cost of conveyance, unloading & stacking)		
I	SUB-SECTION	MOISTURE RESISTANT (MR) GRADE		
315	TBSC-J.I-01	3 Ply - 4 mm thick Plywood conforming to IS:303 MR Grade	1 Sqm	369.00
316	TBSC-J.I-02	5 Ply - 6 mm thick Plywood conforming to IS:303 MR Grade	1 Sqm	408.00
317	TBSC-J.I-03	5 Ply - 8 mm thick Plywood conforming to IS:303 MR Grade	1 Sqm	479.00
318	TBSC-J.I-04	5 Ply - 9 mm thick Plywood conforming to IS:303 MR Grade	1 Sqm	479.00
319	TBSC-J.I-05	9 Ply - 12 mm thick Plywood conforming to IS:303 MR Grade	1 Sqm	601.00
320	TBSC-J.I-06	9 Ply - 15 mm thick Plywood conforming to IS:303 MR Grade	1 Sqm	885.00
321	TBSC-J.I-07	9 Ply - 18 mm thick Plywood conforming to IS:303 MR Grade	1 Sqm	867.00
II	SUB-SECTION	BOILING WATER RESISTANT (BWR) GRADE		
322	TBSC-J.II-01	3 Ply - 4 mm thick Plywood conforming to IS:303 BWR Grade	1 Sqm	422.00
323	TBSC-J.II-02	5 Ply - 6 mm thick Plywood conforming to IS:303 BWR Grade	1 Sqm	495.00
324	TBSC-J.II-03	5 Ply - 8 mm thick Plywood conforming to IS:303 BWR Grade	1 Sqm	617.00
325	TBSC-J.II-04	5 Ply - 9 mm thick Plywood conforming to IS:303 BWR Grade	1 Sqm	583.00
326	TBSC-J.II-05	9 Ply - 12 mm thick Plywood conforming to IS:303 BWR Grade	1 Sqm	762.00
327	TBSC-J.II-06	9 Ply - 15 mm thick Plywood conforming to IS:303 BWR Grade	1 Sqm	1,093.00
328	TBSC-J.II-07	9 Ply - 19 mm thick Plywood conforming to IS:303 BWR Grade	1 Sqm	1,097.00
III	SUB-SECTION	VENEERED DECORATIVE PLYWOOD		
329	TBSC-J.III-01	3 Ply-4 mm thick One side Teak Veneered Decorative Plywood conforming to IS:1328	1 Sqm	546.00
330	TBSC-J.III-02	5 Ply - 6 mm thick One side Teak Veneered Decorative Plywood conforming to IS:1328	1 Sqm	711.00
331	TBSC-	5 Ply - 9 mm thick One side Teak Veneered	1 Sqm	912.00

Sl. No	ITEM CODE	DESCRIPTION OF THE ITEM	UNIT	Scheduled Rates for the Year 2020-21
	J.III-03	Decorative Plywood conforming to IS:1328		
332	TBSC-J.III-04	9 Ply - 12 mm thick One side Teak Veneered Decorative Plywood conforming to IS:1328	1 Sqm	1,161.00
333	TBSC-J.III-05	5 Ply - 9 mm thick Both sides Teak Veneered Decorative Plywood conforming to IS:1328	1 Sqm	1,190.00
334	TBSC-J.III-06	9 Ply - 12 mm thick Both sides Teak Veneered Decorative Plywood conforming to IS:1328	1 Sqm	1,387.00
IV	SUB-SECTION	LAMINATES		
335	TBSC-J.IV-01	Melamine Laminate Sheets - Glossy Finish: 1.00 mm thick	1 Sqm	366.00
336	TBSC-J.IV-02	Melamine Laminate Sheets - Glossy Finish: 1.50 mm thick	1 Sqm	524.00
337	TBSC-J.IV-03	Melamine Laminate Sheets - Glossy Finish: 1.80 mm thick	1 Sqm	575.00
338	TBSC-J.IV-04	Melamine Laminate Sheets - Mat Finish: 1.00 mm thick	1 Sqm	389.00
339	TBSC-J.IV-05	Melamine Laminate Sheets - Mat Finish: 1.50 mm thick	1 Sqm	541.00
340	TBSC-J.IV-06	Melamine Laminate Sheets - Mat Finish: 1.80 mm thick	1 Sqm	583.00
V	SUB-SECTION	COMMERCIAL VENEERS		
341	TBSC-J.V-01	Teak Veneer Lamination of 4 mm thick with Pencil Grains conforming to IS 14315	1 Sqm	409.00
342	TBSC-J.V-02	Teak Veneer Lamination of 4 mm thick with Natural Grains conforming to IS 14315	1 Sqm	752.00
K	SECTION	CEILINGS, WALL PARTITIONS & WALL LININGS		
		(Excluding taxes but including cost of loading, cost of conveyance, unloading & stacking)		
I	SUB-SECTION	FALSECEILINGs-TILES/SHEETS		
343	TBSC-K.I-01	Gypsum Board tiles of size not less than 0.595 M x 0.595 M of 12.5 mm thick as per IS 2095 -1992	1 Sqm	255.00
344	TBSC-K.I-02	Gypsum Board tiles of size not less than 0.595 M x 0.595 M of 9 mm thick as per IS 2095 -1992	1 Sqm	249.00
345	TBSC-K.I-03	Gypsum Board Plain sheet 12.5 mm thick as per IS 2095 -1993	1 Sqm	225.00
346	TBSC-K.I-04	DELETED		
347	TBSC-K.I-05	14 mm - Mineral Fibre sheet 600 x 600 of Board / Tegular Edge tiles with a Humidity Resistance of 90% RH, Average NRC 0.50, Light Reflectance >80%, Thermal Conductivity $\lambda = 0.052$ to 0.057 w/mk, Fire Performance Class 0/Class 1	1 Sqm	535.00
348	TBSC-K.I-06	/ Tegular Edge tiles with a Humidity Resistance of 95% RH, Average NRC 0.50, Light Reflectance >85%, Thermal Conductivity $\lambda = 0.052$ to 0.057 w/mk, Fire Performance Class 0/Class 1	1 Sqm	626.00
349	TBSC-K.I-07	16 mm - Tegular Edge 600 x 600 of Board / Tegular/ Micro look Edge tiles with a Humidity Resistance of 99% RH, Average NRC 0.60, Light Reflectance >85%, Thermal Conductivity $\lambda = 0.052$ to 0.057 w/mk, Fire Performance Class 0/Class 1	1 Sqm	674.00

Sl. No	ITEM CODE	DESCRIPTION OF THE ITEM	UNIT	Scheduled Rates for the Year 2020-21
350	TBSC-K.I-08	Designer ceiling Cement Boards -thickness 3.2 mm	1 Sqm	235.00
351	TBSC-K.I-09	High pressure steam cured Cement Boards4 mmthick	1 Sqm	126.00
352	TBSC-K.I-10	High pressure steam cured Cement Boards6 mmthick	1 Sqm	189.00
353	TBSC-K.I-11	High pressure steam cured Cement Boards8 mmthick	1 Sqm	251.00
354	TBSC-K.I-12	High pressure steam cured Cement Boards 10 mm thick	1 Sqm	314.00
355	TBSC-K.I-13	High pressure steam cured Cement Boards 12 mm thick	1 Sqm	376.00
356	TBSC-K.I-14	High pressure steam cured Cement Boards 14 mm thick	1 Sqm	439.00
357	TBSC-K.I-15	High pressure steam cured Cement Boards 16 mm thick	1 Sqm	503.00
358	TBSC-K.I-16	High pressure steam cured Cement Boards 18 mm thick	1 Sqm	564.00
359	TBSC-K.I-17	High pressure steam cured Cement Boards 20 mm thick	1 Sqm	628.00
360	TBSC-K.I-18	High pressure steam cured designer Cement Boards 4 mm thick	1 Sqm	185.00
361	TBSC-K.I-19	High pressure steam cured designer Cement Boards 6 mm thick	1 Sqm	272.00
362	TBSC-K.I-20	Calcium Silicate Boards - 6mm thick	1 Sqm	209.00
363	TBSC-K.I-21	Calcium Silicate Boards - 8mm thick	1 Sqm	279.00
364	TBSC-K.I-22	Calcium Silicate Boards - 10mm thick	1 Sqm	349.00
365	TBSC-K.I-23	Calcium Silicate Boards - 12mm thick	1 Sqm	418.00
366	TBSC-K.I-24	Supply of Thermocol 12 mm thick sheets	1 Sqm	24.00
367	TBSC-K.I-25	Supply of Thermocol 19 mm thick sheets	1 Sqm	42.00
368	TBSC-K.I-26	Supplying and fixing of false ceiling using Plaster of Paris Boards 12 mm thick with standard GI ceiling angles, sections perimeter channels including cost and conveyance of all materials and labour charges etc complete	1 Sqm	407.00
369	TBSC-K.I-27	Supplying and fixing of false ceiling using Plaster of Paris Boards 10 mm thick with standard GI ceiling angles, sections perimeter channels including cost and conveyance of all materials and labour charges etc complete	1 Sqm	340.00
370	TBSC-K.I-28	Supply and fixing false ceiling using 8 mm thick Cement Bonded particle boards conforming to IS 14276 with galvanized and pre painted steel T section of size 24mm x 38mm x 0.3 mm for main T duty pre punched to accept cross T section of size 24mm x 30mm x 0.3 mm duly punched at both ends for insertion into main T. The grid size will be 610mm x 610mm. The frame work (grid) is suspended to the roof by using G.I flat of 0.60mm	1 Sqm	1,161.00

Sl. No	ITEM CODE	DESCRIPTION OF THE ITEM	UNIT	Scheduled Rates for the Year 2020-21
		or 14-gauge G.I wire with necessary fixers to the roof and frame work the cost is inclusive of necessary hardware, labour, onecoat of primer (Both side) and two coats of smooth finish on visible side.		
371	TBSC-K.I-29	Providing and fixing false ceiling consisting of 600 mm x 600 mm, Solid PVC insulation panels having wall thickness of 1mm thick plain PVC rigid foam sheet and EPS as defined in of desired thickness depending on insulation required shall be insert in a frame work made using anodized aluminium Tee section of sizes 1"X1"(25X25mm, 19 gauge or 1mm thick) in square pattern of grid sizes of 2'X2' (600X600mm). The aluminium framework is supported from the ceiling with the help of G.I. hook and G.I. wire/6mm.M.S. rods of required sizes to maintain proper level etc.the aluminium framework is supported on side wall with the use of aluminium 1"X1" (25X25mm) angles, complete as per direction of Engineer-in- Charge & drawing	1 Sqm	1,247.00
372	TBSC-K.I-30	Supply and fixing of PVC false ceiling on MS/GI made skeleton framework. The frame shall be 24 X 48mm MS tube section fixed along with the wall. The entire frame work shall be concealed with PVC section having overall dimensions of 6 X 250 mm with a wall thickness of 1mm ±0.3mm with tongue and groove system, provided with necessary arrangements for electrical connections,complete,forfinisheditemofwork.	1 Sqm	1,384.00
373		15 mm - Micro Look Edge 600 x 600 of Board / Tegular/ Micro look Edge tiles with a Humidity Resistance of 95% RH, Average NRC 0.90, Light Reflectance >88%, Thermal Conductivity $\lambda = 0.032$ w/mk, Fire Performance Class 0/Class 1 suitable for Green Building application, with Recycled content of 88% (FG)	1 Sqm	1,429.00
374		16 mm - Tegular Edge 600 x 600 of Board / Tegular/ Micro look Edge tiles with a Humidity Resistance of 99% RH, Average NRC 0.55, Light Reflectance >84%, Thermal Conductivity $\lambda = 0.052$ to 0.057 w/mk, Fire Performance Class 0/Class 1	1 Sqm	633.00
375		Providing & Fixing of Lay-in-metal plain ceiling System consisting of 600 x 600mm Lay in GI tiles of pre coated galvanised steel in 0.5 mm thickness in white colour to be laid on grid systems with 15mm wide T - section flanges but excluding cost of Grid systems complete for finished item of work	1 Sqm	689.00
376		Providing & Fixing of GI Lay in Standard Perforated(2.5mm diameter-16% open area) metal ceiling consisting of 600 x 600 mm Lay in tiles of pre coated galvanized steel in 0.5 mm thickness in Global white color acoustical fleece hot pressed to the back of the perforated tile to	1 Sqm	987.00

Sl. No	ITEM CODE	DESCRIPTION OF THE ITEM	UNIT	Scheduled Rates for the Year 2020-21
		be laid on grid systems with 0.5 mm thickness in white colour with 15mm wide T - section flanges but excluding cost of Grid systems and having rotary stitching on the Main Runner, 1200 mm & 600 mm Cross Tees and the tiles with NRC of 0.70, Fire Performance of Class A2-s1.d0 as per EN13501 standard in module size of 600 X 600 mm suitable for Green Building application, with Recycled content of 25% complete for finished item of work		
II	SUB-SECTION	FALSE CEILINGs - SECTIONS & ACCESSORIES		
377	TBSC-K.II-01	G.I. Ceiling Angle - 25 mm x 10 mm x 0.55 mm	1 RM	67.00
378	TBSC-K.II-02	G.I. Ceiling Section 51.5 mm x 26 mm x 10.5 mm x 0.55 mm thick	1 RM	78.00
379	TBSC-K.II-03	G.I. intermediate Section 45 mm x 15 mm x 15 mm x 0.9 mm	1 RM	77.00
380	TBSC-K.II-04	G.I. Perimeter Channel - 20 mm x 27 mm x 30 mm (web) of 0.55 mm thick	1 RM	67.00
381	TBSC-K.II-05	G.I.-Pre coated Fine line Grid 25 mm x 25 mm x 0.7 mm	1 RM	38.00
382	TBSC-K.II-06	G.I.-Pre coated Fine line Grid 15 mm x 25 mm x 0.7 mm	1 RM	34.00
383	TBSC-K.II-07	GI - Pre coated - T-Sec- 24 mm x 38 mm x 0.7 mm thick	1 RM	50.00
384	TBSC-K.II-08	Hot dipped GI Angle - Pre coated - Grid: 19 mm x 19 mm	1 RM	37.00
385	TBSC-K.II-09	Polyester painted GI - T Section - 24 x 32 mm	1 RM	45.00
386	TBSC-K.II-10	Polyester painted GI - T Section - 24 x 25 mm	1 RM	41.00
387	TBSC-K.II-11	Polyester painted GI - T Section - 24 mm x 27 mm	1 RM	42.00
388	TBSC-K.II-12	Aluminum Angle : 24 mm x 24 mm	1 RM	24.00
389	TBSC-K.II-13	Anodized Aluminum T Section : 24 x 24.5 x 2.4 mm	1 RM	31.00
390	TBSC-K.II-14	Connecting Clips	1 Each	3.00
391	TBSC-K.II-15	Rawl Plug	1 Each	3.00
392	TBSC-K.II-16	6 mm Nylon Rawl Plug	1 Each	3.00
393	TBSC-K.II-17	Soffit Cleats	1 Each	3.00
394	TBSC-K.II-18	Drywall Screws - 25 mm	1 Each	3.00
395	TBSC-K.II-19	Jointing Compound	1 Kgs	27.00
396	TBSC-K.II-20	Jointing Paper Tape	1 RM	5.00
397	TBSC-K.II-21	Drywall Top Coat	1 Lit	129.00
398	TBSC-	Universal Holding Clips	1 Each	3.00

Sl. No	ITEM CODE	DESCRIPTION OF THE ITEM	UNIT	Scheduled Rates for the Year 2020-21
	K.II-22			
399	TBSC-K.II-23	4 mm Diameter GI Connecting Rod	1 RM	11.00
400	TBSC-K.II-24	2 mm Diameter GI Connecting Rod	1 RM	10.00
III	SUB-SECTION	WALL LINING & PANELLING		
401	TBSC-K.III-01	Providing wooden paneling 12 mm thick pre laminated particle board fixed on wooden frame of BT wood size 50.8 mm x 25.4 mm (2"x1") at distance of 609.6mm (2'-0") intervals of both ways providing 3/4" x 1/2" (19.05 mm x 12.7 mm) size BT wood ornamental cover beading and necessary screws, synthetic glue complete for finished item of work.	1 Sqm	1,672.00
402	TBSC-K.III-02	Perforated wall panels channeled wood works sheets of width 128 mm, thickness of 16mm and length 2440 mm made of a high density particle board substrate with a laminated facing as per the approved shade/ species & finish and a melamine balancing layer on the reverse side, with a special perforation pattern fluted perforation on the visible surface with a minimum sag resistance of RH90 and a fire rating class of 1 as per Part 7 of BS 476 with a "tongue-and-grooved" edges and the back of the perforated panel is with sound absorbing non-woven acoustical fleece	1 Sqm	3,228.00
403	TBSC-K.III-03	0.55 thick and ceiling channels of 51.1mm x 26mm x 10.5mm x 0.55mm thick and fixing and finishing using joint compound and glass fiber tape complete finish as per specification without painting for finished item of work: using 8mmthick Calcium silicate boards	1 Sqm	706.00
404	TBSC-K.III-04	Supply and fixing of wall lining fixing to GI channels of perimeter channel 30mm x 27mm x 0.55 thick and ceiling channels of 51.1mm x 26mm x 10.5mm x 0.55mm thick and fixing and finishing using joint compound and glass fibre tape complete finish as per specification without painting for finished item of work: Using 10mm thick Calcium silicate boards	1 Sqm	779.00
405	TBSC-K.III-05	Supply and fixing of wall lining fixing to GI channels of perimeter channel 30mm x 27mm x 0.55 thick and ceiling channels of 51.1mm x 26mm x 10.5mm x 0.55mm thick and fixing and finishing using joint compound and glass fibre tape complete finish as per specification without painting for finished item of work: Using 12mm thick Calcium silicate boards	1 Sqm	849.00
406	TBSC-K.III-06	Supply and fixing of cement board (conforming to IS:14862:2000) wall panelling with frame work made of GI stud profile of size 48 x 40 x 10 x 0.55 mm thick placed at every 610 mm C/C intervals fixed vertically in between floor and roof 'U'	1 Sqm	851.00

Sl. No	ITEM CODE	DESCRIPTION OF THE ITEM	UNIT	Scheduled Rates for the Year 2020-21
		track of size 50 x 30 x 0.6 mm thick duly fixed with self expansion screws and fixing with self tapping self embedding screws fixed at every 300 mm (centres) leaving a 3 mm gap between two panels of width 2'-0". The Gap will be covered with a decorative beading. Surface will be given a smooth finish over a coat of primer. - With 8 mm Cement Bonded Board		
407	TBSC-K.III-07	Supply and fixing of cement board (conforming to IS:14862:2000) wall paneling with frame work made of GI stud profile of size 48 x 40 x 10 x 0.55 mm thick placed at every 610 mm C/C intervals fixed vertically in between floor and roof 'U' track of size 50 x 30 x 0.6 mm thick duly fixed with self expansion screws and fixing with self tapping self embedding screws fixed at every 300 mm (centres) leaving a 3 mm gap between two panels of width 2'-0". The Gap will be covered with a decorative beading. Surface will be given a smooth finish over a coat of primer. - With 10 mm Cement Bonded Board	1 Sqm	980.00
408	TBSC-K.III-08	Supply and fixing Cement Bonded Particle Board conforming to IS 14276 wall panelling using 10 mm Cement Bonded Particle Board conforming to IS 14276 with frame work made of GI stud section of size 48mm x 35mm x 0.55mm thick placed at every 610 mm C/C intervals vertically and at 1200mm internals horizontally fixed to the wall by means of self expansion screws and caps and Cement Bonded Particle Board conforming to IS 14276 is to be fixed to frame by means of self tapping screws placed at every 300 mm intervals leaving 3mm gap between two panels. The cost inclusive of one coat of synthetic plastered primer and two coats of synthetic smooth finished putty and cost & conveyance of all materials, labour charges etc. complete as per the direction of Engineer in charge.	1 Sqm	1,463.00
409	TBSC-K.III-09	Supply and fixing of Cement Bonded Pre-laminated Particle Board wall panelling using 12 mm Cement Bonded Pre-laminated Particle with frame work made of G.I stud section of size 48mm x 35mm x 0.55mm thick placed at every 610mm intervals vertically and at 1200mm internals horizontally fixed to the wall by means of self expansion screws and caps. Cement Bonded Pre-laminated Particle is to be fixed to frame by means of self-taping screws placed at every 300mm intervals leaving 3mm gap between two panels. The cost inclusive of Conveyance of materials, Labour charges etc., complete as per the direction of Engineer in charge	1 Sqm	2,157.00
410	TBSC-K.III-10	Providing and fixing plain PVC rigid foam sheet wall panelling of thickness 5mm consisting of panels having size 1220mm X2440mm stuck on	1 Sqm	1,918.00

Sl. No	ITEM CODE	DESCRIPTION OF THE ITEM	UNIT	Scheduled Rates for the Year 2020-21
		inner frame work of 25mm wide strips of 5mm thick PVC rigid foam sheet. The strips should have in their centre a groove of 6mm width and 2mm depth for sinking the head of the screw used to fix the strips to the wall and should be placed vertically at equal intervals of 405/407mm centre to centre. The PVC strips shall be fixed to the wall using 65mm long M.S. screws through the groove in the strip by using PVC fasteners. The distance between two screws shall not be more than 300mm. a groove of 2mm may be left at the joint of two panels for aesthetic looks. This framework is done for making existing wall surface in ensured level and for sticking the wall panelling sheet (panel) on it. The exact size of the panel and correspondingly of the grid May be varied depending on the size of the wall. However it must be ensured that as strips of 5mm thick PVC sheet of width 75mm feathered at the edges shall be stuck at the places where two panels are joined, using solvent cement. , complete as per direction of Engineer-in-Charge, manufacture's specification & drawing		
411	TBSC-K.III-11	Providing and fixing INSULATED PVC WALL panelling shall consist of PVC insulated panels having wall thickness of 1mm/1.5mm/2mm PVC sheet and the desired thickness of EPS (dependent on the insulation required) screwed into the wall using screws of adequate length. The screws shall be placed at a distance of 150mm and shall be 25mm from the edge of the insulated panel on all from sides of the panel. The PVC strips of 5mm thick PVC sheet of width 75mm feathered at the edges shall be stuck using solvent cement adhesive at the places where two panels are joined, so as to cover the screw of both the panels, using solvent cement. 90 heat bent strips of 5mm thick PVC sheets of width 75mm X 75mm feathered at the edges shall be stuck at wall joints / pillars etc. , complete as per direction of Engineer-in-Charge, manufacture's specification & drawing	1 Sqm	2,019.00
412	TBSC-K.III-12	Supply and fixing of wall panelling on the framework of wooded rippers of 24 X 24mm of required size. The entire framework shall be panelled with PVC section having overall dimensions of 6 X 250mm with a wall thickness of 1mm ± 0.3mm. The panels are joined with tongue and groove system. Necessary cut-outs for electrical connections to be provided at required places complete, for finished item of work.	1 Sqm	1,310.00
IV	SUB-SECTION	PARTITIONS		
413	TBSC-K.IV-01	Supply & fixing 75mm thick metal stud partition using 12.5 mm thick Gypboard conforming to IS	1 Sqm	1,129.00

Sl. No	ITEM CODE	DESCRIPTION OF THE ITEM	UNIT	Scheduled Rates for the Year 2020-21
		2095-1982 screw fixed to either side to 48 mm studs of 0.55 mm thick with the 50 mm floor and ceiling channel 0.55 mm and the joints duly finished with joint compound, paper tape and two coats Dry wall top coat as per specification.		
414	TBSC-K.IV-02	Supply and Fixing 66mm thick metal stud partition screw fixed to either side of 48mm studs of 0.55mm thick with 50mm floor and ceiling channel 0.55mm and the joints duly finished with joining compound, glass fibre tape and two coats dry wall top coat as per specification finished Item of work- using 8mm thick Calcium silicate boards	1 Sqm	1,192.00
415	TBSC-K.IV-03	Supply and Fixing 66mm thick metal stud partition screw fixed to either side of 48mm studs of 0.55mm thick with 50mm floor and ceiling channel 0.55mm and the joints duly finished with joining compound, glass fibre tape and two coats dry wall top coat as per specification finished Item of work - Using 10mm thick Calcium silicate boards	1 Sqm	1,335.00
416	TBSC-K.IV-04	Supply and Fixing 66mm thick metal stud partition screw fixed to either side of 48mm studs of 0.55mm thick with 50mm floor and ceiling channel 0.55mm and the joints duly finished with joining compound, glass fibre tape and two coats dry wall top coat as per specification finished Item of work - Using 12mm thick Calcium silicate boards	1 Sqm	1,476.00
417	TBSC-K.IV-05	Supply and Fixing 66mm thick metal stud partition using 2 layers of 12mm thick Calcium silicate boards screw fixed to either side to 48mm studs of 0.55mm thick with 50mm floor and ceiling channel 0.55mm. The boards joints are to be staggered to avoid through passage. Ceramic wool of 50mm thick, 64kg/m ³ density is to be placed in cavity of the partition. The joints duly finished with joining compound, glass fibre tape and two coats dry wall top coat as per specification with out painting for finished item of work	1 Sqm	3,960.00
418	TBSC-K.IV-06	Supply and fixing double skin cement board (conforming to IS:14862:2000) partition with Frame work made of GI stud profile of size 48 x 40 x 10 x 0.55 mm thick placed at every 610 mm C/C intervals and 1220 mm horizontal intervals duly fixed with self expansion screws, the cement board of 8mm thick cladded around with self tapping self embedding screws fixed at every 300 mm (centres) leaving 3 mm gap between two panels and the gap will be covered with decorative moulding surface will be given a smooth finish over cement primer. The rate is inclusive of cost and conveyance of all materials and labour charges etc. complete.	1 Sqm	1,486.00

Sl. No	ITEM CODE	DESCRIPTION OF THE ITEM	UNIT	Scheduled Rates for the Year 2020-21
419	TBSC-K.IV-07	Providing and fixing of 50 mm thick SOLIDWALL PANEL Sandwich panels made of light Weight FRACC two 5 mm thick non-asbestos fibre reinforced cement sheets (conforming to IS:14862:2000) on either side of the lightweight concrete core composed of Portland cement binders with tongue and groove arrangement. Thebottomofthepanelshallbefixedtothefloor channel made up of 1 mm thick GI channels of size 28x52x31 mm fixed to the existing floor with 6x60mm nylon self expansion screws at 600 mm C/C and top of the panel fixed with ceiling channel made out of 0.8 mm thick GI Channel of size 31x52x31 mm duly fixed to the existing ceiling with 6x60mm nylon self expansion screws at 600 mm C/C. All the tongue and groove joints of the panels have to be properly cleaned and both the panels have to be fixed by applying the mixture of fly ash and sodium silicate in between and Everest jointing compound all the exposed joints. The rate includes cost of 50mm SOLID WALL PANELS, G.l. Floor and ceiling channel. The panels can be flushed by using paper tape and Everest jointing compound allcomplete	1 Sqm	1,534.00
420	TBSC-K.IV-08	Providing and fixing of 75mm thick SOLID WALL PANEL Sandwich panels made of light Weight FRACC two 5 mm thick non-asbestos fibre reinforced cement sheets (conforming to IS:14862:2000) on either side of the lightweight concrete core composed of Portland cement binders with tongue and groove arrangement. Thebottomofthepanelshallbefixedtothefloor channel made up of 1 mm thick GI channels of size 28x77x31 mm fixed to the existing floor with 6x60mm nylon self expansion screws at 600 mm C/C and top of the panel fixed with ceiling channel made out of 0.80 mm thick GI Channel of size 31x77x31 mm duly fixed to the existing ceiling with 6x60mm nylon self expansion screws at 600 mm C/C. All the tongue and groove joints of the panels have to be properly cleaned and both the panels have to be fixed by applying the mixture of fly ash and sodium silicate in between and Everest jointing compound all the exposed joints. The rate includes cost of 75mm SOLID WALL PANEL panels, G.l. Floor and ceiling channel. The panels can be flushed by using paper tape and Everest jointing compound all complete.	1 Sqm	1,830.00
421	TBSC-K.IV-09	Supply & fixing of 50 mm thick partition with composite panel comprise of two 5mm thick Boards (asbestos-free fibre reinforced cement sheets conforming to IS 14862) strongly bonded with core material which is light weight concrete mix of Portland cement, expanded polystyrene bead aggregates and admixture. s with unique	1 Sqm	1,534.00

Sl. No	ITEM CODE	DESCRIPTION OF THE ITEM	UNIT	Scheduled Rates for the Year 2020-21
		<p>semi-circular Tongue & Groove Joining System provides better stability, rapid installation and better workability. The bottom of the panel shall be fixed to the floor channel made up of 1 mm thick GI channels of size 28x52x31 mm fixed to the existing floor with 6x60mm nylon self-expansion screws at 600 mm C/C and top of the panel fixed with ceiling channel made out of 0.8 mm thick GI Channel of size 31 x 52 x 31 mm duly fixed to the existing ceiling with 6x60mm nylon self-expansion screws at 600 mm C/C. All the tongue and groove joints of the panels have to be properly cleaned and both the panels have to be fixed by applying the jointing compound in all the exposed joints. The rate includes cost of 50mm S, G.l. Floor and ceiling Channel.</p>		
422	TBSC-K.IV-10	<p>Supply & fixing of 75 mm thick partition with composite panel comprise of two 5mm thick Boards (asbestos-free fibre reinforced cement sheets conforming to IS 14862) strongly bonded with core material which is light weight concrete mix of Portland cement, expanded polystyrene bead aggregates and admixture. s with unique semi-circular Tongue & Groove Joining System provides better stability, rapid installation and better workability. The bottom of the panel shall be fixed to the floor channel made up of 1 mm thick GI channels of size 28x77x31 mm fixed to the existing floor with 6x60mm nylon self-expansion screws at 600 mm C/C and top of the panel fixed with ceiling channel made out of 0.8 mm thick GI Channel of size 31x77x31 mm duly fixed to the existing ceiling with 6x60mm nylon self-expansion screws at 600 mm C/C. All the tongue and groove joints of the panels have to be properly cleaned and both the panels have to be fixed by applying the jointing compound in all the exposed joints. The rate includes cost of 75mm S, G.l. Floor and ceiling Channel.</p>	1 Sqm	1,830.00
423	TBSC-K.IV-11	<p>Supply and fixing double skin partition using with 10 mm Cement Bonded Particle Board conforming to IS 14276 made out of G.l. track section of size 50mmx 35mm x 0.55 mm for fixing to the roof and floor and stud section of size 48mm x 35mm x 0.55mm placed in track section vertically at 610mm intervals and at 1200mm intervals horizontally fixed to the wall by means of self expansion screws and caps to the wall and roof the panel is to be fixed both sides of frame work by using self taping screws fixed at every 300mm intervals to the frame work leaving 3 mm gap between two panels. The cost inclusive with one coat of synthetic primer and two coats of synthetic plaster smooth finish and cost and conveyance of all materials to site, labour charges etc., complete as per the direction of</p>	1 Sqm	2,238.00

Sl. No	ITEM CODE	DESCRIPTION OF THE ITEM	UNIT	Scheduled Rates for the Year 2020-21
		Engineer in charge.		
424	TBSC-K.IV-12	Supply and fixing of Cement Bonded Prelaminated Particle Board double skin partition using with 10 mm Cement Bonded Prelaminated Particle Board made out of G.I track section of size 50 mm x 35mm x 0.55mm for fixing to the roof and floor and stud section of size 48mm x 35mm x 0.55mm placed in track section vertically at 610mm intervals and at 1200mm internals horizontally. The frame is fixed by means of self expansion screws and caps to the wall / roof. Cement Bonded Prelaminated Particle Board is to be fixed both sides of the frame work by using 2mm thick electro plated CR flat section leaving 3mm gap between two panels. The cost inclusive of cost and conveyance of all materials to sites, other materials incidentals and labour charges as per the direction of Engineer in charges.	1 Sqm	3,083.00
425	TBSC-K.IV-13	Supply and fixing of Cement Bonded Prelaminated Particle Board aluminium glazed partitions using 10MM Cement Bonded Prelaminated Particle Board and 5.00 mm thick plain glass to full height. Using with Cement Bonded Prelaminated Particle Board to a height of 0.91 meter at bottom panel and remaining height with glass and aluminium sections anodized to 12 to 15 microns and of sections of size 37mm x 62mm and 1.5mm thickness with one meter centre to centre duly fixed with clip beading on both sides including fixing the frame to pillars by M.S. flats, bolts and nuts including cost and conveyance of all materials etc., complete as directed during execution.	1 Sqm	3,554.00
426	TBSC-K.IV-14	Providing and fixing 50mm thick SEMI HEIGHT SOLID PVC PARTITION consisting of 49mm sandwich PVC panel made out of 36mm high density expanded polystyrene sheet (E.P.S.-Thermocol) stuck on both side with 2mm thick plain/printed /prelam PVC rigid foam sheets reinforced with frame work made from 35mmX5mm M.S. Angle. In between two M.S. Angles 5mm thick plain/printed/prelam heat moulded "" PVC 'C' channel of size 50X100mm with feathered edges shall be fixed on the floor & 50X75mm with feathered edges plain/printed	1 Sqm	2,724.00
427	TBSC-K.IV-15	Supply and fixing of PVC Double Skin Partition. The entire framework shall be carried out by mild steel section having overall dimensions of 24 X 48mm with a wall thickness of 1.2mm. The entire framework shall be concealed with PVC section having overall dimensions of 6 X 250mm with a wall thickness of 1mm ± 0.3mm both sides. Glass provision/Door provision can be provided along the partition wherever required. Partitions can	1 Sqm	2,300.00

Sl. No	ITEM CODE	DESCRIPTION OF THE ITEM	UNIT	Scheduled Rates for the Year 2020-21
		be made full or half as per /prelam PVC 'C' channel. In between adjoining EPS sandwiched PVC partitions panel 5mm thickX75mm width plain/printed/prelam PVC sheet feathered at edges shall be stuck on front& back face using solvent cement etc. in places where two partitions meet to form an 'L' shape the panels are joined 5mm thick plain/printed/prelam heat moulded "" PVC 'L' section of size 75mmX75mm with feathered edges shall be fixed on front & back side. This is done to maintain the symmetry of design. An additional5mmthickPVCstripof40mmwidththis to be stuck on the interior side of the 'C' Channel using PVC solvent adhesive, complete as per direction of Engineer-in-Charge, manufacture's specification &drawing requirement complete, for finished item of work.		
428	TBSC-K.IV-16	Supply and fixing double skin cement based Board partition with Frame work made of GI stud profile of size 48x40x 10x 0.6 mm thick placed at every 610 mm C/C intervals and 915 mm horizontal intervals duly fixed with self expansion screws, the Cement Bonded Board of 8 mm thick cladded around with self tappingself embedding screws fixed at every 300 mm (centres) leaving a 3 mm gap between two panels of width 2'-0"(610 mm). The Gap will be covered with a decorative moulding surface will be given a smooth finish over cement primer. The rate Inclusive of cost and conveyance of all materials and labour charges etc., Complete. DOUBLE SKINPARTITION	1 Sqm	1,286.00
429	TBSC-K.IV-17	Supply and fixing of partitions made of seccolor pre-painted steel (base steel as per IS 513 of 0.58 mm thick 'D' quality, galvanized as per IS 277 with Zinc of 120 GSM). Primer coated with epoxy primer of 5-7 microns thick, finish painted with a polyester paint of 12-16 microns thick alkyd backer. Section for outer frame should be 46x52mm, section for shutter should be 46x46mm, section for mullion should be 46x70mm, section for beading should be 18x25mm and section for middle and bottom rail (Lock Rail and Kick Rail) of size should be 23x130mm. The partition should be panelled with 9mm pre-laminated particle board to a height of 0.91m from the bottom, and remaining height with 5mm thick plain glass With Ethyl Propylene Diametermine Monomer (EPDM) Gaskets. The sections are to be cut to length, mitre joined with corner bracket Centremullions are to be fixed using mullion cap. Gaskets made of Ethyl Propylene Diametermine Monomer (EPDM).CornerbracketsmadeofCRCAwithzinc phosphate. Mullion caps made of Glass filled nylon. The above frames should be fixed to the	1 Sqm	4,549.00

Sl. No	ITEM CODE	DESCRIPTION OF THE ITEM	UNIT	Scheduled Rates for the Year 2020-21
		concrete/masonry wall by means of self expanding screws, and complete for finished item of work Fixed Partition: Outerframe section size of 46x52mm, mullion section should be of 46x70mm, fixed beading should be of 18x25mm.		
430	TBSC-K.IV-18	Supply and fixing of partitions made of seccolor pre-painted steel (base steel as per IS 513 of 0.58 mm thick 'D' quality, galvanized as per IS 277 with Zinc of 120 GSM). Primer coated with epoxy primer of 5-7 microns thick, finish painted with a polyester paint of 12-16 microns thick alkyd backer. Section for outer frame should be 46x52mm, section for shutter should be 46x46mm, section for mullion should be 46x70mm, section for beading should be 18x25mm and section for middle and bottom rail (Lock Rail and Kick Rail) of size should be 23x130mm. The partition should be panelled with 9mm pre-laminated particle board to a height of 0.91m from the bottom, and remaining height with 5mm thick plain glass With Ethyl Propylene Diametermine Monomer (EPDM) Gaskets. The sections are to be cut to length, mitre joined with corner bracket Centre mullions are to be fixed using mullion cap. Gaskets made of Ethyl Propylene Diametermine Monomer (EPDM). Corner brackets made of CRCA with zinc phosphate. Mullion caps made of Glass filled nylon. The above frames should be fixed to the concrete/masonry wall by means of self expanding screws, and complete for finished item of work Fixed Partition with Door: Outer frame section size of 46x52mm, mullion section should be of 46x70mm, fixed beading should be of 18x25mm, section for shutter should be of 46x46mm and section for middle & bottom should be of size 23x130mm	1 Sqm	5,187.00
L	SECTION	DOORS, SHUTTERS & FRAMES		
		(Excluding taxes but including cost of loading, cost of conveyance, unloading & stacking)		
I	SUB-SECTION	DOOR FRAMES		
431	TBSC-L.I-01	Mild Steel Hollow single rebate general purpose door frames manufactured using cold roll formed process steel sheet of 1.25 mm thick bright (Cold Rolled Close Annealed (CRCA) and profile-B of size 105 x 60 mm conforming to IS 4351 - 2003 including pre-treatment, phosphating with Hinges, Base Ties, Holdfast Lugs, Mortar Guards, shock absorbers and provision for Tower Bolts, Aldrops, Lock & Strike plates etc. for both single and double shutter doors	1 Rm	343.00
432	TBSC-L.I-02	Powder Coated Mild Steel Hollow single rebate door frames manufactured using cold roll formed process steel sheet of 1.25 mm thick bright (Cold	1 RM	631.00

Sl. No	ITEM CODE	DESCRIPTION OF THE ITEM	UNIT	Scheduled Rates for the Year 2020-21
		Rolled Close Annealed (CRCA) and profile size of 105 x 60 mm conforming to IS 4351 - 2003 including pre-treatment, Galvanized as per IS:277, zinc phosphating finished with Thermosetting Polyurethane paint of Aliphatic Grade providing high levels of scratch resistance and durability/Epoxy polyester powder for powder coating paint thickness 60 - 65 microns(Dry film thickness)Stainless Steel Ball Bearing Butt Hinges 3 mm thick fixed flush to the frame with Hinges, Base Ties, Holdfast Lugs, Mortar Guards, shock absorbers and provision for Tower Bolts, Aldrops, Lock & Strike plates etc.forbothsingleanddoubleshutterdoors		
433	TBSC-L.I-03	Providing and fixing factory made polyvinyl chloride (PVC) Door Frame of the size 50 x 47mm with a wall thickness of 5mm, made out of extruded 10 mm rigid PVC foam sheet, mitre cut at two corners and joined with 2nos. of 150mm long brackets of 15x15mm M.S. square tube. The two vertical door profiles are to be reinforced with 19x19mm M.S. Square tube of 19 gauge. The door frame shall be fixed to the wall using 65/100mm long M.S. Screws through the frame by using PVC fasteners. A minimum of 4nos. of screws to be provided for each vertical member & minimum 2nos. for horizontal member etc. complete as per manufacturers specification and direction of Engineer-in-Charge for finished item of work	1 Rm	300.00
434	TBSC-L.I-04	SUPPLY & FIXING SINGLE SIDE PRELAM SOLID PANEL PVC DOOR FRAME (CHOUKHAT) Providing and fixing factory made Pac single side Prelam door frame of the size 50X47 mm with a wall thickness of 5mm, made out of extruded 5mm rigid Pac single side prelam sheet, meter cut at two corners and joined with 2nos. of 150mm long brackets of 15x15mm MS. Square tube. The two vertical door profiles are to be reinforced with 19X19mm MS. square tube of 19 gauge. The door frame shall be fixed to the wall using 65/100mm long MS. Screws through the frame by using Pac fasteners. a minimum of 4nos. of screws to be provided for each vertical member and minimum 2nos. for horizontal member etc. complete as per manufacture specification and direction of Engineer-in-charge.	1 Rm	314.00
435	TBSC-L.I-05	Supply and fixing of door frame made of hollow extruded PVC section having dimensions of 40 X 57mm with the wall thickness of 2mm +/- 0.2mm duly reinforced with seasoned wood plank at the hinges side. The door frame top 2 corners shall be metre-cut/ welded. PVC DOOR FRAME	RM 1	235.00
436	TBSC-L.I-06	Supply and fixing of door frame made of hollow extruded PVC section having dimensions of 40 X	RM 1	185.00

Sl. No	ITEM CODE	DESCRIPTION OF THE ITEM	UNIT	Scheduled Rates for the Year 2020-21
		46 mm with the wall thickness of 2mm +/- 0.2mm duly reinforced with seasoned wood plank at the hinges side. The door frame top 2 corners shall be mitre cut/welded		
437	TBSC-L.I-07	Supply & fixing of Door frames made of all formed sections of 1.25mm thick CRCA section, size should be 50x60mm with 32mm rebate. The corner of the frame should be welded. The frame should be painted with one coat of primer and finished painted with pure polyester paint. The frame should be provided with approved quality butt hinges of 3 Nos. complete for finished item.: Single shutter 3'-0" x 7'-0" (914.4x2133.6mm) outer frame section size of 50 x 60 mm	RM 1	203.00
438	TBSC-L.I-08	Supply & fixing of Door frames made of all formed sections of 1.25mm thick CRCA section, size should be 50x60mm with 32mm rebate. The corner of the frame should be welded. The frame should be painted with one coat of primer and finished painted with pure polyester paint. The frame should be provided with approved quality butt hinges of 3 Nos. complete for finished item.: Double shutter 5'-0" x 7'-0" (1524 x 2133.6mm) outer frame section size of 50 x 60 mm	RM 1	203.00
439	TBSC-L.I-09	Supplying & fixing of Door frame made of roll formed section of 1.25 mm thick CRCA section, size should be 50 x 75 mm with 32 mm rebate. The corner of the frame should be welded. The frame should be painted with one coat of primer and finished painted with pure polyester paint. The frame should be provided with approved quality butt hinges of 3 Nos. Complete for finished item of work.: Single shutter 3'-0"x7'-0" (914.4x2133.6mm) outer frame section size of 50 x 75mm	RM 1	229.00
440	TBSC-L.I-10	Supplying & fixing of Door frame made of roll formed section of 1.25 mm thick CRCA section, size should be 50 x 75 mm with 32 mm rebate. The corner of the frame should be welded. The frame should be painted with one coat of primer and finished painted with pure polyester paint. The frame should be provided with approved quality butt hinges of 3 Nos. Complete for finished item of work.: Single shutter 5'-0"x7'-0" (1524x2133.6mm) outer frame section size of 50 x 75mm	RM 1	229.00
441	TBSC-L.I-11	Providing and fixing door frames fabricated from sections made of galvanized steel powder coated (base steel as per IS 513, galvanized as per IS 277 with zinc of 120 grams / square metre), the factory made section are powder coated with pure polyester powder of 50-60 microns thick with total coated thickness of 1.25 mm, size of door frame section is of 105 x 60 mm with a rebate of 38 mm to accommodate 35 mm thick	1 RM	700.00

Sl. No	ITEM CODE	DESCRIPTION OF THE ITEM	UNIT	Scheduled Rates for the Year 2020-21
		door shutter, with groove to insert gasket in the frame section, frame section filled with polyurethane foam, cut to length, and joined by way of welding, each frame provided with: a) 2mm thick MS powder coated butt hinges of 100 mm long - 3 Nos. for single shutter, 6 Nos. for double shutter. b) CRCA electroplates stiffeners of 6 Nos. - 3 in each vertical. c) 40 mm x 200 mm x 1.2 mm hold fasts screwed to stiffeners - 6Nos. with split end tail. d) Nylon Aldrops Receiver - 1 No. for single shutter frame. e) Tie Rod - 1No		
442	TBSC-L.I-12	<p>Providing and fixing of door frames factory made, internal door frames without threshold, fabricated from pre painted cold roll formed section 100 mm x 60 mm made of galvanized (base steel as per IS-513 'D' quality galvanized as per IS-277 with Zinc of 120 Gms/sqm) steel colour coated sections with total coated thickness of 1 mm primer coated with epoxy primer of 5-7 microns thick finish painted with polyester paint of 12-16 microns and back coated with alkyd backer of 5-7 microns, the frame section filled with polyurethane (PUFoam) of 40 kg/Cum and the sections cut to length and mitre joined by means of 1.25 mm thick CRCA electroplated corner brackets of size 75 x 75 mm and 1.25 mm thick electroplated stiffeners of size 150 mm for fixing hold fastsand hinges with MS Powder coated fittings a) 6 Nos</p> <p>M.S. Z Type hold fasts made of 30 mm x 3 mm MS flat of 230 mm long, 3 Nos each size expandable PVC covered screw type fasteners b) 2.5 mm x 300 mm long 'T' hinges / 2.5 mm x 50 mm x 50 mm x 100 mm two way but hinges (3 Nos for single leaf or 2 Nos for Double leaf/leaf) c) 12 mm Diameter MS tie rod at bottom with necessary size of nuts on either side.</p>	1 RM	439.00
443	TBSC-L.I-14	Supply and fixing of factory made Bathroom door frames without threshold, fabricated from pre-painted cold roll formed section 50mm x 50 mm made of galvanized steel as per IS - 513 'D' quality, galvanized as per IS-277 steel colour coated sections primer coated with epoxy primer finish painted with polyester paint the frame section filled with polyurethane (P.U. Foam) of 40 Kg/Cum; and the sections joined by means of 1.25mm thick CRCA electroplated corner brackets of size 75 x 75 mm and 1.25mm thick electroplated stiffeners of size 150mm for fixing hold fasts and hinges together with the following MS Power coated fitting (Supply and fixing) of approved make. a) 6 Nos M.S. Z. Type hold fasts made of 30mm x 3 mm MS flat of 230mm long, 3 Nos each side expandable PVC covered screw type fasteners b) 2.5 mm x 300 mm long 'T' hinges / 2.5mm x 50 mm x 100mm two way but	1 RM	396.00

Sl. No	ITEM CODE	DESCRIPTION OF THE ITEM	UNIT	Scheduled Rates for the Year 2020-21
		hinges (3 Nos for single leaf or 2 Nos for Double leaf /leaf)c) 12 mm Diameter MS tie rod at bottom with necessary size of nuts on either side.		
444	TBSC-L.I-16	Supply of factory made Precast Reinforced Cement concrete door frame of with overall dimension of 60 x 100 mm for single shutter door (+/-2mm) three nos, of 6mm dia steel bars are used for longitudinal reinforcement for each vertical and horizontal member and are held firmly by 3mm dia ties spaced at not more than 300mm c/c Polymer wonder blocks are provided in the frames for tower bolt and hinges provisions made in the frame for Aldrops provisions are made in the vertical member for fixing of 3 nos. hold-fasts with 8 mm dia bolts and the frame surface shall be smooth without any voids and shall confirm to IS 6523 complete finished item including all taxes as per specifications & the directions of the Engineer- in-Charge.	1 RM	300.00
445	TBSC-L.I-18	Supply of factory made Precast Reinforced Cement concrete double door frame of the door frame shall have overall dimension of 60 x 125 for single shutter door(+/-2mm) four nos, of 6mm dia steel bars are used for longitudinal reinforcement for each vertical and horizontal member and are held firmly by 3mm dia ties spaced at not more than 300mm c/c Polymer wonder blocks for fixing of tower bolt and hinges with provision for Aldrops and 3 nos. hold-fasts with 8mm dia bolts and the frame surface shall be smooth without any voids and shall confirm to IS 6523 complete finished item including all taxes as per specifications & the directions of the Engineer-in-Charge.	1 RM	390.00
446	TBSC-L.I-20	Fixing of precast RCC frames (Precast RCC framed members to be supplied at site)including assembling the members for door frames fixing to MS masonry or RCC wall face including providing and fixing Six no. hold-fasts of MS Flat 40x5mm and length 40cm per frame embedding in cement concrete blocks of size 30x10x15 cm of mix (1 cement:3 Coarse sand: 6 graded stone aggregate 20 mm nominal size) complete as per specification & the directions of the Engineer-in-Charge	1 RM	238.00
446-1	TBSC-L.I-21	Providing and fixing factory made solid Wood Polymer Composite (WPC) single extruded Door Frame section of 100*65 MM with encapsulation of 6 MM rigid layer on all external surfaces. The door frame will have a rebate of 32MM/ 37 MM. The two Vertical members are to be joined together with the horizontal member using 8x75 MM long MS Star full thread screws to be used with reverse forward speed control hand drilling machine. The ready/assembled door frame is fixed to wall using Z Hand fast 300 MM long hold	1 RM	669.00

Sl. No	ITEM CODE	DESCRIPTION OF THE ITEM	UNIT	Scheduled Rates for the Year 2020-21
		fast.		
II	SUB-SECTION	DOOR SHUTTERS WITHOUT FRAMES		
447	TBSC-L.II-01	Flush door shutters, solid bond wood block board type with teak ply on both faces.: 25 mm thick conforming to IS:2202	1 Sqm	1,731.00
448	TBSC-L.II-02	Flush door shutters, solid bond wood block board type with teak ply on both faces.: 30 mm thick conforming to IS:2202	1 Sqm	1,817.00
449	TBSC-L.II-03	Flush door shutters, solid bond wood block board type with teak ply on both faces.: 35 mm thick conforming to IS:2202	1 Sqm	1,984.00
450	TBSC-L.II-04	Flush door shutters, solid bond wood block board type with commercial ply on both faces.: 25 mm thick conforming to IS:2202	1 Sqm	987.00
451	TBSC-L.II-05	Flush door shutters, solid bond wood block board type with commercial ply on both faces.: 30 mm thick conforming to IS:2202	1 Sqm	1,192.00
452	TBSC-L.II-06	Flush door shutters, solid bond wood block board type with commercial ply on both faces.: 35 mm thick conforming to IS:2202	1 Sqm	1,349.00
453	TBSC-L.II-07	Flush door shutters, solid bond wood block board type with commercial ply on both faces.: 40 mm thick conforming to IS:2202	1 Sqm	1,528.00
454	TBSC-L.II-08	Flush door shutters, solid bond wood block board type with teak veneer on one face and commercial ply on another face (lipping): 20 mm thick conforming to IS:2202	1 Sqm	1,901.00
455	TBSC-L.II-09	Flush door shutters, solid bond wood block board type with teak veneer on one face and commercial ply on another face (lipping): 25 mm thick conforming to IS:2202	1 Sqm	1,848.00
456	TBSC-L.II-10	Flush door shutters, solid bond wood block board type with teak veneer on one face and commercial ply on another face (lipping): 30 mm thick conforming to IS:2202	1 Sqm	2,046.00
457	TBSC-L.II-11	Flush door shutters, solid bond wood block board type with teak veneer on one face and commercial ply on another face (lipping): 35 mm thick conforming to IS:2202	1 Sqm	2,231.00
458	TBSC-L.II-12	Flush door shutters, solid bond wood block board type with teak veneer on one face and commercial ply on another face (lipping): 40 mm thick conforming to IS:2202	1 Sqm	2,550.00
459	TBSC-L.II-13	Supply and fixing of Cement Bonded Prelaminated Particle Board single door shutter using 16MM Cement Bonded Prelaminated Particle Board with all round section "U" size of mm thick galvanized pre-painted cold rolled steel profiles Cement Bonded Prelaminated Particle Board with necessary screws fixed at every 1'0" (304.8mm) intervals. The cost inclusive of MS Nickel coated 250mm long Aldrops 2 no's , MS powder coated 250mm long tower bolt 1 no's, 2no's MS powder coated 125mm long grip handle, 1 no's M.S.P.C.	1 Sqm	2,263.00

Sl. No	ITEM CODE	DESCRIPTION OF THE ITEM	UNIT	Scheduled Rates for the Year 2020-21
		Door stopper. Including cost and conveyance of all materials at site labour charges etc., complete finished item ofwork.		
460	TBSC-L.II-14	Supply and fixing of Cement Bonded Prelaminated Particle Board double door shutter using 16MM Cement Bonded Prelaminated Particle Board with all round "U" section size of 20mm x 18mm x 20mm made from 0.6mm thick galvanized pre-painted cold rolled steel profiles with Cement Bonded Prelaminated Particle Board separating two shutter with 30mm x 20mm x 30mm stepped lipping with necessary screws fixed at every 1'0" (304.8mm) intervals. The cost inclusive of MS Nickel coated 250mm long Aldrops 2no's, MS powder coated 125mm long grip handle, 2 no's M.S.P.C. Door stopper. Including cost and conveyance of all materials at site labourcharges etc., complete finished item ofwork.	1 Sqm	2,874.00
461	TBSC-L.II-15	Supply and fixing of Cement Bonded Prelaminated Particle Board door shutter made out of U sections of size 12x14x12 made from 0.6mm thick pps sections with 12MM Cement Bonded Prelaminated Particle Board with necessary screws fixed at every 1'.0"interwells. The hardware consists of 250mm long Aldrops - 2 Nos.150mm Handle- 1 No , 150 mm long ms powder coated tower bolt 1 no. nickel coated. The cost is inclusive of all incidentals, labour transportation charges.	1 Sqm	2,214.00
462	TBSC-L.II-16	Supply and fixing of Cement bonded Particle BOARD (conforming to IS 14862) door shutter with all-round style "U" lipping size 15 x 18 x 15 mm made from 0.8 mm thick powder coatedcold rolled steel profiles with 16 mm thick Cement bonded Particle BOARD with necessary screws fixed at 1'-0" interval 250 mm long Aldrops 2 nos. M.S. nickel coated 250 mm long 1 no. M.S. Tower Bolts Including cost and conveyance of all materials at site and applying 1 coat of primer, 2 coats of luppam and 2 coats of synthetic enamel paint as per approved design for finished item of work.	1 Sqm	1,523.00
463	TBSC-L.II-17	Supply and fixing of Cement bonded Particle BOARD (conforming to IS 14862) 12 mm thick door shutter of size 6'0" x 2'6" with all-round style "U" lipping size 15 x 14 x 15 mm made from 0.8 mm thick powder coated cold rolled steel profiles with necessary screws fixed at 1'-0" interval 250 mm long Aldrops 2 nos. M.S. nickel coated 250 mm long 1 no. M.S. Tower Bolts Including cost and conveyance of all materials at site and applying 1 coat of primer, 2 coats of luppam and 2 coats of synthetic enamel paint as per approved design for finished item of work.	1 Sqm	1,304.00
464	TBSC-L.II-	Supply and fixing door shutter with frame made	1 Sqm	2,411.00

Sl. No	ITEM CODE	DESCRIPTION OF THE ITEM	UNIT	Scheduled Rates for the Year 2020-21
	18	out of PVC section and panels conforming to IS:10151-1982 having panel sizes of 100 mm x 30 mm with self extruded grooves at 40 mm x 50 mm grooves on front face and the infill panel dimension is 610 mm x 20 mm seamless hallow multi chambered PVC single panel for finished item of work.		
465	TBSC-L.II-19	Moulded panel solid core flush doors using water-resistant hardwood fibre HDF / MDF fibre boards skins of 2.5 mm thick of Masonite or equivalent doors - 30 mm thick	1 Sqm	1,491.00
466	TBSC-L.II-20	Moulded panel solid core flush doors using water-resistant hardwood fibre HDF / MDF fibre boards skins of 2.5 mm thick Masonite or equivalent doors - 35 mm thick	1 Sqm	1,630.00
467	TBSC-L.II-21	Solid core membrane flush doors using rigid PVC membrane of 0.3 mm thick of different elegant shades doors - 30 mm thick	1 Sqm	1,211.00
468	TBSC-L.II-22	Solid core membrane flush doors using rigid PVC membrane of 0.3 mm thick of different elegant shades doors - 35 mm thick	1 Sqm	1,341.00
469	TBSC-L.II-23	Providing and fixing 35mm thick FACTORY MADE MOULDED DOOR SHUTTER consisting of sold core single leaf flush door of 30mm thickness, lipped with 15mm (5mmX3) thick X 30mm width on one stiles and top rails and 10mm (5mmX2) thick X 30mm width on the other stiles and bottom rails. The inner panel laminated with 2mm thick termite proof, water proof and fire resistant moulded Pac sheet with 2,4,6 raised panel design in different panel and / or prelamcolours on one side after routing the moulded design on flush door and 2mm prelam Pac sheet on other side using rubber adhesive on flush door and solvent cement adhesive on Pac lipping etc. complete as per direction of Engineer-in-Charge, manufacture specification and drawing	1 Sqm	2,679.00
470	TBSC-L.II-24	Supply & Fixing SOLID STEEL DOOR shutter made out of G I Precoated Sheet with an average wall thickness of 0.35 mm on both sides. MS Tube having dimensions of 19 x 19 mm is inserted along the hinge side of the door, core of the door shutter filled with High Density Polyurethane foam injected with the help of hydraulic injection method, four sides of the door covered with G I Precoated Sheet and the hardware locations reinforced with suitable wooden blocks as per drawing and stickers indicating location of the hardware pasted at appropriate places, etc complete	1 Sqm	1,367.00
471	TBSC-L.II-25	Providing of 35mm thick Factory made Prelaminated ABS (AcrolynitrileButadyne Styrene) Door shutter moulded in different designs, consisting of all round Frame made out of water proof solid foam PVC bar of size 20x32mm,	1 Sqm	6,300.00

Sl. No	ITEM CODE	DESCRIPTION OF THE ITEM	UNIT	Scheduled Rates for the Year 2020-21
		reinforced by 32x 32mm - 2 nos. for vertical made out of LVL (Laminated Veneer Lumber), core material of 32 mm thick high density craft paper honey comb board, sandwiched on both sides with prelaminate ABS sheet thickness of 1.5mm . PVC edge banding of size 0.45mm on the vertical sides for each shutter and ISI make S.S round lock complete for finished item of work		
472	TBSC-L.II-26	Supply and fixing of Cement Bonded Prelaminated Particle Board door shutter conforming to IS-14276 made out of U sections of size 12 x 18 x 12 made from 0.6mm thick PPS sections with 16 mm Cement Bonded Prelaminated Particle Board with necessary screws fixed at every 1'.0"interwells. The hardware consists of 12 mm dia x 200mm long Aluminium Drops - 2 Nos. 125 mm long Handle- 2 Nos. 3 mm x 12 mm x 180 mm long 304 SS hinges- 3 Nos with pole receiver of 10mm dia pole X40mm long welded on 2mm X40mm(ss304) plates works as receiver for RT patte hinges. The cost is inclusive of all incidentals,labourtransportationcharges.	1 Sqm	2,426.00
III	SUB-SECTION	DOORS WITH SHUTTERS & FRAMES		
473	TBSC-L.III-01	Providing and fixing 30mm thick Solid panel PVC door shutter consisting of frame made out of M.S. tubes of 19 gauge thickness and size of 19mm x 19mm for stiles, & 15mm x 15mm for top & bottom rails. M.S. frame shall have a coat of steel primers of approved make and manufacture.M.S. frame shall be covered with 5mm thick heat moulded PVC 'C' channel of size 30 x 50mm forming stiles, and 5mm thick, 75mm wide PVC sheets for top rail, lock rail & bottom rail on either side, and 10mm (5mm x 2) thick, 20mm wide cross PVC sheet as gap insert for top rail & bottom rail. Panelling of 5mm thick PVC sheet to be fitted in the M.S. frame welded / sealed to the stiles & rails with 30mm wide x 5mm thick PVC sheet beading on either side, and joined together with solvent cement adhesive etc. An additional 5mm thick PVC strip of 20mm width is to be stuck on the interior side of the 'C' Channel using PVC solvent adhesive. Complete as per direction of Engineer-in-charge, manufacturer's specification & drawing for finished item of work	1 Sqm	2,182.00
474	TBSC-L.III-02	Providing and fixing 30mm thick FACTORY MADE BOTHSIDE PRELAM SOLID PANEL PVC DOOR SHUTTER consisting of frame made out of MS. Tubes of 19gauge thickness and size of 19mmX19mm for stiles, top and bottom rails. MS. Frame shall have a coat of steel primers of approved make and manufacture. MS. Frame	1 Sqm	2,493.00

Sl. No	ITEM CODE	DESCRIPTION OF THE ITEM	UNIT	Scheduled Rates for the Year 2020-21
		covered with 5mm thick heat moulded Prelam Pac 'C' channel of size 30mm thickness, 70mm width out of which 50mm shall be flat and 20mm shall be tapered in 450 angle on either side forming stiles; and 5mm thick, 95mm wide Prelam Pac sheet out of which 75mm shall be flat and 20mm shall be tapered in 450 on the inner side to form top and bottom rail 115mm wide Prelam Pac sheet out of which 75mm shall be flat and 20mm shall be tapered on both sides to form lock rail. Top, bottom and lock rail shall be provided either side of the panel. 10mm (5mmX2) thick, 20mm wide cross Pac sheet shall be provided as gap insert for top and bottom rail. Panelling of 5mm thick both side Prelam Pac sheet to be fitted in the MS. Frame welded/ sealed to the stiles & rails with 7mm(5mm+2mm) thick X 15mm wide Pac sheet beading on inner side, and joined together with solvent cement adhesive etc. an additional 5mm thick Pac strip of 20mm width is to be stuck on the interior side of the 'C' channel using Pac solvent cement adhesive etc. complete as per direction of Engineer - in-charge, manufacture specification and drawing.		
####	TBSC-L.III-03	<p>Providing and fixing 30mm thick FACTORY MADE SOLID SINGLE SIDE PRELAM PANEL PVC</p> <p>DOOR SHUTTER consisting of frame made out of MS. Tubes of 19 gauge thickness and size of 19mmX19mm for stiles, and 15mmX15mm for top and bottom rails. The MS. Frame shall have a coat of steel primers of approved make and manufacture. MS. Frame covered with 5mm thick heat moulded single side Prelam Pac 'C' channel of size 30mmX50mm to form stiles. 5mm thick & 75mm wide single side Prelam Pac sheet shall be for the top, bottom and lock rails. Panelling of 5mm thick one side Pac sheet to be fitted in the MS. Frame and sealed to the front (prelam side) stiles and rails (which should have a 5mm 45 bent portion as beading) and attached to the back (white/ivory) stiles and rails which should have a 10mm 90 bent portion as beading) using 2nos. 15mm wide X 5mm thick Pac sheet beading inside the 90 bent beading. All stiles, rails and beadings are to be joined to the panel using solvent cement etc. an additional 5mm thick Pac strip of 20mm width to be stuck on the interior side of the 'C' channel using Pac solvent cement adhesive and 10mm(5mmX2) thick, 20mm wide cross Pac sheet to be fitted as gap insert for top and bottom rail etc. complete as per direction of Engineer -in-Charge, manufacture specification and drawing.</p>	1 Sqm	2,263.00
476	TBSC-L.III-04	MOULDED PVC DOOR - WOOD FREE Providing and fixing 30mm thick Brand factory made Moulded door shutter- wood free consisting of	1 Sqm	2,286.00

Sl. No	ITEM CODE	DESCRIPTION OF THE ITEM	UNIT	Scheduled Rates for the Year 2020-21
		frame made out of MS. tubes 19gauge thickness and size of 25mmX25mm for stiles, top and bottom rails. MS. Frame shall have a coat of steel primers. The inner panel shall consist of 25mm thick High density EPS conforming to IS 4671-1984 bounded with 2mm thick termite proof, water proof and fire resistant moulded Pac sheet with 2,4,6 raised panel design in different plain and / or prelamcolours after routing to the moulded design on one side and 2mm plain and / or prelam Pac sheet on other side of the EPS. The edge of panel to be sealed with lipping of 10mm wide PVC sheet bottom (made by sticking 2 rigid foam sheet of 5mm thickness using Pac solvent cement) and stiles sides 25mm(5mmX5) thick and 30mm width Pac sheet fitted along Ms. Tube for lock provision for lock height 5mm thick Pac sheet of size 150mmX100mm fixed with upper and lower face of inner side of EPS Panel etc. Complete as per direction of Engineer - in-Charge, manufacture specification and drawing		
477	TBSC-L.III-05	Providing and fixing 30mm thick FACTORY MADE WIRE MESH SOLID PVC DOOR SHUTTER consisting of frame made out of M.S. tubes of 19 gauge thickness and size of 19mmX19mm for stiles and 15mm for top, lock & bottom rails. MS. Frame shall have a coat of steel primers of approved make and manufacture. 19mmX19mm M.S. square tubes shall be covered with 5mm thick heat moulded "" PVC 'C' channel of size 30mm thickness, 90mm width out of which 75mm shall be flat and 15mm shall be flat and 15mm shall be bent in 900 on the inner side to from top and bottom rail land 130mm wide PVC sheet out of which 100mm shall be flat and 154mm shall be bent in 900 on both side to from lock rail, 10mm(5mmX2) thick, 20mmwide cross PVC sheet as gap insert for top rail & bottom rail. Panel will be of G.I. wire mesh of 24gauge to be fitted in by 'C' channel of size 35mm X10mm on the either side in the stiles. The inner side 'C' channel is fixed by 19mmX19mm MS. Tube on both sides with screws. The wire mesh in top bottom & lock rail is sealed with15mm X 15mm tube with G.I. wire 10mm(5mmX2) thick PVC strip of 25mm width is to be stuck& nails on both side of G.I. wire mesh interior at the top, bottom & lock rail. An additional5mmthickPVCstripof20mmwidthis to be stuck on the interior side of the 'C' channel using PVC solvent cement adhesive etc. complete as per direction of Engineer-in-charge, manufacturer'sspecification&drawings	1 Sqm	2,032.00
478	TBSC-L.III-06	Providing and fixing door & shutter of which frame made from 1.2 mm powder coated cold rolled steel profiles of overall section size of 60 mm x 45 mm with 21 mm rebate for shutter with	1 Sqm	1,795.00

Sl. No	ITEM CODE	DESCRIPTION OF THE ITEM	UNIT	Scheduled Rates for the Year 2020-21
		necessary stiffeners hinges and screws with Cement bonded Particle BOARD (IS 14862) shutter with all-round style "U" lipping of size 15 x 18 x 15 mm made from 0.8 mm thick CRCA powder coated steel profile with 16 mm thick Cement bonded Particle board with necessary screws fixed at every 1'-0" interval 250 mm long Aldrops 2 nos. M.S. nickel coated 250 mm long 1 no. M.S. Tower Bolts including cost and conveyance, one coat of primer, 2 coats of luppam and 2 coats of synthetic enamel paint as per approved colour, labour charges etc.		
479	TBSC-L.III-07	Doors Frames (Colour Coated Steel Sections) & Shutter using Cement Bonded Particle Board as per IS 14276 (Cement Bonded Particle Board conforming to IS 14276 or equivalent) : Providing and fixing of door frame made from cold roll formed sections made of galvanized (Base steel as per IS277 with zinc of 120 Gms/sqm) colour coated steel sections with total coated thickness of 1mm, primer coated with epoxy primer coat of 5-7 microns thick, finish paint with polyester paint of 12-16 microns. The Section for door frame is to be filled with polyurethane (P.U) form of 40kg/m3. Overall size of frame section should be of 50mm x50mm. With necessary corner brackets, stiffeners, hinges, and screws. Cement Bonded particle board shutter (Cement Bonded Particle Board conforming to IS 14276 or equivalent) "Single Leaf" with all round styles "U" section of size 12m x 18m x 12mm made from 0.6 mm thick galvanized, colour coated cold rolled steel profiles with 16mm thick Cement Bonded particle Board (Cement Bonded Particle Board conforming to IS 14276 or equivalent) with necessary screws fixed at every 1'-0" (304.8mm) intervals. The cost inclusive of MS nickel coated Aldrops of size 250mm long 2nos. 200mm long tower bolt 1no., 125mm handles 2nos., cost and conveyance of all materials at site and applying one coat primer , one coat of luppam and two coats of synthetic enamel paint as per approved design for finished item ofwork	1 Sqm	3,550.00
480	TBSC-L.III-08	Supplying and fixing of Unplasticised Poly Vinyl Chloride(UPVC)2Track-2Panel Sliding Doors duly manufactured using UPVC reinforced profiles(Composition of profile shall consists a minimum of 5.5 PHR of TiO2 and not more than 12 PHR of CaCo3 for every 100 parts of PVC resin) of 60 mm x 45 mm x 2.20 mm with reinforcement of 1.2 mm thickness, super sash with overall size of 39 mm x 75 mm x 2.20 mm with for sliding door shutter frames capable of mounting single glazing system, structurally reinforced with hot dip galvanized up to 50 microns of minimum thickness of 1.5 mm prefabricated & welded	1 Sqm	5,774.00

Sl. No	ITEM CODE	DESCRIPTION OF THE ITEM	UNIT	Scheduled Rates for the Year 2020-21
		through fusion welding the door sash shall be fitted with 6 mm thick clear float glass of reputed make duly fixed with Grey colour TPV Gasket for sash & Glazing bead shall be co-extruded with Grey colour soft PVC. Door shall be provided with standard hardware & multi point locking system of bent handle espagulate .the system is to be installed at the site using anchor fasteners, silicon rubber sealant, easy glazing/ deglazing at site etc., including cost and conveyance of allmaterials, accessories, labour charges for transportation, erection at site complete for finished item of work.		
481	TBSC-L.III-09	Supplying and fixing of Unplasticised Poly Vinyl Chloride (UPVC) 3 track sliding doors with mesh shutter provision - (2-glass shutters)-95 -Series duly manufactured usingUPVC reinforced profiles(Composition of profile shall consists a minimum of 5.5 PHR of TiO2 and not more than 12 PHR of CaCo3 for every 100 parts of PVC resin) of (108 mm x 45 mm)/(95.50 mmx 60 mm) x 2.20 mm for outer frames, (75 mm x39 mm)/(66 mm x 42 mm) x 2.20 mm for sliding door shutter frames capable of mounting single glazing system, structurally reinforced with hot dip galvanized up to 50 microns of minimum thickness of 1.2 mm prefabricated & welded through fusion welding the door sash shall be fitted with 6 mm thick clear float glass ofreputed make duly fixed with Grey colour TPV Gasket for sash & Glazing bead shall be co-extruded with Grey colour soft PVC. Door shall be provided with standard hardware & multi point locking system of Patio/Bent espagulate .the system is to be installed at the site using anchor fasteners, silicon rubber sealant, easy glazing/ deglazing at site etc., including cost and conveyance of all materials, accessories, labour charges for transportation, erection at site complete for finished item ofwork.	1 Sqm	6,496.00
482	TBSC-L.III-10	Supplying and fixing of Unplasticised Poly Vinyl Chloride (UPVC) 3 track sliding doors with mesh shutter - (2-glass shutters and 1-meshshutter)-95 - Series duly manufactured using UPVC reinforced profiles (Composition ofprofile	1 Sqm	7,179.00
483	TBSC-L.III-11	Supplying and fixing of Unplasticised Poly Vinyl Chloride (UPVC) sliding doors three track - three glass shutters sliding - 112 -Series duly manufactured using UPVC reinforced profiles of shall consists a minimum of 5.5 PHR of TiO2 and not more than 12 PHR of CaCo3 for every 100 parts of PVC resin) of (108 mm x 45 mm)/(95.50 mm x 60 mm) x 2.20 mm for outer frames, (75	1 Sqm	6,217.00

Sl. No	ITEM CODE	DESCRIPTION OF THE ITEM	UNIT	Scheduled Rates for the Year 2020-21
		mm x 39 mm)/(66 mm x 42 mm) x 2.20 mm for sliding door shutter frames capable of mounting single glazing system, structurally reinforced with hot dip galvanized up to 50 microns of minimum thickness of 1.2 mm prefabricated & welded through fusion welding the door sash shall be fitted with 6 mm thick clear float glass of reputed make duly fixed with Grey colour TPV Gasket for sash & Glazing bead shall be co-extruded with Grey colour soft PVC. Meshshutter shall be made of (48 mm x 30 mm)/(50 mm x 26.5 mm) x 2.0 mm uPVC profile section and fitted with Vinyl Coated Fibre mesh and rollers/pulley duly fixed with TPV Gaskets weathering seal resistant Door shall be provided with standard hardware & multi point locking system of Patio/Roto espagulate and the system is to be installed at the site using anchor fasteners, silicon rubber sealant, easy glazing/deglaing at site etc., including cost and conveyance of all materials, accessories, labour charges for transportation, erection at site completeforfinisheditemofwork.		
484	TBSC-L.III-12	Supplying and fixing of Unplasticised Poly Vinyl Chloride (UPVC) openable doors with openable shutters duly manufactured using UPVC reinforced profiles (Composition of profile shall consists a minimum of 5.5 PHR of TiO2 and not more than 12 PHR of CaCo3 for every 100 parts of PVC resin) of 60 mm x 55 mm x 2.40 mm for outer frames, 74 mm x 60 mm x 2.40 mm for mullion sections as per the need and 102 mm x 60 mm x 2.40 mm for openable shutter frame capable of mounting single glazing system structurally reinforced with hot dip galvanized up to 50 microns of minimum thickness of 1.2 mm prefabricated & welded through fusion welding the door sash shall be fitted with 6 mm thick clear float glass of reputed make duly fixed with Grey colour TPV Gaskets for sash & Glazing bead shall be co-extruded with Grey colour soft PVC System shall be provided with 4 no's of 3D Hinges for each shutter and multipoint locking with keys with raiser wedges for smooth operation and the system is to be installed at the site using anchor fasteners, silicon rubber sealant, easy glazing/deglaing at site etc., including cost and conveyance of all materials, accessories, labour charges for transportation, erection at site complete for finished item of work.	1 Sqm	8,137.00
485	TBSC-L.III-13	Supplying and fixing door shutter, with shutter frame and infill panel made from PVC material conforming to IS: 10151-1982, the shutter frame made out of PVC extruded sections having overall dimension of 47 mm x 33 mm with wall thickness of 1.2mm + 0.3mm with usual process	1 Sqm	959.00

Sl. No	ITEM CODE	DESCRIPTION OF THE ITEM	UNIT	Scheduled Rates for the Year 2020-21
		variation, the shutter frame with tapered shape to provide better grip to the infill panel end to drain out the water The Infill panel is made out of PVC Sections having Overall Dimensions of 200 mm x 20 mm with wall thickness of 1mm + 0.2mm, the shutter frames mitre cut and joined at the corner, by providing Polymeric “ L” type corners to take hardware & fixtures fixed with 10-20mm counter sunk fully threaded parallel shank steel screws, all the hardware locations reinforced with special polymeric bars as per drawings, stickers showing locations of different hardware pasted on the shutter, the infill panels joined by tongue and groovemethod.		
486	TBSC-L.III-14	Supply and fixing of door shutters made of rigid PVC extruded hollow section(Nandi or equivalent) of 20mm X 200 mm with the wall thickness of 1.0mm +/- 0.1mm equally divided into 4 no's with tongue and groove locking arrangements. The shutter frame is made of 30mm X 79mm with the wall thickness of 1.5mm +/-0.15mm section mitre-cut and joined at 4 corners with 125mm X 225mm plastic brackets. The shutter shall be horizontally reinforced with 2 no's of 8mm PVC rods. Teak wood batons shall be reinforced inside the door shutter during the fabrication of the door shutter at those points wherever the hardware is fixed onto the door shutter.	1 Sqm	1,777.00
487	TBSC-L.III-15	Providing & fixing 30 mm thick solid panel PVC door shutter consisting of frame made out of 19 gauge M.S tube of 19 x 19 mm for stiles, top & bottom rail, with a coat of primer of approved make. M.S. Frame covered with 5 mm thick heat moulded PVC “C” channel of size of 30 x 50 mm forming stiles, 5 mm thick 75 mm wide PVC sheet for top, lock & bottom rail on either side 20 mm wide cross PVC sheet as gap insert for top & bottom rail, panelling of 10mm(+/-)(5mm+5mm)” thick PVC sheet fitted in the M.S. frame welded /sealed to the stiles, on either side joined together with solvent cement adhesive etc., additional 5 mm thick PVC strip of 20 mm width stuck on the interior side of the C channel using solvent cement, complete as per direction of Engineer-in-charge, manufacturers specification.	1 Sqm	2,799.00
488	TBSC-L.III-16	Supplying & fixing SINGLE PANEL 30 mm thick PVC DOOR, door shutters with shutter frame and Infill panel made from PVC material, the shutter frame made out of PVC extruded sections having overall dimensions of 60mm x 30 mm with wall thickness of 1.3 mm ± 0.3 mm, with the Infill panel made out of multi chambered seamless hollow PVC extruded panel having overall dimensions of 610 mm x 20 mm having wall thickness 1 mm ± 0.2	1 Sqm	2,406.00

Sl. No	ITEM CODE	DESCRIPTION OF THE ITEM	UNIT	Scheduled Rates for the Year 2020-21
		mm with the shutter frame meter cut and joined at corners and all the hardware locations reinforced with special polymeric bars as per drawing including providing special PVC bracket on hinge side, etc complete		
489	TBSC-L.III-17	Providing & fixing internal prelaminated PVC door frame of size 100 x 45 mm with a wall thickness of 5mm, made of extruded 5 mm Prelam PVC foam sheet, mitred cut at two corners and joined with two nos. of 150mm long brackets of 15 x 15 mm MS square tube, two vertical door profiles reinforced with 40 x 20 MS Tube of 19 gauge throughout the frame and the door frame fixed to the wall using 65/100mm long MS screws through the frame by using PVC fasteners with a minimum of 3 nos of screws provided for each vertical member and two nos. for horizontal, etc complete as per drawing and direction of Engineer in Charge	1 RM	555.00
490	TBSC-L.III-18	Supply & Fixing of Powder Coated Mild Steel doors, frames & shutters made of Skin pass galvanized Iron sheet conforming to Base Steels as per IS 513 "D" Quality, Galvanized as per IS 277 with Hot Zinc Coating of 120 grams / Sq.Mtr with powder coating of thickness 60-65 Microns, frame with 1.2mm thick Skin pass Galvanized Iron sheet formed to single rebate profile of size 100 mm X 58 mm and filled with in-fill Polyurethane foam, the Door Shutters are with 0.80 mm thick Skin pass Galvanized Iron Sheet formed to provide a 46 mm thick fully flush, double skin door shell with Lock Seam joints at stile edges, fitted with in-fill of Honeycomb Kraft Paper and coated with polyester powders of Pure polyester/ epoxy polyester or polyurethane powder for powder coating of thickness 60 - 65 microns and are coated with Zinc Phosphate Primer to receive any paint on site or finished with Thermosetting Polyurethane paint of Aliphatic Grade providing high levels of scratch resistance and durability, the Shutter provided with 6 MM clear float vision glass in Circular, Square or Rectangular shapes, Stainless Steel Ball Bearing Butt Hinges 3 mm thick fixed flush to the frame and shutter (Profile 102x76x3mm thick). Mortise Sash Lock with Lever Handles, Mortise Dead Bolt, etc for industrial, commercial, residential, clean room applications	1 Sqm	11,317.00
491	TBSC-L.III-19	Providing & Fixing of Scientific Doors with metal door frames and door shutters made of galvanized steel (base steel as per IS 513 of 0.58 mm thick D quality, galvanized as per IS 277 with Zinc of 120 GSM) coated with Zinc Phosphate Primer to receive any paint on site or finished with Thermosetting Polyurethane paint of Aliphatic Grade providing high levels of scratch resistance and durability/ Epoxy polyester powder for	1 Sqm	10,446.00

Sl. No	ITEM CODE	DESCRIPTION OF THE ITEM	UNIT	Scheduled Rates for the Year 2020-21
		powder coating paint thickness 50-60 microns (Dry film thickness) outer frame section of 100 x 58 mm x 1.2 mm thick, shutter section of 0.80 mm thick galvanized steel sheet pressed (roll formed) for 46mm thick fully flush, double skin door shell seam joints at stile edges, in-fill of honeycomb Kraft paper used to give therequired rigidity and effective acoustic insulation with 6" Tower bolt - 1 No., 6" D handles - 2 Nos., 10" Aldrops - 1 No., Butt Hinges - 3 Nos, Mortise Lock of approved quality - 1 No, frames fixed to the concrete/masonry wall by means of self expanding screws complete for finished item of work for Single leafDoor		
492	TBSC-L.III-20	Providing & Fixing of Scientific Doors with metal door frames and door shutters made ofgalvanize steel (base steel as per IS 513 of 0.58 mm thick D quality, galvanized as per IS 277 with Zinc of 120 GSM). coated with Zinc Phosphate Primer to receive any paint on site or finished with Thermosetting Polyurethane paint of Aliphatic Grade providing high levels of scratch resistance and durability/Epoxy polyester powder for powder coating paint thickness 50-60 microns (Dry film thickness) outer frame section of 100 x 58 mm x 1.2 mm thick, shutter section of 0.80 mm thick galvanized steel sheet pressed (roll formed) for 46mm thick fully flush, double skin door shell seam joints at stile edges, in-fill of honeycomb Kraft paper used to give therequired rigidity and effective acoustic insulation with 6" Tower bolt - 2 Nos., 6" D handles - 2 Nos., 10" Aldrops - 1 No., Butt Hinges - 6 Nos, Mortise Lock of approved quality - 1 No, frames fixed to the concrete/masonry wall by means of self expanding screws complete for finished item of work for Double leafDoor	1 Sqm	11,143.00
493	TBSC-L.III-21	Supply & Fixing of Stainless steel doors, frames& shutters made of stainless steel grade 304 of hairline finish, frame with 1.2mm thick formed to single rebate profile of size 100 mm X 58 mm and filled with in-fill Polyurethane foam, the Door Shutters are with 0.80 mm thick Stainless steel Sheet formed to provide a46 mm thick fully flush, double skin door shell with Lock Seam joints at stile edges, fitted with in-fill of Honeycomb Kraft Paper, the Shutter provided with 6 MM clear float vision glass in Circular, Square or Rectangular shapes, StainlessSteel Ball Bearing Butt Hinges 3 mm thick fixed flush to the frame and shutter (Profile 102x76x3mm thick).Mortise Sash Lock with Lever Handles, Mortise Dead Bolt, etc for industrial, commercial, residential, clean roomapplications	1 Sqm	21,217.00
494	TBSC-L.III-22	Supply & Fixing of Powder Coated Fire Rated doors, frames & shutters made of Skin pass	1 Sqm	13,438.00

Sl. No	ITEM CODE	DESCRIPTION OF THE ITEM	UNIT	Scheduled Rates for the Year 2020-21
		galvanized Iron sheet conforming to Base Steelas per IS 513 "D" Quality, Galvanized as per IS 277 with Hot Zinc Coating of 120 grams / Sq.Mtr with powder coating of thickness 60-65 Microns, frame with 1.2mm thick Skin pass Galvanized Iron sheet formed to double rebate profile of size 143 mm X 58 mm with maximum bending radius of 1.4 mm and filled with in-fill Polyurethane foam, the Door Shutters are with 0.80 mm thick Skin pass Galvanized Iron Sheet formed to provide a 46 mm thick fully flush, double skin door shell with Lock Seam joints at stile edges, fitted with in-fill of Honeycomb Kraft Paper and coated with polyester powders of Pure polyester/ epoxy polyester or polyurethane powder for powder coating of thickness 60 - 65 microns and are coated with Zinc Phosphate Primer to receive any paint on site or finished with Thermosetting Polyurethane paint of Aliphatic Grade providing high levels of scratch resistance and durability, the Shutter provided with 6 MM clear float vision glass in Circular, Square or Rectangular shapes, Stainless Steel Ball Bearing Butt Hinges 3 mm thick fixed flush		
495	TBSC-L.III-23	Supply & Fixing of Powder Coated Fire Rated doors, frames & shutters made of Skin pass galvanized Iron sheet conforming to Base Steelas per IS 513 "D" Quality, Galvanized as per IS 277 with Hot Zinc Coating of 120 grams / Sq.Mtr with powder coating of thickness 60-65 Microns, frame with 1.2mm thick Skin pass Galvanized Iron sheet formed to double rebate profile of size 143 mm X 58 mm with maximum bending radius of 1.4 mm and filled with in-fill Polyurethane foam, the Door Shutters are with to the frame and shutter (Profile 102x76x3mm thick). Mortise Sash Lock with Lever Handles, Mortise Dead Bolt, etc for 60 minutes Fire Rated door conforming to IS:3614 (Part2) 1992	1 Sqm	12,731.00
496	TBSC-L.III-23	Supply & Fixing of Stainless steel Fire Rated doors, frames & shutters made of Stainless steel of 304 grade hairline finish, frame with 1.2mm thick Stainless steel of 304 grade hairline finish sheet formed to double rebate profile of size 143 mm X 58 mm with maximum bending radius of 1.4 mm and filled with in-fill Polyurethane foam, the Door Shutters are with 0.80 mm thick Stainless steel of 304 grade hairline finish Sheet formed to provide a 46 mm thick fully flush, double skin door shell with Lock Seam joints at stile edges, fitted with in-fill of Honeycomb Kraft Paper and coated with polyester powders of Pure polyester/ epoxy polyester or polyurethane powder for powder coating of thickness 60 - 65 microns and are coated with Zinc Phosphate Primer to receive any paint on site or finished	1 Sqm	21,217.00

Sl. No	ITEM CODE	DESCRIPTION OF THE ITEM	UNIT	Scheduled Rates for the Year 2020-21
		with Thermosetting Polyurethane paint of Aliphatic Grade providing high levels of scratch resistance and durability, the Shutter provided with 6 MM clear float vision glass in Circular, Square or Rectangular shapes, StainlessSteel Ball Bearing Butt Hinges 3 mm thick fixed flush to the frame and shutter (Profile 102x76x3mm thick).Mortise Sash Lock with Lever Handles, Mortise Dead Bolt, etc for 120 minutesFire RateddoorconformingtoIS:3614(Part2)1992		
497	TBSC-L.III-24	Supply & Fixing of Stainless steel Fire Rated doors, frames & shutters made of Stainless steel of 304 grade hairline finish, frame with 1.2mm thick Stainless steel of 304 grade hairline finish sheet formed to double rebate profile of size 143 mm X 58 mm with maximum bending radius of 1.4 mm and filled with in-fill Polyurethane foam, the Door Shutters are with 0.80 mm thick Stainless steel of 304 grade hairline finish Sheet formed to provide a 46 mm thick fully flush, double skin door shell with Lock Seam joints at stile edges, fitted with in-fill of Honeycomb Kraft Paper and coated with polyester powders of Pure polyester/ epoxy polyester or polyurethane powder for powder coating of thickness 60 - 65 microns and are coated with Zinc Phosphate Primer to receive any paint on site or finished with Thermosetting Polyurethane paint of Aliphatic Grade providing high levels of scratch resistance and durability, the Shutter provided with 6 MM clear float vision glass in Circular, Square or Rectangular shapes, StainlessSteel Ball Bearing Butt Hinges 3 mm thick fixed flush to the frame and shutter (Profile 102x76x3mm thick).Mortise Sash Lock with LeverHandles, Mortise Dead Bolt, etc for 60 minutes Fire Rated door conforming to IS:3614 (Part2) 1992	1 Sqm	18,498.00
498	TBSC-L.III-25	Supply & Fixing of Lead Lined Clean room doors frames and shutters made of Skin pass galvanized Iron sheet (Conform to Base Steel as per IS 513 "D" Quality, Galvanized as per IS 277 with Hot Zinc Coating of 120 grams / Sq.Mtr).with powder coating of thickness 60-65 Microns, frame of 1.60mm thick galvanized steel sheet (Conform to IS 277) formed to Single/double rebate profile of size 100mm X 58mm/ 143x58mm, door frames with a single / multi Layer of Lead sheet varying thickness from 3mm /1mm to 2mm depends on radiation level, the shutter with 1.2 mm thick Galvanized Steel Sheet (Conform to IS 277) formed to provide a 46mm thick fully flush, double skin door shell with Lock Seam joints at stile edges with a single / multi Layer of Lead sheet varying thickness from 3mm /1mm to 2mm depends on radiation level, the lead sheets extend the full width and	1 Sqm	15,234.00

Sl. No	ITEM CODE	DESCRIPTION OF THE ITEM	UNIT	Scheduled Rates for the Year 2020-21
		height of the door, Lead thickness is equal to the shielding in the adjacent wall, the door frames and door shutters are coated with polyester powders of Pure polyester/ epoxy polyester or polyurethane powder for powder coating of thickness 60 - 65 microns, coated with Zinc Phosphate Primer to receive any paint on site or finished with Thermosetting Polyurethane paint of Aliphatic Grade providing high levels of scratch resistance and durability, hardware with Stainless Steel Ball Bearing Butt Hinges 3 mm thick fixed flush to the frame and shutter etc complete for finished item		
499	TBSC-L.III-26	Supply & Fixing of Lead Lined Stainless steel Clean room door frames and shutters made of Stainless steel grade of 304 hairline finish, frame with 1.60mm (16SWG) thick hairline finish Stainless steel grade of 304 formed to Single/double rebate profile of size 100 mm x 58mm /143x58mm, doorframeswithasingle/ multi Layer of Lead sheet varying thickness from 3mm /1mm to 2mm depends on radiation level, the shutter with 1.2 mm thick hairline finish Stainless steel grade of 304 formed to provide a 46mm thick fully flush, double skin door shell with Lock Seam joints at stile edges with asingle / multi Layer of Lead sheet varying thickness from 3mm /1mm to 2mm depends on radiation level. The lead sheets extend the full width and height of the door. Lead thickness is to be equal to the shielding in the adjacent wall. Hardware can be provided with Stainless Steel Ball Bearing Butt Hinges 3 mm thick fixed flush to the frame and shutter etc complete for finished item of work	1 Sqm	24,046.00
500	TBSC-L.III-27	Providing of Factory made prelaminate FPVC (Foamed Polyvinyl Chloride) Door frame of the size 105x40mm with a wall thickness of 10mm made out of extruded rigid FPVC profile mitre joined with 6 Nos. of 50mm long screw. The door frame shall be fixed to the wall by using 80mm long screws through the frame with the help of PVC fasteners of 3 no's to be provided for each vertical member, GI stiffeners of ("U" channel of size 29x9x1mm, 150mm long) -3 no's at hinge point, Frame reinforcement of("U" GI channel of size 46x22x.06mm),Bottom tie rod of ("U" GI channel size of 15x15x1mm) etc. complete as per manufacturers specification for finished item of work. Maximum door frame size : 980 x 2070 including providing of 35mm thick Factory made Prelaminated ABS (Acrolonitrile Butadyne Styrene) Door shutter moulded in different designs, consisting of all round Frame made out of water proof solid foam PVC bar of size	1 Sqm	7,746.00

Sl. No	ITEM CODE	DESCRIPTION OF THE ITEM	UNIT	Scheduled Rates for the Year 2020-21
		20x32mm, reinforced by 32x 32mm - 2 nos. for vertical made out of LVL (Laminated Veneer Lumber), core material of 32 mm thick high density craft paper honey comb board, sandwiched on both sides with prelaminate ABS sheet thickness of 1.5mm . PVC edge banding of size 0.45mm on the vertical sides. Hardware made out of steel coated butterfly hinges - 3 Nos. for each shutter and ISI make S.S round lock completes for finished item of work. Maximum shutter size of :910x2030mm		
501	TBSC-L.III-28	Supply and fixing of toilet door shutter with frame made of M.S. door frame of 5 mm x 48 mm x 48 mm (L angel) as all-round frame the frame is coated with one coat of red oxide and two coats of enamel of approved color. For shutter and the shutter is made with 16mm Bison lam shutter with all-round 'U' Lipping of PPS section of 12 mm x 18 mm x 12 mm x 0.60mm, along hardware of 200mm long and 12mm dia aluminium drops 2 Nos, 2Nos of 125mm handle, 3 Nos of RT patte hinges IS 304gr SS 2mmX12mmX180mm long with a pole receiver of 10mm Dia x 40mm by welded on 3mmx40mm SS 304, plate it works as receiver for RT Patte hinges it is welded to M.S. angle . M.S. angle will be fixed to wall of self expandable screws and caps	1 Sqm	3,473.00
502	TBSC-L.III-29	Supplying and fixing of Unplasticised Poly Vinyl Chloride (UPVC) sliding doors three track - three glass shutters sliding duly manufactured using UPVC reinforced profiles of 108.0 mm x 49 mm x 2.25 mm for outer frames, 85 mm x 41 mm x 2.25 mm for sliding door shutter frames capable of mounting single glazing system, structurally reinforced with reinforced with 35mm x 10mm x 1.5mm thick with hot dip galvanized up to 50 microns of minimum thickness of 1.2 mm prefabricated & welded through fusion welding the window sash shall be fitted with 5 mm thick clear float glass of reputed make and fixed with with uPVC glazing bead of 22.5mm x 18mm with "C" or "R" type inner and outer EPDM weathering seal resistant accessories like clipping locking system made of aluminium 1 No., per set of sashes and the system is to be installed at the site using anchor fasteners, silicon rubber sealant, easy glazing/ deglazing at site etc., including cost and conveyance of all materials, accessories, labour charges for transportation, erection at site with templates for casement sizing complete for finished item of work	1 Sqm	8,461.00
502/A	TBSC-L.III-30	Providing and fixing of factory made pre hung door. Frame: Shutter is hung on Factory made door frame of 40mm or 48 mm thickness made of Cement Bonded Particle Board (Bison Panel) and Composite board for water resistant property.	1 Sqm	11,249.00

Sl. No	ITEM CODE	DESCRIPTION OF THE ITEM	UNIT	Scheduled Rates for the Year 2020-21
		<p>Depending on thickness of the wall, width of the frame covers the entire wall from 100 to 300 mm based on actual measurements. The frame is laminated with 0.2mm thick water proof and scratch resistant PVC Foil using hot press and high grade PUR adhesive and is fitted with casing wick (rubber beading) for energy, dust and sound efficiency. The frame is affixed to the wall using high strength expandable PU Foam using tension rods for precision and optional anchor bolts, side and top of frame attached together using dowel screws and quick acting adhesives. Shutter: Factory made 42 mm thick shutter sandwiched with laminated Cement Bonded Particle Board (Bison Panel) 6 mm thick skins on both sides. Skeleton is made with Composite Board & Cement Bonded Particle Board (Bison Panel) of 30mm thickness (sides). Core of high density/ uniform load distribution featured Honey Comb and Laminated Veneer Lumber (LVL) for holding the lock body and hardware, laminated with 0.2mm thick water proof and scratch resistant PVC Foil and edge-banded with 1mm thick PVC edge-band using hot press and high grade PUR adhesives. Max opening dimensions in mm are 1100 (width) x 42 (thickness) x 2300 (height).</p> <p>Architrave: Factory made Architrave fitted to pre-made grooves within the frame for added aesthetics. Plain design Architrave is made of Bison panel while profile design Architrave is made with HDHMR. Architrave is laminated with 0.2mm thick water proof and scratch resistant PVC Foil using hot press and high grade PUR adhesive, fitted to the wall using strong quick acting adhesives. Standard sizes in mm for Plain Architrave: 80 (width) x 12 (thickness) Accessories:- Imported or Equivalent Hardware including door handles- 1 No., Mortize / Cylindrical Lock 1 No., SS Hinges - 4 Nos., Including conveyance of all material, hardware, labour charges and transportation complete for finished item of work.</p>		
IV	SUB-SECTION	CUP-BOARD DOORS		
503	TBSC-L.IV-01	Supply and fixing of cup board frames and shutters and using 16mm Cement Bonded Particle Board conforming to IS 14276 duly painted both sides with one coat of primer and two coats of synthetic / enamel paint of approved shade and brand including fixing of hardware like M.S. powder coated Piano hinges of size 18mm x 18mm, brass ball catches, Aluminium tower bolts and handles , Godrej locks, synthetic glue, screws and nails including cost and conveyance of all materials, labour charges, all incidental and operational charges etc., complete for finished	1 Sqm	2,171.00

Sl. No	ITEM CODE	DESCRIPTION OF THE ITEM	UNIT	Scheduled Rates for the Year 2020-21
		item of work at site as per the directions of Engineer in Charge.		
504	TBSC-L.IV-02	Supply and fixing of box type cup board using Cement Bonded Particle Board conforming to IS 14276 for making frame of size 100mm x 35mm using two sandwiched 16MM boards, one Cement Bonded Particle Board conforming to IS 14276 and one Cement Bonded Prelaminated Particle Board with plain 35mm wood lipping. The Shutters are made of 16MM thick Cement Bonded Prelaminated Particle Board (Pre- Laminated Cement Bonded Particle Board) of approved shade inclusive of hardware like M.S. powder coated Piano hinges of size ¾” x ¾” , Aluminium powder coated handles of size 4” (101.6mm), Aluminium tower bolt 4”(101.6mm) Godrej locks, screws, wood lipping and synthetic glueetc., complete finish item of work.	1 Sqm	3,568.00
505	TBSC-L.IV-03	Supply and fixing of PVC cupboards for kitchen and bedrooms shall be made out of multi chambered PVC sections having overall dimensions of 20 X 762mm with a wall thickness of 1.2mm ± 0.3mm. The cabinets shall be made as per the requirements of the room with groove system. The PVC section surface shall be plain and laminated finish to have good look, completed, for finished item of work for SINTEX OR equivalent PVCCABINETS	1 Sqm	4,007.00
506	TBSC-L.IV-04	Supply and fixing of cupboard shutter using teakwood scantling of size 50 mm x 50 mm teakwood as outer frame and 50 mm x 30 mm of size teakwood for shutter frames, 8mm thick Bison Lam as panel to each shutter consist of 2 Nos 75mm long tower bolt - 2 nos 75 mm big handle the and other shutter will have 1 no of cupboard lack , 1 No of 75 mm long handle and 75 mm x 10mm x 1mm thick SS hinges- 2 Nos for each shutter. The above frame will be fixed to the wall with screws, the rate inclusive of screws, handle, etc., complete at site of work	1 Sqm	4,001.00
M	SECTION	WINDOWS		
		(Excluding taxes but including cost of loading, cost of conveyance, unloading & stacking)		
I	SUB-SECTION	OPENABLE WINDOWS		
507	TBSC-M.I-01	Supply and fixing of pre-painted steel casement/ open able windows base steel as per IS 513 of 0.58 mm thick 'D quality, galvanized as per IS 277, finish painted with a polyester paint, section for outer frame of 46 x 52 mm section for shutter of 46 x 46 mm section for mullion 46 x 70 mm, and section for beading 18 x 25 mm panelled with 5 mm thick plain float glass fitted with EPDM gaskets, handle made of high grade aluminium powder coated frames fixed to the concrete	1 Sqm	6,417.00

Sl. No	ITEM CODE	DESCRIPTION OF THE ITEM	UNIT	Scheduled Rates for the Year 2020-21
		/masonry wall by means of self expanding screws including 10 mm squareguard bars @ 150 mm pitch for Windows: Double shutter for sizes 2'0 x 4'0 (609.6 x 1219.2 mm) 3'-0 x 4'-0 (914.4mm x 1219.2 mm) without mullion section		
508	TBSC-M.I-02	Supply and fixing of pre-painted steel casement/ open able windows base steel as per IS 513 of 0.58 mm thick 'D quality, galvanized as per IS 277,finishpaintedwithpolyesterpaint,section for outer frame of 46 x 52 mm section forshutter of 46 x 46 mm section for mullion 46 x 70 mm, and section for beading 18 x 25 mm panelled with 5 mm thick plain float glass fitted with EPDM gaskets, handle made of high grade aluminium powder coated frames fixed to the concrete /masonry wall by means of self expanding screws including 10 mm squareguard bars @ 150 mm pitch for Windows: Double shutter with mullion section for sizes 3'-0 x 4'-0 (914.4mm x 1219.2 mm) and 4'-0 x 4 '-0 (1219.2x1219.2mm)	1 Sqm	6,787.00
509	TBSC-M.I-03	Supply and fixing of pre-painted steel casement/ open able windows base steel as per IS 513 of - 0.58 mm thick 'D quality, galvanized as per IS 277,finishpaintedwithpolyesterpaint,section for outer frame of 46 x 52 mm section forshutter of 46 x 46 mm section for mullion 46 x 70 mm, and section for beading 18 x 25 mm panelled with 5 mm thick plain float glass fitted with EPDM gaskets, handle made of high grade aluminium powder coated frames fixed to the concrete /masonry wall by means of self expanding screws including 10 mm squareguard bars @ 150 mm pitch for Windows: Double shutter 4'-0 x 4 '-0 (1219.2x12.19.2mm) without Mullionsection	1 Sqm	6,601.00
510	TBSC-M.I-04	Supply and fixing of pre-painted steel casement/ open able windows base steel as per IS 513 of - 0.58 mm thick 'D quality, galvanized as per IS 277,finishpaintedwithpolyesterpaint,section for outer frame of 46 x 52 mm section forshutter of 46 x 46 mm section for mullion 46 x 70 mm, and section for beading 18 x 25 mm panelled with 5 mm thick plain float glass fitted with EPDM gaskets, handle made of high grade aluminium powder coated frames fixed to the concrete /masonry wall by means of self expanding screws including 10 mm squareguard bars @ 150 mm pitch for Windows: Double shutter with Mullion section for sizes 4'-6 x 4 '-6 (1371.6x1371.6mm) 5'-0 x 4'-0(1524x1219.2mm) and 6'-0 x 4'-0 (1828.8x1219.2mm) (1828.8x1371.6mm) and 6'-0 x 4'-6 (1828.8x1219.2mm) (1828.8x1371.6mm)	1 Sqm	6,048.00
511	TBSC-M.I-05	Providing and fixing of Casement/ Open able Windows made of pre-painted steel as per IS513 of 0.58 mm thick galvanized as per IS 277, finish painted with a polyester paint and section for	1 Sqm	5,862.00

Sl. No	ITEM CODE	DESCRIPTION OF THE ITEM	UNIT	Scheduled Rates for the Year 2020-21
		outer frame of 48 x 50 mm, centre mullion of 48 x 50 mm, section for shutter of 48 x 25 mm and the fixed glass beading section should be 12 x 12 mm and the outer frame and mullions to have rebate for glazed shutter with a 20 mm provision for guard bars/grills, handle, stay, 2 nos. of stainless steel heavy duty pivot hinges provided per shutter and windows fitted with 5 mm thick plain float glass with rubber gaskets including fixing the frames in concrete/masonry wall by means of self expanding screws, Including 10mm Square guard bars with 6" (152.4mm) pitch etc., complete Single shutter Window without vertical mullion for size 2'0"x4'0" (609.6mm x1219.2mm)		
512	TBSC-M.I-06	Providing and fixing of Casement/ Open able Windows made of pre-painted steel as per IS513 of 0.58 mm thick galvanized as per IS 277, finish painted with a polyester paint and section for outer frame of 48 x 50 mm, centre mullion of 48 x 50 mm, section for shutter of 48 x 25 mm and the fixed glass beading section should be 12 x 12 mm and the outer frame and mullions to have rebate for glazed shutter with a 20 mm provision for guard bars/grills, handle, stay, 2 nos. of stainless steel heavy duty pivot hinges provided per shutter and windows fitted with 5 mm thick plain float glass with rubber gaskets including fixing the frames in concrete/masonry wall by means of self expanding screws, Including 10mm Square guard bars with 6" (152.4mm) pitch etc., complete Double shutter Window with vertical mullion for sizes 3'0" x 4'0" (914.4mm x 1219.2mm) and 4'0" x 4'0" (1219.2mm x1219.2mm)	1 Sqm	6,232.00
513	TBSC-M.I-07	Providing and fixing of Casement/ Open able Windows made of pre-painted steel as per IS513 of 0.58 mm thick galvanized as per IS 277, finish painted with a polyester paint and section for outer frame of 48 x 50 mm, centre mullion of 48 x 50 mm, section for shutter of 48 x 25 mm and the fixed glass beading section should be 12 x 12 mm and the outer frame and mullions to have rebate for glazed shutter with a 20 mm provision for guard bars/grills, handle, stay, 2 nos. of stainless steel heavy duty pivot hinges provided per shutter and windows fitted with 5 mm thick plain float glass with rubber gaskets including fixing the frames in concrete/masonry wall by means of self expanding screws, Including 10mm Square guard bars with 6" (152.4mm) pitch etc., complete Centre fixed both side open able shutter window for sizes 5'0"x4'0" (1524mm x1219.2mm) and 6'0"x4'0" (1828.8mmx1219.2mm)	1 Sqm	5,491.00
514	TBSC-M.I-08	Providing & Fixing of Open able Windows with Fly-mesh made of pre-painted steel as per IS 513	1 Sqm	7,774.00

Sl. No	ITEM CODE	DESCRIPTION OF THE ITEM	UNIT	Scheduled Rates for the Year 2020-21
		of 0.58 mm thick galvanized as per IS 277 finish painted with apolyester paint and the section for outer frame of 72 x 55mm, centre mullion of 72 x 50mm, section for fixed glass beading section of 12 x 12 mm and section for shutters of 48 x 25 mm and outer frame & mullion sections with rebate for glazed shutters, fly mesh and a 20 mm provision for guard bars/grills and fly mesh shutter section of 20 x 40 mm, stay, handles, latch 2 Nos of heavy duty stainless steel pivot hinges per shutter and panelled with 5mm thick plain float glass and S.S. Mesh for fly mesh shutter (304 grade), fitted using rubber gaskets including fixing the windows in the concrete/masonry wall by means of self expanding screws, including 10mm Squareguard bars with 6" (152.4mm) pitch , complete for Single shutter Window 2'0"x4'0" (609.6mm x 1219.2mm)		
515	TBSC-M.I-09	Providing & Fixing of Open able Windows with Fly-mesh made of pre-painted steel as per IS 513 of 0.58 mm thick galvanized as per IS 277 finish painted with apolyester paint and the section for outer frame of 72 x 55mm, centre mullion of 72 x 50mm, section for fixed glass beading section of 12 x 12 mm and section for shutters of 48 x 25 mm and outer frame & mullion sections with rebate for glazed shutters, fly mesh and a 20 mm provision for guard bars/grills and fly mesh shutter section of 20 x 40 mm, stay, handles, latch 2 Nos of heavy duty stainless steel pivot hinges per shutter and panelled with 5mm thick plain float glass and S.S. Mesh for fly mesh shutter (304 grade), fitted using rubber gaskets including fixing the windows in the concrete/masonry wall by means of self expanding screws, including 10mm Squareguard bars with 6" (152.4mm) pitch , complete for Double shutter Window with vertical mullion of sizes 3'0" x 4'0" (914.4mm x 1219.2mm) and 4'0" x 4'0"(1219.2mm x 1219.2mm)	1 Sqm	8,144.00
516	TBSC-M.I-10	Providing & Fixing of Open able Windows with Fly-mesh made of pre-painted steel as per IS 513 of 0.58 mm thick galvanized as per IS 277 finish painted with apolyester paint and the section for outer frame of 72 x 55mm, centre mullion of 72 x 50mm, section for fixed glass beading section of 12 x 12 mm and section for shutters of 48 x 25 mm and outer frame & mullion sections with rebate for glazed shutters, fly mesh and a 20 mm provision for guard bars/grills and fly mesh shutter section of 20 x 40 mm, stay, handles, latch 2 Nos of heavy duty stainless steel pivot hinges per shutter and panelled with 5mm thick plain float glass and S.S. Mesh for fly mesh shutter (304 grade), fitted using rubber gaskets	1 Sqm	7,405.00

Sl. No	ITEM CODE	DESCRIPTION OF THE ITEM	UNIT	Scheduled Rates for the Year 2020-21
		including fixing the windows in the concrete/masonry wall by means of self expanding screws, including 10mm Squareguard bars with 6" (152.4mm) pitch , complete for Centre fixed both side open able shutter window for size 5'0"x4'0" (1524mmx1219.2mm).		
517	TBSC-M.I-11	Providing & Fixing of Open able Windows with Fly-mesh made of pre-painted steel as per IS 513 of 0.58 mm thick galvanized as per IS 277 finish painted with apolyester paint and the section for outer frame of 72 x 55mm, centre mullion of 72 x 50mm, section for fixed glass beading section of 12 x 12 mm and section for shutters of 48 x 25 mm and outer frame & mullion sections with rebate for glazed shutters, fly mesh and a 20 mm provision for guard bars/grills and fly mesh shutter section of 20 x 40 mm, stay, handles, latch 2 Nos of heavy duty stainless steel pivot hinges per shutter and panelled with 5mm thick plain float glass and S.S. Mesh for fly mesh shutter (304 grade), fitted using rubber gaskets including fixing the windows in the concrete/masonry wall by means of self expanding screws, including 10mm Squareguard bars with 6" (152.4mm) pitch , complete for a size 6'0"x4'0" (1828.8mmx1219.2mm)	1 Sqm	6,479.00
518	TBSC-M.I-12	Providing & Fixing of Mesh windows made of pre-painted steel (Base Steel as per IS 513 of 0.58mm thick galvanized as per IS 277 primer coated with epoxy primer finish painted with a polyester paint, section for outer frame of 47 x 36 mm, centre mullion of 60 x 36 mm, section mesh beading 18 x 6 mm and Fly mesh shutter section of 20 x 40 mm, the sections cut to length meter joined with corner bracket and centre mullions fixed with mullion cap, handles, latch, 2 Nos of heavy duty stainless steel pivot hinges per S.S. Mesh for fly mesh shutter (304 grade) including fixing the frames in the concrete/masonry wall by means of self expanding screws complete for finished item of work.	1 Sqm	4,841.00
519	TBSC-M.I-13	Providing and fixing of Open able / Casement Windows made of pre-painted steel as per IS 513 of 0.80 mm thick galvanized as per IS 277 finish painted with a polyester paint and section for outer frame of 80 x 45 mm, centre mullion of 80 x 60 mm, section for shutter of 52 x 25 mm x 0.6 mm thick, outer frame and mullions to have rebate for glazed shutter with a provision for guard bars/grills, centre mullion fixed with mullion cap, 1 No. of High grade nylon latch handle, window stopper, 2 nos. of with MS Powder coated /SS ball bearing butt Hinges provided per shutter and windows fitted with 4 mm thick plain float glass with rubber gaskets including fixing the frames in concrete/masonry	1 Sqm	5,169.00

Sl. No	ITEM CODE	DESCRIPTION OF THE ITEM	UNIT	Scheduled Rates for the Year 2020-21
		wall by means of self expanding screws, Including 10 mm Square guard bars with 6" (152.4mm) pitch etc., complete for Single open able shutter window size of 2' 0" x 4' 0" (609.6 x 1219.2mm)		
520	TBSC-M.I-14	Providing and fixing of Open able / Casement Windows made of pre-painted steel as per IS513 of 0.80 mm thick galvanized as per IS 277 finish painted with a polyester paint and section for outer frame of 80 x 45 mm, centre mullion of 80 x 60 mm, section for shutter of 52 x 25 mm x 0.6 mm thick, outer frame and mullions to have rebate for glazed shutter with a provision for guard bars/grills, centre mullion fixed with mullion cap, 1 No. of High grade nylon latch handle, window stopper, 2 nos. of with MS Powder coated /SS ball bearing butt Hinges provided per shutter and windows fitted with 4 mm thick plain float glass with rubber gaskets including fixing the frames in concrete/masonry wall by means of self expanding screws, Including 10 mm Square guard bars with 6" (152.4mm) pitch etc., complete for Double open able shutter window Size of 3' 0" x 4' 0" (914.4mm x 1219.2mm) and 4'0" x 4'0" (1219.2mm x 1219.2mm)	1 Sqm	5,495.00
521	TBSC-M.I-15	Providing and fixing of Open able / Casement Windows made of pre-painted steel as per IS513 of 0.80 mm thick galvanized as per IS 277 finish painted with a polyester paint and section for outer frame of 80 x 45 mm, centre mullion of 80 x 60 mm, section for shutter of 52 x 25 mm x 0.6 mm thick, outer frame and mullions to have rebate for glazed shutter with a provision for guard bars/grills, centre mullion fixed with mullion cap, 1 No. of High grade nylon latch handle, window stopper, 2 nos. of with MS Powder coated /SS ball bearing butt Hinges provided per shutter and windows fitted with 4 mm thick plain float glass with rubber gaskets including fixing the frames in concrete/masonry wall by means of self expanding screws, Including 10 mm Square guard bars with 6" (152.4mm) pitch etc., complete for 5'0 x 4'0 (1524 x 1219.2mm) and 6'0 x4'0 (1829.6 x 1219.2mm)	1 Sqm	4,841.00
522	TBSC-M.I-16	Providing and fixing of Open able / Casement Windows with fly mesh made ofpre-painted steel as per IS 513 of 0.80 mm thick galvanized as per IS 277, finish painted with a polyester paint and section for outer frame of 100 x 45 mm, centre mullion of 100 x 60 mm, section for shutter of 52 x 25 mm x 0.6 mm thick, section for fly-shutter of 52 x 25 mm x 0.6 mm thick and fitted with stainless steel 32 gauge fly mesh of 304 grade and mullions to have double rebate for glazed shutter and fly-shutter with a provision for guard	1 Sqm	6,856.00

Sl. No	ITEM CODE	DESCRIPTION OF THE ITEM	UNIT	Scheduled Rates for the Year 2020-21
		bars/grills and the sections, 1 No. of High grade nylon latch handle, window stopper, 2 nos. of with MS Powder coated /SS ball bearing butt Hinges provided per shutter and windows fitted with 4 mm thick plain float glass with rubber gaskets including fixing the frames in concrete/masonry wall by means of self expanding screws, Including 10 mm Square guard bars with 6" (152.4mm) pitch etc., complete for 2'0"x4'0" (609.6x1219.2mm)		
523	TBSC-M.I-17	Providing and fixing of Open able / Casement Windows with fly mesh made of pre-painted steel as per IS 513 of 0.80 mm thick galvanized as per IS 277, finish painted with a polyester paint and section for outer frame of 100 x 45 mm, centre mullion of 100 x 60 mm, section for shutter of 52 x 25 mm x 0.6 mm thick, section for fly-shutter of 52 x 25 mm x 0.6 mm thick and fitted with stainless steel 32 gauge fly mesh of 304 grade and mullions to have double rebate for glazed shutter and fly-shutter with a provision for guard bars/grills and the sections, 1 No. of High grade nylon latch handle, window stopper, 2 nos. of with MS Powder coated /SS ball bearing butt Hinges provided per shutter and windows fitted with 4 mm thick plain float glass with rubber gaskets including fixing the frames in concrete/masonry wall by means of self expanding screws, Including 10 mm Square guard bars with 6" (152.4mm) pitch etc., complete for 3' 0" x 4' 0" (914.4mm x 1219.2mm) and 4'0" x 4'0" (1219.2mm x 1219.2mm)	1 Sqm	7,182.00
524	TBSC-M.I-18	Providing and fixing of Open able / Casement Windows with fly mesh made of pre-painted steel as per IS 513 of 0.80 mm thick galvanized as per IS 277, finish painted with a polyester paint and section for outer frame of 100 x 45 mm, centre mullion of 100 x 60 mm, section for shutter of 52 x 25 mm x 0.6 mm thick, section for fly-shutter of 52 x 25 mm x 0.6 mm thick and fitted with stainless steel 32 gauge fly mesh of 304 grade and mullions to have double rebate for glazed shutter and fly-shutter with a provision for guard bars/grills and the sections, 1 No. of High grade nylon latch handle, window stopper, 2 nos. of with MS Powder coated /SS ball bearing butt Hinges provided per shutter and windows fitted with 4 mm thick plain float glass with rubber gaskets including fixing the frames in concrete/masonry wall by means of self expanding screws, Including 10 mm Square guard bars with 6" (152.4mm) pitch etc., complete for 5'0 x 4'0 (1524 x 1219.2mm) and 6'0 x4'0 (1829.6 x1219.2mm)	1 Sqm	6,530.00
525	TBSC-M.I-19	Galvanized powder coated Casement Windows with open able shutters duly manufactured using	1 Sqm	5,775.00

Sl. No	ITEM CODE	DESCRIPTION OF THE ITEM	UNIT	Scheduled Rates for the Year 2020-21
		pressed steel sections in mild steel conforming to IS 513 of having 1.0 mm thick and galvanized as per IS 277 of 120 GSM surface treatment with pure polyester powder coating of 30-40 microns thick and section for outer frame of 60x50mm, centre for mullion of 62x50mm, section for shutter of 52 x 22 mm, outer frame and mullions to have one side rebate for glazed shutter of size 24 mm and 10x10 mm square guard bars provided at 125 mm c/c the sections assembled with bolt & nut assembly with zinc-electroplated M-5 bolts, GI Handle of size 80 mm x 15 mm -1 No per shutter, 2 nos of stainless steel heavy duty pivot hinges of size 3 of SS 304 Grade per shutter, window panes with 5 mm thick plain float glass and fixed with glass beading section of 10x12mmsizewith0.8mmthickpowdercoated aluminium 'U' channel and window frames fixing to the concrete/masonry wall arrangement with self expanding screws, complete for finished item of work including of all taxes - 1220 x 1372 or belowsize		
526	TBSC-M.I-20	Galvanized powder coated Casement Windows with open able shutters duly manufactured using pressed steel sections in mild steel conforming to IS 513 of having 1.0 mm thick and galvanized as per IS 277 of 120 GSM surface treatment with pure polyester powder coating of 30-40 microns thick and section for outer frame of 60x50mm, centre for mullion of 62x50mm, section for shutter of 52 x 22 mm, outer frame and mullions to have one side rebate for glazed shutter of size 24 mm and 10x10 mm square guard bars provided at 125 mm c/c the sections assembled with bolt & nut assembly with zinc-electroplated M-5 bolts, GI Handle of size 80 mm x 15 mm -1 No per shutter, 2 nos of stainless steel heavy duty pivot hinges of size 3 of SS 304 Grade per shutter, window panes with 5 mm thick plain float glass and fixed with glass beading section of 10x12mmsizewith0.8mmthickpowdercoated aluminium 'U' channel and window frames fixing to the concrete/masonry wall arrangement with self expanding screws, complete for finished item of work including of all taxes - 1530 x 1372 or belowsize	1 Sqm	5,174.00
527	TBSC-M.I-21	Galvanized powder coated Casement Windows with open able shutters duly manufactured using pressed steel sections in mild steel conforming to IS 513 of having 1.0 mm thick and galvanized as per IS 277 of 120 GSM surface treatment with pure polyester powder coating of 30-40 microns thick and section for outer frame of 88x50mm, centre for mullion of 62x88 mm, section for glass and fly-proof mesh shutter of 52 x 22 mm, outer frame and mullions to have two sides rebate for	1 Sqm	7,257.00

Sl. No	ITEM CODE	DESCRIPTION OF THE ITEM	UNIT	Scheduled Rates for the Year 2020-21
		glazed shutter of size 24 mm and 10x10 mm square guard bars provided at 125 mm c/c the sections assembled with bolt & nut assembly with zinc-electroplated M-5 bolts, GI Handle of size 80 mm x 15 mm -1 No per shutter, 2 Nos of stainless steel heavy duty pivot hinges of size 3 of SS 304 Grade per shutter, window panes with 5 mm thick plain float glass and fixed with glass beading section of 10x12 mm size with 0.8 mm thick powder coated aluminium 'U' channel and fly-proof mesh of SS 304 grade fixed with 18 mm x 12 mm BT wood beading and window frames fixing arrangement to the concrete/masonry wall with self expanding screws, complete for finished item of work including of all taxes -1220 x 1372 or below size		
528	TBSC-M.I-22	Galvanized powder coated Casement Windows with open able shutters duly manufactured using pressed steel sections in mild steel conforming to IS 513 of having 1.0 mm thick and galvanized as per IS 277 of 120 GSM surface treatment with pure polyester powder coating of 30-40 microns thick and section for outer frame of 88x50mm, centre for mullion of 62x88 mm, section for glass and fly-proof mesh shutter of 52 x 22 mm, outer frame and mullions to have two sides rebate for glazed shutter of size 24 mm and 10x10 mm square guard bars provided at 125 mm c/c the sections assembled with bolt & nut assembly with zinc-electroplated M-5 bolts, GI Handle of size 80 mm x 15 mm -1 No per shutter, 2 Nos of stainless steel heavy duty pivot hinges of size 3 of SS 304 Grade per shutter, window panes with 5 mm thick plain float glass and fixed with glass beading section of 10x12 mm size with 0.8 mm thick powder coated aluminium 'U' channel and fly-proof mesh of SS 304 grade fixed with 18 mm x 12 mm BT wood beading and window frames fixing arrangement to the concrete/masonry wall with self expanding screws, complete for finished item of work including of all taxes -1530 x 1372 or above size	1 Sqm	6,671.00
529	TBSC-M.I-23	Supplying and fixing of Unplasticised Poly Vinyl Chloride (UPVC) casement windows open able shutters duly manufactured using UPVC reinforced profiles of (48mmx60mm)/(58mm x 60 mm) x 2.0 mm for outer frames, (64 mm x 60 mm)/(72 mm x 60mm) x 2.0 mm for mullion sections for two or more open able shutters and (78 mm x 60 mm)/(72 mm x 42 mm) x 2.0 mm for outward open able shutter frame or (70 mm x 60 mm)/ (72 mm x 42 mm) x 2.0 mm for inward open able shutter frame capable of mounting single glazing system structurally reinforced with hot dip galvanized up to 50 microns of minimum thickness of 1.2 mm prefabricated & welded	1 Sqm	5,976.00

Sl. No	ITEM CODE	DESCRIPTION OF THE ITEM	UNIT	Scheduled Rates for the Year 2020-21
		through fusion welding the window sash shall be fitted with 5 mm thick clear float glass of reputed make duly fixed with TPV Gaskets/ EPDM weathering seal resistant accessories for casement window - friction stay hinges of stainless steel grade 304- 2 Nos., per sash, handle with mazak alloy casting 1 No. per sash, locking system suitably concealed 1 No., per sash provided with raiser wedges for smooth operation and the system is to be installed at the site using anchor fasteners, silicon rubber sealant, easy glazing/ deglazing at site etc., including cost and conveyance of all materials, accessories, labour charges for transportation, erection at site with templates for casement sizing complete for finished item of work		
530	TBSC-M.I-24	Supplying and fixing of Unplasticised Poly Vinyl Chloride (UPVC) casement windows openable shutters duly manufactured using UPVC reinforced profiles (Composition of profile shall consist a minimum of 5.5 PHR of TiO ₂ and not more than 12 PHR of CaCO ₃ for every 100 parts of PVC resin) of 60 mm x 55 mm x 2.40 mm for outer frames, 74 mm x 60 mm x 2.40 mm for mullion sections for two or more openable shutters 75 mm x 60 mm x 2.40 mm for openable shutter frame capable of mounting single glazing system structurally reinforced with hot dip galvanized up to 50 microns of minimum thickness of 1.0/1.2 mm prefabricated & welded through fusion welding. The window sash shall be fitted with 5 mm thick clear float glass of reputed make duly fixed with Grey colour TPV Gasket for sash & Glazing bead shall be co- extruded with Grey colour soft PVC and accessories for casement window - friction hinges of stainless steel grade 304/430- 2 Nos., per sash, handle with mazak alloy casting 1 No. per sash, multipoint locking system suitably concealed 1 No., per sash provided with raiser wedges for smooth operation and the system is to be installed at the site using anchor fasteners, silicon rubber sealant, easy glazing/ deglazing at site etc., including cost and conveyance of all materials, accessories, labour charges for transportation, erection at site complete for finished item of work.	1 Sqm	7,162.00
531	TBSC-M.I-25	Supplying and fixing of Unplasticised Poly Vinyl Chloride (UPVC) casement windows openable shutters duly manufactured using UPVC reinforced profiles of 60 mm x 60 mm x 2.60 mm for outer frames, 82 mm x 60 mm x 2.60 mm for Fix mullion ("T" or "Z")made of 60mm x 82mm uPVC profile section with steel reinforcement of size 35mm x 28mm x 1.5mm shall be provided in windows having fixed panel as per the requirement. The shutter of outward open able	1 Sqm	7,370.00

Sl. No	ITEM CODE	DESCRIPTION OF THE ITEM	UNIT	Scheduled Rates for the Year 2020-21
		<p>window shall be made of size 60mm x 77mm or for inward open able window shall be made of size 60mm x 78mm; "T" shaped for outward open or "Z" shaped for Inward open extruded 3 box multi-chamber uPVC window profile section of white colour having outer wall thickness of 2.6mm (± 0.2mm) provided with reinforcement of minimum 1.5mm thick G/J/U/S/O type GI section prefabricated & welded through fusion welding. The window sash shall be fitted with 5 mm thick clear float glass of reputed make duly fixed with Gasket for sash & Glazing bead shall be co-extruded with Grey colour soft PVC and accessories for casement window - friction hinges of stainless steel grade 304- 2 Nos., per sash, handle 1 No. per sash, multipoint locking system suitably concealed 1 No., per sash provided with raiser wedges for smooth operation and the system is to be installed at the site using anchor fasteners, silicon rubber sealant, easy glazing/degazing at site etc., including cost and conveyance of allmaterials, accessories, labour charges for transportation, erection at site complete for finished item of work.</p>		
		<p>Supply and fixing of Pre Laminated Cement Bonded Particle Board (as per IS-14276) WINDOWS with Pre-Painted Steel Sections fabricated from pre-painted Cold rolled formed sections made of galvanized steel color coated sections {Base steel as per 15-512 quality, galvanized as per IS-277 with Zinc of 120 gram/sqm) with total coated thickness of 0.58mm primer coated with epoxy primer of 5-7 microns thick, finish painted with polyesterpaint of 12-16 microns and back coated with alkyd backer of 5-7 microns), the sections for outer frame and centre mullion (duly filled with PU form of 40 kg/Cum) should be of 60mm x 50mm, with provision for fixing glazed shutter. The section for glazed/paneled shutter should be of size 48mm x 25 mm and another section of size 60mm x 23mm should be provided for separating glazed and paneled portion 5 mm thick colour pin headed glass is to be provided for glazing and providing guard bars of 10mm square rods duly welded at 150mm pitch to MS flat section of size 18mm and 3mm thick. Windows are to be fixed to wall by means of self expansion nylon Cap (75) and electroplated wooden screws of size 100mm, including aluminum powder coated fittings, A) 75mm long grip handles 1 no per shutter, B) 75 mm long tower bolts 2 nos. per shutter, C) Heavy duty 55 Pivot hinges 2 nos per shutter, D) MS Powder coatedtelescopicstay1nopershutter.</p>		
532	TBSC-M.I-26	Pre Laminated Cement Bonded Particle Board (as per IS-14276) WINDOWS WITH PPS SECTIONS – Single shutter 2'0"x4'0" outer frame section size	1 Sqm	7,272.00

Sl. No	ITEM CODE	DESCRIPTION OF THE ITEM	UNIT	Scheduled Rates for the Year 2020-21
		of 50mm x 60mm shutter frame section size of 48mm x 25mm		
533	TBSC-M.I-27	Pre Laminated Cement Bonded Particle Board (as per IS-14276) WINDOWS WITH PPS SECTIONS –Double shutter 3'0" x 4'0" outer frame section size of 50mm x 60mm shutter frame section size of 48mm x 25mm mullion section size of 50mm x 60mm for outer frame	1 Sqm	7,272.00
534	TBSC-M.I-28	Pre Laminated Cement Bonded Particle Board (as per IS-14276) WINDOWS WITH PPS SECTIONS – Double shutter 3'0" x 3'0" outer frame section size of 50mm x 60mm shutter frame section size of 48mm x 25mm Mullion section size of 50mm x 60mm for outer frame.	1 Sqm	7,272.00
535	TBSC-M.I-29	Pre Laminated Cement Bonded Particle Board (as per IS-14276) WINDOWS WITH PPS SECTIONS – Double shutter 4'0"x4'0" outer frame section size of 50mm x 60mm shutter frame section size of 48mm x 25mm Mullion section size of 50mm x 60mm for outer frame.	1 Sqm	7,272.00
II	SUB-SECTION	SLIDING WINDOWS		
536	TBSC-M.II-01	Providing and fixing 2 Track 2 glass shutter sliding Windows fabricated from roll formed sections made of Galvanized Steel Colour Coated/ Powder Coated (Base Steel as per IS 513 "D" quality, Galvanized as per IS 277 with Zinc of 120 GM/Sq.mtr) with total coated thickness of 0.58 mm. Primer coat with epoxy primer of 5-7 micron thick, finish painted with polyester paint of 12-16 microns thick and back coated with alkyd backer of 5-7 microns or Powder Coated with pure Polyester Powder up to 50-60 microns thick. Section for external frame should be of 44x 59mm, Section for glass shutter should be of 35 x 49 mm Section for euro groove should be 25 x 24mm(Aluminium/Plastic)and Lap Strip should be of 30 x 41mm(Aluminium/Plastic).shutter should be provided with a glass of 5mm Plain Float Glass. Corner bracket for External frame made of Steel/Polypropylene, Corner Bracket for Internal frame made of Steel/Polypropylene, Touch Lock, Rollers, wool pile for lap strip & euro groove, Bump Stop Base & Rubber for shutter stopper. Ethyl Propylene Diamine Monomer (EPDM) Gasket should be used all around glass in shutter. The Frame Section should be cut to length and mitre joined with Corner brackets & Shutter Sections should be cut to length and mitre joined with Corner Bracket. Window Frame should be fixed to brick/ concrete masonry by using Nylon self-expanding caps and driving MS electroplated 80mm long screws into the caps through frames.10mm square guard bars with 6" pitch (152.4mm) max to be fixed wall to wall and all	1 Sqm	6,891.00

Sl. No	ITEM CODE	DESCRIPTION OF THE ITEM	UNIT	Scheduled Rates for the Year 2020-21
		taxes complete for finished item ofwork		
537	TBSC-M.II-02	Providing and fixing of Two shutter Sliding Windows made of Galvanized Steel as per IS 513, D quality, galvanized as per IS 277 with powder coated with Pure polyester powder up to 50-60 microns thick with total coated thickness of 0.8 mm for Outer Frame and 0.58 mm thickness for Sliding Shutter Section, the Outer Frame for Two Tracks without grill provision is of 75 mm x 50 mm and the Window Shutter section of 58 mm x 36 mm and the outer Frame with two integrated guide tracks of 12mm width and 24mm deep for provision to slide the Shutter / sash frame and facilitates with a water drain outlet component made of PVC and the shutter frame fitted with 5mm thick plain float glass of reputed make and fixed with EPDM weathering seal resistant accessories and handle made of Aluminium 1 No. pereachshutterincludinginstallationofwindow system at site using anchor fasteners, Silicon sealant applied at the Outer frame corners inclusive of conveyance of all materials accessories, labour charges, and erection at site with complete finished item of work for Window withTwoSlidingShuttersandwithoutGrill	1 Sqm	5,387.00
538	TBSC-M.II-03	Providing and fixing of Two shutter Sliding Windows made of Galvanized Steel as per IS 513, D quality, galvanized as per IS 277 with powder coated with Pure polyester powder up to 50-60 microns thick with total coated thickness of 0.8 mm for Outer Frame and 0.58 mm thickness for Sliding Shutter Section, the Outer Frame for Two Tracks with Grill provision size of 90 mm x 50 mm and the Window Shutter section of 58 mm x 36 mm and the outer Frame with two integrated guide tracks of 12mm width and 24mm deep for provision to slide the Shutter / sash frame and facilitates with a water drain outlet component made of PVC and the shutter frame fitted with 5mm thick plain float glass of reputed make and fixed with EPDM weathering seal resistant accessories and handle made of Aluminium 1 No. pereachshutterincludinginstallationofwindow system at site using anchor fasteners, Silicon sealant applied at the Outer frame corners inclusive of conveyance of all materials accessories, labour charges, and erection at site with complete finished item of work for Window with Two Sliding Shutters and with Grill	1 Sqm	5,974.00
539	TBSC-M.II-04	Providing and fixing of Three shutter Sliding Windows made of Galvanized Steel as per IS 513, D quality, galvanized as per IS 277 powder coated with Pure polyester powder andthickness of 0.8 mm for Outer Frame and 0.58 mm thickness for Sliding Shutter Section, with two integrated guide tracks of 12mm width and 24mm deep for	1 Sqm	6,310.00

Sl. No	ITEM CODE	DESCRIPTION OF THE ITEM	UNIT	Scheduled Rates for the Year 2020-21
		provision to slide the Shutter / sash frame and facilitates with a water drain outlet component made of PVC and the shutter frame fitted with 5mm thick plain float glass of reputed make and fixed with EPDM weathering seal resistant accessories and handle made of Aluminium 1 No. per each shutter and including installation of window system at site using anchor fasteners, Silicon sealant applied at the Outer frame corners inclusive of conveyance of all materials accessories, labour charges, and erection at site with complete finished item of work for i) Centre Shutter Fixed: centre shutter frame made of section with size 20mm x 47mm should be fitted with 5mm thick plain float glass of reputed make, EPDM gasket all around the glass and fixed to the Outer Frame with the supporting section of size 29mm x 20mm of 0.58mm thick fixed horizontally on top and bottom of the shutterframe.		
540	TBSC-M.II-05	Providing and fixing of Three shutter Sliding Windows made of Galvanized Steel as per IS 513, D quality, galvanized as per IS 277 powder coated with Pure polyester powder and thickness of 0.8 mm for Outer Frame and 0.58 mm thickness for Sliding Shutter Section, with two integrated guide tracks of 12mm width and 24mm deep for provision to slide the Shutter / sash frame and facilitates with a water drain outlet component made of PVC and the shutter frame fitted with 5mm thick plain float glass of reputed make and fixed with EPDM weathering seal resistant accessories and handle made of Aluminium 1 No. per each shutter and including installation of window system at site using anchor fasteners, Silicon sealant applied at the Outer frame corners inclusive of conveyance of all materials accessories, labour charges, and erection at site with complete finished item of work for ii) Centre Shutter Sliding: centreshutter frame made of section of size 20mm x 47mm should be fitted with 5mm thick plain float glass of reputed make. The supporting guide section of size 15mm x 19mm of 0.58mm thick fixed horizontally at top and bottom of shutter frame and slides along the bottom and top guide tracks made of sections size 24mm x 20mm of 0.58mm thick and 29mm x 20mm of 0.58mm thick and iii) Centre Fly mesh Shutter Sliding: Section for Fly mesh Shutter frame should be of size 20mm x 40mm of 0.58mm thick and fitted with SS mesh (304 Grade). The supporting guide section of size 29mm x 20mm of 0.58mm thick at the bottom and 15mm x 19mm of 0.58mm thick at the top fixed horizontally to the Fly mesh frame and slides along the bottom and top guide tracks made of sections size 20mm x	1 Sqm	6,910.00

Sl. No	ITEM CODE	DESCRIPTION OF THE ITEM	UNIT	Scheduled Rates for the Year 2020-21
		20mm of 0.58mm and 29mm x 20mm of 0.58mm.		
541	TBSC-M.II-06	Providing and fixing of Three shutter Sliding Windows made of Galvanized Steel as per IS 513, D quality, galvanized as per IS 277 powder coated with Pure polyester powder and thickness of 0.8 mm for Outer Frame and 0.58 mm thickness for Sliding Shutter Section, with two integrated guide tracks of 12mm width and 24mm deep for provision to slide the Shutter / sash frame and facilitates with a water drain outlet component made of PVC and the shutter frame fitted with 5mm thick plain float glass of reputed make and fixed with EPDM weathering seal resistant accessories and handle made of Aluminium 1 No. per each shutter and including installation of window system at site using anchor fasteners, Silicon sealant applied at the Outer frame corners inclusive of conveyance of all materials accessories, labour charges, and erection at site with complete finished item of work for Window with 3 shutters (Centre fixed shutter/Centre sliding shutter/centre Flymesh shutter) and without Grill Window made of Outer Frame of size 90mm x 50mm. i) Centre Shutter Fixed: centre shutter frame made of section with size 20mm x 47mm of 0.58mm thick should be fitted with 5mm thick plain float glass of reputed make, EPDM gasket all around the glass and fixed to the Outer Frame with the supporting section of size 29mm x 20mm of 0.58mm thick fixed horizontally on top and bottom of the shutter frame.	1 Sqm	5,659.00
542	TBSC-M.II-07	Providing and fixing of Three shutter Sliding Windows made of Galvanized Steel as per IS 513, D quality, galvanized as per IS 277 powder coated with Pure polyester powder and thickness of 0.8 mm for Outer Frame and 0.58 mm thickness for Sliding Shutter Section, with two integrated guide tracks of 12mm width and 24mm deep for provision to slide the Shutter / sash frame and facilitates with a water drain outlet component made of PVC and the shutter frame fitted with 5mm thick plain float glass of reputed make and fixed with EPDM weathering seal resistant accessories and handle made of Aluminium 1 No. per each shutter and including installation of window system at site using anchor fasteners, Silicon sealant applied at the Outer frame corners inclusive of conveyance of all materials accessories, labour charges, and erection at site with complete finished item of work for Window with 3 shutters (Centre fixed shutter/ Centre sliding shutter/centre Flymesh shutter) and without Grill Window made of Outer Frame of size 90mm x 50mm. ii) Centre Shutter Sliding: centre shutter frame made of section	1 Sqm	6,192.00

Sl. No	ITEM CODE	DESCRIPTION OF THE ITEM	UNIT	Scheduled Rates for the Year 2020-21
		with size 20mm x 47mm of 0.58mmthick should be fitted with 5 mm thick plain float glass of reputed make. The supporting guide section of size 15mm x 19mm of 0.58mm thick fixed horizontally at top and bottom of shutter frame and slides along the bottom and top guide tracks made of sections size 24mm x 20mm of 0.58mm thick and 29mmx20mm of 0.58 mm thick.		
543	TBSC-M.II-08	Providing and fixing of Three shutter Sliding Windows made of Galvanized Steel as per IS 513, D quality, galvanized as per IS 277 powder coated with Pure polyester powder and thickness of 0.8 mm for Outer Frame and 0.58 mm thickness for Sliding Shutter Section, with two integrated guide tracks of 12mm width and 24mm deep for provision to slide the Shutter / sash frame and facilitates with a water drain outlet component made of PVC and the shutter frame fitted with 5mm thick plain float glass of reputed make and fixed with EPDM weathering seal resistant accessories and handle made of Aluminium 1 No. per each shutter and including installation of window system at site using anchor fasteners, Silicon sealant applied at the Outer frame corners inclusive of conveyance of all materials accessories, labour charges, and erection at site with complete finished item of work for Window with 3 shutters (Centre fixed shutter/Centreslidingshutter/centreFlymesh shutter) and without Grill Window made of Outer Frame of size 90mm x 50mm. iii) Centre Fly mesh Shutter Sliding: Section for Fly mesh shutter frame should be of size 20mm x 40mm and fitted with SS mesh (304 Grade). The supporting guide section of size 29mm x 20mm of 0.58mm thick at the bottom and 15mm x 19mm of 0.58mm thick at the top fixed horizontally to the Fly mesh frame and slides along the bottom and top guide tracks made of sections size 20mm x 20mm of 0.58mm thick and 29mm x 20mm of 0.58mmthick.	1 Sqm	6,192.00
544	TBSC-M.II-09	Supplying and fixing of Unplasticised Poly Vinyl Chloride (UPVC) 2 Track-2 Panel Sliding windows duly manufactured using UPVC reinforced profiles(Composition of profile shall consists a minimum of 5.5 PHR of TiO2 and not more than 12 PHR of CaCo3 for every 100 parts of PVC resin) of (62 mm x 60 mm)/(60 mm x 45 mm) x 2.20 mm for outer frames, (66 mm x 38 mm)/(58 mm x 39 mm) x 2.20 mm for sliding shutter frames capable of mounting single glazing system, structurally reinforced with hot dip galvanized up to 50 microns of minimum thickness of 1.0/1.2 mm prefabricated & welded through fusion welding. The window sash shall be fitted with 5 mm thick clear float glass of reputed make duly fixed with	1 Sqm	6,493.00

Sl. No	ITEM CODE	DESCRIPTION OF THE ITEM	UNIT	Scheduled Rates for the Year 2020-21
		Grey colour TPV Gasket for sash & Glazing bead shall be co- extruded with Grey colour soft PVC. System shall have single point locking with Touch Lock and the system is to be installed at the site using anchor fasteners, silicon rubber sealant, easy glazing/ deglazing at site etc., including cost and conveyance of all materials, accessories, labour charges for transportation, erection at site complete for finished item of work.		
545	TBSC-M.II-10	Supplying and fixing of Unplasticised Poly Vinyl Chloride (UPVC) 3 track sliding windows with mesh shutter provision - (only 2-glass shutters) duly manufactured using UPVC reinforced profiles (Composition of profile shall consists a minimum of 5.5 PHR of TiO2 and not more than 12 PHR of CaCo3 for every 100 parts of PVC resin) of (80 mm x 52 mm)/ (94 mm x 45 mm) x 2.20mmforouterframes,(54mmx38mm)/(39 mm x 58 mm) x 2.20 mm for sliding shutter frames capable of mounting single glazing system, structurally reinforced with hot dip galvanized up to 50 microns of minimum thickness of 1.0/1.2 mm prefabricated & welded through fusion welding. The window sash shall be fitted with 5 mm thick clear float glass of reputed make duly fixed with Grey colour TPV Gasket for sash & Glazing bead shall be co- extruded with Grey colour soft PVC. System shall have single point locking with Touch Lock and the system is to be installed at the site using anchor fasteners, silicon rubber sealant, easy glazing/ deglazing at site etc., including cost and conveyance of all materials, accessories, labour charges for transportation, erection at site complete forfinished item of work	1 Sqm	6,091.00
546	TBSC-M.II-11	Supplying and fixing of Unplasticised PolyVinyl Chloride (UPVC) 3 track sliding windows with mesh shutter - (2-glass shutters and 1- mesh shutter) duly manufactured using UPVC reinforcedprofiles(Composition of profiles shall consists a minimum of 5.5 PHR of TiO2 and not more than 12PHR of CaCo3 forevery100parts of PVC resin) of(94mmx45mm)/(80mmx52 mm) x 2.20 mm for outer frames, (58 mm x 39 mm)/(54 mm x 38 mm) x 2.20 mm for sliding shutter frames capable of mounting single glazing system structurally reinforced withhot dip galvanized up to 50 microns of minimum thicknessof1.0/1.2mmprefabricated&welded through fusion welding. The window sashshall be fitted with 5 mm thick clear float glass of reputed make and mesh shutter frame shall be (42mmx25mm)/(52mmx21.5mm)x2.0mm fitted with Vinyl Coated Fibremesh-onrollers/ pulley duly fixed with Grey colour TPV Gasket for sash & Glazing bead shall be co-extruded with Grey	1 Sqm	6,780.00

Sl. No	ITEM CODE	DESCRIPTION OF THE ITEM	UNIT	Scheduled Rates for the Year 2020-21
		colour soft PVC. System shall have single point locking with Touch Lock and the system is to be installed at the site using anchor fasteners, silicon rubber sealant, easy glazing/deglazing at site etc., including cost and conveyance of all materials, accessories, labour charges for transportation, erection at site complete for finished item of work.		
547	TBSC-M.II-12	DELETED		
548	TBSC-M.II-13	Providing and Fixing Pre painted Steel Sliding Windows / Doors - 3 track sliding window /doors shutter with mesh shutter - (2 - glass shutters and 1 - mesh shutter) fabricated from Roll formed sections made of galvanized Steel colour coated/powder coated (Base Steel as per IS 513 'D' quality, galvanized as per IS 277 with zinc of 120 GM/Sq.mtr) with total coated thickness of 0.58mm. Primer coat with epoxy primer of 5-7 microns thick, finish painted with polyester paint of 12-16 microns thick and back coated with Alkyd backer of 5-7 microns or powder coated with pure polyester powder upto 50-60 microns thick. Section for external frame should be of 44 x 107mm .Section for glass shutter and mesh shutter in case of door should be of 35 x 67 mm Section for euro groove should be 25 x 31mm (Aluminium/ Plastic) (in case of window sections should be 35 x 49 mm and 25 x 24 mm and 30 x 41 mm) and Lap Strip should be of 39 x 41mm (30 x 41 mm & Touch lock for window) (Aluminium/ Plastic. The doors/ windows should be panelled with 5mm thick plain float glass. Corner bracket for internal and external frame made of glass filled nylon.Gaskets are to be made of Ethyl Propylene Diamine Monomer (EPDM).The sections are to be cut to length, joined and assembled by means of corner bracket. The above frames should be fixed to the concrete/masonry walls by means of self expanding brackets & screws including 10mm square guard bars with 6" pitch (152.4mm) (in case of windows only) and all Taxes complete for finished item of work.	1 Sqm	7,619.00
549	TBSC-M.II-14	Supplying and fixing of Unplasticised Poly Vinyl Chloride (UPVC) 2 Track-2 Panel Sliding windows duly manufactured using UPVC reinforced profiles of 60 mm x 49 mm x 2.20 mm for outer frames, 62 mm x 41 mm x 2.20 mm for sliding shutter frames capable of mounting single glazing system, structurally reinforced with 30 mm 15 mm x 1.5 mm with hot dip galvanized up to 50 microns of minimum thickness of 1.0/1.2 mm prefabricated & welded through fusion welding. The window sash shall be fitted with 5 mm thick clear float glass of reputed make duly fixed with	1 Sqm	6,679.00

Sl. No	ITEM CODE	DESCRIPTION OF THE ITEM	UNIT	Scheduled Rates for the Year 2020-21
		Grey colour TPV Gasket for sash & Glazing bead shall be co- extruded with Grey colour soft PVC. System shall have single point locking with Touch Lock and the system is to be installed at the site using anchor fasteners, silicon rubber sealant, easy glazing/ deglazing at site etc., including cost and conveyance of all materials, accessories, labour charges for transportation, erection at site completeforfinisheditemofwork.		
550	TBSC-M.II-15	Supplying and fixing of Unplasticised Poly Vinyl Chloride (UPVC) 2 Track-2 Panel Sliding windows with mesh duly manufactured using UPVC reinforced profiles of 91 mm x 49 mm x 2.20 mm for outer frames, 62 mm x 41 mm x 2.20 mm for sliding shutter frames capable of mounting single glazing system, structurally reinforcedwith30mm15mmx1.5mmwithhot dip galvanized up to 50 microns of minimum thickness of 1.0/1.2 mm and the shutter of fly screen with fibre mesh shall be made of size 21mm x 58mm extruded uPVC window profile section of white colour having outer wall thickness of 2.2mm (± 0.3mm) provided with reinforcement of minimum 1.5mm thick G/J/U/S/O type GI section duly mitred cut and thermal welded at all corners and prefabricated & welded through fusion welding. The window sash shall be fitted with 5 mm thick clear float glass of reputed make & Glazing bead shall be co-extruded with Grey colour soft PVC. System shall have single point locking with Touch Lock and the system is to be installed at the site using anchor fasteners, silicon rubber sealant, easy glazing/ deglazing at site etc., including cost and conveyance of all materials, accessories, labour charges for transportation, erection at site completeforfinisheditemofwork.	1 Sqm	7,731.00
III	SUB-SECTION	VENTILLATORS		
551	TBSC-M.III-01	Supply and fixing of pre-painted steel top hung and fixed louvered ventilators made of pre - painted steel as per IS 513 of -0.58 mm thick 'D' quality, galvanized as per IS 277, finish painted with a polyester paint & 4 mm pinhead glass for ventilators with EPDM Gasket with handle made of high grade aluminium powder coated and nylon receiver, corner brackets made of CRCA with Zinc Phosphate, Mullion caps made of glass filled nylon, frames fixed to the concrete /masonry wall by means of self expanding screws including 10 mm square guard bars with 6 pitch complete for finished item of work for (i) Ventilators: Top Hung 2 '0 x 2'-0 (609.6x609.6mm) outer frame section size of 46mm x 52 mm shutter frame section size of 46mm x 46 mm and (ii) Ventilators: Top Hung 4 '0	1 Sqm	7,036.00

Sl. No	ITEM CODE	DESCRIPTION OF THE ITEM	UNIT	Scheduled Rates for the Year 2020-21
		0 x 2'-0 (1219.2x609.6mm) outerframe section size of 46 x 52 m shutter frame section size of 46x46mm Mullion section size of 46x70 mm and (iii) Ventilators: Top Hung 4 '-0 x 3'-0 (1219.2x914.4mm) outer frame section size of 46 x 52m m shutter frame section size of 46 x 46 mm Mullion section size of 46x70mm		
552	TBSC-M.III-02	Supply and fixing of pre-painted steel top hung and fixed louvered ventilators made of pre - painted steel as per IS 513 of -0.58 mm thick 'D quality, galvanized as per IS 277, finish painted with a polyester paint & 4 mm pinhead glass for ventilators with EPDM Gasket with handle made of high grade aluminium powder coated and nylon receiver, corner brackets made of CRCA with Zinc Phosphate, Mullion caps made of glass filled nylon, frames fixed to the concrete /masonry wall by means of self expanding screws including 10 mm square guard bars with 6 pitch complete for finished item of work for (i) Ventilators: Fixed louvers 2'-0 x 2'-0 (609.6x609.6mm)(Box section) outer frame section size of 33 x 56 mm and (ii) Ventilators: Fixed louvers 4'-0 x 2'-0 (1219.2 x 609.6 mm) (Box section) outer frame section size of 33 x 56 mm Mullion section size of 33 x 56 mm and (iii) Ventilators: Fixed louvers 4'-0 x 3'-0 (1219.2 x 914.4 mm) (Box section) outer frame section size of 33x56mm Mullion section size of 33x56 mm	1 Sqm	4,813.00
553	TBSC-M.III-03	Providing and fixing of top hung Ventilators made of pre-painted steel as per IS 513 of 0.80 mm thick galvanized as per IS 277 with a polyester paint with 1 No. of High grade nylon latch handle, window stopper, 2 nos. of with MS Powder coated /SS ball bearing butt Hinges provided per shutter and fitted with 4 mm thick plain float glass with rubber gaskets including fixing the frames in concrete/masonry wall by means of self expanding screws, Including 10 mm Square guard bars with 6" (152.4mm) pitch etc., complete for finished item of work for (i) Single open able ventilator shutter size of 2'0" x 2' 0" (609.6 x 609.6mm) outer frame section size of 80 x 45mm, shutter frame section size of 52 x 25mm thick and (ii) Double open able ventilator shutter Size of 4' 0" x 2' 0" (1219.2mm x 609.6mm) outer frame section size of 80 x 45mm, shutter frame section size of 52 x 25mm, vertical mullion section size of 80 x 60 mm and (iii) Double open able fix shutter size of 4'0" x 3'0" (1219.2mm x 914.4mm) outer framesection size of 80 x 45mm , shutter frame section size of 52 x 25 mm , Vertical mullion section size of 80 x 60mm	1 Sqm	6,201.00
554	TBSC-M.III-04	Providing and fixing of louvered Ventilators made of pre-painted steel as per IS 513 of 0.80 mm thick galvanized as per IS 277 with a polyester	1 Sqm	4,246.00

Sl. No	ITEM CODE	DESCRIPTION OF THE ITEM	UNIT	Scheduled Rates for the Year 2020-21
		paint with and fitted with 4 mm thick plain float glass including fixing the frames in concrete/masonry wall by means of self expanding screws, etc., complete for finished item of work for (i) Single fixed Louvers Ventilator size of 2' 0" x 2' 0" (609.6 x 609.6mm) outer frame box section size of 80 x 45mm and (ii) Double fixed Louvers ventilator Size of 4' 0"x 2' 0" (1219.2mm x 609.6mm) outer frame box section size of 80 x 45mm, vertical mullion section size of 80 x 60 mm and (iii) Double fixed Louvers Ventilator size of 4'0" x 3'0" (1219.2mm x 914.4mm) outer frame box section size of 80 x 45mm , Vertical mullion section size of 80 x 60 mm		
555	TBSC-M.III-05	Providing and fixing of top hung Ventilator with fly mesh made of pre-painted steel as per IS 513 of 0.80 mm thick galvanized as per IS 277 with Zinc, finish painted with a polyester paint, section for fly-shutter of 0.6 mm thick and fitted with stainless steel 32 gauge fly mesh of 304 grade and mullions to have double rebate for glazed shutter and fly-shutter with a provision for guard bars/grills and 1 No. of High grade nylon latch handle, window stopper, 2 nos. of with MS Powder coated /SS ball bearing butt Hinges provided per shutter and windows fitted with 4 mm thick plain float glass with rubber gaskets including fixing the frames in concrete/masonry wall by means of self expanding screws, Including 10 mm Square guard bars with 6" (152.4mm) pitch etc., complete for finished item of work for (i) Single open able ventilator shutter window size of 2' 0" x 2' 0" (609.6 x 609.6mm) outer frame section size of 100 x 45mm, Glazed and fly mesh shutter frame section size of 52 x 25mm thick and (ii) Double open able ventilator shutter window Size of 4' 0" x 2' 0" (1219.2mm x 609.6mm) outer frame section size of 100 x 45mm, Glazed and fly mesh shutter frame section size of 52 x 25mm, vertical mullion section size of 100 x 60 mm and (iii) Double open able fix shutter window size of 4'0" x 3'0" (1219.2mm x 914.4mm) outer frame section size 100 x 45mm , Glazed and fly mesh shutter frame section size 52 x 25 mm ,Vertical mullion section size of 100 x 60 mm	1 Sqm	7,672.00
556	TBSC-M.III-06	Providing and fixing of top hung Ventilator with fly mesh made of pre-painted steel as per IS 513 of 0.80 mm thick galvanized as per IS 277 with Zinc, finish painted with a polyester paint, section for fly-shutter of 0.6 mm thick and fitted with stainless steel 32 gauge fly mesh of 304 grade and mullions to have double rebate for glazed shutter and fly-shutter with a provision for guard bars/grills and 1 No. of High grade nylon	1 Sqm	5,169.00

Sl. No	ITEM CODE	DESCRIPTION OF THE ITEM	UNIT	Scheduled Rates for the Year 2020-21
		latch handle, window stopper, 2 nos. of with MS Powder coated /SS ball bearing butt Hinges provided per shutter and windows fitted with 4 mm thick plain float glass with rubber gaskets including fixing the frames in concrete/masonry wall by means of self expanding screws, Including 10 mm Square guard bars with 6" (152.4mm) pitch etc., complete for finished item of work for (i) Single fixed Louvers Ventilator window size of 2' 0" x 2' 0" (609.6 x 609.6mm) outer frame box section size of 100 x 45mm, fly mesh shutter frame section size 52 x 25 mm and (ii) Double fixed Louvers ventilator window Size of 4' 0" x 2' 0" (1219.2mm x 609.6mm) outer frame box section size of 100 x 45mm, fly mesh shutter frame section size 52 x 25 mm, vertical mullion section size of 100 x 60 mm and (iii) Double fixed Louvers Ventilator window size of 4'0" x 3'0" (1219.2mm x 914.4mm) outer frame box section size 100 x 45mm , fly mesh shutter frame section size 52 x 25 mm Vertical mullion section size of 100 x 60 mm		
557	TBSC-M.III-07	Providing, supplying & fixing of Fixed Louvered Ventilator made out of multi chambered uPVC sections with Glazing bead shall be co-extruded with Grey colour soft PVC. having isolated drainage and reinforced with Galvanized Iron profiles throughout the window. The outerframe having an overall size of 60 mm x 55 mm x 2.40 with reinforcement of 1 mm thickness and Mullion with overall size of 74 mm x 60 mm x 2.40 mm with reinforcement of 1 mm thickness. (Composition of profile shall consists a minimum of 5.5 PHR of TiO2 and not more than 12 PHR of CaCo3 for every 100 parts of PVC resin).Ventilator shall be provided with 4.5 mm Pin Head glass, standard hardware. Wall thickness of frame & Mullion shall be 2.4 mm., including cost and conveyance of all materials, accessories, labour charges for transportation, erection at site complete for finished item of work.	1 Sqm	6,101.00
558	TBSC-M.III-08	Providing, supplying & fixing of Top hung Ventilator With Exhaust Fan Provision made out of multi chambered uPVC sections with TPV Gasket for sash & Glazing bead shall be co-extruded with Grey colour soft PVC and reinforced with Galvanized Iron profiles throughout the window. The outer frame having a overall size of 60mm x 55 mm x 2.40 mm with reinforcement of 1 mm thickness, Mullion with overall size of 74 mm x 60 mm x 2.40 mm with reinforcement of 1 mm thickness and Sash with overall size of 75 mm x 60 mm x 2.40 mm with	1 Sqm	8,584.00

Sl. No	ITEM CODE	DESCRIPTION OF THE ITEM	UNIT	Scheduled Rates for the Year 2020-21
		reinforcement of 1.0/1.2 mm thickness. (Composition of profile shall consists a minimum of 5.5 PHR of TiO ₂ and not more than 12 PHR of CaCo ₃ for every 100 parts of PVC resin).Glazing bead for fixing of glass shall be of size 34 x 20 mm coextruded with soft PVC gasket. Ventilator shall be provided with 4.5 mm Pin Head glass, standard hardware, single point locking using cockspur handle and friction stays. Wall thickness of frame, mullion and sash shall be 2.4 mm., including cost and conveyance of all materials, accessories, labour charges for transportation, erection at site complete for finished item of work.		
N	SECTION	STRUCTURAL GLAZING & CURTAIN WALLING		
		(Excluding taxes but including cost of loading, cost of conveyance, unloading & stacking)		
I	SUB-SECTION	FIXED GLAZING		
559	TBSC-N.I-01	Supplying and fixing of curtain Glazing made of pre painted steel as per IS 513 of 0.58 mm thick D quality, galvanized as per IS 277 Primer coated with epoxy, finish painted with a polyester paint using the section for outer frame of 46 x 52 mm, section for mullion of 46 x 70 mm and sectionfor beading of 18 x 25 mm and the glazing with 5 mm thick plain float glass fitted with EPDM gaskets including handle made of high grade Aluminium powder coated and nylon receiver, corner brackets made of CRCA with zinc phosphating, mullion caps made of Glass filled nylon including fixing the frames in the concrete / masonry wall with self expanding screws, etc., complete for finished item.- Fixed Glazing 2'-0 x 2'-0 (609.6x609.6mm) and Fixed Glazing 2'-0 x 3'-0 (609.6x914.4mm)	1 Sqm	6,108.00
560	TBSC-N.I-02	Supplying and fixing of curtain Glazing made of pre painted steel as per IS 513 of 0.58 mm thick D quality, galvanized as per IS 277 Primer coated with epoxy, finish painted with a polyester paint using the section for outer frame of 46 x 52 mm, section for mullion of 46 x 70 mm and sectionfor beading of 18 x 25 mm and the glazing with 5 mm thick plain float glass fitted with EPDM gaskets including handle made of high grade Aluminium powder coated and nylon receiver, corner brackets made of CRCA with zinc phosphating, mullion caps made of Glass filled nylon including fixing the frames in theconcrete / masonry wall with self expanding screws, etc., complete for finished item.- Fixed Glazing 3'-0 x 3'-0 (914.4x914.4mm) and Fixed Glazing 3'-0 x 4'-0 (914.4x1219.2mm)	1 Sqm	5,183.00
561	TBSC-N.I-03	Supplying and fixing of Unplasticised Poly Vinyl Chloride (UPVC) Fixed Glazing - 48 series duly	1 Sqm	2,993.00

Sl. No	ITEM CODE	DESCRIPTION OF THE ITEM	UNIT	Scheduled Rates for the Year 2020-21
		manufactured using UPVC reinforced profiles of 60 mm x 48 mm x 2.25 mm for outer frames and the mullion sections are of 60 mm x 76 mm x 2.25 mm frames are structurally reinforced with hot dip galvanized up to 50 microns of minimum thickness of 1.2 mm the sash shall be fitted with 5 mm thick clear float glass of reputed make duly fixed with EPDM weathering seal resistant including cost and conveyance of all materials, accessories, labour charges for transportation, erection at site with templates for casement sizing complete for finished item of work		
562	TBSC-N.I-04	Supplying and fixing of Unplasticised Poly Vinyl Chloride (UPVC) Fixed Glazing duly manufactured using UPVC reinforced profiles of 60 mm x 56 mm x 2.25 mm for outer frames and the mullion sections are of 60 mm x 70 mm x 2.25 mm frames are structurally reinforced with hot dip galvanized up to 50 microns of minimum thickness of 1.2 mm the sash shall be fitted with 5 mm thick clear float glass of reputed make duly fixed with EPDM weathering seal resistant including cost and conveyance of all materials, accessories, labour charges for transportation, erection at site with templates for casement sizing complete for finished item of work	1 Sqm	3,577.00
563	TBSC-N.I-05	Supplying and fixing of Unplasticised Poly Vinyl Chloride (UPVC) Fixed Glazing/ Window duly manufactured using UPVC reinforced profiles of 60 mm x 60 mm x 2.60 mm for frames and the mullion sections are of 60 mm x 82 mm x 2.60 mm frames are structurally reinforced with hot dip galvanized up to 50 microns of size 35 mm x 28 mm of thickness 1.5 mm the sash shall be fitted with 5 mm thick clear float glass of reputed make duly fixed with EPDM weathering seal resistant and glazing bead 34.5 mm x 18 mm including cost and conveyance of all materials, accessories, labour charges for transportation, erection at site with templates for casement sizing complete for finished item of work	1 Sqm	4,485.00
II	SUB-SECTION	STRUCTURAL GLAZING		
564	TBSC-N.II-01	Providing and fixing Structural Glazing fabricated from Roll formed sections made of Pre-painted Steel / Powder coated base steel as per IS 513 of 'D' quality, galvanized as per IS 277 and the glass holding section made of 304 grade stainless steel of 0.58 mm thick galvanized steel section as stiffeners inside the colour coated steel powder coated sections as per the design requirement & calculations to suit wind pressures as given in IS: 875, the primer coat with epoxy primer, finish painted with a polyester paint or powder coated with pure polyester powder and	1 Sqm	7,405.00

Sl. No	ITEM CODE	DESCRIPTION OF THE ITEM	UNIT	Scheduled Rates for the Year 2020-21
		the vertical section of 50 mm x 99 mm x 0.72 mm, 33 mm x 56 mm x 0.72 mm for frame horizontal section, stiffener section of 47 mm x 97 mm x 1 mm, cover profiles sections of 20 mm x 58 mm x 0.58 mm, glass holding section of 37 mm x 37 mm & 37 mm x 18 mm including fixing 5mm thick Ocean Blue reflective glass, brackets made of CRCA powder coated/Electroplated to connect vertical to horizontal, vertical to slab, to fix verticals at top & bottom as per site requirement and EPDM gasket, U.V. resistant silicon sealant including fixing in concrete/masonry wall with self-expanding cap & screws inclusive of cost and conveyance of all materials to site, all labour charges, incidental charges, cost of all consumables etc. and fixing charges excluding scaffolding complete for finished item of work.		
565	TBSC-N.II-02	Providing and fixing Top Hung shutters in Structural Glazing fabricated from Roll formed sections made of Pre-painted Steel / Powder coated base steel as per IS 513 of 'D' quality, galvanized as per IS 277 and the glass holding section made of 304 grade stainless steel of 0.58 mm thick, duly providing stiffeners inside the colour coated steel/powder coated sections as per the design requirement, calculations to suit wind pressures as given in IS 875 and primer coat with epoxy primer and powder coated with pure polyester powder up to 50-60 microns thick and the outer frame of 20 mm x 58 mm x 0.58 mm, shutter sections of 57 mm x 33 mm x 0.72 mm, stiffener sections of 55 mm x 31 mm x 1mm, hinges - 2 Nos for each shutter and aluminium Stays - 2 Nos. for each shutter, aluminium Handle - 1 no. for each shutter including cost and conveyance of all materials to site, all labour charges, incidental charges, cost of all consumables etc. and fixing charges etc excluding scaffolding complete for finished item of work	1 Sqm	5,984.00
III	SUB-SECTION	CURTAIN WALLING		
566	TBSC-N.III-01	Supplying and fixing of Unplasticised Poly Vinyl Chloride (UPVC) Curtain Walling systems duly manufactured using UPVC reinforced profiles of 60 mm x 56 mm x 2.5 mm for outer frames, 60 mm x 70 mm x 2.5 mm for casement shutter frames and the mullion sections are of 60 mm x 70 mm x 2.5 mm or 60 mm x 62 mm x 2.5 mm for sliding shutter outer frames and 77 mm x 38 mm x 2.5 mm for sliding shutter frames structurally reinforced with hot dip galvanized up to 50 microns of minimum thickness of 1 mm the sash shall be fitted with 5 mm thick clear float glass of reputed make duly fixed with EPDM weathering	1 Sqm	6,375.00

Sl. No	ITEM CODE	DESCRIPTION OF THE ITEM	UNIT	Scheduled Rates for the Year 2020-21
		seal resistant and accessories for casement window - friction stay hinges of stainless steel grade 304- 2 Nos., per sash, handle with mazak alloy casting 1 No. per sash, multipoint locking system suitably concealed 1 No., per sash provided with raiser wedges for smooth operation for sliding window - clipping locking system 1 No. made of aluminium including cost and conveyance of all materials, accessories, labour charges for transportation, erection atsite with templates for casement sizingexcluding scaffoldingcompleteforfinisheditemofwork		
P	SECTION	FIXTURES FOR DOORS & WINDOWS		
		(Excluding taxes but including cost of loading, cost of conveyance, unloading & stacking)		
I	SUB-SECTION	TOWER BOLTS		
567	TBSC-P.I-01	Brass Tower Bolt-10 mm Bolt (IS:204) 100 mm Long	Each	161.00
568	TBSC-P.I-02	Brass Tower Bolt-10 mm Bolt (IS:204) 150 mm Long	Each	236.00
569	TBSC-P.I-03	Brass Tower Bolt-10 mm Bolt (IS:204) 200 mm Long	Each	315.00
570	TBSC-P.I-04	Brass Tower Bolt-10 mm Bolt (IS:204) 250 mm Long	Each	391.00
571	TBSC-P.I-05	Brass Tower Bolt-10 mm Bolt (IS:204) 300 mm Long	Each	481.00
572	TBSC-P.I-06	Aluminium Tower Bolt-10 mm Bolt (IS:204) 75 mm Long	Each	44.00
573	TBSC-P.I-07	Aluminium Tower Bolt-10 mm Bolt (IS:204) 100 mm Long	Each	52.00
574	TBSC-P.I-08	Aluminium Tower Bolt-10 mm Bolt (IS:204) 150 mm Long	Each	66.00
575	TBSC-P.I-09	Aluminium Tower Bolt-10 mm Bolt (IS:204) 200 mm Long	Each	79.00
576	TBSC-P.I-10	Aluminium Tower Bolt-10 mm Bolt (IS:204) 250 mm Long	Each	96.00
577	TBSC-P.I-11	Aluminium Tower Bolt-10 mm Bolt (IS:204) 300 mm Long	Each	109.00
578	TBSC-P.I-12	Aluminium Tower Bolt-10 mm Bolt (IS:204) 350 mm Long	Each	288.00
579	TBSC-P.I-13	Aluminium Tower Bolt-10 mm Bolt (IS:204) 450 mm Long	Each	376.00
580	TBSC-P.I-14	MS-Powder Coated Tower Bolt-10 mm Bolt (IS:204) 100 mm Long	Each	24.00
581	TBSC-P.I-15	MS-Powder Coated Tower Bolt-10 mm Bolt (IS:204) 150 mm Long	Each	35.00
582	TBSC-P.I-16	MS-Powder Coated Tower Bolt-10 mm Bolt (IS:204) 200 mm Long	Each	52.00
583	TBSC-P.I-17	MS-Powder Coated Tower Bolt-10 mm Bolt (IS:204) 250 mm Long	Each	68.00
584	TBSC-P.I-18	MS-Powder Coated Tower Bolt-10 mm Bolt (IS:204) 300 mm Long	Each	85.00
585	TBSC-P.I-19	Stainless Steel Tower (IS:15833) 75 mmLong Bolt-10 mm 84	Each	84.00

Sl. No	ITEM CODE	DESCRIPTION OF THE ITEM	UNIT	Scheduled Rates for the Year 2020-21
586	TBSC-P.I-20	Stainless Steel Tower (IS:15833) 100 mmLong Bolt-10 mm 98	Each	98.00
587	TBSC-P.I-21	Stainless Steel Tower (IS:15833) 150 mmLong Bolt-10 mm 147	Each	147.00
588	TBSC-P.I-22	Stainless Steel Tower (IS:15833) 200 mmLong Bolt-10 mm 196	Each	196.00
589	TBSC-P.I-23	Stainless Steel Tower (IS:15833) 250 mmLong Bolt-10 mm 245	Each	245.00
590	TBSC-P.I-24	Stainless Steel Tower (IS:15833) 3000 mmLong Bolt-10 mm 293	Each	293.00
II	SUB-SECTION	HINGES		
591	TBSC-P.II-01	Brass Butt hinges (IS:205)- 75 mm Long	Each	66.00
592	TBSC-P.II-02	Brass Butt hinges (IS:205)- 100 mm Long	Each	218.00
593	TBSC-P.II-03	Brass Butt hinges (IS:205)- 125 mm Long	Each	264.00
594	TBSC-P.II-04	Brass Butt hinges (IS:205)- 150 mm Long	Each	348.00
595	TBSC-P.II-05	Aluminium Butt hinges (IS:205)- 75 mm Long	Each	49.00
596	TBSC-P.II-06	Aluminium Butt hinges (IS:205)- 100 mm Long	Each	64.00
597	TBSC-P.II-07	Aluminium Butt hinges (IS:205)- 125 mm Long	Each	77.00
598	TBSC-P.II-08	Aluminium Butt hinges (IS:205)- 150 mm Long	Each	93.00
599	TBSC-P.II-09	MS-Powder Coated Butt hinges (IS:205)- 75 mm Long	Each	11.00
600	TBSC-P.II-10	MS-Powder Coated Butt hinges (IS:205)- 100 mmLong	Each	21.00
601	TBSC-P.II-11	MS-Powder Coated Butt hinges (IS:205)- 125 mmLong	Each	31.00
602	TBSC-P.II-12	MS-Powder Coated Butt hinges (IS:205)- 150 mmLong	Each	40.00
603	TBSC-P.II-13	Deluxe window stay Aluminium	Each	131.00
604	TBSC-P.II-14	Brass Windows Stay	Each	203.00
605	TBSC-P.II-15	GI Powder Coated Friction stay hinges of 10" Long for windows	Each	213.00
606	TBSC-P.II-16	Continuous Piano Hinges Powder coated Mild steel as per IS-3818 : 1992 of nominal size 25 mm (B) of thickness 0.8 to 1.0 mm	1 RM	32.00
607	TBSC-P.II-17	Box hinges for cup boards	1 Each	41.00
608	TBSC-P.II-18	GI Powder Coated Friction stay hinges of 14" Long for windows	1 Each	300.00
609	TBSC-P.II-19	Stainless Steel Butt hinges (IS:12817)- 75 mm Long	Each	63.00
610	TBSC-P.II-20	Stainless Steel Butt hinges (IS:12817)- 100 mm Long	Each	93.00
611	TBSC-P.II-21	Stainless Steel Butt hinges (IS:12817)- 125 mm Long	Each	119.00

Sl. No	ITEM CODE	DESCRIPTION OF THE ITEM	UNIT	Scheduled Rates for the Year 2020-21
612	TBSC-P.II-22	Stainless Steel Butt hinges (IS:12817)- 150 mm Long	Each	148.00
III	SUB-SECTION	DOOR HANDLES		
613	TBSC-P.III-01	Aluminium Door Handles (IS:208) 75 mm Long	Each	44.00
614	TBSC-P.III-02	Aluminium Door Handles (IS:208) 100 mm Long	Each	52.00
615	TBSC-P.III-03	Aluminium Door Handles (IS:208) 125 mm Long	Each	74.00
616	TBSC-P.III-04	Aluminium Door Handles (IS:208) 150 mm Long	Each	87.00
617	TBSC-P.III-05	MS-Powder Coated Door Handles (IS:208) 125 mm Long	Each	31.00
618	TBSC-P.III-06	MS-Powder Coated Door Handles (IS:208) 150 mm Long	Each	45.00
619	TBSC-P.III-07	Brass fancy handles 150 mm	Each	304.00
620	TBSC-P.III-08	Brass fancy handles 200 mm	Each	412.00
621	TBSC-P.III-09	Brass fancy handles 250 mm	Each	743.00
622	TBSC-P.III-10	Brass fancy handles 300 mm	Each	948.00
623	TBSC-P.III-11	Brass fancy handles 450 mm	Each	1,483.00
624	TBSC-P.III-12	Keyless lockset for toilet doors with CP or PC knob handles (complete set)	Each	316.00
625	TBSC-P.III-13	Keyless lock set for toilet doors with brass knob handles	Each	836.00
626	TBSC-P.III-14	Hard Nylon Window Handle	Each	64.00
627	TBSC-P.III-15	Stainless Steel Door Handles 100 mm Long	Each	96.00
628	TBSC-P.III-16	Stainless Steel Door Handles 125 mm Long	Each	114.00
629	TBSC-P.III-17	Stainless Steel Door Handles 150 mm Long	Each	140.00
630	TBSC-P.III-18	Stainless Steel Door Handles 200 mm Long	Each	157.00
IV	SUB-SECTION	ALDROPS		
631	TBSC-P.IV-01	Brass Aldrops (IS:2681) 300 mm long	Each	1,164.00
632	TBSC-P.IV-02	Brass Aldrops (IS:2681) 350 mm long	Each	2,243.00
633	TBSC-P.IV-03	Brass Aldrops (IS:2681) 450 mm long	Each	3,194.00
634	TBSC-P.IV-04	AluminiumAldrops (IS:2681) 200 mm long	Each	166.00
635	TBSC-P.IV-05	AluminiumAldrops (IS:2681) 250 mm long	Each	192.00
636	TBSC-P.IV-06	AluminiumAldrops (IS:2681) 300 mm long	Each	210.00
637	TBSC-	MS-Powder Coated Aldrops (IS:2681) 200 mm long	Each	105.00

Sl. No	ITEM CODE	DESCRIPTION OF THE ITEM	UNIT	Scheduled Rates for the Year 2020-21
	P.IV-07			
638	TBSC-P.IV-08	MS-Powder Coated Aldrops (IS:2681) 250 mm long	Each	137.00
639	TBSC-P.IV-09	MS-Powder Coated Aldrops (IS:2681) 300 mm long	Each	164.00
640	TBSC-P.IV-10	Stainless Steel Aldrops (IS:15834) 200 mm long	Each	236.00
641	TBSC-P.IV-11	Stainless Steel Aldrops (IS:15834) 250 mm long	Each	279.00
642	TBSC-P.IV-12	Stainless Steel Aldrops (IS:15834) 300 mm long	Each	306.00
V	SUB-SECTION	LATCHES		
643	TBSC-P.V-01	Brass latch heavy 300 mm	ach E	584.00
644	TBSC-P.V-02	Brass latch heavy 350 mm	ach E	672.00
645	TBSC-P.V-03	Brass latch heavy 450 mm	ach E	886.00
646	TBSC-P.V-04	Aluminium Flat Latches: 200 mm long	ach E	96.00
647	TBSC-P.V-05	Aluminium Flat Latches: 250 mm long	ach E	105.00
648	TBSC-P.V-06	Aluminium Flat Latches: 300 mm long	ach E	114.00
649	TBSC-P.V-07	MS-Powder Coated Flat Latches: 250 mm long	ach E	53.00
650	TBSC-P.V-08	MS-Powder Coated Flat Latches: 300 mm long	ach E	66.00
VI	SUB-SECTION	DOOR CLOSURES		
651	TBSC-P.VI-01	Providing and fixing Cast Iron Body Bottle Type Hydraulic Door Closer (IS: 3564) with double speed adjustment, with necessary accessories and screws etc. complete	ach E	957.00
652	TBSC-P.VI-02	Providing and fixing Aluminium Extruded Section Body Tubular Type Hydraulic Door Closer (IS: 3564) with double speed adjustment with necessary accessories and screws etc. complete (Type-1: for width of doors up to 700 mm)	ach E	1,106.00
653	TBSC-P.VI-03	Providing and fixing Aluminium Extruded Section Body Tubular Type Hydraulic Door Closer (IS: 3564) with double speed adjustment with necessary accessories and screws etc. complete (Type-2: for width of doors 701 to 850 mm)	ach E	1,184.00
654	TBSC-P.VI-04	Providing and fixing Aluminium Extruded Section Body Tubular Type Hydraulic Door Closer (IS: 3564) with double speed adjustment with necessary accessories and screws etc. complete (Type-3: for width of doors 851 to 1000mm)	ach E	1,243.00
VII	SUB-SECTION	FLOOR SPRINGS		
655	TBSC-P.VII-01	Double action Stainless steel cover plate and cast body iron floor spring (IS 6315- Table-1)	ach E	1,734.00
656	TBSC-	Double action Brass cover plate and cast brass	E	4,114.00

Sl. No	ITEM CODE	DESCRIPTION OF THE ITEM	UNIT	Scheduled Rates for the Year 2020-21
	P.VII-02	body floor spring (IS 6315- Table-1)	ach	
657	TBSC-P.VII-03	Providing and fixing double action brass cast hydraulic floor spring (IS:6315-Table 1) for doors including cost of cutting floors as required, embedding in floors and S.S./ Brass cover plates with brass pivot and single piece M.S. Sheet outer box with slide plate etc. complete (door weight capacity up to 130Kgs)	ach	E 3,499.00
658	TBSC-P.VII-04	Providing and fixing double action brass cast hydraulic floor spring (IS:6315-Table 1) for doors including cost of cutting floors as required, embedding in floors and S.S. cover plates with brass pivot and single piece M.S. Sheet outer box with slide plate etc. complete (door weight capacity up to 80 Kgs)	ach	E 2,602.00
659	TBSC-P.VII-05	Providing of brass cast body Floor Spring IS: 6315 sleek in size with the S.S. / Brass Cover plates of Length 320 mm x Breadth 130 mm size along with the Top Patch, Bottom Patch, Door Lock and Pivot with Double Cylinder etc. complete for Heavy duty Glass doors.	Each	11,346.00
VIII	SUB-SECTION	MORTICE LOCKS		
660	TBSC-P.VIII-01	Heavy duty mortise lock 6/7 levers (IS:2209) with PC or CP handles complete set	Each	848.00
661	TBSC-P.VIII-02	Heavy duty mortise lock 6/7 levers (IS:2209) with brass heavy handles	Each	2,181.00
IX	SUB-SECTION	OTHER ACCESSORIES		
662	TBSC-P.IX-01	Brass Door Stoppers	Each	180.00
663	TBSC-P.IX-02	MS-Powder Coated - Door Stoppers	Each	45.00
664	TBSC-P.IX-03	Heavy duty Aluminium Door stopper	Each	58.00
665	TBSC-P.IX-04	Rubber/ Nylon door stop bushes	1 Each	10.00
666	TBSC-P.IX-05	Supply & fixing drapery rods (25.4 mm) 1" x 21 G Powder coated with PVC rings	RM	116.00
667	TBSC-P.IX-06	Supply & fixing drapery bracket - brass powder coated	pair	410.00
668	TBSC-P.IX-07	Nylon rollers for sliding glasses/ aluminium windows	1 Each	14.00
669	TBSC-P.IX-08	MS Z Hold fasts - 300 mm long of 40 x 40 x 5 mm ISA	1 Each	32.00
670	TBSC-P.IX-09	Magnetic Catchers	1 Each	14.00
Q	SECTION	CONSTRUCTION CHEMICALS & ADMIXTURES		
		Approved brands, area of application, dosage etc have been appended to this SoR for the guidance for preparation of estimates only. However, Literature for usage/application of construction/ water proofing materials, epoxies etc, may be obtained from the manufacturers, while in execution.		

Sl. No	ITEM CODE	DESCRIPTION OF THE ITEM	UNIT	Scheduled Rates for the Year 2020-21
I	SUB-SECTION	PLASTICIZERS		
671	TBSC-Q.I-01	Concrete Plasticizers and Water reducing admixture Conforming to IS:9103-1999	1 Ltr	182.00
672	TBSC-Q.I-02	Early High Strength, High water retention, polycarboxylic plasticizers Conforming to IS:9103-1999	1 Kg	128.00
673	TBSC-Q.I-03	High performance super plasticizer and water reducing admixture Conforming to IS: 9103- 1999	1 Kg	86.00
674	TBSC-Q.I-04	Super plasticizer for high range water reducing admixture Conforming to IS: 9103-1999	1 Kg	96.00
675	TBSC-Q.I-05	Super plasticizer, high rangewater reducing and retarding admixture complying with IS: 9103-1999	1 Kg	105.00
676	TBSC-Q.I-06	Plasticizer for accelerator for sprayed concrete Conforming to IS: 9103-1999.	1Kg	78.00
677	TBSC-Q.I-07	High Early Strength Concrete Admixture for Road Repairs	1 Ltr	26.00
II	SUB-SECTION	WATER PROOFING COMPOUNDS		
678	TBSC-Q.II-01	Integral Cement Waterproofing Liquid Conforming to IS:2645-2003	1 Ltr	191.00
679	TBSC-Q.II-02	High durable cementitious acrylic basedwaterproofingsystems	1 Kg	122.00
680	TBSC-Q.II-03	Acrylic Polymer Elastomeric Cementitious WaterproofCoatings	1 Ltr	318.00
681	TBSC-Q.II-04	Single component, elastomeric waterproof membranecoating	1 Ltr	386.00
682	TBSC-Q.II-05	Quick setting, rapid hardening and water proofing compound Conforming to IS: I.S. 2645- 2003	1 Ltr	73.00
683	TBSC-Q.II-06	Highly Flexible Waterproof Acrylic Elastomeric bituminous Blended Coatings	1 Ltr	272.00
684	TBSC-Q.II-07	Two part system of fibre reinforced Acrylic Cementitious Waterproofing coating.	Kg	131.00
685	TBSC-Q.II-08	High strength cellulose fibre reinforced acrylic elastomeric liquid membrane waterproof coating	Ltr	279.00
686	TBSC-Q.II-09	High Strength Acrylic Penetrative U,V. Resistant concrete road top coatings.	Ltr	306.00
687	TBSC-Q.II-10	High performance polyurethane blended with bituminous Membrane coating (Complies with ASTM C - 836)	Ltr	568.00
688	TBSC-Q.II-11	Nano Technology water based transparent silicon water repellent	Ltr	655.00
		Providing and applying Brushbond (two component acrylic polymer modified elastomeric waterproofing membrane which consists of Brushbond powder and Brushbond liquid acrylic emulsion) for a minimum 2mm thickness coating. (Work shall be executed as per manufacturer's specification and instructions.	1 sqm	224.00
III	SUB-SECTION	BONDINGAGENTS/ADHESIVES		
689	TBSC-Q.III-01	Acrylic based Bonding adhesive	1 Ltr	136.00
690	TBSC-Q.III-02	Styrene butadiene rubber based bonding agent	1 Kg	409.00

Sl. No	ITEM CODE	DESCRIPTION OF THE ITEM	UNIT	Scheduled Rates for the Year 2020-21
691	TBSC-Q.III-03	Two Parts system of Epoxy Bonding adhesive Conforming to ASTM-C 881	1 Kg	790.00
692	TBSC-Q.III-04	Liquid Polymer additive for cement & concrete mixes	1 Ltr	218.00
693	TBSC-Q.III-05	Polymer cementitious additive for fixing tiles/ stones etc	1 Kg	197.00
694	TBSC-Q.III-06	Highly multi purpose Roads Grade concrete bonding agent	Ltr	197.00
IV	SUB-SECTION	ANTI-CORROSIVE AGENTS		
695	TBSC-Q.IV-01	Acrylic based Anti corrosive coating	1 Ltr	318.00
696	TBSC-Q.IV-02	Rust converter -rust encapsulating coating for steel	1 Ltr	436.00
697	TBSC-Q.IV-03	High range of reinforcement / steel protector against corrosion zinc rich epoxy resin primer	1 Kg	680.00
698	TBSC-Q.IV-04	Anti corrosion CRPPC (Corrosion Resistant) inhibitive admixture	1 Lit	314.00
V	SUB-SECTION	GROUTS		
699	TBSC-Q.V-01	High Power Polyester Resin Anchor Grout Conforming to ASTM-827	1 Kg	272.00
700	TBSC-Q.V-02	Non-shrink Free flow high strength precision grout Conforming to BS 1881 Part 1161983.	1 Kg	31.00
701	TBSC-Q.V-03	Low viscosity Epoxy resin injection grout	1 Kg	726.00
702	TBSC-Q.V-04	Three component epoxy grout Conforming to IS: ASTM 827 (Three components)	1 Kg	146.00
703	TBSC-Q.V-05	Expansive acqua -reactive water barrier and grouting system.	1 Kg	941.00
VI	SUB-SECTION	MISCELLANEOUS CHEMICALS		
704	TBSC-Q.VI-01	Mould / Shutter releasing oil	1 Ltr	132.00
705	TBSC-Q.VI-02	Non oxidizing, heavy duty metallic Floor Hardeners	1 Kg	34.00
706	TBSC-Q.VI-03	Non-metallic Floor Hardeners	1 Kg	28.00
707	TBSC-Q.VI-04	High Strength, Non shrink Micro Concrete for structural repair product.	1 Kg	33.00
708	TBSC-Q.VI-05	Structural graded polymer modified reinstatement concrete / mortar(Two Part System)	1 Kg	78.00
709	TBSC-Q.VI-06	Three Component high performance elastomeric mortar.	1 Kg	862.00
710	TBSC-Q.VI-07	Surface treatment crystalline product.	1 Kg	327.00
711	TBSC-Q.VI-08	Polyurethane Sealant. 600 ml tube	1 No	662.00
712	TBSC-Q.VI-09	Polysulphide Sealant.	1 Kg	409.00
713	TBSC-Q.VI-10	Acrylic Latex caulking compound.	1 Kg	304.00
714	TBSC-Q.VI-11	Fast setting cement based plugging compound	1 Kg	78.00

Sl. No	ITEM CODE	DESCRIPTION OF THE ITEM	UNIT	Scheduled Rates for the Year 2020-21
715	TBSC-Q.VI-12	Highly Flexible High Range Polyurethane surfacecoatings	Ltr	590.00
716	TBSC-Q.VI-13	Coal Tar Epoxy	Kg	318.00
717	TBSC-Q.VI-14	Water Based Acrylic Blended High power curing compound	Kg	91.00
718	TBSC-Q.VI-15	Bituminous hot sealing compound	Kg	109.00
719	TBSC-Q.VI-16	Bitumen solution primer coating.	Kg	78.00
720	TBSC-Q.VI-17	Air Entraining Agent Conforming to IS: 9103-99	Ltr	109.00
721	TBSC-Q.VI-18	DELETED		DELETED
722	TBSC-Q.VI-19	Multifilament Polypropylene fibers of 6/12/18 mm length for Plastering, Screeds, all Precasting items	Kg	262.00
723	TBSC-Q.VI-20	Macro Synthetic fibers of 45mm length for CC Roads, Ground Supported Slabs, Pavements, Sprayed Concrete, Tunnel linings, Mining	Kg	393.00
724	TBSC-Q.VI-21	Steel Fibers of 35 mm length for CC Roads, Ground Supported Slabs, Pavements, Sprayed Concrete, Tunnel linings, Mining	Kg	87.00
725	TBSC-Q.VI-22	High strength, Acrylic blended dry colour mortar /concrete	Kg	42.00
725-1	TBSC-Q.VI-22	Pre construction Anti termite is a process in which chemical toxic to sub terrain termites is apply/ inject into soil during early stage of building Construction Treatment of soil Beneath the building and around the foundations conduct and chemical use as per BIS - IS 6313 (Part -2) 2013 code specification & CIB RC registered termiticide which creates a continuous chemical barrier beneath the building which kills or repels terminates & impervious to tremite entry Imidacloprid 30.5% SC (IS 63131) dissolve 2.1 ML/1 liter of water and apply emulsion/solution @ 7.5 Litres/Square meter (Sqm) of internal, external vertical surface of the columns , plinth beams (Back filling) walls and floor junction, external perimeters, along retaining wall @ 5.0 Liters/Sqm of the horizontal surface of basement top surface of the basement filling below flooring bed (Plinth) & @ 2.0 Litres/ Line meter at expansion joints. The substructure of a depth of 500mm around columns & 300mm deep around plinth beams, basements & floor filling area including excavation channel along the wall & rodding etc. cost & Conveyance of all materials to the site, cost of labour for spraying, rodding etc. complete for furnished item of work as per the approval of the Engineer-in-charge(Plinth area measurements will be taken for payment)	1 Sqm	152.00
VII	SUB-SECTION	REPAIRING & TREATMENT WORKS		

Sl. No	ITEM CODE	DESCRIPTION OF THE ITEM	UNIT	Scheduled Rates for the Year 2020-21
726	TBSC-Q.VII-01	Providing Tar Felting roof repair with approved brand Tar Felt duly applying one coat of appropriate grade of bitumen in hot condition @ 0.2 Kg/1 Sqm of roof area, fixing tar felt (Conforming to IS 1322-1972 specification), applying second coat of appropriate grade of hot bitumen at 1.20 Kg / 1 Sqm of roof area and spreading course aggregate (sand) at 0.063 Cum per 1 Sqm of roof area finished item.	1 Sqm	275.00
727	TBSC-Q.VII-02	Providing waterproofing treatment by supplying and fixing synthetic membrane felt of 1.50 mm thickness, 2.25 Kg per Sq. Mtr. duly applying one coat of Bituminous Emulsion, first coat of bituminous grade 85/25, fix waterproofing membrane, applying second coat of bitumen grade 90/15 after sealing all the joints and abutments with a Gas torch and applying one coat of bituminous aluminium paint for heat resistance for finished item.	1 Sqm	381.00
727-1	TBSC-Q.VII-02-1	Providing water proof treatment by supplying and fixing of MAT of 2mm thickness, 2.25 kg per sqm, first coat of bituminous emulsion, then one coat of bitumen 85/25 grade, fixing of water proofing membrane, sealing of joints with torch, applying second coat of bitumen 85/25 grade, and applying a coat of bituminous Aluminum paint for heat resistance for finished item of work as directed by the Engineer-in-Charge	1 Sqm	436.00
728	TBSC-Q.VII-03	Providing and laying of 3mm thick app modified bitumen membrane treatment to the terrace duly [1]removing of existing tar felt. [2]cleaning of the surface from dirt, dust and other contaminations. [3]applicationof one coat of Bitumenprimer[4]providingand laying of 3mm thick APP Modified Bitumen Membrane with 100 mm overlap fixing with butanetorch.	1 Sqm	519.00
729	TBSC-Q.VII-04	Providing specialized high performance acrylic polymer modified elastomeric cementitious waterproof coating to the terrace / walls / internal portion of the bathroom & toilets / internal portion of the water tanks duly cleaning of the surface from dirt, dust and other contaminations, providing and application of Two coats of High performance Acrylic polymer modified Elastomeric cementitious waterproof coating (1.8 Sq. Mtr. / Kg /Each Coat)	1 Sqm	412.00
730	TBSC-Q.VII-05	Providing specialized high build, elastomeric acrylic bituminous blended coating to the terrace / internal portion of the bathroom / toilets / basements / roofing duly a). Cleaning of the surface. b). Applying primer coat of High Build, Elastomeric Acrylic Bituminous Blended Coating c). Application of Two coats of High Build, Elastomeric Acrylic Bituminous Blended Coating	1 Sqm	381.00
731	TBSC-	Providing specialized high solid, cold applied,	1 Sqm	603.00

Sl. No	ITEM CODE	DESCRIPTION OF THE ITEM	UNIT	Scheduled Rates for the Year 2020-21
	Q.VII-06	acrylic elastomeric liquid membrane coating treatment to the terrace / roofing with fibre mesh / geo fabric duly a. Cleaning of the surface from dirt, dust and other contaminations. b. Applying one coat of High solid, Cold applied, Acrylic Elastomeric Liquid Membrane coating c. immediately, Application of one coat of High solid, Cold applied, Acrylic Elastomeric Liquid Membrane coating e. Laying of fibre mesh 40 GSM / Geo fabric 40 GSM on the surface. f. Over the Fibre mesh, Application of two coats of High solid, cold applied, Acrylic Elastomeric Liquid Membrane Coating		
732	TBSC-Q.VII-07	Providing specialized polysulphide sealant treatment to the expansion joints (Size : 25 mm x 25 mm) duly a]. Chipping and removing of existing covering on expansion joints b]. Cleaning of the surface from dirt, dust and other contaminations c].Application of one coat of - High performance specially designed SBR latex polymer based bonding agent d]. Providing and application of Acrylic Polymer modified reinstatement concrete /mortar to the damaged edges of joint and making the groove. e]. Providing and fixing of masking tape on top of the joint both sides f]. Providing and fixing of Back up support material of PVC Solid Backer rod to leave the depth of 25 mm on the joint g]. Providing and application of one coat of polysulphide primer on inner edges of Joint. h]. Providing and application of Two part Polysulphide sealant to a width of 25 mm and depth of 25 mm with putty knife and neat finish i]. Removing of masking tape and providing and application of two coats of Acrylic elastomeric cementitiouscoating	1 RM	687.00
733	TBSC-Q.VII-08	Pressure grouting the drilled holes with neat cement slurry or with approved grout admixture using pump - excluding cost of drilling holes	1 Each	54.00
734	TBSC-Q.VII-09	Providing multi-coloured silicon fluorocarbon spray coating of thickness 1mm for exterior & interior wall finishes to give Natural Granite appearance comprising of 4 coats including application of primer, waterproof coat, Multi colour texture & finally UV resistant with repellent clear coat of low VOC, non-toxic, Green Building compliant material	1 Sqm	1,467.00
735	TBSC-Q.VII-10	Providing and applying epoxy based anti skid coat over existing RCC/Concrete flooring surfaces of 2mm thickness for wear & tear protection in three part applications containing low solvent-coloured, epoxy resin based coating with thyrrotrophic propertiesspecially formulated for application in Car Parks having Mechanical / Physical Properties such as 1. Abrasion Resistance	1 Sqm	692.00

Sl. No	ITEM CODE	DESCRIPTION OF THE ITEM	UNIT	Scheduled Rates for the Year 2020-21
		~ 0.8mm thickness loss (According to IS 1237 - 1980 and IS 9162 - 1979) 2. Chemical Resistance to many chemicals 3. Thermal Resistance Exposure with Dry heat Permanent +50°C		
736	TBSC-Q.VII-11	Providing and applying epoxy resin based self levelling Conductive Floor System of 2mm thick Antistatic (ESD) Flooring System comprising of 1 coat of Primer followed by Application of copper tape and 1 layer of SL Conductive Undercoat and 1 layer of SL Conductive Top coat with Compressive strength after 7 days at +30° C: 50 N/mm ² and Flexural strength after 7 days at +30° C: approx. 25N/mm ² and Tensile strength after 7 days at +30° C: 16 N/mm ² with a Surface resistance When measured for surface resistance in accordance with BS 2050: 1978 (A-1984) and DIN EN 1081, the static Conductive topping including undercoat shall be less than 25kΩ.	1 Sqm	1,426.00
737	TBSC-Q.VII-12	Providing and applying food grade epoxy based water proof coat over existing RCC/Concrete flooring surfaces in three part applications containing low solvent-coloured, epoxy resin based coating with low VOC properties specially formulated for food grade application for potable water storage tanks in ambient temperatures	1 Kg	285.00
VIII	SUB-SECTION	EXPANSION JOINTS		
738	TBSC-Q.VIII-01	Supply of high performance expansion joint filler board conforming to IS: 1838 - 18 mm THICK	1 Sqm	729.00
739	TBSC-Q.VIII-02	Supply of high performance expansion joint filler board conforming to IS: 1838 - 20 mm THICK	1 Sqm	818.00
740	TBSC-Q.VIII-03	Supply of high performance expansion joint filler board conforming to IS: 1838 - 25 mm THICK	1 Sqm	1,022.00
741	TBSC-Q.VIII-04	Supply of expansion joint filler board conforming to IS: 1838 for buildings, columns, beams and slabs 20 mm THICK	1 Sqm	293.00
742	TBSC-Q.VIII-05	Supply of expansion joint filler board conforming to IS: 1838 for buildings, columns, beams and slabs 25 mm THICK	1 Sqm	366.00
743	TBSC-Q.VIII-06	Supply of expansion joint filler board conforming to IS: 1838 for buildings, columns, beams and slabs 50 mm THICK	1 Sqm	729.00
744	TBSC-Q.VIII-07	Supply of back up to cold applied gun-grade polysulphide sealant conforming to IS:11433 (Part-1) in construction and longitudinal joint - 10 mm OD	1 RM	12.00
745	TBSC-Q.VIII-08	Supply of back up to cold applied gun-grade polysulphide sealant conforming to IS:11433 (Part-1) in construction and longitudinal joint - 12 mm OD	1 RM	14.00
746	TBSC-Q.VIII-09	Supply of back up to cold applied gun-grade polysulphide sealant conforming to IS:11433 (Part-1) in construction and longitudinal joint - 15 mm OD	1 RM	17.00
747	TBSC-	Supply of back up to cold applied gun-grade	1 RM	24.00

Sl. No	ITEM CODE	DESCRIPTION OF THE ITEM	UNIT	Scheduled Rates for the Year 2020-21
	Q.VIII-10	polysulphide sealant conforming to IS:11433 (Part-1) in construction and longitudinal joint - 20 mm OD		
748	TBSC-Q.VIII-11	Supply of back up to cold applied gun-grade polysulphide sealant conforming to IS:11433 (Part-1) in construction and longitudinal joint - 25 mm OD	1 RM	30.00
R	SECTION	MISCELLANEOUS ITEMS		
749	TBSC-R.I-01	Supply of White Cement conforming to IS:8042-1989	1 Kg	29.00
750	TBSC-R.I-02	Supply of well burnt cinder aggregates as per IS: 2686-1977	1 Cum	808.00
751	TBSC-R.I-03	Supply of Aluminium anodized Sections for Doors, partitions, windows, Ventilators (including anodization cost) conforming to IS: 11857 - 1986	1 Kg	292.00
752	TBSC-R.I-04	Providing Powder coating as per IS:13871-1993 or colouranodization as per IS:7088-1973 - on any aluminium or mild steel section	1 Kg	30.00
753	TBSC-R.I-05	Providing hot dip galvanizing to any steel section as per IS:2629-1985	1 Kg	18.00
754	TBSC-R.I-06	Supply of Clear Silicone Sealant (Glass Glue Sealant) of Gun Applicator grade	1 Kg	211.00
755	TBSC-R.I-07	Supply of Sun Control film to the glazed windows partition including labour charges.	1 Sqm	299.00
756	TBSC-R.I-08	Supply of Aluminium Venetian Blinds horizontal 25.4 mm wide with all accessories.	1 Sqm	760.00
757	TBSC-R.I-09	Supply of Aluminium Venetian Blinds horizontal 20.0 mm wide with all accessories.	1 Sqm	724.00
758	TBSC-R.I-10	Supply of Venetian blinds Vertical blinds 100 mm wide with all accessories.	1 Sqm	1,229.00
759	TBSC-R.I-11	Supply of Rubber Beading for glass fixing	1 RM	3.00
760	TBSC-R.I-12	Supply of Soft Brush for painting, varnishing etc	Each	134.00
761	TBSC-R.I-13	Supply of Wire Brush for scraping	Each	31.00
762	TBSC-R.I-14	Providing and fixing PVC door cladding to the flush doors shutters, for the new doors it shall be pasted with synthetic glue or nailed to the old doors. complete as per direction of Engineer-in-charge, manufacturers specification and drawing - 1 mm thick	1 Sqm	359.00
763	TBSC-R.I-15	Providing and fixing PVC door cladding to the flush doors shutters, for the new doors it shall be pasted with Synthetic glue SSR 998 or nailed to the old doors. complete as per direction of Engineer-in-charge, manufacturers specification and drawing - 1.5 mm thick	1 Sqm	409.00
764	TBSC-R.I-16	Providing and fixing PVC door cladding to the flush doors shutters, for the new doors it shall be pasted with Synthetic glue SSR 998 or nailed to the old doors. complete as per direction of Engineer-in-charge, manufacturers specification and drawing - 2.0 mm thick	1 Sqm	462.00
765	TBSC-R.I-	Supplying and fixing aluminium composite	1 Sqm	2,389.00

Sl. No	ITEM CODE	DESCRIPTION OF THE ITEM	UNIT	Scheduled Rates for the Year 2020-21
	17	cladding with skin material 0.25 mm thick aluminium sheet cover material natural polyethylene aluminium cladding panel fixed with extruded aluminium basis frame (50x25x1.5mm) angle cleats, weather sealants, rivets, GI brackets all as approved, using suitable bolts on structural steel work including necessary accessories complete in all respects including labour charges etc., complete for finished item of work but excluding cost of structural steel fabrication, scaffolding charges,if any, ACP Cladding - 3 mmthick		
766	TBSC-R.I-18	Supplying and fixing aluminium composite cladding with skin material 0.25 mm thick aluminium sheet cover material natural polyethylene aluminium cladding panel fixed with extruded aluminium basis frame (50x25x1.5mm) angle cleats, weather sealants, rivets, GI brackets all as approved, using suitable bolts on structural steel work including necessary accessories complete in all respects including all labour charges etc., complete for finished item of work but excluding cost of structural steel fabrication, scaffolding charges,if any, ACP Cladding - 4 mmthick	1 Sqm	2,605.00
767	TBSC-R.I-19	Supplying and fixing aluminium composite cladding with skin material 0.5 mm thick aluminium sheet cover material natural polyethylene aluminium cladding panel fixed with extruded aluminium basis frame (50x25x1.5mm) angle cleats, weather sealants, rivets, GI brackets all as approved, using suitable bolts on structural steel work including necessary accessories complete in all respects including all labour charges etc., complete for finished item of work but excluding cost of structural steel fabrication, scaffolding charges,if any, ACP Cladding - 4 mmthick	1 Sqm	2,921.00
768	TBSC-R.I-20	S&F of pre-cast RCC Grills of any design of 25 mm thick manufactured with M-30 grade of concrete using vibro-compaction process using joint less FRP moulds to achieve shutteringfinish and adequately reinforced for long use and to prevent damage during handling, transportation & erectionetc.,	1 Sqm	350.00
769	TBSC-R.I-21	S&F of pre-cast RCC Grills of any design of 40 mm thick manufactured with M-30 grade of concrete using vibro-compaction process using joint less FRP moulds to achieve shutteringfinish and adequately reinforced for long use and to prevent damage during handling, transportation & erectionetc.,	1 Sqm	487.00
770	TBSC-R.I-22	S&F of pre-cast RCC Grills of any design of 50 mm thick manufactured with M-30 grade of concrete using vibro-compaction process using	1 Sqm	573.00

Sl. No	ITEM CODE	DESCRIPTION OF THE ITEM	UNIT	Scheduled Rates for the Year 2020-21
		joint less FRP moulds to achieve shuttering finish and adequately reinforced for long use and to prevent damage during handling, transportation & erection etc.,		
771	TBSC-R.I-23	Supply of Aluminium sheet 24 Gauge	1 Sqm	274.00
772	TBSC-R.I-24	Supply of 7.5mm thick Aluminium Grill (as approved by the department) 3.58Kg/1Sqm	1 Sqm	1,009.00
		Design, fabrication & supply of light weight pre engineered buildings for a maximum span of 9 meters with 50 x 50 x 2.8 mm M.S hollow square tubes for columns, trusses & purlins walls with sandwich panels made up of 2 Nos 10mm thick cement bonded particle/ fibre boards with 25mm thick 12 kg/cum density expanded polystyrene in between encased in 1.25 mm thick 24x7x26 mm 'W' tracks in bottom & top and 'H' section for sides with doors, windows & ventilators, roofing with 26 gauge pre painted profiled sheets fixed with self tapping/ drilling screws, painting with enamel paint for steel items, OBD for interiors and ace for exteriors & providing base plates, templates & anchor bolts along with civil foundation designs & drawings for the finished item of work		
773	TBSC-R.I-25	Steel Structure: - Structure is made up of 50x50x2.8 m/33x66x2.8mm thick hollow M.S. sections for -Columns and purlins	1 RM	395.00
774	TBSC-R.I-26	Steel Structure: - Structure is made up of 50x50x2.8 m/33x66x2.8mm thick hollow M.S. sections for Trusses	1 RM	1,987.00
775	TBSC-R.I-27	10 mm thick 200 X 200 mm M.S Plates for base plates, 250mm long 12mm anchor bolts with plate washer and nuts complete with one coat of Asian or equivalent red oxide paint	Each	671.00
776	TBSC-R.I-28	Sandwich panels: Sandwich panels of 50 mm thick with 25 mm Thermocol of 12 kg / cum, fixed in between 2 Nos 10 mm cement bonded wood particle / fibre boards properly fixed together with 30 mm x 30 mm x 30 mm wood pieces along width & length wherever necessary	1 Sqm	1,430.00
777	TBSC-R.I-29	'U' Tracks & 'H' Section:- Bottom & Top 'U' Tracks are made of 1.25 mm thick 120 GSM G.I. Sheet of size 24x51x26 mm size.	1 RM	155.00
778	TBSC-R.I-30	G I 'H' Section is made up of forming width of 275 mm single sheet roll formed in the shape of "H" section without any welding joint. 40mm width for flanges and 51 mm for web to hold 50 mm Sandwich panel	1RM	254.00
779	TBSC-R.I-31	Sandwich Panel joinery is made up of couplers or equivalent made from 0.6 mm G.I. roll formed section to hold 2 Nos of 10 mm board on both sides with 25mm Thermocol in between.	1 RM	301.00
780	TBSC-R.I-32	150 mm X 150 mm X 2.0 mm size M. S. Corner Cover Plate	1 RM	362.00

Sl. No	ITEM CODE	DESCRIPTION OF THE ITEM	UNIT	Scheduled Rates for the Year 2020-21
781	TBSC-R.I-31	Window:- windows are made up of 51 x51 mm step 'U' section made from 1.25 thick MS Cold rolled Steel Sheet and Windows Shutters & Grill are made of 48x25mm mm size pre painted section with 4mm glass complete with necessary hardware. Grills are made from 8 mm square rod at 100 mm spacing.	1 Sqm	4,163.00
782	TBSC-R.I-32	Door Frames :-51 X 51 Stepped ' U' section made from 1.25 mm thick C.R. section with a 32 mm rebate for 30 mm flush door and Door Shutters with 30 mm thick block board / flush doors with boiling water proof plywood complete with necessary Hard ware.	1 Sqm	3,984.00
783	TBSC-R.I-33	Ventilators:- Ventilators are made of 51x51 mm step 'U' section made From 1.25 mm thick C.R. sheet with fixed louvers and glass.	1 Sqm	4,459.00
784	TBSC-R.I-34	Painting:-1) Steel structure is to be painted with 2 coats of Grade I enamel paint.	1 Sqm	113.00
785	TBSC-R.I-35	2) Exterior walls are painted with one coat of primer and 2 coats of exterior emulsion paint .	1 Sqm	101.00
786	TBSC-R.I-36	3) Interiors are painted with 1+2 coat of O.B.D.	1 Sqm	88.00
787	TBSC-R.I-37	Toilets: - Toilets are provided as per plan with a provision for fixing the wash basin, W.C. etc only is made with M.S. steel section secured to the walls with toilet bracket provision excluding cost of WC/ Wash basin etc	Each	953.00
788	TBSC-R.I-38	Sun shades: - Sun shades will be provided wherever necessary with 300 mm more than the width of window. 25x25 mm angle frame to cover 450 mm in the front and the sides. 10mm cement bonded particle board will be fixed on the frame work and sealed with green paste or equivalent.	Each	3,211.00
789	TBSC-R.I-39	Roofing: - Roofing will be provided with 0.5mm thick galvanized / pre painted G.I. profiled sheets fixed to the purlins with 14 size self drilling screws with neoprene washer. Side laps are stitched with self tapping / drilling screws. End laps are to be sealed with 25x3 mm Butyl tape. The sheets are provided with anticapillary groove.	1 Sqm	725.00
790	TBSC-R.I-40	Preparing gabions with jungle wood	Each	3.00
791	TBSC-R.I-41	Planting plants	Each	3.00
792	TBSC-R.I-42	Pruning plants	Each	3.00
793	TBSC-R.I-43	Maintaining avenues including fencing, weeding, mulching, watering etc per plant.	Each	7.00
794	TBSC-R.I-44	Maintaining avenues including fencing, weeding, mulching, watering etc per plant When scattered in hot weather with extra conveyance from March to June	Each	8.00
795	TBSC-R.I-45	Hoisting or lowering of slab	1 cum	110.00
796	TBSC-R.I-	Drilling holes in hard rock surfaces up to 18mm	1	287.00

Sl. No	ITEM CODE	DESCRIPTION OF THE ITEM	UNIT	Scheduled Rates for the Year 2020-21
	46	Diameter	RM	
797	TBSC-R.I-47	Drilling Diameter holes 383 rock above 18mm	RM ¹	398.00
798	TBSC-R.I-48	Making holes up to 18mm Diameter in RCC/ any stones up to 50 mm thick	1 Each	48.00
799	TBSC-R.I-49	Making holes above 18mm Diameter in RCC/ any stones above 50 mm thick	1 Each	68.00
800	TBSC-R.I-50	Supplying EPDM Gasket for windows panes to the PPS shutter	RM ¹	32.00
801	TBSC-R.I-51	Supplying SS 304 Grade Heavy Duty Pivot Hinges for windows	1 Each	78.00
S	SECTION	MACHINERY & OTHER HIRE CHARGES		
802	TBSC-S.I-01	Machine charges of rubbing/ polishing floor	1 Hr	279.00
803	TBSC-S.I-02	Power Saw Cutter - Hand Operated - Hire charges	1 Hr	130.00
804	TBSC-S.I-03	Power Drill - Hand Operated - Hire Charges	1 Hr	121.00
805	TBSC-S.I-04	Grinding Mortar (Special Grinding)	1 Hr	140.00
806	TBSC-S.I-05	Casuarinas Balli Props - 3" to 4" Diameter - 12'- 0" Height	ach ^E	76.00
807	TBSC-S.I-06	Casuarinas Balli Props - 4" to 8" Diameter - 20'- 0" Height	ach ^E	126.00
808	TBSC-S.I-07	Wall Plate Brackets / beam bottom supports	ach ^E	221.00
809	TBSC-S.I-08	Wedge Plate fixture	ach ^E	11.00
810	TBSC-S.I-09	Runner beams of approximately 4" x 4" size	RM	442.00
811	TBSC-S.I-10	Steel Plates for form works	1 Sqm	1,671.00
812	TBSC-S.I-11	Scaffolding Pipes & Centering accessories	1 Kg	126.00
813	TBSC-S.I-12	Scaffold Boards - Bamboo scaffolds - Bamboos - 8'0" long	ach ^E	135.00
814	TBSC-S.I-13	Hire charges for stationary Concrete pump conforming to IS 21573 Part-1: 2006 to deliver the fresh green concrete	1 Hr	356.00
815	TBSC-S.I-14	Concrete delivery pipes conforming to IS 15947 Part I: 2012 to be connected to the pump to delivery point (150 mm Diameter) hire charges per 10 RM	1 Hr	5.00
T	SECTION	LABOUR CHARGES		
816	TBSC-T.I-01	Bailing out water for earth work excavation /concrete for foundation below water level. (For building items only) - Other than sandy soil - 0.0 M to 1.0 M	1 cum	295.00
817	TBSC-T.I-02	Bailing out water for earth work excavation /concrete for foundation below water level. (For building items only) - Other than sandy soil - 1.0 M to 2.0 M	1 cum	349.00
818	TBSC-T.I-	Bailing out water for earth work	1 cum	407.00

Sl. No	ITEM CODE	DESCRIPTION OF THE ITEM	UNIT	Scheduled Rates for the Year 2020-21
	03	excavation /concrete for foundation below water level. (For building items only) - Other than sandy soil - 2.0 M to 3.0 M		
819	TBSC-T.I-04	Bailing out water for earth work excavation / for concrete foundation below water level. (For building items only) Sandy soil - 0.0 M to 1.0 M	1 cum	468.00
820	TBSC-T.I-05	Bailing out water for earth work excavation /for concrete foundation below water level. (For building items only) Sandy soil - 1.0 M to 2.0 M	1 cum	728.00
821	TBSC-T.I-06	Bailing out water for earth work excavation /concrete for foundation below water level. (For building items only) Sandy soil - 2.0 M to 3.0 M	1 cum	880.00
822	TBSC-T.I-07	Labour charges for making, fabricating office racks, cup-board shutters etc with ply-wood/ MDF sheets, decolam/ veneer laminations including fixing cutting, making, assembling, fixing hinges, fixing fixtures, fixing locks, pasting sheets/ laminations fixing in position with necessary screws excluding cost of materials, accessories, fittings	1 Sqm	1,244.00
823	TBSC-T.I-08	Labour charges for making, fabricating kitchen furniture, cup-boards with shutters, box cup-boards, box racks, work-station furniture etc with ply-wood/ MDF sheets, decolam/ veneer laminations including fixing cutting, making, assembling, fixing hinges, fixing fixtures, fixing locks, pasting sheets/ laminations fixing in position with necessary screws excluding cost of materials, accessories, fittings	1 Sqm	1,860.00
824	TBSC-T.I-09	Labour charges for making, fabricating any aluminium door/ window/ glazing including fixing cutting, making, assembling, fixing hinges, fixing fixtures, fixing locks, fixing in position with necessary screws excluding cost of materials, accessories, fittings excluding cost of annodization	1 Sqm	575.00
825	TBSC-T.I-10	Rounding the edges of Kadapa / Shahabad stone slabs of any thickness including polishing the same	1 Rm	127.00
826	TBSC-T.I-11	Half Rounding the edges of Marble/ Granite stone slabs of all thicknesses including polishing the same.	1 Rm	387.00
827	TBSC-T.I-12	FullRoundingtheedgesofMarble/Granitestone slabs of all thicknesses including polishing the same.	1 Rm	502.00
828	TBSC-T.I-13	Machine Cutting charges - for Marble/ Granite slabs up to 50 mm thick by mechanical device.	1 RM	20.00
829	TBSC-T.I-14	Flat nosing to Kadapa/ Shahabad stone slabs of any thick	1 Rm	61.00
830	TBSC-T.I-15	Grooves 2-3 mm	1 Rm	68.00
831	TBSC-T.I-16	Labour charges for fabricating steel works like Window Grills, Compound Wall Grills, Iron Doors, Windows including cost of welding rods, power	1 Kg	31.00

Sl. No	ITEM CODE	DESCRIPTION OF THE ITEM	UNIT	Scheduled Rates for the Year 2020-21
		charges, excluding cost of fixing in position		
832	TBSC-T.I-17	Labour charges for fixing Iron Doors, Iron Windows and Window Grills in position	1 Kg	4.00
833	TBSC-T.I-18	Labour charges for fabricating all structural steel works like heavy steel works like Trusses, Stanchions, Heavy Beams and Girders including cost of welding rods, power charges, etc excluding cost of fixing in position	1 Kg	28.00
834	TBSC-T.I-19	Labour charges for erecting & fixing all structural steel works like heavy iron grills, Trusses, Stanchions, Heavy Beams and Girders erecting in position and fixing by using chain pulley blocks, Derek pole arrangements and cranes etc., complete in position	1 Kg	25.00
835	TBSC-T.I-20	Labour charges for Fabrication of stainless steel railing works using stainless steel welding rods including buffing, polishing, lacquer finishing, to present seamless finish	1 Kg	160.00
836	TBSC-T.I-21	Labour charges for Fabrication of stainless steel sheet cladding works using stainless steel welding rods including buffing, polishing, lacquer finishing, to present seamless finish	1 Sqm	2,142.00
837	TBSC-T.I-22	Labour charges for Glass designing works on any thickness of Glass including fixing at site - Etching works	1 Sqm	1,166.00
838	TBSC-T.I-23	Labour charges for Glass designing works on any thickness of Glass including fixing at site - Reverse Etching work	1 Sqm	1,442.00
839	TBSC-T.I-24	Labour charges for Glass designing works on any thickness of Glass including fixing at site - Acid wash works	1 Sqm	1,803.00
840	TBSC-T.I-25	Labour charges for fixing Flush door shutters of any thickness to the existing door frame including fixing the fixtures to the door shutter excluding cost of shutter	1 Sqm	467.00
841	TBSC-T.I-26	Labour charges for fixing glass panes of any thickness to the existing door / window panes including fixing the beading excluding cost of beading	1 Sqm	348.00
842	TBSC-T.I-27	Labour charges for wrought and put up including fixing in position for Teak wood Fully panelled door external or internal including frame	1 Sqm	2,198.00
843	TBSC-T.I-28	Labour charges for wrought and put up including fixing in position for Teak wood Glazed and panelled doors including fixing glass including frame	1 Sqm	2,038.00
844	TBSC-T.I-29	Labour charges for wrought and put up including fixing in position for Teak wood Framed and planked doors including frame	1 Sqm	1,822.00
845	TBSC-T.I-30	Labour charges for wrought and put up including fixing in position for Teak wood Lugged, braced and planked doors including frame	1 Sqm	1,424.00
846	TBSC-T.I-31	Labour charges for wrought and put up including fixing in position for Teak wood Flush type door shutter including frame	1 Sqm	1,028.00

Sl. No	ITEM CODE	DESCRIPTION OF THE ITEM	UNIT	Scheduled Rates for the Year 2020-21
847	TBSC-T.I-32	Labour charges for wrought and put up including fixing in position for Teak wood Windows glazed including outer frame and shutter frame	1 Sqm	1,375.00
848	TBSC-T.I-33	Labour charges for wrought and put up including fixing in position for Teak wood Windows panelled including outer frame and shutter frame	1 Sqm	2,119.00
849	TBSC-T.I-34	Labour charges for wrought and put up including fixing in position for Teak wood Windows ledged, braced and planked including outer frame	1 Sqm	1,448.00
850	TBSC-T.I-35	Labour charges for wrought and put up including fixing in position for Teak wood Windows framed and planked including outer frame and shutter frame	1 Sqm	1,729.00
851	TBSC-T.I-36	Labour charges for wrought and put up including fixing in position for Teak wood Ventilators glazed, fixed with double frame with wire netting including frame	1 Sqm	1,068.00
852	TBSC-T.I-37	Labour charges for wrought and put up including fixing in position for Teak wood Swing ventilators glazed including outer frame and shutter frame	1 Sqm	1,376.00
853	TBSC-T.I-38	Labour charges for wrought and put up including fixing in position for Teak wood Weld mesh doors and windows including outer frame and shutter frame	1 Sqm	735.00
854	TBSC-T.I-39	Labour charges for wrought and put up including fixing in position for Teak wood G.I or .AC sheet door & windows including outer frame and shutter frame	1 Sqm	822.00
855	TBSC-T.I-40	Labour charges for wrought and put up including fixing in position for Other than teakwood Fully panelled doors external or internal including frame	1 Sqm	1,838.00
856	TBSC-T.I-41	Labour charges for wrought and put up including fixing in position for Other than teakwood Glazed and panelled doors including fixing glass including frame	1 Sqm	1,746.00
857	TBSC-T.I-42	Labour charges for wrought and put up including fixing in position for Other than teakwood Framed and planked doors including frame	1 Sqm	1,524.00
858	TBSC-T.I-43	Labour charges for wrought and put up including fixing in position for Other than teakwood Ledged, braced and planked doors including frame	1 Sqm	1,192.00
859	TBSC-T.I-44	Labour charges for wrought and put up including fixing in position for Other than teakwood Flush type door shutter including frame	1 Sqm	936.00
860	TBSC-T.I-45	Labour charges for wrought and put up including fixing in position for Other than teakwood Windows glazed including outer frame and shutter frame	1 Sqm	1,182.00
861	TBSC-T.I-46	Labour charges for wrought and put up including fixing in position for Other than teakwood Windows panelled including outer frame and shutter frame	1 Sqm	1,772.00

Sl. No	ITEM CODE	DESCRIPTION OF THE ITEM	UNIT	Scheduled Rates for the Year 2020-21
862	TBSC-T.I-47	Labour charges for wrought and put up including fixing in position for Other than teakwood Windows ledged, braced and planked including outerframe	1 Sqm	1,212.00
863	TBSC-T.I-48	Labour charges for wrought and put up including fixing in position for Other than teakwood Windows framed and planked including outer frame and shutterframe	1 Sqm	1,446.00
864	TBSC-T.I-49	Labour charges for wrought and put up including fixing in position for Other than teakwood Ventilators glazed, fixed with double frame with wire netting including frame	1 Sqm	999.00
865	TBSC-T.I-50	Labour charges for wrought and put up including fixing in position for Other than teakwood Swing ventilators glazed including outer frame and shutterframe	1 Sqm	1,258.00
866	TBSC-T.I-51	Labour charges for wrought and put up including fixing in position for Other than teakwood Weld mesh doors and windows including outer frame and shutterframe	1 Sqm	644.00
867	TBSC-T.I-52	Labour charges for wrought and put up including fixing in position for Other than teakwood G.I or .AC sheet door & windows including outer frame and shutter frame	1 Sqm	730.00
868	TBSC-T.I-53	Dressing faces of granite stone (double line dressing)	1 Sqm	213.00
869	TBSC-T.I-54	Dressing faces of other than granite stone (double line dressing)	1 Sqm	133.00
870	TBSC-T.I-55	Labour charges for removing and refixing with complete servicing of the MS Windows	1 Sqm	455.00
U	SECTION	DISMANTLING		
871	TBSC-U.I-01	Stone masonry in cement mortar	1 Cum	485.00
872	TBSC-U.I-02	Terracing work in roofs or floors	1 Sqm	20.00
873	TBSC-U.I-03	Flat stones in roof or floors including lifting	1 Sqm	18.00
874	TBSC-U.I-04	Pan tiled or Mangalore tiled roof without roof timbers.	1 Sqm	16.00
875	TBSC-U.I-05	Flat and pan tiles or Mangalore tiles over flat tiles without roof timbers	1 Sqm	18.00
876	TBSC-U.I-06	Wrought and framed timber in roofs or floors	1 Cum	252.00
877	TBSC-U.I-07	Old lime mortar plaster	1 Sqm	5.00
878	TBSC-U.I-08	Old cement mortar plaster	1 Sqm	6.00
879	TBSC-U.I-09	Dry rough stone revetment for aprons and stacking within 40 M lead	1 Cum	78.00
880	TBSC-U.I-10	Revetment for aprons and stacking grouted within 40 lead	1 Cum	59.00
881	TBSC-U.I-11	Kadapa slabs or Shahabad stone slabs flooring on sand bed	1 Sqm	8.00
882	TBSC-U.I-12	Through scraping of old plastered surface	1 Sqm	5.00

Sl. No	ITEM CODE	DESCRIPTION OF THE ITEM	UNIT	Scheduled Rates for the Year 2020-21
883	TBSC-U.I-13	Washing of plastered surface with soap, soda and water (or with soda lime and water)	1Sqm	2.00
884	TBSC-U.I-14	Clean removal of lime plaster from walls and raking out joints 20 mm deep or from terraced roof and raking out joints up to 50 mm deep	1Sqm	5.00
885	TBSC-U.I-15	Clean removal of cement plaster from walls and raking out joints 20 mm deep or from terraced roof and raking out joints from 50 mm to 100 mm deep	1Sqm	6.00
V	SECTION	GYP SUM PLASTER		
886	TBSC-V.I-1	Supply and applying 20 mm thick fine Gypsum plaster on internal RCC surfaces like Ceilings, Beams, Columns, walls duly preparing the surfaces clean and dry including cost of material, application charges to make even surface, labour charges, unloading, loading, scaffolding etc complete for finished item of work.	1Sqm	507.00
887	TBSC-V.I-2	Supply and applying 12 mm thick fine Gypsum plaster on internal RCC surfaces like Ceilings, Beams, Columns, walls duly preparing the surfaces clean and dry including cost of material, application charges to make even surface, labour charges, unloading, loading, scaffolding etc complete for finished item of work.	1Sqm	304.00
VI	SECTION	PANELS		
889	TBSC-VI.I-1	Providing and fixing in position, 200mm thick factory made Expanded Polystyrene Core (EPS Core) wall panels consisting of EPS core sandwiched between two Engineered sheets of welded wire fabric mesh duly finished with shotcrete materials on outer faces. The fabric mesh shall be made of 3mm dia GI wire mesh with 50 mm pitch in both the directions and on both faces of the wall kept at 120-135 mm gap and connected by the zig zag GI wire of 3mm dia at alternate row by welding (at an angle ranging from 50-70 degree). The EPS core shall consist of 100 mm thick EPS of density not less than 20 kg/cum. Both the outer faces of the panel shall be finished by applying the layer of 50 mm thick cement mortar 1:3(1 cement; 3 coarse sand (not having more than 40% stone chips of size upto 6mm) with the help of shotcreting/guniting equipment etc at a pressure not less than 1 bar (100 kN/m ²) and both surfaces finished with trowel. Fixing operations of wall panels shall be completed in all respects as per drawing and specifications and under the overall direction of the Engineer-in-Charge	1Sqm	3,246.15
890	TBSC-VI.I-2	Providing and fixing in position, 230 thick factory made Expanded Polystyrene Core (EPS Core) roof/floor panels made of 3mm GI wire mesh with 50 mm pitch in both the directions and on both faces of the panel kept at 120-135 mm gap and connected by the zig zag GI wire of 3mm dia	1Sqm	3,436.35

Sl. No	ITEM CODE	DESCRIPTION OF THE ITEM	UNIT	Scheduled Rates for the Year 2020-21
		at alternate row by welding (at an angle ranging from 50-70 degree). The EPS core shall consist of 100 mm thick EPS of density not less than 20 kg/cum. The bottom side of the panel shall be finished by applying a layer of 60-65 mm thick cement mortat 1:3 (1 cement; 3 coarse sand (not having more than 40% stone chips of size upto 6mm) with the help of shotcreting equipment etc at a pressure not less than 1 bar (100 kN/m2) and surfaces finished with trowel. The top face of the panel shall be provided and finished by applying 70-75mm thick layer of cement concrete 1:1.5:3 (1 Cement : 1.5 Coarse sand : 3 graded stone aggregate 20 mm nominal size)Fixing operations of roof/floor panels shall be completed in all respects as per drawing and specifications and under the overall direction of the Engineer-in-Charge		
891	TBSC-VI.1-3	Supply and Installation of 12 mm thick Flux standing seam polycarbonate panel system of DPI Daylighting or Equivalent	1Sqm	3,110.00
892	TBSC-VI.1-4	Supply and Installation of 16 mm thick Flux standing seam polycarbonate panel system of DPI Daylighting or Equivalent Supply and installation of translucent roof with DPI flux standing seam multicell polycarbonate panel system. The system with complete assembly of co extruded UV protected multicell panels incorporated into a complete system. Co extruded UV protected polycarbonate panel system of min 12 mm thick of 900 mm min width with angular daylighting concept. Panels shall have minimum six layers with truss bridge design for higher flexibility and strength. Panels with all fixing accessories to ensure best performance for wind uplift vibration, oil canning and visual appearance. Panels shall be manufactured with vertical standing seam at both sides of the panel. Panels shall be fixed on Purlin with snap on connectors with double tooth grip lock locking mechanism and will be secured on MS structure (will be paid separately) with 3 numbers self drilling screws and trapezoid SS fasteners holding the base of the standing seam offering best stability having a pull out load of min 7000N tested as per ISO 6892-1998 and IS 1608-2005 as per design requirement. Panels must satisfy dart drop impact test as per IS 14443-97 shall show no sign of breakage on Polycarbonate sheets which have been exposed to UV for a min of 500 Hours as per ASTM G 155. Panels shall not have yellowness index as per ASTM D 1925 of 15 units when tested on a sample exposed to UV for 500 Hours as per ASTM G 155. U value shall not be more than 1.6 W/m2K as per EN ISO 10077-2;2018. Panel shall be with additional end cap/ Aluminium U/F		

Sl. No	ITEM CODE	DESCRIPTION OF THE ITEM	UNIT	Scheduled Rates for the Year 2020-21
		profile/Glazing Bar for ends as required. Panel shall be fixed over MS structural steel/MS purlin (paid separately) conforming to the detail technical specifications as per approved architectural drawings. Trained and factory authorized labour with supervision to complete the entire panel installation as per drawing & direction of the Engineer-in-Charge.		
892	TBSC-VI.I-4	Supply and Installation of 16 mm thick Flux standing seam polycarbonate panel system of DPI Daylighting or Equivalent	1Sqm	3,953.00
		Supply and installation of DPI Flux translucent roof with standing seam multicell polycarbonate panel system. The system with complete assembly of co extruded UV protected multicell panels incorporated into a complete system. Co extruded UV protected polycarbonate panel system of min 16 mm thick of 1200 mm min width with angular daylighting concept. Panels shall have minimum seven layers in a truss bridge design for higher flexibility and strength. Panels with opaque translucent clear combination as per required flux level and design requirements with all fixing accessories to ensure best performance for wind uplift vibration, oil canning and visual appearance. Panels shall be manufactured with vertical standing seam at both sides of the panel. Panels shall be fixed on Purlin with snap on connectors with double tooth grip lock locking mechanism and will be secured on MS structure (will be paid separately) with 3 numbers self drilling screws and trapezoid SS fasteners holding the base of the standing seam offering best stability having a pull out load of min 7000N tested as per ISO 6892-1998 and IS 1608-2005 as per design requirement. Panels must satisfy dart drop impact test as per IS 14443-97 shall show no sign of breakage on Polycarbonate sheets which have been exposed to UV for a min of 500 Hours as per ASTM G 155. Panels shall not have yellowness index as per ASTM D 1925 of 15 units when tested on a sample exposed to UV for 500 Hours as per ASTM G 155. U value shall not be more than 1.9 W/m ² K as per EN ISO 10077-2;2018. Panel shall be with additional end cap/ Aluminium U/F profile/Glazing Bar for ends as required. Panel shall be fixed over MS structural steel/MS purlin (paid separately) conforming to the detail technical specifications as per approved architectural drawings. Trained and factory authorized labour with supervision to complete the entire panel installation as per drawing & direction of the Engineer-in-Charge.		
893	TBSC-VI.I-5	Supply and Installation of 18 mm thick Flux standing seam polycarbonate panel system of DPI Daylighting or Equivalent	1Sqm	4,290.00

Sl. No	ITEM CODE	DESCRIPTION OF THE ITEM	UNIT	Scheduled Rates for the Year 2020-21
		<p>Supply and installation of DPI Flux translucent roof with standing seam multicell polycarbonate panel system. The system with complete assembly of co extruded UV protected multicell panels incorporated into a complete system. Co extruded UV protected polycarbonate panel system of min 18 mm thick of 1200 mm min width with angular daylighting concept. Panels shall have minimum seven layers in a truss bridge design for higher flexibility and strength. Panels with opaque translucent clear combination as per required flux level and design requirements with all fixing accessories to ensure best performance for wind uplift vibration, oil canning and visual appearance. Panels shall have an additional IR Blocking features for enhance thermal comfort. Panels shall be manufactured with vertical standing seam at both sides of the panel. Panels shall be fixed on Purlin with snap on connectors with double tooth grip lock locking mechanism and will be secured on MS structure (will be paid separately) with a continuous aluminium I Beam holding the base of the standing seam along the length of the panel and fixed with purlin with self drilling hex head screws offering best stability with a pull out load of min 21000N tested as per ISO 6892-1998 and IS 1608-2005 as per design requirement. Panels must satisfy dart drop impact test as per IS 14443-97 shall show no sign of breakage on Polycarbonate sheets which have been exposed to UV for a min of 500 Hours as per ASTM G 155. U value shall not be more than 1.9 W/m²K as per EN ISO 10077-2;2018. Panel shall be with additional end cap/ Aluminium U/F profile/Glazing Bar for ends as required. Panel shall be fixed over MS structural steel/MS purlin (paid separately) conforming to the detail technical specifications as per approved architectural drawings. Trained and factory authorized labour with supervision to complete the entire panel installation as per drawing & direction of the Engineer-in-Charge.</p>		
1		All the items to be used on the works are of first quality & ISI and as approved by the Engineer-In-charge of the work.		
2		Supply Rates for all the materials are based on market rates excluding Sales Tax/ Material GST.		
3		12% towards "Works Contract GST" on Estimated Contract Value may be allowed in the Part- B of the estimates for public building taken up by the R&B Department. Respective departments to allow this provision as applicable.		
4		SSR Rates for Building items are purely for the guidance of the officers in preparation of estimates vide para.113 of APPWD code. Authority who prepares the estimate is however responsible for proper rates as envisaged in para.45 of APPWD code.		
	LEGEND	"TBSC" -A.I-01		

Sl. No	ITEM CODE	DESCRIPTION OF THE ITEM	UNIT	Scheduled Rates for the Year 2020-21
		"TBSC" -R.I-22		
		"TBSC" -S.III-14		
		TBS - Denotes Telangana Buildings SoR		
		A.I/ R.IV - Denotes the Section & Sub-section		
		01/22 - Denotes the serial number of the item		

Sl	NAME OF THE STRUCTURAL MEMBER	Material Hire charges	Labour charges	Centring Charges	Unit of Measurement
1	2	3	4	5	6

HIRE CHARGES FOR CENTERING & SCAFFOLDING

A	FOOTINGS	Rs. 288	Rs. 693	Rs. 981	per 1 cum
B	BED BLOCKS, BANDS	Rs. 64	Rs. 356	Rs. 420	per 1 cum
C	PEDESTALS	Rs. 328	Rs. 1101	Rs. 1429	per 1 cum
D	PLINTH BEAMS	Rs. 1390	Rs. 1669	Rs. 3059	per 1 cum

HIRE CHARGES FOR CENTERING & SCAFFOLDING - Unsupported Height up to 3.66 M Steel scaffolding pipes, jack Props, wallers, Foot plates, brackets, steel Centering Plates, etc.,

E	LINTELS	Rs. 1180	Rs. 1772	Rs. 2952	per 1 cum
F	CHAJJAS - SUNSHADES	Rs. 233	Rs. 272	Rs. 505	per 1 sqm
G	COLUMNS	Rs. 355	Rs. 2488	Rs. 2843	per 1 cum
H	BEAMS	Rs. 2085	Rs. 2088	Rs. 4173	per 1 cum
I	SLABS - Up to 150 mm thick	Rs. 236	Rs. 236	Rs. 472	per 1 sqm
J	SLABS - above 150 mm - Up to 300 mm thick	Rs. 243	Rs. 243	Rs. 486	per 1 sqm
K	SLABS - above 300 mm thick	Rs. 254	Rs. 255	Rs. 509	per 1 sqm
L	WAFFLE - (GRID) SLABS (Rib Beams with Slabs)	Rs. 858	Rs. 859	Rs. 1717	per 1 sqm
M	PERGOLA SLABS (Only Rib Beams)	Rs. 602	Rs. 602	Rs. 1204	per 1 sqm
N	ARCH BEAMS - up to 1.5 M Span	Rs. 2370	Rs. 2373	Rs. 4743	per 1 cum
O	ARCH BEAMS - above 1.5 M Span	Rs. 2404	Rs. 2407	Rs. 4811	per 1 cum
P	DOMES SLABS	Rs. 3833	Rs. 3836	Rs. 7669	per 1 cum
Q	HELICAL STAIRCASES	Rs. 292	Rs. 293	Rs. 585	per 1 sqm
R	SHEAR WALLS, RCC WALLS, WATER TANK WALLS	Rs. 1206	Rs. 1814	3020	per 1 sqm

HIRE CHARGES FOR CENTERING & SCAFFOLDING - Unsupported Height up to 3.66 M Casuarinas Ballies, Bamboos, Wooden Reapers, Runners, Wood Posts, Wall Plates etc.,

E	LINTELS	Rs. 790	Rs. 1373	Rs. 2163	per 1 cum
F	CHAJJAS - SUNSHADES	Rs. 156	Rs. 211	Rs. 367	per 1 sqm
G	COLUMNS	Rs. 238	Rs. 1928	Rs. 2166	per 1 cum
H	BEAMS	Rs. 1395	Rs. 1617	Rs. 3012	per 1 cum
I	SLABS - Up to 150 mm thick	Rs. 158	Rs. 183	Rs. 341	per 1 sqm
J	SLABS - above 150 mm - Up to 300 mm thick	Rs. 163	Rs. 189	Rs. 352	per 1 sqm
K	SLABS - above 300 mm thick	Rs. 170	Rs. 198	Rs. 368	per 1 sqm
L	WAFFLE - (GRID) SLABS (Rib Beams with Slabs)	Rs. 575	Rs. 666	Rs. 1241	per 1 sqm
M	PERGOLA SLABS (Only Rib Beams)	Rs. 403	Rs. 466	Rs. 869	per 1 sqm
N	ARCH BEAMS - up to 1.5 M Span	Rs. 1586	Rs. 1838	Rs. 3424	per 1 cum
O	ARCH BEAMS - above 1.5 M Span	Rs. 1609	Rs. 1863	Rs. 3472	per 1 cum
P	DOMES SLABS	Rs. 2566	Rs. 2971	Rs. 5537	per 1 cum
Q	HELICAL STAIRCASES	Rs. 196	Rs. 227	Rs. 423	per 1 sqm
R	SHEAR WALLS, RCC WALLS, WATER TANK WALLS	DELETED			

Note: - Centering & scaffolding charges for steel scaffolding with pipes, jack props, steel centring plates for unsupported heights of every 610 mm height above 3.66 M may be allowed at 16.666% more than the basic material hire charges and relevant labour charges of the applicable floor and item

Sl	NAME OF THE STRUCTURAL MEMBER	Material Hire charges	Labour charges	Centring Charges	Unit of Measurement
1	2	3	4	5	6
HIRE CHARGES FOR ACCESS SCAFFOLDING - up to 3.66 M using Casuarinas Ballies, Bamboos, Woode Reapers, Runners, Wood Posts, Wall Plates etc., for BRICK MASONRY/ STONE MASONRY - 1 sqm (Wall Area)					
A	1st - Floor	Rs. 10.32	Rs. 87.18	Rs. 97.50	per 1 sqm
B	2nd - Floor	Rs. 10.32	Rs. 124.85	Rs. 135.17	per 1 sqm
C	3rd - Floor	Rs. 10.32	Rs. 162.49	Rs. 172.81	per 1 sqm
D	4th - Floor	Rs. 10.32	Rs. 200.15	Rs. 210.47	per 1 sqm
E	5th - Floor	Rs. 10.32	Rs. 237.80	Rs. 248.12	per 1 sqm
F	6th - Floor	Rs. 10.32	Rs. 275.44	Rs. 285.76	per 1 sqm
G	7th - Floor	Rs. 10.32	Rs. 313.08	Rs. 323.40	per 1 sqm
H	8th - Floor	Rs. 10.32	Rs. 350.73	Rs. 361.05	per 1 sqm
I	9th - Floor	Rs. 10.32	Rs. 388.40	Rs. 398.72	per 1 sqm
J	10th - Floor	Rs. 10.32	Rs. 426.03	Rs. 436.35	per 1 sqm
K	11th - Floor	Rs. 10.32	Rs. 463.69	Rs. 474.01	per 1 sqm
L	12th - Floor	Rs. 10.32	Rs. 501.35	Rs. 511.67	per 1 sqm
M	13th - Floor	Rs. 10.32	Rs. 538.99	Rs. 549.31	per 1 sqm
N	14th - Floor	Rs. 10.32	Rs. 576.63	Rs. 586.95	per 1 sqm
O	15th - Floor	Rs. 10.32	Rs. 614.28	Rs. 624.60	per 1 sqm
HIRE CHARGES FOR ACCESS SCAFFOLDING - up to 3.66 M using Casuarinas Ballies, Bamboos, Wooden Reapers, Runners, Wood Posts, Wall Plates etc., for PLASTERING to WALLS - 1 sqm					
A	1st - Floor	Rs. 1.03	Rs. 8.73	Rs. 9.76	per 1 sqm
B	2nd - Floor	Rs. 1.03	Rs. 12.49	Rs. 13.52	per 1 sqm
C	3rd - Floor	Rs. 1.03	Rs. 16.24	Rs. 17.27	per 1 sqm
D	4th - Floor	Rs. 1.03	Rs. 20.01	Rs. 21.04	per 1 sqm
E	5th - Floor	Rs. 1.03	Rs. 23.77	Rs. 24.80	per 1 sqm
F	6th - Floor	Rs. 1.03	Rs. 27.56	Rs. 28.59	per 1 sqm
G	7th - Floor	Rs. 1.03	Rs. 31.32	Rs. 32.35	per 1 sqm
H	8th - Floor	Rs. 1.03	Rs. 35.07	Rs. 36.10	per 1 sqm
I	9th - Floor	Rs. 1.03	Rs. 38.84	Rs. 39.87	per 1 sqm
J	10th - Floor	Rs. 1.03	Rs. 42.60	Rs. 43.63	per 1 sqm
K	11th - Floor	Rs. 1.03	Rs. 46.37	Rs. 47.40	per 1 sqm
L	12th - Floor	Rs. 1.03	Rs. 50.13	Rs. 51.16	per 1 sqm
M	13th - Floor	Rs. 1.03	Rs. 53.90	Rs. 54.93	per 1 sqm
N	14th - Floor	Rs. 1.03	Rs. 57.66	Rs. 58.69	per 1 sqm
O	15th - Floor	Rs. 1.03	Rs. 61.45	Rs. 62.48	per 1 sqm
HIRE CHARGES FOR STAGE SCAFFOLDING - up to 3.66 M using Casuarinas Ballies, Bamboos, Wooden Reapers, Runners, Wood Posts, Wall Plates etc., for CEILING PLASTERING - 1 sqm					
A	1st - Floor	Rs. 2.46	Rs. 17.46	Rs. 19.92	per 1 sqm
B	2nd - Floor	Rs. 2.46	Rs. 24.77	Rs. 27.23	per 1 sqm
C	3rd - Floor	Rs. 2.46	Rs. 32.07	Rs. 34.53	per 1 sqm
D	4th - Floor	Rs. 2.46	Rs. 39.40	Rs. 41.86	per 1 sqm
E	5th - Floor	Rs. 2.46	Rs. 46.70	Rs. 49.16	per 1 sqm
F	6th - Floor	Rs. 2.46	Rs. 54.01	Rs. 56.47	per 1 sqm
G	7th - Floor	Rs. 2.46	Rs. 61.32	Rs. 63.78	per 1 sqm
H	8th - Floor	Rs. 2.46	Rs. 68.64	Rs. 71.10	per 1 sqm
I	9th - Floor	Rs. 2.46	Rs. 75.95	Rs. 78.41	per 1 sqm
J	10th - Floor	Rs. 2.46	Rs. 83.26	Rs. 85.72	per 1 sqm
K	11th - Floor	Rs. 2.46	Rs. 90.57	Rs. 93.03	per 1 sqm
L	12th - Floor	Rs. 2.46	Rs. 97.89	Rs. 100.35	per 1 sqm
M	13th - Floor	Rs. 2.46	Rs. 105.12	Rs. 107.58	per 1 sqm
N	14th - Floor	Rs. 2.46	Rs. 112.50	Rs. 114.96	per 1 sqm
O	15th - Floor	Rs. 2.46	Rs. 119.82	Rs. 122.28	per 1 sqm

CIVIL ITEMS

Scaffolding&Centeringcharges

CENTERING & SCAFFOLDING CHARGES- FLOOR WISE RATES for Steel scaffolding pipes, jack Props, Steel Centering Plates,etc., for unsupported height 3.66 M

FLOOR		LINTELS	CHAJJAS - SUNSHADES	COLUMNS	BEAMS	SLABS -Up to 150 mm hick	SLABS- above 150 mm- Up to 300 mm thick	SLABS - above 300 mm thick	WAFFLE - (GRID) SLABS (Rib Beams with Slabs)	PERGOLA SLABS (Only Rib Beams)	ARCH BEAMS -up to 1.5 M Span	ARCH BEAMS - above 1.5 M Span	DOME SLABS	HELICAL STAIRCASES	SHEAR WALLS, RCC WALLS, WATER TANK WALLS
Material Hire for any Floor	H	1180	233	355	2085	236	243	254	858	602	2370	2404	3833	292	472
Labour Charges for 1st Floor	L	1772	272	2488	2088	236	243	255	859	602	2373	2407	3838	293	510
Total Hire Charges (H+L)	T	2952	505	2843	4173	472	486	509	1717	1204	4743	4811	7671	585	982

1st - Floor	L	1772	272	2488	2088	236	243	255	859	602	2373	2407	3838	293	510
2nd - Floor	L	1950	300	2738	2297	260	268	280	946	663	2610	2648	4221	322	561
3rd - Floor	L	2127	326	2987	2505	283	292	305	1031	723	2849	2888	4605	351	612
4th - Floor	L	2303	353	3234	2715	307	316	330	1118	784	3086	3130	4989	380	663
5th - Floor	L	2481	380	3484	2923	330	341	355	1203	843	3322	3370	5372	411	714
6th - Floor	L	2657	409	3733	3132	354	366	382	1290	904	3560	3612	5757	439	765
7th - Floor	L	2835	436	3981	3340	377	390	409	1376	965	3798	3850	6141	467	816
8th - Floor	L	3013	462	4231	3549	401	414	434	1461	1024	4035	4091	6524	498	867
9th - Floor	L	3188	489	4479	3758	424	438	459	1548	1084	4272	4332	6908	527	918
10th - Floor	L	3366	516	4728	3967	450	462	484	1632	1145	4510	4572	7291	556	969
11th - Floor	L	3545	544	4977	4175	473	486	509	1719	1205	4746	4813	7676	585	1020
12th - Floor	L	3722	572	5226	4384	497	510	534	1805	1265	4984	5054	8059	614	1071
13th - Floor	L	3899	598	5476	4592	520	534	560	1890	1326	5222	5295	8443	644	1122

Note: - Centering & scaffolding charges for steel scaffolding with pipes, jack props, steel centring plates for unsupported heights of every 610 mm height or part thereof over and above 3.66 M may be allowed at 16.666% more than the basic material hire charges and relevant labour charges of the applicable floor and item

CIVIL ITEMS

Scaffolding&Centeringcharges

14th - Floor	L	4076	626	5723	4802	544	558	585	1977	1386	5459	5535	8826	673	1173
15th - Floor	L	4253	652	5972	5010	567	583	611	2063	1446	5696	5777	9211	703	1224

CENTERING & SCAFFOLDING CHARGES- FLOOR WISE RATES for Steel scaffolding pipes, jack Props, Steel Centering Plates,etc., for unsupported height 3.66 M

CENTERING & SCAFFOLDING CHARGES- FLOOR WISE RATES for CasurinaBallies, Bamboos, Wooden Reapers, Runners, Wood Posts, Wall Plates, Steel Centring														
FLOOR		LINTELS	CHAJJAS - SUNSHADES	COLUMNS	BEAMS	SLABS - Up to 150 mm	SLABS - above 150 mm	SLABS - above 300	WAFFLE - (GRID) SLABS (Rib Beams	PERGOLA SLABS (Only Rib Beams)	ARCH BEAMS - up to	ARCH BEAMS - above	DOME SLABS	HELICAL STAIRCASES
Material Hire for any Floor	H	790.00	156.00	238.00	1395.00	158.00	163.00	170.00	575.00	403.00	1586.00	1609.00	2566.00	196.00
Labour Charges for 1st Floor	L	1373	211	1928	1617	183	189	198	666	466	1838	1863	2971	227
Total Hire Charges (H+L)	T	2163	367	2166	3012	341	352	368	1241	869	3424	3472	5537	423
1st - Floor	L	1373	211	1928	1617	183	189	198	666	466	1838	1863	2971	227
2nd - Floor	L	1510	232	2120	1778	202	207	216	733	513	2022	2049	3269	250
3rd - Floor	L	1646	254	2313	1940	220	227	236	799	560	2206	2235	3567	272
4th - Floor	L	1783	275	2506	2101	238	246	256	865	607	2390	2421	3863	295
5th - Floor	L	1921	295	2698	2262	257	265	276	931	653	2573	2608	4161	319
6th - Floor	L	2059	317	2893	2425	276	283	297	999	700	2758	2794	4457	342
7th - Floor	L	2196	338	3085	2586	293	302	316	1066	746	2941	2980	4754	364
8th - Floor	L	2332	358	3276	2747	311	322	335	1133	793	3125	3166	5050	387
9th - Floor	L	2470	378	3469	2909	329	341	354	1199	839	3308	3354	5348	410
10th - Floor	L	2607	400	3663	3071	348	359	374	1265	887	3492	3539	5645	432
11th - Floor	L	2744	421	3855	3232	367	377	394	1332	934	3676	3726	5943	455
12th - Floor	L	2881	442	4047	3394	386	396	414	1399	981	3860	3912	6240	478
13th - Floor	L	3019	464	4241	3556	403	416	434	1466	1027	4042	4098	6538	500
14th - Floor	L	3156	485	4433	3717	421	435	454	1531	1074	4227	4285	6834	523
15th - Floor	L	3293	506	4626	3879	440	455	473	1598	1120	4410	4472	7132	545

Sl. No	SECTION	NAMES OF THE APPROVED BRAND/MANUFACTURER/SUPPLIER
A	SECTION	BRICKS & BUILDING BLOCKS
III	SUB-SECTION	Birla Aerocon, Siporex, Nucon, NCL Aerated Blocks
C	SECTION	WALL & FLOOR TILES
		(Landing cost - including loading, cost of conveyance, unloading & stacking but excluding material GST,)
I	SUB-SECTION	NON-PORCELAIN CERAMIC FLOOR TILES - Somany, H & R Johnson, Naveen Ceramics, Kajaria, Nitco, Sphinx, Orient Bell, AGL, Hindware, Cera, Varmora, Ambani
II	SUB-SECTION	PORCELAIN VITRIFIED FLOOR TILES - H & R Johnson, H & R Johnson Marbonite, H & R Johnson Endura, H & R Johnson GPS, Naveen Ceramics, Kajaria, Nitco, Orient Bell, Hindware, AGL, Ricasil Ceramics Exxaro, Cera, Varmora, VITERO, Ambani
III	SUB-SECTION	CERAMIC WALL TILES - Somany, H & R Johnson, Kajaria, Sphinx, Orient Bell, AGL, Hindware, Ricasil Ceramics Exxaro, Cera, Varmora, Vitero, Ambani
IV	SUB-SECTION	PORCELAIN WALL TILES - Somany, H & R Johnson, Kajaria, Sphinx, Orient Bell, Hindware, Ricasil Ceramics Exxaro, Cera, Varmora, VITERO, Ambani
V	SUB-SECTION	GLASS MOSAIC TILES - Bisazza
VI	SUB-SECTION	WALL CLADDING TILES - Somany, H & R Johnson, Kajaria, Sphinx, Orient Bell, Hindware, Cera
VII	SUB-SECTION	TERRAZZO FLOOR TILES (PLAIN & CHEQUERED) - Super Decorative, Aditya Designer, Maha Bhima, Tricon, Pheonix, Eurocon, Ultra, Sphinx, Cemtech
VIII	SUB-SECTION	CEMENT CONCRETE FLOOR TILES (PLAIN & CHEQUERED) - Super Decorative, Aditya Designer, Maha Bhima, Tricon, Pheonix, Eurocon, Ultra, Sphinx
IX	SUB-SECTION	PRE-CAST CONCRETE BLOCKS FOR PAVING - Super Decorative, Aditya Designer, Maha Bhima, Tricon, Pheonix, Eurocon, Ultra, Sphinx, Cemtech
X	SUB-SECTION	VINYL FLOORING - Marblex, Amstrong
		TILE ADHESIVE - MYK LATICRETE, JK Super Grip, Ambani
F	SECTION	GLASS MATERIALS - Modifloat, Asahi, Saintgobain, Binani, HNG,
G	SECTION	PAINTS & POLISHES - Asian, Berger, Nerolac, British Paints, JK Cements, Nexon paints, Indocem, ESSAR, Sheenlac, Suryacem, Neon, Wallz, Walrus - SYNTHETIC PLASTER - NCL-Cement Primer, NCL-Alltek, NCL-Skimcoat, Allteck Spray Plaster, NCL Gaiety, NCL-Delight, NCL-Harmony, Allteck Deco Orient, MYK LATICRETE, Multichem, Essar, J.K. White Cement, J.K. Wall Putty (White cement based), JK Primaxx(White Cement Based Primer), Smoothtek, Shalimar, Snowcem, Nippon, New World Paints Pvt. Ltd, Fortune Paints Pvt. Ltd
H	SECTION	PARTICLE BOARDS - NCL Bison, Ramco-Hilux, Ramco-Hicem, Everest-board, Visaka-board, Rajshri, Innsula, Birla Aerocon, Aerolite, Novopan, Bhutan-board, Greenply, Greenpanel, Kajariaply
J	SECTION	PLYWOODS, LAMINATES & VENEERS - Kitply, Century Ply, National Ply,

Sl. No	SECTION	NAMES OF THE APPROVED BRAND/MANUFACTURER/SUPPLIER
		Bhutan Ply, Samrat, Gurjan ply, Aamoda, Mayur, Amul Boards, Greenply, Greenpanel, Kajariaply
K	SECTION	CEILING, WALL PARTITIONS & WALL LININGS - Ramco-Hilux, Everest-board, Visakha-board, Rajshri, Innsula, Gypsum India, Saintgobain, Armstrong, Daikin, NCL-Seccolor, NCL Bison, Rock Strength. Aerolite, USGBoral, Birla Aerocon, Diamond, Aerolite
L	SECTION	DOORS, SHUTTERS & FRAMES - NCL Buildtek, Anand, Raavila, Kutty, Standard, Shubhdwar, ITP, Rajshri, NCL-Bison, Elixir, Sintex, Elgi, Oasis, Polywood, Sintex, NCL-Wintech, Fenesta, LG, Masonite, Everest, Vishaka, Ambience, Aamoda, Rehau, Arpitha, Nandi, Aparna Venster, Ecoste, DEC Infrastructure & Projects (I) Pvt. Ltd, Ecocell, Marcolini, Greenpanel, Kajariaply, HDHMR Doors - NCL, Yashpoly
M	SECTION	WINDOWS - NCL-Buildtek, NCL-Bison, Elixir, Sintex, Elgi, Oasis, Polywood, NCL-Wintech, Fenesta, LG, Ahlada, Rehau, Arpitha, Win-Eshas-Viswajeet Industries, Aparna Venster, ecoVUE, EcoCell, Yashpoly, Marcolini
N	SECTION	STRUCTURAL GLAZING & CURTAIN WALLING - NCL Buildtek, NCL-Bison, Elixir, Sintex, Elgi, Oasis, Polywood, Sintex, NCL-Wintech, Fenesta, LG, Rehau, Arpitha
P	SECTION	FIXTURES FOR DOORS & WINDOWS - Jyoti, Classic, Hardwyn, AKS for SS, Crown, GLOBEL (Aluminium Udyog)/Prayag Polymer
Q	SECTION	CONSTRUCTION CHEMICALS & ADMIXTURES
		MAKE, APPLICATION METHOD, AREA AND DOSAGE
I	SUB-SECTION	PLASTICIZERS
	TBSC-Q.I-01	* Consplax of Armstrong Chemicals Pvt Ltd, Bengaluru * Conplast of Fosroc Chemicals India Pvt Ltd, Bengaluru (200ml /50Kgs Cement)* Zoriplax of Protect More Construction chemicals, Hyderabad. (Dosage 20ml per 50 Kgs cement). for M 20 + grade concrete works in slabs /canal lining works/ roads works**MYK SAVEMIX SERIES M/S by MYK Schomburg, Hyderabad.* "MYK SAVEMIX" dosage from 0.5% - 1.5% by weight of cement
	TBSC-Q.I-02	* Roofplast HS 100 of Armstrong Chemicals Pvt Ltd, Bengaluru * Structuro100 of Fosroc Chemicals India Pvt Ltd, Bengaluru * Zoriplast HS of Protect More Construction Chemicals, ** MYK Remecrete PC30 M/S by MYK Schomburg, Hyderabad.* Dosage 0.5 to 1 Ltr per 100kgs of Cement .
	TBSC-Q.I-03	*Roofplast SP 35 of Armstrong Chemicals Pvt Ltd. Bengaluru *Conplast SP 337 of Fosroc Chemicals India Pvt Ltd, Bengaluru *Zoriplast SP 350 of Protect More Construction chemicals. * Rheomac 707 of BASF *Conflow (Dosage: 200ml to 500ml per bag of 50 Kgs Cement) . for M30+ grade concrete works like road projects / Canal linings / Dams / Reservoirs / Building's concrete works * Power35 of EBT (Dosage : 300 ml to 500 ml Per Bag of 50 Kgs Cement) * MYK Savemix RP 333 M/S by MYK Schomburg, Hyderabad.* Dosage at a rate between 0.15 and 0.40 kgs /50 kg cement

Sl. No	SECTION	NAMES OF THE APPROVED BRAND/MANUFACTURER/SUPPLIER
	TBSC-Q.I-04	*Roofplast SP 45 of Armstrong Chemicals Pvt Ltd, Bengaluru*Consplast SP 430 of Fosroc Chemicals India Pvt Ltd, Bengaluru *Zoriplast SP 450 of Protect More Construction Chemicals (Dosage: 200ml to 500ml per bag of 50 Kgs Cement) for high early strength and high range water reducing admixture for M40+ grade concretereworkslikeroadprojects/Canallinings/Dams/Reservoirs /Building's concrete works *Power45 of EBT (Dosage : 300 ml to 500 ml Per Bag of 50 Kgs Cement) * MYK Remecrete PC10 M/S by MYK Schomburg,Hyderabad.* Dosage rangebetween0.3to2.5ltrs/100kgofcementitiousmaterial
	TBSC-Q.I-05	*Roofplast SR 45 of Armstrong Chemicals Pvt Ltd, Bengaluru*Conplast RP264 of Fosroc Chemicals India Pvt Ltd, Bengaluru*Zoriplast SRT 5 of Protect More Construction Chemicals (Dosage : 300ml to 400ml per bag of 50 Kgs Cement).For delaying of initial setting time and M 40+ Grade concrete works * Power SR 45 of EBT (Dosage: 200 ml to 500 ml per bag of 50 Kgs Cement) * MYK Savemix RP 333 M/S by MYK Schomburg,Hyderabad.* Dosage at a rate between 0.15 and 0.40 kgs /50 kg cement
	TBSC-Q.I-06	*Roofplast SCA of Armstrong Chemicals Pvt Ltd, Bengaluru*Conplast NC of Fosroc Chemicals India Pvt Ltd, Bengaluru*Zoriset of Protect More Construction Chemicals (Dosage:1 Kg to 3 Kgs per bag of 50 Kgs Cement depending on the setting time required).For shotcrete / Guniting / Emergency concrete works * Power-200 of EBT or Equivalent (Dosage:1 Kg to 3 Kgs per bag of 50 Kgs Cement dependingonthesettingtimerequired)
	TBSC-Q.I-07	ALSTRONG CA 353 of M/s. Armstrong Chemicals Pvt Ltd , Bengaluru / ZORIBOND CRA 35 of M/s. Protect More Construction Chemicals (PMCC). POWER n STRENGTH ofM/s. EBT Construction Chemicals/ FOSROC (500ml Per Bag of 50 KgsCement)
II	SUB-SECTION	WATER PROOFING COMPOUNDS
	TBSC-Q.II-01	*Rainproof No.1 of Armstrong Chemicals Pvt Ltd Bengaluru *Conplast 421 of Fosroc Chemicals India Pvt Ltd Bengaluru (125ml Per 50 Kgs Cement) *Zoriproof No.1 of Protect More construction Chemicals. : (Dosage : 100ml Per Bag of 50 Kgs Cement) *MYK PROOF WP10 M/S by MYK SCHOMBURG,Hyderabad. Dosage - 150-200Gms per bag of cement * E160 of Ardex Endura : (200 ml per 50 Kgs Bag), Pidilite
	TBSC-Q.II-02	*Roofbond RFX of Armstrong Chemicals Pvt Ltd, Bengaluru. *Brushbond RFX of Fosroc Chemicals India Pvt Ltd, Bengaluru *Zoricoat RX of Protect More Construction Chemicals.*Masre Seal 550 Grey of Base. (12-14 m2 in two coats to achieve 1mm thickness). Terrace, Water Tanks, Walls Waterproof Coatings : of Two Part System: *EBT - Power RFX *MYK BETOCRETE C-35 M/S by MYK Schomburg,Hyderabad Dosage - 0.8 - 1.5% by weight of cement * WPM 004 of Ardex Endura : (12-14 m2 in two coats to achieve 1mm thickness)

Sl. No	SECTION	NAMES OF THE APPROVED BRAND/MANUFACTURER/SUPPLIER
	TBSC-Q.II-03	* Roofcoat of Armstrong Chemicals Pvt Ltd, Bengaluru * Brushbond of Fosroc Chemicals India Pvt Ltd, Bengaluru * Zoricoat of Protect More Construction Chemicals Terrace, Water Tanks, Walls, Reservoirs Waterproofing Coatings : Surface treatments* Asian Paints *MYK AQUAFIN ADMIX M/S by MYK Schomburg,Hyderabad-Dosage Rate: w/c ratio < 0.45: 2 % of cement content w/c ratio > 0.45: 3 % of cement content * WPM 004 OF Ardex Endura
	TBSC-Q.II-04	*Rainseal of Armstrong Chemicals Pvt Ltd, Bengaluru *Proofex SM of Fosroc Chemicals India Pvt Ltd, Bengaluru, *Zoricoat XL of Protect More Construction Chemicals. wherever highly flexible, crack bridging ,waterproofing required (Coverage : 50 to 60 SFT Per/Ltr/Coat) (for brush / spray application add 20% water per Ltr) Terrace, Walls Highly Flexible WaterproofLiquidMembranepure Acrylic Coatings : **MYK Coat WPU-1K(E) M/S by MYK Schomburg,Hyderabad-Coverageatminimumof1.8kgperm2forthicknessof 1.1 mm * WPM 004 OF Ardex Endura
	TBSC-Q.II-05	*Rapidstrong QS of Armstrong Chemicals Pvt Ltd Bengaluru *Patchro C of Fosroc Chemicals India Pvt Ltd, Bengaluru *Zorirapidr of Protect More Construction Chemicals * Conflow (Dosage : 1 to 3 Ltrs per bag of 50 Kgs Cement depending on the setting time required). * Concare Plus (200 -250 ml per Bagofcement)For emergency works/Anti wash and under water concreting: *MYK AQUAFINTGM/SbyMYKSchomburg,HyderabadDosageRate:at1.5-2.5kg/m ² . * A4/5 WPM 401 of ArdexEndura
	TBSC-Q.II-06	*Rainseal Flexi Coat B30 of Armstrong Chemicals Pvt Ltd, Bengaluru *Fosroc Chemicals India Pvt Ltd, Bengaluru. *Zoricoat BL of Protect More Construction Chemicals. : wherever highly flexible, crack bridging, Sewage treatment plants, pipe lines, Reservoirs and waterproofing required. *MYK Schomburg * WPM 004 of Ardex Endura
	TBSC-Q.II-07	ROOFBOND FRC of M/s. Armstrong Chemicals Pvt Ltd, Bengaluru / ZORICOAT FRC of M/s. Protect More Construction Chemicals (PMCC). POWER n BOND FRX 2 of M/s. EBT Construction Chemicals / FOSROC (Coverage : 30 to 40 SFT / Ltr / Two coats)
	TBSC-Q.II-08	RAINSEAL CFR of M/s. Armstrong ChemicalsPvt Ltd, Bengaluru / ZORICOAT EFC of M/s. Protect More Construction Chemicals (PMCC). POWER n COAT EFC ofM/s.EBTConstructionChemicals/FOSROC
	TBSC-Q.II-09	ALSTRONG CC 153 of M/s. Armstrong Chemicals Pvt Ltd, Bengaluru / ZORIBOND CTC 15 of M/s. Protect More Construction Chemicals (PMCC) (Coverage : 1 Ltr 20 SFT / 2 Coats). POWER n STRENGTH PEN of M/s. EBT Construction Chemicals /FOSROC
	TBSC-Q.II-10	ROOFCARE PU of M/s. Armstrong Chemicals Pvt Ltd, Bengaluru / ZORICOAT PU of M/s. Protect More Construction Chemicals (PMCC) , POWER n COAT BPU of M/s. EBT Construction Chemicals / FOSROC.

Sl. No	SECTION	NAMES OF THE APPROVED BRAND/MANUFACTURER/SUPPLIER
	TBSC-Q.II-11	ROOFCARE WR of M/s. Armstrong Chemicals Pvt Ltd, Bengaluru / ZORICOAT WR of M/s. Protect More Construction Chemicals (PMCC), POWER n REPEL WR of M/s. EBT Construction Chemicals / FOSROC
III	SUB-SECTION	BONDING AGENTS / ADHESIVES
	TBSC-Q.III-01	*Roofbond PB of Armstrong Chemicals Pvt Ltd Bengaluru *Nitobond AR of Fosroc Chemical India Pvt Ltd Bengaluru *Zoribond PB of Protect More Construction Chemicals. (Mix: 1:1 ratio of cement) 50 SFT / Ltr /coat depending on the substrate) On terrace old concrete to new mortar / screed : *MYK bond AR 43 M/S by MYK Schomburg, Hyderabad *Coverage: as a bonding agent: approximate 4 - 5 m ² / kg depending on substrate porosity* E135 of Ardex Endura (2.5 Lit for 50 Kgs of cement)
	TBSC-Q.III-02	*Roofbond SBR of Armstrong Chemicals Pvt Ltd Bengaluru *Nitobond SBR of Fosroc Chemicals India Pvt Ltd, Bengaluru *Zoribond SBR of Protect More Construction Chemicals. (50 SFT / Ltr /coat depending on the substrate) For ceiling / concrete repairs and bonding : mortar/concrete *MYK bond SBR 45 M/S by MYK Schomburg, Hyderabad* Dosage : For patching and repair mortars and plaster for masonry 10 Ltr of MYK Bond SBR per 50 Kgs- cement* E135 of Ardex Endura (2.5 Lit for 50 Kgs of cement)
	TBSC-Q.III-03	*Roofbond EP of Armstrong Chemicals Pvt Ltd, Bengaluru *Nitobond EP of Fosroc Chemicals India Pvt Ltd, Bengaluru *Zoribond EP of Protect More Construction Chemicals. (Coverage : 20 - 25 SFT / Kg /Coat) For Structural concrete repairs / bonding : Old concrete to new concrete epoxy bonding : *MYK Bond EB A M/S by MYK Schomburg, Hyderabad* Coverage Approx. 2.6 SqMtrs per 1 kgs * EP 300 of Ardex Endura (10 sqm per 5 Lit per coat of 50 microns)
	TBSC-Q.III-04	Admix AD1 of Ardex Endura
		Silver/Diamond & Platinum stars of Ardex Endura
		ALSTRONG CA 353 of M/s. Armstrong Chemicals Pvt Ltd , Bengaluru / ZORIBOND CRA 35 of M/s. Protect More Construction Chemicals (PMCC). POWER n STRENGTH of M/s. EBT Construction Chemicals / FOSROC (500ml Per Bag of 50 Kgs Cement)
		ALSTRONG CB 253 of M/s. Armstrong Chemicals Pvt Ltd , Bengaluru / ZORIBOND CB 25 of M/s. Protect More Construction Chemicals (PMCC). POWER n BOND RGB of M/s. EBT Construction Chemicals / FOSROC (Coverage : 1 Ltr / 40 SFT / Coat)
IV	SUB-SECTION	ANTI-CORROSIVE AGENTS
	TBSC-Q.IV-01	*Roofguard AC of Armstrong Chemicals Pvt Ltd Bengaluru *Fosroc Chemicals India Pvt Ltd Bengaluru *Zoriguard AC of Protect More Construction Chemicals. (40 SFT Per Ltr / Coat) * Concacre-XL (200 ml to 250 ml per Bag of Cement To protect the exposed reinforcement / steel structures against corrosion : *MYK RUST Remover M/S by MYK Schomburg, Hyderabad*

Sl. No	SECTION	NAMES OF THE APPROVED BRAND/MANUFACTURER/SUPPLIER
	TBSC-Q.IV-02	*Roofguard RC of Armstrong Chemicals Pvt Ltd Bengaluru *Fosroc Chemicals India Pvt Ltd, Bengaluru *Zoriguard RC of Protect More Construction Chemicals Hyderabad. (50 SFT Per Ltr / Coat) During repairs to protect, to convert therust of reinforcement / steel : *MYK RUST CONVERTOR M/S by MYKSchomburg,Hyderabad*
	TBSC-Q.IV-03	*Roofguard ZP of Armstrong Chemicals Pvt Ltd, Bengaluru *Nitoprime Zinc Rich of Fosroc Chemicals India Pvt Ltd, Bengaluru *Zoriguard ZP of Protect More Construction Chemicals, Hyderabad. (Coverage : 4 Sq.Mtr. /Ltr / Coat) *MYK Savemix CN 100 M/S by MYK Schomburg,Hyderabad - Recommended 0.90 chloride to nitrite ratio 30% CaNO2 Sol * EP 410 of Ardex Endura (Coverage : 10 Sq.Mtr. /5 Ltr / Coat of 250 Microns)
	TBSC-Q.IV-04	Supply of anti-corrosion admixture inhibitor liquid as per Central Electro Chemical Research Institute developed specification and licensee of Concure or Concure Plus or Equivalent (300 ml to 500 ml per Bag of 50 Kgs Cement)
V	SUB-SECTION	GROUTS
	TBSC-Q.V-01	*Rapidstrong Grout AG of Armstrong Chemicals Pvt Ltd, Bengaluru*Lockfix of Fosroc Chemicals India Pvt Ltd, Bengaluru*Zorifix of Protect More Construction Chemicals (Yield 0.5 Ltrs / 1 Kg Pack) Anchoring /fix thesteel bars into the rocks, concrete for foundations, extension of concrete :*EBT Power Anchor grout . (Yield 0.5 Ltrs / 1 Kg Pack) *MYK GROUT M 65 Yield: 13.0 Ltsatflowableconsistencyfor25KgsofHDPEbags
	TBSC-Q.V-02	*Rapidstrong Grout GP2 of Armstrong Chemicals Pvt Ltd, Bengaluru*Conbextra GP2 of Fosroc Chemicals India Pvt Ltd, Bengaluru*Zorigrout GP 2 of Protect More Construction Chemicals For machinery / thin sections of concrete joints Filling : *EBT Power GP2 Grout (Yield 13.5 Ltrs Per 25 Kgs Bag). *MYK Schomburg MYK Grout Inject E-200 Approx 1.06 kg for filling up of 1000 cc
	TBSC-Q.V-03	*Rapidstrong Grout EP of Armstrong Chemicals Pvt Ltd , Bengaluru*Conbextra EP10 of Fosroc Chemicals India Pvt Ltd, Bengaluru *Zorigrout EP of Protect More Construction Chemicals. (Two parts system).(Density 1.07 Kg Per Ltr)For Structural strengthening, filling of honey comb / voids in the concrete : *EBT Power EPL Grout *MYK Schomburg MYK Grout EP750 (Yield: Approx. 9.5 Litre volume per 19 kg pack)
	TBSC-Q.V-04	*Rapidstrong Grout EP3 of Armstrong Chemicals Pvt Ltd, Bengaluru *Conbextra EP300 of Fosroc Chemicals India Pvt Ltd, Bengaluru *Zorigrout EP3 of Protect MoreConstructionChemicals.Concretestrengtheningandfillingconcrete repairs *EBT Power EP Grout *MYK Schomburg MYK INDUGROUT-EP10 approx. 1.60 kg/liters or 16.0 k g/10 mm thick gap/m2.
	TBSC-Q.V-05	RAPIDSTRONG GROUT PU of M/s. Armstrong Chemicals Pvt Ltd , Bengaluru / ZORIGROUT PU of M/s. Protect More Construction Chemicals (PMCC). M/s. POWER n GROUT RPU of M/s. EBT Construction Chemicals / FOSROC
VI	SUB-SECTION	MISCELLANEOUS CHEMICALS

Sl. No	SECTION	NAMES OF THE APPROVED BRAND/MANUFACTURER/SUPPLIER
	TBSC-Q.VI-01	*Roofcare MRA of Armstrong Chemicals Pvt Ltd, Bengaluru *Reebol of Fosroc Chemicals India Pvt Ltd, Bengaluru *Zorislip of Protect More Construction Chemicals (Coverage: 1 Ltr will cover approx 20 to 30m ² on method and material of the form) *MYK Schomburg
	TBSC-Q.VI-02	*Rapidstrong FM of Armstrong Chemicals Pvt Ltd, Bengaluru *Fosroc Chemicals India Pvt Ltd. Bengaluru. *Zorifloor NH of Protect More Construction Chemicals. :(Coverage : May be applied at rate 3.5 Kgs /m ² over green concrete for normal traffic & 6-12 Kg / M ² for heavy traffic. Higher application rates yield better abrasion resistance)* EBT PowerHard M-100 *MYK Schomburg
	TBSC-Q.VI-03	* Rapidstrong NH of Armstrong Chemicals Pvt Ltd, Bengaluru *Nitoflor Hardtop/Hard Standard of Fosroc Chemicals India Pvt Ltd, Bengaluru. * Zorifloor DH of Protect More Construction Chemicals* Mastertof 100 Grey of BASF :(Coverage : May be applied at rate 3.5 Kgs /m ² over green concrete for normal traffic & 6-12 Kg / M ² for heavy traffic. Higher application rates yield better abrasion resistance) *EBT PowerHard NM-100. (Coverage: May be applied at rate 3.5 Kgs /m ² over green concrete for normal traffic & 6-12 Kg / M ² for heavy traffic) *MYK Schomburg MYK TOP 150 Application rate Kg/M ² Intended traffic use AvgWear (IS1237-1980) 7 kgs Heavy <2mm 5 Kgs Medium >2<3.5mm 3 kgs Light>3.5<4mm
	TBSC-Q.VI-04	*Roofcrete MC of Armstrong Chemicals Pvt Ltd, Bengaluru / *Rendroc RG of Fosroc Chemicals India Pvt Ltd, Bengaluru *Zoricrete MC of Protect More Construction Chemicals. *MYK Schomburg MYK Top 200 Coverage : Light traffic 2.5 to 3.5 edium traffic 4 to 5 kg/m ² Heavy traffic 6 to 7 kg/m ²
	TBSC-Q.VI-05	*Roofcrete AR of Armstrong Chemicals Pvt Ltd, Bengaluru *Cemtop 400 SD of Fosroc Chemicals India Pvt Ltd, Bengaluru *Zoricrete CMG of Protect More Construction Chemicals. To achieve High Strength Concreting / Structural rehabilitation / concrete repairs : *MYK Schomburg MYK SOLOPLAN -30 For layers of less than 20 mm recommend 5.0 - 5.4 L of water to 25 kg of SOLOPLAN-30.For layers of 20mm and higher, we recommend 4.7-5.1 L of water to 25 kg of SOLOPLAN-30.
	TBSC-Q.VI-06	*Roofcrete EM of Armstrong Chemicals Pvt Ltd, Bengaluru *Fosroc Chemicals India Pvt Ltd, Bengaluru *Zoricrete ERM of Protect More Construction Chemicals. For wherever repeated failures takes place, resistance to chemicals. Repairing of Detoriated concrete with High Strength Flexural / Compressive Strength with High Standard Bonding: *MYK Schomburg MYK Crete CMS 4500 M/S by MYK Schomburg, Hyderabad *applied upto 50mm thickness at 2kg per m ² at 1mm thickness.
	TBSC-Q.VI-07	*Roofex of Armstrong Chemicals Pvt Ltd, Bengaluru *Brushbond Tap of Fosroc Chemicals India Pvt Ltd, Bengaluru *Zoripex of Protect More Construction Chemicals. For Negative Water Pressure Treatments like Cellar / Ceiling areas etc., : *MYK Schomburg
	TBSC-Q.VI-08	*Roofseal PU of Armstrong Chemicals Pvt Ltd, Bengaluru *Nitoseal PU 280 of Fosroc Chemicals India Pvt Ltd, Bengaluru *Zoriseal PU

Sl. No	SECTION	NAMES OF THE APPROVED BRAND/MANUFACTURER/SUPPLIER
		of Protect More Construction Chemicals. For Expansion Joints / Terrace Cracks / Wall & Beam junction cracks ; Runway Joints etc., : *MYK Schomburg
	TBSC-Q.VI-09	* Roofseal PS of Armstrong Chemicals Pvt Ltd, Bengaluru * Thioflex 600 of Fosroc Chemicals India Pvt Ltd, Bengaluru * Zoriseal PS of Protect More Construction Chemicals. For Expansion Joints / Terrace Cracks : *MYK Schomburg
	TBSC-Q.VI-10	*Wonderseal XL of Armstrong Chemicals Pvt Ltd, Bengaluru *Decofil of Fosroc Chemicals India Pvt Ltd, Bengaluru *Zoriseal XL of Protect More Construction Chemicals. External / Internal Wall Cracks Sealing *MYK Schomburg
	TBSC-Q.VI-11	*Wonderseal Plug of Armstrong Chemicals Pvt Ltd, Bengaluru *Renderroc Plug of Fosroc Chemicals India Pvt Ltd, Bengaluru *Zoriseal Plug of Protect More Construction Chemicals.
	TBSC-Q.VI-12	*Roofcoat PU400 of Armstrong Chemicals Pvt Ltd, Bengaluru *Nitocote UR 512 of Fosroc Chemicals India Pvt Ltd, Bengaluru *Zoricoat PU of Protect More Construction Chemicals. for floorings / Walls.
	TBSC-Q.VI-13	*Roofguard CTE of Armstrong Chemicals Pvt Ltd, Bengaluru *Nitocote ET 550 of Fosroc Chemicals India Pvt Ltd, Bengaluru/ *Zoriguard CTE of Protect More Construction Chemical. : tar based epoxy coating for sewage treatment plants, pipe lines protective coating for steel reinforcement.
	TBSC-Q.VI-14	*Roofexcure WB of Armstrong Chemicals Pvt Ltd, Bengaluru *Concure WB of Fosroc Chemicals Pvt Ltd, Bengaluru *Zoricure WB of Protect More Construction Chemicals. (Coverage : 4 Sq. Mtrs / Ltr / Coat)
	TBSC-Q.VI-15	*Rainseal BS of Armstrong Chemicals Pvt Ltd, Bengaluru *Fosroc Chemicals India Pvt Ltd, Bengaluru. *Zoriseal BS Grade 'A' of Protect More Construction Chemicals. for construction joints of roads / bridges.
	TBSC-Q.VI-16	*Rainseal BT Primer of Armstrong Chemicals Pvt Ltd, Bengaluru *Nitoproof 100 of Fosroc Chemicals India Pvt Ltd, Bengaluru *Zoriprime BT of Protect More Construction Chemicals.
	TBSC-Q.VI-17	*Roofplast AEA of Armstrong Chemicals Pvt Ltd Bengaluru *Conplast AEA of Fosroc Chemicals India Pvt Ltd, Bengaluru (Dosage : 200ml Per 50 Kgs Cement) *Zoriplast AEA of Protect More Construction Chemicals. (Dosage : 15ml to 20ml per bag of 50 Kgs Cement) For entrainment of air, recommended for canal lining works, mass concreting etc : *EBT Power AEA Plasticizer (Dosage : 15ml per Bag of 50 Kgs Cement)
		Multifilament Polypropylene fibers of Belmixbelgian fibers ISO 9001 Certified 6/12/18 mm length for Plastering, Screeds, All Precasting items 90 gms per each cement bag. * Multifilament Polypropylene fibers of Belmixbelgian fibers ISO 9001 Certified 6/12/18 mm length for CC Roads, Car Parkings, Pavements each 900 gms per each Cubic Meter Concrete.
		Macro Synthetic Fibers of Propex ASTM C1116/ 1116M -45mm length for CC Roads, Ground Supported Slabs, Pavements, Sprayed

Sl. No	SECTION	NAMES OF THE APPROVED BRAND/MANUFACTURER/SUPPLIER
		Concrete, Tunnel linings, Mining etc., 4 to 7 kg per 1 CuM
		Steel Fibers of Propex Novocon HE05535 EN 14889-1:2006 -35mm length for CC Roads, Ground Supported Slabs, Pavements, Sprayed Concrete, Tunnel linings, Mining etc., 15 to 22 kg per 1 CuM
		ALSTRONG CM 666 of M/s. Armstrong Chemicals Pvt Ltd , Bengaluru / ZORICOAT CM of M/s. Protect More Construction Chemicals (PMCC). M/s. POWER n GUARD ADM of EBT Construction Chemicals / FOSROC(Coverage : 1 Ltr / 40 SFT / Coat)
VII	SUB-SECTION	REPAIRING & TREATMENT WORKS
	TBSC-Q.VII-1	RAINSEAL FELT of Armstrong / Fosroc / ZORIFELT BT of PMCC, Supreme Tar Products (Membranefelt)
	TBSC-Q.VII-2	RAINSEAL HDP 1500 of Armstrong / Fosroc / ZORISHIELD 1500 of PMCC/Roofshield
	TBSC-Q.VII-3	RAINSEAL BT PRIMER of Armstrong / Fosroc /STP/PMCC/ Asian
	TBSC-Q.VII-4	ROOFBOND RFX of Armstrong /BRUSHBOND RFX of Fosroc / ZORIBOND RFX of PMCC. * MYK Schomburg MYK AQUAFIN TG M/S by MYK Schomburg, Hyderabad.* MYK AQUAFIN TG is a two component cementations, polymer dispersion based flexible protective coating and waterproof barrier. This product is two-component and resistant to water, moisture and abrasion. Dosage Rate: MYK AQUAFIN TG to be applied typically at 1.5-2.5kg/m ² .
	TBSC-Q.VII-5	RAINSEAL FLEXICOAT B 300 of Armstrong / NITOPROOF 120 of Fosroc /ZORICOAT BL of PMCC (Coverage : 1Ltr /100 SFT/ Each Coat) diluting with water at 1:1 ratio as a primer coat. RAINSEAL FLEXICOAT B 300 of Armstrong / NITOPROOF 120 of Fosroc /ZORICOAT BL of PMCC top coat diluting with 20% of water (Coverage : 1Ltr /5 Sqm /Each Coat)
	TBSC-Q.VII-6	RAINSEAL of Armstrong /PROOFEX SM of Fosroc / ZORICOAT XL of SMCC(1 Ltr/10 Sq.Mtr./Each Coat) diluting with water at 1:1 ratio as a primer coat , Next coat with with -RAINSEAL of Armstrong / PROOFEX SM of Fosroc / ZORICOAT XL of PMCC mixing with 20 % of Water. (1 Ltr/5 Sq.Mtr/Each Coat) final coat with--RAINSEAL of Armstrong /PROOFEX SM of Fosroc / ZORICOAT XL of PMCC (1 Ltr/2 Sq.Mtr/Each Coat) diluting with 20% of water. * MYK Schomburg MYK Coat WPU-1K(e) M/S by MYK Schomburg, Hyderabad.* Recommended coverage at minimum of 1.8kg per m ² for thickness of 1.1 mm
	TBSC-Q.VII-7	Polymer bonding agent: - ROOFBOND SBR of Armstrong / NITOBOND SBR of Fosroc / ZORIBOND SBR of PMCC (Coverage : 1 Ltr /5 Sqm / Each Coat), next with - Acrylic Polymer modified reinstatement concrete /mortar ROOF CRETE AR of Armstrong / CEMTOP 400 SD of Fosroc/ZORICRETE CMG of PMCC to finish and polysulphide sealant with ROOFSEAL PS of Armstrong/THIOFLEX 600 of Fosroc / ZORISEAL PS of PMCC (Coveragae : 1 Kg Per 1.8 RMT) finally with - ROOF COAT of Armstrong /

Sl. No	SECTION	NAMES OF THE APPROVED BRAND/MANUFACTURER/SUPPLIER
		BRUSHBOND of Fosroc / ZORICOAT of PMCC mixing with Cement at 1: 2 ratio. (Coverage : 1 Ltr / 2.5 Sqm / Coat)* MYK Schomburg SealPS
	TBSC-Q.VII-09	Ador Granite Series of MYK Schomburg Coverage: Primer Approx. 0.350 kg/m ² - final Texture Coat Approx. 0.70 to 0.80 kg/m ²
	TBSC-Q.VII-10	MYK Schomburg Parking System - Coverage: Primer Approx. 0.350 kg/m ² - final Coat Approx. 0.70 to 0.80 kg/m ²
	TBSC-Q.VII-11	MYK Schomburg Conductive Flooring System - Coverage: Primer Approx. 0.350 kg/m ² - final Coat Approx. 0.70 to 0.80 kg/m ²
	TBSC-Q.VII-12	MYK Schomburg - Coverage: Approximately 0.450 kg/m ² in two coats for a DFT of approx 200 micron. Primer (10 % dilution with water) is approx 0.150 to 0.200 kg/m ² Note: Higher consumption is expected on rough surfaces.
VIII	TBSCC-Q.VIII-01- 11	Silseal, Silflex, Armour, Shalitex
R	SECTION	MISCELLANEOUS ITEMS
		(a) Sintex, Aquatech for PVC tanks (b) Century wells & Sudarshana for Galvalume sheets (c) Elixir for PEB structures (d) Aluminium Sections - Hindalco, Nalco, Jindal, Geetha series (e) ACP Sheets - Alucopanel, alucobonel, Reynobond, Lennox Durabuid, Istronglegame, Alpollic, Alcomat, Alshine, Viva, Aludecorf) Gypsum plaster - NKV Home Depot, Gyplite, (f) AC Sheets - Charminar Fortune (g) Antitermite Treatment - Bayer (h) MPC (Mineral Polymer Composite) Griils/Jalli - Esoste, Carpets - Welspun (i) Polycarbonate sheets - DPI Daylighting

PLUMBING ITEMS

INDEX FOR PLUMBING ITEMS OF TELANAGANA BUILDINGS SOR 2020-21

Sl. No	SECTION	ITEM CODE	DESCRIPTION OF THE ITEM	FROM	TO
A	SECTION		S.W.G. PIPES & FITTINGS		
			(Landing cost - including loading, cost of conveyance, unloading & stacking but excluding material GST,)		
I	SUB-SECTION	TBSP-A.I-01-09	SUPPLY & LAYING OF SWG PIPES		
II	SUB-SECTION	TBSP-A.II-01-59	S.W.G. FITTINGS		
III	SUB-SECTION	TBSP-A.III-01-05	LABOUR CHARGES FOR SWG WORKS		
B	SECTION		MANHOLES & INSPECTION CHAMBERS		
I	SUB-SECTION	TBSP-B.I-01-04	MANHOLES		
II	SUB-SECTION	TBSP-B.II-01-13	INSPECTION CHAMBERS		
III	SUB-SECTION	TBSP-B.III-01-01	LABOUR CHARGES FOR IC WORKS		
C	SECTION		CENTRIFUGAL CI PIPES & FITTINGS - IS : 1729		
I	SUB-SECTION	TBSP-C.I-01-06	SUPPLY & LAYING OF CAST IRON PIPES		
II	SUB-SECTION	TBSP-C.II-01-33	SUPPLYING & LAYING OF C.I. FITTINGS		
III	SUB-SECTION	TBSP-C.III-01-08	LABOUR CHARGES FOR CI PIPE WORKS		
D	SECTION		CENTRIFUGAL CI PIPES & FITTINGS - IS : 3989		
I	SUB-SECTION	TBSP-D.I-01-13	SUPPLY OF CENTRIFUGAL CI PIPES		
II	SUB-SECTION	TBSP-D.II-01-95	SUPPLY OF C.I. SPUN FITTINGS		
E	SECTION		VITREOUS CHINAWARE - SANITARY APPLIANCES		
I	SUB-SECTION	TBSP-E.I-01-07	INDIAN WATER CLOSETS		
II	SUB-SECTION	TBSP-E.II-01-06	FLOOR MOUNTED EWC		
III	SUB-SECTION	TBSP-E.III-01-03	WALL MOUNTED EWC		
IV	SUB-SECTION	TBSP-E.IV-01-03	CISTERNS FOR WATER CLOSETS		
V	SUB-SECTION	TBSP-E.V-01-02	PLASTIC SEATS FOR WATER CLOSETS		
VI	SUB-SECTION	TBSP-E.VI-01-16	WASH HAND BASINS		
VII	SUB-SECTION	TBSP-E.VII-01-04	URINALS		

VIII	SUB-SECTION	TBSP-E.VIII-01-12	LABOUR CHARGES FOR SANITARY WARE		
F	SECTION		CP FITTINGS ACCESSORIES - TAPS, FAUCETS & ACCESSORIES		
I	SUB-SECTION	TBSP-F.I-01-08	TAPS & FAUCETS - BIB TAPS		
II	SUB-SECTION	TBSP-F.II-01-09	TAPS & FAUCETS - PILLAR TAPS		
III	SUB-SECTION	TBSP-F.III-01-07	TAPS & FAUCETS - OTHER TAPS & SPOUTS		
IV	SUB-SECTION	TBSP-F.IV-01-07	STOP & ANGLE VALVES		
V	SUB-SECTION	TBSP-F.V-01-09	COMBINATION FAUCETS		
VI	SUB-SECTION	TBSP-F.VI-01-08	SHOWER ROSES & FITTINGS		
VII	SUB-SECTION	TBSP-F.VII-01-41	MISCELLANEOUS CP FITTINGS		
VIII	SUB-SECTION	TBSP-F.VIII-01-05	LABOUR CHARGES		
G	SECTION		G.I. PIPES & FITTINGS		
I	SUB-SECTION	TBSP-G.I-01-13	G.I. PIPES		
II	SUB-SECTION	TBSP-G.II-01-24	G.I. FITTINGS		
III	SUB-SECTION	TBSP-G.III-01-27	BRONZE (COPPER ALLOY) VALVES		
IV	SUB-SECTION	TBSP-G.IV-01-03	LABOUR CHARGES FOR G.I PLUMBING		
H	SECTION		PVC PIPES & FITTINGS		
I	SUB-SECTION	TBSP-H.I-01-44	PVC PIPES		
II	SUB-SECTION	TBSP-H.II-01-96	PVC FITTINGS		
III	SUB-SECTION	TBSP-H.III-01-10	PVC PLUMBING ACCESSORIES		
IV	SUB-SECTION	TBSP-H.IV-01-03	LABOUR CHARGES FOR PVC PLUMBING		
J	SECTION		MISCELLANEOUS ITEMS		
I	SUB-SECTION	TBSP-J.I-01-40	MISCELLANEOUS PLUMBING WORK ITEMS		
II	SUB-SECTION	TBSP-J.II-01-17	POLYETHYLENE-ALUMINIUM-POLYETHYLENE COMPOSITE PIPES		
III	SUB-SECTION	TBSP-J.III-01-195	OTHER VARIETIES OF PIPES		

I. No	ITEM CODE	DESCRIPTION OF THE ITEM	UNIT	Scheduled Rates for the Year 2020-21
1	2	3	4	5
		Note: All the prices of the materials are excluding taxes but including cost of loading, cost of conveyance, unloading & stacking		
A	SECTION	S.W.G. PIPES & FITTINGS		
I	SUB-SECTION	SUPPLY & LAYING OF S.W.G. PIPES		
1	TBSP-A.I-01	Supplying, laying, jointing and testing 101.6 mm SWG SP-1 pipes of ISI make conforming to ISI 651 & 4127 with airtight cement joints in CM 1.5:1 prop. Including excavation of trenches and socket pits in any soil (except rock requiring blasting) up to 1524 mm(5'0") depth and refilling with watering and tamping.	1 RM	500.00
2	TBSP-A.I-02	Supplying, laying, jointing and testing 101.6 mm SWG SP-1 pipes of ISI make conforming to ISI 651 & 4127 with airtight cement joints in CM 1:5:1 prop. including excavation of trenches and socket pits in any soil (except rock requiring blasting) up to 914.4 mm (3'0") depth and refilling with watering and tamping.	1 RM	410.00
3	TBSP-A.I-03	Supplying, laying, jointing and testing 152.4 mm SWG SP-1 pipes of ISI make conforming to ISI 651 & 4127 with airtight cement joints in CM 1.5:1 prop. including excavation of trenches and socket pits in any soil (except rock requiring blasting) up to 1524 mm(5'0") depth and refilling with watering and tamping.	1 RM	722.00
4	TBSP-A.I-04	Supplying, laying, jointing and testing 152.4 mm SWG SP-1 pipes of ISI make conforming to ISI 651 & 4127 with airtight cement joints in CM 1.5:1 prop. including excavation of trenches and socket pits in any soil (except rock requiring blasting) up to 914.4 mm (3'0")) depth and refilling with watering and tamping.	1 RM	642.00
5	TBSP-A.I-05	Providing 152.4 mm CC bed 1:2:4 Prop:using 19.05mm gauge graded granite metal chips and cradling 101.6 mm SWG pipe line all round to have 75 mm nominal size thick cover over the sockets.	1 RM	141.00
6	TBSP-A.I-06	Providing 152.4 mm CC bed 1:2:4 Prop: using 19.05 mm gauge graded granite	1 RM	241.00

I. No	ITEM CODE	DESCRIPTION OF THE ITEM	UNIT	Scheduled Rates for the Year 2020-21
		metal chips and cradling 152.4 mm SWG pipe line all round to have 75 mm nominal size thick cover over the sockets.		
7	TBSP-A.I-07	Supplying & Laying 101.6 mm SWG channels with cement mortar joints with suitable brick masonry for fixing the channels in position	1 RM	97.00
8	TBSP-A.I-08	Supplying & Laying 152.4 mm SWG channels with cement mortar joints with suitable brick masonry for fixing the channels in position	1 RM	181.00
9	TBSP-A.I-09	Supplying & fixing 150 mm x 100 mm SWG gully traps conforming to ISI 651 & 4127 with C.I Grating & Cost. Brick masonry in CM 1:6 prop. Intermediate chamber and fitted with 304.8 mm x 288.6mm (12"x9") C.I Frame and hinged cover	Each	630.00
II	SUB-SECTION	S.W.G. PIPES (1m or above lengths)& FITTINGS		
0	TBSP-A.II-01	Supply of SWG SP-1 pipe conforming to ISI 651 - 4"dia(101.6mm)	1 RM	188.00
1	TBSP-A.II-02	Supply of SWG SP-1 pipe conforming to ISI 651 - 6"dia(152.4mm)	1 RM	326.00
1	TBSP-A.II-03	Supply of SWG SP-1 pipe conforming to ISI 651 - 8" dia(203.2mm)	1 RM	504.00
1	TBSP-A.II-04	Supply of SWG SP-1 pipe conforming to ISI 651 - 10" dia (254 mm)	1 RM	922.00
1	TBSP-A.II-05	Supply of SWG SP-1 pipe conforming to ISI 651 - 12" dia (300 mm)	1 RM	1330.00
1	TBSP-A.II-06	Supply of SWG SP-1 pipe conforming to ISI 651 - 14" dia (350 mm)	1 RM	1810.00
1	TBSP-A.II-07	Supply of SWG SP-2 pipe conforming to ISI 651 - 4"dia(101.6mm)	1 RM	233.00
1	TBSP-A.II-08	Supply of SWG SP-2 pipe conforming to ISI 651 - 6"dia(152.4mm)	1 RM	346.00
1	TBSP-A.II-09	Supply of SWG SP-2 pipe conforming to ISI 651 - 8" dia(203.2mm)	1 RM	622.00
1	TBSP-A.II-10	Supply of SWG SP-2 pipe conforming to ISI 651 - 10" dia (254 mm)	1 RM	977.00
2	TBSP-A.II-11	Supply of SWG SP-2 pipe conforming to ISI 651 - 12" dia (300 mm)	1 RM	1502.00
2	TBSP-A.II-12	Supply of SWG SP-2 pipe conforming to ISI 651 - 14" dia (350 mm)	1 RM	1947.00
2	TBSP-A.II-13	Supply of SWG SP-2 pipe conforming to ISI 651 - 16" dia (400 mm)	1 RM	2242.00
2	TBSP-A.II-	Supply of SWG SP-2 pipe conforming to ISI	1 RM	2863.00

I. No	ITEM CODE	DESCRIPTION OF THE ITEM	UNIT	Scheduled Rates for the Year 2020-21
	14	651 - 18" dia (450 mm)		
2	TBSP-A.II-15	Supply of SWG SP-3 pipe conforming to ISI 651 - 4"dia(101.6mm)	1 RM	297.00
2	TBSP-A.II-16	Supply of SWG SP-3 pipe conforming to ISI 651 - 6"dia(152.4mm)	1 RM	431.00
2	TBSP-A.II-17	Supply of SWG SP-3 pipe conforming to ISI 651 - 8" dia(203.2mm)	1 RM	763.00
2	TBSP-A.II-18	Supply of SWG SP-3 pipe conforming to ISI 651 - 10" dia (254 mm)	1 RM	1159.00
2	TBSP-A.II-19	Supply of SWG SP-3 pipe conforming to ISI 651 - 12" dia (300 mm)	1 RM	1619.00
2	TBSP-A.II-20	Supply of SWG SP-3 pipe conforming to ISI 651 - 14" dia (350 mm)	1 RM	2055.00
30	TBSP-A.II-21	Supply of SWG SP-2 pipe conforming to ISI 651 - 16" dia (400 mm)	1 RM	2365.00
31	TBSP-A.II-22	Supply of SWG SP-3 pipe conforming to ISI 651 - 18" dia (450 mm)	1 RM	3219.00
32	TBSP-A.II-23	Supply of SWG Bends conforming to IS standards -100 mm dia	Each	95.00
33	TBSP-A.II-24	Supply of SWG Bends conforming to IS standards -150 mm dia	Each	176.00
34	TBSP-A.II-25	Supply of SWG Bends conforming to IS standards -200 mm dia	Each	330.00
35	TBSP-A.II-26	Supply of SWG Bends conforming to IS standards -250 mm dia	Each	668.00
36	TBSP-A.II-27	Supply of SWG Bends conforming to IS standards -300 mm dia	Each	849.00
37	TBSP-A.II-28	Supply of SWG Bends conforming to IS standards -350 mm dia	Each	1060.00
38	TBSP-A.II-29	Supply of SWG Junctions (T's & Y's) conforming to IS standards with length of barrel 60 cm for - 100 x 100	Each	182.00
39	TBSP-A.II-30	Supply of SWG Junctions (T's & Y's) conforming to IS standards with length of barrel 60 cm for - 150 x 100	Each	268.00
40	TBSP-A.II-31	Supply of SWG Junctions (T's & Y's) conforming to IS standards with length of barrel 60 cm for - 150 x 150	Each	292.00
41	TBSP-A.II-32	Supply of SWG Junctions (T's & Y's) conforming to IS standards with length of barrel 60 cm for - 200 x 100	Each	416.00
42	TBSP-A.II-33	Supply of SWG Junctions (T's & Y's) conforming to IS standards with length of barrel 60 cm for - 200 x 150	Each	487.00
43	TBSP-A.II-34	Supply of SWG Junctions (T's & Y's) conforming to IS standards with length of barrel 60 cm for - 200 x 200	Each	558.00

I. No	ITEM CODE	DESCRIPTION OF THE ITEM	UNIT	Scheduled Rates for the Year 2020-21
44	TBSP-A.II-35	Supply of SWG Junctions (T's & Y's) conforming to IS standards with length of barrel 60 cm for - 250 x 100	Each	657.00
45	TBSP-A.II-36	Supply of SWG Junctions (T's & Y's) conforming to IS standards with length of barrel 60 cm for - 250 x 150	Each	866.00
46	TBSP-A.II-37	Supply of SWG Junctions (T's & Y's) conforming to IS standards with length of barrel 60 cm for - 250 x 200	Each	1071.00
47	TBSP-A.II-38	Supply of SWG Junctions (T's & Y's) conforming to IS standards with length of barrel 60 cm for - 250 x 250	Each	1283.00
48	TBSP-A.II-39	Supply of SWG Junctions (T's & Y's) conforming to IS standards with length of barrel 60 cm for - 300 x 100	Each	935.00
49	TBSP-A.II-40	Supply of SWG Junctions (T's & Y's) conforming to IS standards with length of barrel 60 cm for - 300 x 150	Each	1197.00
50	TBSP-A.II-41	Supply of SWG Junctions (T's & Y's) conforming to IS standards with length of barrel 60 cm for - 300 x 200	Each	1468.00
51	TBSP-A.II-42	Supply of SWG Junctions (T's & Y's) conforming to IS standards with length of barrel 60 cm for - 300 x 250	Each	1724.00
52	TBSP-A.II-43	Supply of SWG Junctions (T's & Y's) conforming to IS standards with length of barrel 60 cm for - 300 x 300	Each	1985.00
53	TBSP-A.II-44	Supply of SWG Junctions (T's & Y's) conforming to IS standards with length of barrel 60 cm for - 350 x 100	Each	1166.00
54	TBSP-A.II-45	Supply of SWG Junctions (T's & Y's) conforming to IS standards with length of barrel 60 cm for - 350 x 150	Each	1496.00
55	TBSP-A.II-46	Supply of SWG Junctions (T's & Y's) conforming to IS standards with length of barrel 60 cm for - 350 x 200	Each	1823.00
56	TBSP-A.II-47	Supply of SWG Junctions (T's & Y's) conforming to IS standards with length of barrel 60 cm for - 350 x 250	Each	2150.00
57	TBSP-A.II-48	Supply of SWG Junctions (T's & Y's) conforming to IS standards with length of barrel 60 cm for - 350 x 300	Each	2480.00
58	TBSP-A.II-49	Supply of SWG Junctions (T's & Y's) conforming to IS standards with length of barrel 60 cm for - 350 x 350	Each	2805.00
59	TBSP-A.II-50	Supply of SWG Plugs conforming to IS standards for 100 mm dia	Each	35.00

I. No	ITEM CODE	DESCRIPTION OF THE ITEM	UNIT	Scheduled Rates for the Year 2020-21
60	TBSP-A.II-51	Supply of SWG Plugs conforming to IS standards for 150 mm dia	Each	67.00
61	TBSP-A.II-52	Supply of SWG Plugs conforming to IS standards for 200 mm dia	Each	125.00
62	TBSP-A.II-53	Supply of SWG Plugs conforming to IS standards for 250 mm dia	Each	217.00
63	TBSP-A.II-54	Supply of SWG Plugs conforming to IS standards for 300 mm dia	Each	343.00
64	TBSP-A.II-55	Supply of SWG Plugs conforming to IS standards for 350 mm dia	Each	430.00
65	TBSP-A.II-56	Supply of SWG Gully Traps (Round & Square) conforming to IS standards 150 x 100 mm	Each	264.00
66	TBSP-A.II-57	Supply of SWG Saddles conforming to IS standards 150 x 100mm	Each	193.00
67	TBSP-A.II-58	Supply of SWG Saddles conforming to IS standards 200 x 100mm	Each	330.00
68	TBSP-A.II-59	Supply of SWG Saddles conforming to IS standards 250 x 100mm	Each	534.00
68(a)	TBSP-A.II-60	Supply of SWG Rubber Rings, glue & Fixing Charges confirming to IS standards 150mm	Each	40.00
68(b)	TBSP-A.II-61	Supply of SWG Rubber Rings, glue & Fixing Charges confirming to IS standards 200mm	Each	58.00
68(c)	TBSP-A.II-62	Supply of SWG Rubber Rings, glue & Fixing Charges confirming to IS standards 250mm	Each	78.00
68(d)	TBSP-A.II-63	Supply of SWG Rubber Rings, glue & Fixing Charges confirming to IS standards 300mm	Each	130.00
III	SUB-SECTION	LABOUR CHARGES FOR SWG WORKS		
69	TBSP-A.III-01	Labour charges only for laying, jointing and testing SWG pipes of any dia with airtight cement joints including excavation of trenches and socket pits in any soil up to 914.4 mm (3'0") depth (except rock requiring blasting) and refilling with watering and tamping.	1 RM	277.00
70	TBSP-A.III-02	Labour charges only for laying, jointing and testing SWG pipes of any dia with airtight cement joints including excavation of trenches and socket pits in any soil up to 1524 mm (5'-0") depth (except rock requiring blasting) and refilling with watering and tamping.	1 RM	344.00
71	TBSP-A.III-03	Labour charges only for laying 101.6 mm SWG channels with cement mortar joints with suitable brick masonry for fixing the channels in position	1 RM	44.00

I. No	ITEM CODE	DESCRIPTION OF THE ITEM	UNIT	Scheduled Rates for the Year 2020-21
72	TBSP-A.III-04	Labour charges only for laying 152.4 mm SWG channels with cement mortar joints with suitable brick masonry for fixing the channels in position	1 RM	60.00
73	TBSP-A.III-05	Labour charges only for fixing and laying the SWG Junctions/ Plugs/ Bends of any dia with airtight cement joints as per standard practice	Each	37.00
B	SECTION	MANHOLES&INSPECTIONCHAMBERS-ASPER-IS 4111 : Part 1 :1986		
I	SUB-SECTION	MANHOLES		
74	TBSP-B.I-01	Constructing 904.0 mm (3'0") dia solid block masonry inspection chamber as per IS - 4111: Part-1:1986 with cement mortar (1:6) prop using fly-ash blocks of 225 mm thick from approved source having a minimum crushing strength of 10 N/sq.mm including plastering with cement mortar 1:3 prop; ½" thick both inside and outside fitted with 20" dia RCC manhole covers and frames including excavating pits up to a depth of 904 mm (3'-0") in all sorts of soils (excluding rock) and laying cement concrete (1:4:8) 150 mm thick using 40 mm HBG Metal and P.C.C. 1:2:4 benching and channel 100 mm thick as per Standard specification and including cost and conveyance of all materials like cement, sand, bricks, water etc., to site, cost of seigniorage charges on all materials and all incidental and operational, labour charges like mixing cement mortar, constructing masonry, lift charges, curing etc., complete for finished item of work as per Standard specification.	Each	7,475.00
75	TBSP-B.I-02	Constructing 904.0 mm (3'0") dia solid block masonry inspection chamber as per IS - 4111: Part-1:1986 with cement mortar (1:6) prop using fly-ash blocks of 225 mm thick from approved source having a minimum crushing strength of 10 N/sq.mm including plastering with cement mortar 1:3 prop; ½" thick both inside and outside fitted with 20" dia RCC manhole covers and frames including excavating pits up to a depth of 1524 mm	Each	11,912.00

I. No	ITEM CODE	DESCRIPTION OF THE ITEM	UNIT	Scheduled Rates for the Year 2020-21
		(5'-0") in all sorts of soils (excluding rock) and laying cement concrete (1:4:8) 150 mm thick using 40 mm HBG Metal and P.C.C. 1:2:4 benching and channel 100 mm thick as per Standard specification and including cost and conveyance of all materials like cement, sand, bricks, water etc., to site, cost of seigniorage charges on all materials and all incidental and operational, labour charges like mixing cement mortar, constructing masonry, lift charges, curing etc., complete for finished item of work as per Standard specification.		
	TBSP-B.I-03	Constructing 904.0 mm (3'0") dia brick masonry inspection chamber as per IS - 4111: Part-1:1986 with cement mortar (1:6) prop using 2nd Class Clay Bricks of 225 mm thick from approved source having a minimum crushing strength of 5 N/sq.mm including plastering with cement mortar 1:3 prop; ½" thick both inside and outside fitted with 20" dia RCC manhole covers and frames including excavating pits up to a depth of 904 mm (3'-0") in all sorts of soils (excluding rock) and laying cement concrete (1:4:8) 150 mm thick using 40 mm HBG Metal and P.C.C. 1:2:4 benching and channel 100 mm thick as per Standard specification and including cost and conveyance of all materials like cement, sand, bricks, water etc., to site, cost of seigniorage charges on all materials and all incidental and operational, labour charges like mixing cement mortar, constructing masonry, lift charges, curing etc., complete for finished item of work as per Standard specification.	Each	7,456.00
77	TBSP-B.I-04	Constructing 904.0 mm (3'0") dia brick masonry inspection chamber as per IS - 4111: Part-1:1986 with cement mortar (1:6) prop using 2nd Class Clay Bricks of 225 mm thick from approved source having a minimum crushing strength of 5 N/sq.mm including plastering with cement mortar 1:3 prop; ½" thick both inside and outside fitted with 20" dia RCC manhole covers and frames including excavating pits up to a depth of 1524 mm (5'-0") in all sorts of soils	Each	11,865.00

I. No	ITEM CODE	DESCRIPTION OF THE ITEM	UNIT	Scheduled Rates for the Year 2020-21
		(excluding rock) and laying cement concrete (1:4:8) 150 mm thick using 40 mm HBG Metal and P.C.C. 1:2:4 benching and channel 100 mm thick as per Standard specification and including cost and conveyance of all materials like cement, sand, bricks, water etc., to site, cost of seigniorage charges on all materials and all incidental and operational, labour charges like mixing cement mortar, constructing masonry, lift charges, curing etc., complete for finished item of work as per Standard specification.		
II	SUB-SECTION	INSPECTION CHAMBERS & COVERS		
78	TBSP-B.II-01	Constructing 914.4 mm x 457.2 mm (3'0"x1'6") brick in CM 1:6 prop. Masonry Inspection chamber up to 914.4 mm (3'0") and fitted with light weight 914.4 mm x 457.2 mm (3'0"x1'6") C.I frame and cover of 40 Kg.	Each	6,442.00
79	TBSP-B.II-02	Constructing 457.2 mm x 457.2 mm (1'6"x1'6") brick in CM 1:6 prop. Masonry. Inspection chamber up to 914.4 mm (3'0") and fitted with light weight 457.2 mm x 457.2 mm (1'6"x1'6") C.I frame and cover of 20 Kg.	Each	3,884.00
80	TBSP-B.II-03	Constructing Brick masonry chamber over the gully trap or peet valve and fitted with 304.8 x 228.6 m size CI frame and hinged cover.	Each	481.00
81	TBSP-B.II-04	Constructing Brick masonry support for G.I pipe with C.M 304.8 x 228.6 x228.6 mm size including plastering and finishing etc. complete.	Each	78.00
82	TBSP-B.II-05	Supply & fixing RCC cover 22" dia with nominal reinforcement 3 " thick and hooks for lifting	Each	746.00
83	TBSP-B.II-06	Supplying & fixing 304.8 x 228.6 mm CI frame & cover over gully taps	Each	127.00
84	TBSP-B.II-07	Supplying & fixing CI Nahany trap grating	Each	21.00
85	TBSP-B.II-08	Supplying & fixing CI gully trap grating	Each	52.00
86	TBSP-B.II-09	Supplying & fixing 914.4 x 457.2 mm CI man hole frame and cover (light weight) 30 Kgs	Each	2,050.00
87	TBSP-B.II-	Supplying & fixing 602 x 602 mm CI man	Each	3,055.00

I. No	ITEM CODE	DESCRIPTION OF THE ITEM	UNIT	Scheduled Rates for the Year 2020-21
	10	hole frame and cover (light weight) 30 Kgs		
88	TBSP-B.II-11	Supplying & fixing CI steps for septic tank.	Each	67.00
89	TBSP-B.II-12	Supplying & fixing 50.8 cm dia C.I. Man hole frame & cover for 914.4 mm dia chamber (20 Kgs - Light weight)	Each	1,319.00
90	TBSP-B.II-13	Supplying & fixing 50.8 cm dia C.I. Man hole frame & cover for 914.4 mm dia chamber (Medium weight) as per IS:1726 - 40 Kgs	Each	2,723.00
III	SUB-SECTION	LABOUR CHARGES FOR IC WORKS		
91	TBSP-B.III-01	Making drainage connection from a drainage line in to an existing inspection chamber/ manhole including making a hole in to the chambers, placing necessary pipes in the connection and making good the junction in and out of the chambers including cost of necessary cement, sand and aggregate etc.,	Each	142.00
C	SECTION	C.I. PIPES & FITTINGS - AS PER - IS 1729:1979 (Materials shall be procured from the list of approved Brands/ Manufacturers/Suppliers)		
I	SUB-SECTION	SUPPLYING & LAYING OF C.I. PIPES		
92	TBSP-C.I-01	Supplying and fixing of C.I. soil pipes ISI marked conforming to IS:1729-1979 of approved make with cement caulked joints and fixing as per site requirements including painting black with Japan paint and fixing with necessary wooden blocks fixed in the masonry walls in cement mortar (1½:1) including fixing of M.S. clamps if necessary with required no. of Bombay nail etc., complete for 3" dia (75mm nominal size) Single Socket	1 RM	766.00
93	TBSP-C.I-02	Supplying and fixing of C.I. soil pipes ISI marked conforming to IS:1729-1979 of approved make with cement caulked joints and fixing as per site requirements including painting black with Japan paint and fixing with necessary wooden blocks fixed in the masonry walls in cement mortar (1½:1) including fixing of M.S. clamps if necessary with required no. of Bombay nails etc., complete for 4" dia (101.6mm) Single Socket	1 RM	1006.00
94	TBSP-C.I-03	Supplying and fixing of C.I. soil pipes ISI marked conforming to IS:1729-1979 of	1 RM	1,609.00

I. No	ITEM CODE	DESCRIPTION OF THE ITEM	UNIT	Scheduled Rates for the Year 2020-21
		approved make with cement caulked joints and fixing as per site requirements including painting black with Japan paint and fixing with necessary wooden blocks fixed in the masonry walls in cement mortar (1½:1) including fixing of M.S. clamps if necessary with required no. of Bombay nails etc., complete for 6" dia (152.4mm) SingleSocket		
95	TBSP-C.I-04	Supplying and fixing of C.I. soil pipes ISI marked conforming to IS:1729-1979 of approved make with cement caulked joints and fixing as per site requirements including painting black with Japan paint and fixing with necessary wooden blocks fixed in the masonry walls in cement mortar (1½:1) including fixing of M.S. clamps if necessary with required no. of Bombay nailsetc., complete for 3" dia (75mm nominal size) DoubleSocket	1 RM	837.00
96	TBSP-C.I-05	Supplying and fixing of C.I. soil pipes ISI marked conforming to IS:1729-1979 of approved make with cement caulked joints and fixing as per site requirements including painting black with Japan paint and fixing with necessary wooden blocks fixed in the masonry walls in cement mortar (1½:1) including fixing of M.S. clamps if necessary with required no. of Bombay nails etc., complete for 4" dia (101.6mm) DoubleSocket	1 RM	1,117.00
97	TBSP-C.I-06	Supplying and fixing of C.I. soil pipes ISI marked conforming to IS:1729-1979 of approved make with cement caulked joints and fixing as per site requirements including painting black with Japan paint and fixing with necessary wooden blocks fixed in the masonry walls in cement mortar (1½:1) including fixing of M.S. clamps if necessary with required no. of Bombay nails etc., complete for 6" dia (152.4mm) DoubleSocket	1 RM	1,855.00
II	SUB-SECTION	SUPPLYING & LAYING OF C.I. FITTINGS		
8	TBSP-C.II-01	Supplying & fixing CI Plain bends 1st quality ISI marked conforming to IS:1729-1979 with cement caulked joints and fixing as per site requirements with standard practice for 3"	Each	298.00

I. No	ITEM CODE	DESCRIPTION OF THE ITEM	UNIT	Scheduled Rates for the Year 2020-21
		dia (75 mm nominal size)		
99	TBSP-C.II-02	Supplying & fixing CI Plain bends 1st quality ISI marked conforming to IS:1729-1979 with cement caulked joints and fixing as per site requirements with standard practice for 4" dia (101.6mm)	Each	379.00
100	TBSP-C.II-03	Supplying & fixing CI Plain bends 1st quality ISI marked conforming to IS:1729-1979 with cement caulked joints and fixing as per site requirements with standard practice for 6" dia (152.4 mm)	Each	629.00
101	TBSP-C.II-04	Supplying & fixing CI Plug (Door) bends 1st quality ISI marked conforming to IS:1729-1979 with cement caulked joints and fixing as per site requirements with standard practice for 3" dia (75 mm nominal size)	Each	370.00
102	TBSP-C.II-05	Supplying & fixing CI Plug (Door) bends 1st quality ISI marked conforming to IS:1729-1979 with cement caulked joints and fixing as per site requirements with standard practice for 4" dia (101.6 mm)	Each	458.00
103	TBSP-C.II-06	Supplying & fixing CI Plug (Door) bends 1st quality ISI marked conforming to IS:1729-1979 with cement caulked joints and fixing as per site requirements with standard practice for 6" dia (152.4 mm)	Each	1001.00
104	TBSP-C.II-07	Supplying and fixing of 75 mm nominal size (3") CI soil single junction with plug: conforming to IS:1729-1979 with cement caulked joints and fixing	Each	465.00
105	TBSP-C.II-08	Supplying and fixing of 101.6 mm (4") CI soil single junction with plug : conforming to IS:1729-1979 with cement caulked joints and fixing	Each	729.00
106	TBSP-C.II-09	Supplying and fixing of 152.4 mm (6") CI soil single junction with plug : conforming to IS:1729-1979 with cement caulked joints and fixing	Each	1,726.00
107	TBSP-C.II-10	Supplying and fixing of 75 mm nominal size (3") CI soil plain single junction : conforming to IS:1729-1979 with cement caulked joints and fixing	Each	391.00
108	TBSP-C.II-11	Supplying and fixing of 101.6 mm (4") CI soil plain single junction : conforming to IS:1729-1979 with cement caulked joints and fixing	Each	536.00
109	TBSP-C.II-12	Supplying and fixing of 152.4 mm (6") CI soil plain single junction : conforming to	Each	1,285.00

I. No	ITEM CODE	DESCRIPTION OF THE ITEM	UNIT	Scheduled Rates for the Year 2020-21
		IS:1729-1979 with cement caulked joints and fixing		
110	TBSP-C.II-13	Supplying and Fixing of 75 mm nominal size (3") CI soil Double junction with plug : conforming to IS: 1729-1979 with cement caulked joints and fixing	Each	708.00
111	TBSP-C.II-14	Supplying and Fixing of 101.6 mm (4") CI soil Double junction with plug : conforming to IS:1729-1979 with cement caulked joints and fixing	Each	861.00
112	TBSP-C.II-15	Supplying and Fixing of 152.4 mm (6") CI soil Double junction with plug : conforming to IS:1729-1979 with cement caulked joints and fixing	Each	2,014.00
113	TBSP-C.II-16	Supplying and Fixing of 75 mm nominal size (3") CI soil plain Double junction : conforming to IS:1729- 1979 with cement caulked joints and fixing	Each	613.00
114	TBSP-C.II-17	Supplying and Fixing of 101.6 mm (4") CI soil plain Double junction : conforming to IS:1729-1979 with cement caulked joints and fixing	Each	805.00
115	TBSP-C.II-18	Supplying and Fixing of 152.4 mm (6") CI soil plain Double junction : conforming to IS:1729-1979 with cement caulked joints and fixing	Each	1,885.00
116	TBSP-C.II-19	Supplying and Fixing of 75mm C.I. Offsets 1st quality conforming to IS:1729-1979 with cement caulked joints and fixing -for 76.20 mm (3") C.I. Pipe	Each	300.00
117	TBSP-C.II-20	Supplying and Fixing of 75mm C.I. Offsets 1st quality conforming to IS:1729-1979 with cement caulked joints and fixing -for 101.6 mm (4") C.I. Pipe	Each	420.00
118	TBSP-C.II-21	Supplying and Fixing of 75mm C.I. Offsets 1st quality conforming to IS:1729-1979 with cement caulked joints and fixing -for 152.4 mm (6") C.I. Pipe	Each	915.00
119	TBSP-C.II-22	Supplying and Fixing of 115 mm C.I. Offsets 1st quality conforming to IS:1729-1979 with cement caulked joints and fixing - for 76.20 mm (3") C.I. Pipe	Each	358.00
120	TBSP-C.II-23	Supplying and Fixing of 115 mm C.I. Offsets 1st quality conforming to IS:1729-1979 with cement caulked joints and fixing - for 101.6 mm (4") C.I. Pipe	Each	476.00

I. No	ITEM CODE	DESCRIPTION OF THE ITEM	UNIT	Scheduled Rates for the Year 2020-21
121	TBSP-C.II-24	Supplying and Fixing of 115 mm C.I. Offsets 1st quality conforming to IS:1729-1979 with cement caulked joints and fixing - for 152.4 mm (6") C.I. Pipe	Each	939.00
122	TBSP-C.II-25	Supplying and Fixing of 150 mm C.I. Offsets 1st quality conforming to IS:1729-1979 with cement caulked joints and fixing for 76.20 mm (3") C.I. Pipe	Each	414.00
123	TBSP-C.II-26	Supplying and Fixing of 150 mm C.I. Offsets 1st quality conforming to IS:1729-1979 with cement caulked joints and fixing for 101.6 mm (4") C.I. Pipe	Each	536.00
124	TBSP-C.II-27	Supplying and Fixing of 150 mm C.I. Offsets 1st quality conforming to IS:1729-1979 with cement caulked joints and fixing for 152.4 mm (6") C.I. Pipe	Each	1,090.00
125	TBSP-C.II-28	Supplying & fixing CI floor traps 1st quality ISI marked conforming to IS:1729-1979 with C.P. Grating fixing with white cement as per site requirements with standard practice for nominal dia 75 mm (3") and grating size 165 mm dia of weight not less than 5.5 Kgs	Each	544.00
126	TBSP-C.II-29	Supplying & fixing CI floor traps 1st quality ISI marked with C.P. Grating fixing with white cement as per site requirements with standard practice for nominal dia 100 mm (4") and grating size 100 mm dia of weight not less than 6 Kgs	Each	665.00
127	TBSP-C.II-30	Supplying & fixing CI floor traps 1st quality ISI marked conforming to IS:1729-1979 with C.P. Grating fixing with white cement as per site requirements with standard practice for nominal dia 75 mm (3") and grating size 100 mm dia of weight not less than 4.0 Kgs	Each	332.00
128	TBSP-C.II-31	Supplying & fixing CI Collars (double socket) 1st quality ISI marked conforming to IS:1729-1979 with cement caulked joints and fixing as per site requirements with standard practice for 76.20 mm (3") C.I. Pipe	Each	182.00
129	TBSP-C.II-32	Supplying & fixing CI Collars (double socket) 1st quality ISI marked conforming to IS:1729-1979 with cement caulked joints and fixing as per site requirements with standard practice for 101.6 mm (4") C.I. Pipe	Each	229.00
130	TBSP-C.II-33	Supplying & fixing CI Collars (double socket) 1st quality ISI marked conforming to IS:1729-	Each	657.00

I. No	ITEM CODE	DESCRIPTION OF THE ITEM	UNIT	Scheduled Rates for the Year 2020-21
		1979 with cement caulked joints and fixing as per site requirements with standard practice for 152.4 mm (6") C.I. Pipe		
III	SUB-SECTION	LABOUR CHARGES FOR CI PIPE WORKS		
131	TBSP-C.III-01	Labour charges only for fixing of C.I. Single/ Double Socket soil pipes of any dia with cement caulked joints and fixing as per site requirements including painting black with Japan paint and fixing with necessary wooden blocks fixed in the masonry walls in cement mortar and including fixing of M.S. clamps if necessary with required nails	1 RM	270.00
132	TBSP-C.III-02	Labour charges only for fixing CI Plain/ Plug (Door) bends with cement caulked joints and fixing as persite requirements with standardpractice	Each	86.00
133	TBSP-C.III-03	Labour charges only fixing CI soil single junctions with cement caulked joints and fixing as per site requirements with standard practice	Each	108.00
134	TBSP-C.III-04	Labour charges only fixing CI soil Double junctions with cement caulked joints and fixing as per site requirements with standard practice	Each	116.00
135	TBSP-C.III-05	Labour charges only fixing CI soil Collars, Bends, Offsets etc., with cement caulked joints and fixing as per site requirements with standard practice	Each	53.00
136	TBSP-C.III-06	Labour charges only for fixing CI Nahany/ Floor traps with C.P. Grating fixing with white cement as per site requirements with standard practice	Each	70.00
137	TBSP-C.III-07	Boxing of Nahany traps in RCC floors	Each	227.00
138	TBSP-C.III-08	Boxing of W.C Traps in R.C.C floors	Each	456.00
D	SECTION	CENTRIFUGALCASTIRONPIPES&FITTINGSASPER IS: 3989 -1984		
I	SUB-SECTION	SUPPLY OF CENTRIFUGAL CI PIPES		
139	TBSP-D.I-01	75 mm dia CI (spun) soils Waste & Ventilating pipe (3 M)	Each	1,484.00
140	TBSP-D.I-02	100 mm dia CI (spun) soils Waste & Ventilating pipe(3M)	Each	1,975.00
141	TBSP-D.I-03	150 mm dia CI (spun) soils Waste & Ventilating pipe(3M)	Each	3,620.00

I. No	ITEM CODE	DESCRIPTION OF THE ITEM	UNIT	Scheduled Rates for the Year 2020-21
142	TBSP-D.I-04	75 mm dia CI (spun) soils Waste & Ventilating pipe (3 M) Double socket	Each	1,647.00
143	TBSP-D.I-05	100 mm dia CI (spun) soils Waste & Ventilating pipe(3 M) Doublesocket	Each	2,222.00
144	TBSP-D.I-06	75 mm dia 9'-0" (2743.2 mm) CI (Spun) pipes	Each	1,334.00
145	TBSP-D.I-07	100 mm dia 9'-0" (2743.2 mm) CI (Spun) pipes	Each	1,782.00
146	TBSP-D.I-08	75 mm dia 8'-0" (2438.4 mm) CI (Spun) pipes	Each	1,194.00
147	TBSP-D.I-09	100 mm dia 8'-0" (2438.4 mm) CI (Spun) pipes	Each	1,587.00
148	TBSP-D.I-10	75 mm dia 6'-0" (1828.8 mm) CI (Spun) pipes	Each	971.00
149	TBSP-D.I-11	100 mm dia 6'-0" (1828.8 mm) CI (Spun) pipes	Each	1,267.00
150	TBSP-D.I-12	75 mm dia 6'-0" (1828.8 mm) Double Socket CI (Spun) pipes	Each	1,021.00
151	TBSP-D.I-13	100 mm dia 6'-0" (1828.8 mm) Double Socket CI (Spun) pipes	Each	1,267.00
II	SUB-SECTION	SUPPLY OF C.I. SPUN FITTINGS		
152	TBSP-D.II-01	75 mm dia Cut pipes (pieces) 1 foot (304.8 mm) CI (Spun) fittings	Each	354.00
153	TBSP-D.II-02	100 mm dia Cut pipes (pieces) 1 foot (304.8 mm) CI (Spun) fittings	Each	407.00
154	TBSP-D.II-03	75 mm dia Cut pipes (pieces) 1'.6" (457.2 mm) CI (Spun) fittings	Each	508.00
155	TBSP-D.II-04	100 mm dia Cut pipes (pieces) 1'.6" (457.2 mm) CI (Spun) fittings	Each	583.00
156	TBSP-D.II-05	150 mm dia Cut pipes (pieces) 1'.6" (457.2 mm) CI (Spun) fittings	Each	1,112.00
157	TBSP-D.II-06	75 mm dia Cut pipes (pieces) 2 feet (609.6 mm) CI (Spun) fittings	Each	699.00
158	TBSP-D.II-07	100 mm dia Cut pipes (pieces) 2 feet (609.6 mm) CI (Spun) fittings	Each	772.00
159	TBSP-D.II-08	150 mm dia Cut pipes (pieces) 2 feet (609.6 mm) CI (Spun) fittings	Each	1,393.00
160	TBSP-D.II-09	75 mm dia Cut pipes (pieces) 3 feet (914.4 mm) CI (Spun) fittings	Each	1,072.00
161	TBSP-D.II-10	100 mm dia Cut pipes (pieces) 3 feet (914.4 mm) CI (Spun) fittings	Each	1,447.00
162	TBSP-D.II-11	75 mm dia Cut pipes (pieces) 4 feet (1219.2 mm) CI (Spun) fittings	Each	1,180.00
163	TBSP-D.II-12	100 mm dia Cut pipes (pieces) 4 feet (1219.2 mm) CI (Spun) fittings	Each	1,766.00

I. No	ITEM CODE	DESCRIPTION OF THE ITEM	UNIT	Scheduled Rates for the Year 2020-21
164	TBSP-D.II-13	75 mm dia Plain Bend - CI (Spun) fittings	Each	365.00
165	TBSP-D.II-14	100 mm dia Plain Bend - CI (Spun) fittings	Each	429.00
166	TBSP-D.II-15	150 mm dia Plain Bend - CI (Spun) fittings	Each	1,022.00
167	TBSP-D.II-16	75 mm dia Door Bend - CI (Spun) fittings	Each	377.00
168	TBSP-D.II-17	100 mm dia Door Bend - CI (Spun) fittings	Each	489.00
169	TBSP-D.II-18	150 mm dia Door Bend - CI (Spun) fittings	Each	1,118.00
170	TBSP-D.II-19	75 mm dia Plain Bend 45 Degrees - CI (Spun) fittings	Each	365.00
171	TBSP-D.II-20	100 mm dia Plain Bend 45 Degrees - CI (Spun) fittings	Each	429.00
172	TBSP-D.II-21	150 mm dia Plain Bend 45 Degrees - CI (Spun) fittings	Each	1,022.00
173	TBSP-D.II-22	75 mm dia Door Bend 45 Degrees - CI (Spun) fittings	Each	377.00
174	TBSP-D.II-23	100 mm dia Door Bend 45 Degrees - CI (Spun) fittings	Each	489.00
175	TBSP-D.II-24	150 mm dia Door Bend 45 Degrees - CI (Spun) fittings	Each	1,118.00
176	TBSP-D.II-25	Horn Bend Plain 101.6 x 50 mm nominal size (4" x 2") 100 mm dia - CI (Spun) fittings	Each	742.00
177	TBSP-D.II-26	Horn Bend door 101.6 x 50 mm nominal size (4" x 2") 100 mm dia - CI (Spun) fittings	Each	866.00
178	TBSP-D.II-27	75 mm dia Heel Rest Bend - CI (Spun) fittings	Each	388.00
179	TBSP-D.II-28	100 mm dia Heel Rest Bend - CI (Spun) fittings	Each	496.00
180	TBSP-D.II-29	150 mm dia Heel Rest Bend - CI (Spun) fittings	Each	1,053.00
181	TBSP-D.II-30	75 mm dia Single Branch Plain "T" - CI (Spun) fittings	Each	489.00
182	TBSP-D.II-31	100 mm dia Single Branch Plain "T" - CI (Spun) fittings	Each	659.00
183	TBSP-D.II-32	150 mm dia Single Branch Plain "T" - CI (Spun) fittings	Each	1,360.00
184	TBSP-D.II-33	75 mm dia Single Branch Door "T" - CI (Spun) fittings	Each	576.00
185	TBSP-D.II-34	100 mm dia Single Branch Door "T" - CI (Spun) fittings	Each	765.00
186	TBSP-D.II-35	150 mm dia Single Branch Door "T" - CI (Spun) fittings	Each	1,436.00
187	TBSP-D.II-	75 mm dia Single Branch plain "Y" - CI (Spun)	Each	576.00

I. No	ITEM CODE	DESCRIPTION OF THE ITEM	UNIT	Scheduled Rates for the Year 2020-21
	36	fittings		
188	TBSP-D.II-37	100 mm dia Single Branch plain "Y" - CI (Spun) fittings	Each	765.00
189	TBSP-D.II-38	150 mm dia Single Branch plain "Y" - CI (Spun) fittings	Each	1,685.00
190	TBSP-D.II-39	75 mm dia Single Branch Door "Y" - CI (Spun) fittings	Each	631.00
191	TBSP-D.II-40	100 mm dia Single Branch Door "Y" - CI (Spun) fittings	Each	844.00
192	TBSP-D.II-41	150 mm dia Single Branch Door "Y" - CI (Spun) fittings	Each	1,816.00
193	TBSP-D.II-42	75 mm dia Double Branch Plain "T" - CI (Spun) fittings	Each	668.00
194	TBSP-D.II-43	100 mm dia Double Branch Plain "T" - CI (Spun) fittings	Each	898.00
195	TBSP-D.II-44	75 mm dia Double Branch Door "T" - CI (Spun) fittings	Each	744.00
196	TBSP-D.II-45	100 mm dia Double Branch Door "T" - CI (Spun) fittings	Each	937.00
197	TBSP-D.II-46	75 mm dia Double Branch Plain "Y" - CI (Spun) fittings	Each	744.00
198	TBSP-D.II-47	100 mm dia Double Branch Plain "Y" - CI (Spun) fittings	Each	937.00
199	TBSP-D.II-48	75 mm dia Double Branch Door "Y" - CI (Spun) fittings	Each	785.00
200	TBSP-D.II-49	100 mm dia Double Branch Door "Y" - CI (Spun) fittings	Each	1,017.00
201	TBSP-D.II-50	75 mm dia Shoe Bend - CI (Spun) fittings	Each	460.00
202	TBSP-D.II-51	100 mm dia Shoe Bend - CI (Spun) fittings	Each	538.00
203	TBSP-D.II-52	150 mm dia Shoe Bend - CI (Spun) fittings	Each	1,093.00
204	TBSP-D.II-53	75 mm dia Collar - CI (Spun) fittings	Each	315.00
205	TBSP-D.II-54	100 mm dia Collar - CI (Spun) fittings	Each	382.00
206	TBSP-D.II-55	150 mm dia Collar - CI (Spun) fittings	Each	785.00
207	TBSP-D.II-56	75 mm dia Cowl - CI (Spun) fittings	Each	278.00
208	TBSP-D.II-57	100 mm dia Cowl - CI (Spun) fittings	Each	315.00
209	TBSP-D.II-58	150 mm dia Cowl - CI (Spun) fittings	Each	707.00
210	TBSP-D.II-59	75 mm dia Offset 3" (75 mm nominal size) projection	Each	403.00

I. No	ITEM CODE	DESCRIPTION OF THE ITEM	UNIT	Scheduled Rates for the Year 2020-21
		- CI (Spun) fittings		
211	TBSP-D.II-60	100 mm dia Offset 3" (75 mm nominal size) projection - CI (Spun)fittings	Each	489.00
212	TBSP-D.II-61	150 mm dia Offset 3" (75 mm nominal size) projection - CI (Spun)fittings	Each	987.00
213	TBSP-D.II-62	75 mm dia Offset 6" (152.4mm) projection - CI (Spun) fittings	Each	440.00
214	TBSP-D.II-63	100 mm dia Offset 6" (152.4mm) projection - CI (Spun) fittings	Each	576.00
215	TBSP-D.II-64	150 mm dia Offset 6" (152.4mm) projection - CI (Spun) fittings	Each	1,149.00
216	TBSP-D.II-65	75 mm dia Long Door Bend - CI (Spun) fittings	Each	926.00
217	TBSP-D.II-66	100 mm dia Long Door Bend - CI (Spun) fittings	Each	996.00
218	TBSP-D.II-67	75 mm dia Hand Hole pipe (Inspection pipe)	Each	532.00
219	TBSP-D.II-68	100 mm dia Hand Hole pipe (Inspection pipe)	Each	724.00
220	TBSP-D.II-69	150 mm dia Hand Hole pipe (Inspection pipe)	Each	965.00
221	TBSP-D.II-70	75 mm dia P Traps - CI (Spun) fittings	Each	576.00
222	TBSP-D.II-71	100 mm dia P Traps - CI (Spun) fittings	Each	790.00
223	TBSP-D.II-72	4" x 3" (101.6 mm x 76.2mm) P. Traps 100 mm dia - CI (Spun) fittings	Each	905.00
224	TBSP-D.II-73	4" x 3" (101.6 mm x 76.2mm) Vent Traps 100 mm dia - CI (Spun) fittings	Each	905.00
225	TBSP-D.II-74	4" x 3" (101.6 mm x 76.2mm) Reducer 75 mm dia - CI (Spun) fittings	Each	562.00
226	TBSP-D.II-75	6" x 4" (152.4 mm x101.6 mm) Reducer 75 mm dia - CI (Spun) fittings	Each	770.00
227	TBSP-D.II-76	3" x 2" (75 mm nominal size x 50 mm nominal size) plain T 75 mm dia - CI (Spun) fittings	Each	481.00
228	TBSP-D.II-77	3" x 2" (75 mm nominal size x 50 mm nominal size) Door T 75 mm dia - CI (Spun) fittings	Each	50.00
229	TBSP-D.II-78	3" x 2" (75 mm nominal size x 50 mm nominal size) Plain Y 75 mm dia - CI (Spun) fittings	Each	750.00
230	TBSP-D.II-79	3" x 2" (75 mm nominal size x 50 mm nominal size) Door Y 75 mm dia - CI (Spun) fittings	Each	750.00
231	TBSP-D.II-	4" x 3" (101.6 mm x 76.2mm) Plain T 75 mm	Each	750.00

I. No	ITEM CODE	DESCRIPTION OF THE ITEM	UNIT	Scheduled Rates for the Year 2020-21
	80	dia - CI (Spun) fittings		
232	TBSP-D.II-81	4" x 3" (101.6 mm x 76.2mm) Door T 75 mm dia - CI (Spun) fittings	Each	794.00
233	TBSP-D.II-82	4" x 3" (101.6 mm x 76.2mm) Plain Y 75 mm dia - CI (Spun) fittings	Each	794.00
234	TBSP-D.II-83	4" x 3" (101.6 mm x 76.2mm) Door Y 75 mm dia - CI (Spun) fittings	Each	848.00
235	TBSP-D.II-84	6" x 4" (152.4 mm x101.6 mm) Plain T 75 mm dia - CI (Spun) fittings	Each	1,110.00
236	TBSP-D.II-85	6" x 4" (152.4 mm x101.6 mm) Door T 75 mm dia - CI (Spun) fittings	Each	1,203.00
237	TBSP-D.II-86	6" x 4" (152.4 mm x101.6 mm) Plain Y 75 mm dia - CI (Spun) fittings	Each	1,272.00
238	TBSP-D.II-87	6" x 4" (152.4 mm x101.6 mm) Door Y 75 mm dia - CI (Spun) fittings	Each	1,554.00
239	TBSP-D.II-88	75 mm dia Plain " T" 27 " (685.8 mm) Special Types of Long Fittings	Each	1,611.00
240	TBSP-D.II-89	100 mm dia - Plain " T" 27 " (685.8 mm) Special Types of Long CI (Spun) fittings	Each	2,263.00
241	TBSP-D.II-90	75 mm dia Door "T" 27" (685.8 mm) Special Types of Long CI (Spun) fittings	Each	1,799.00
242	TBSP-D.II-91	100mm dia Door "T" 27" (685.8 mm) Special Types of Long CI (Spun) fittings	Each	2,486.00
243	TBSP-D.II-92	75 mm dia Plain " Y" 27" (685.8 mm) Special Types of Long CI (Spun) fittings	Each	1,799.00
244	TBSP-D.II-93	100mm dia Plain " Y" 27" (685.8 mm) Special Types of Long CI (Spun) fittings	Each	2,486.00
245	TBSP-D.II-94	75 mm dia Door " Y" 27" (685.8 mm) Special Types of Long CI (Spun) fittings	Each	2,006.00
246	TBSP-D.II-95	100mm dia Door " Y" 27" (685.8 mm) Special Types of Long CI (Spun) fittings	Each	2,730.00
E	SECTION	VITREOUS CHINAWARE - SANITARY APPLIANCES as per IS:2556 - 2004 (Materials shall be procured from the list of approved Brands/ Manufacturers/ Suppliers)		
I	SUB-SECTION	INDIAN WATER CLOSETS		
247	TBSP-E.I-01	Supplying & fixing approved make Indian pattern white glazed W.C 1st quality ISI marked conforming to IS:2556-Part-3-2004 with "P" or "S" trap: 580 mm Long	Each	881.00
248	TBSP-E.I-02	Supplying & fixing approved make Indian pattern white glazed W.C 1st quality ISI marked conforming to IS:2556-Part-3-2004 with "P" or "S" trap: 630 mm Long	Each	881.00
249	TBSP-E.I-	Supplying & fixing approved make Orissa	Each	1,331.00

I. No	ITEM CODE	DESCRIPTION OF THE ITEM	UNIT	Scheduled Rates for the Year 2020-21
	03	Pan white glazed W.C 1st quality ISI marked conforming to IS:2556-Part-3-2004 with "P" or "S" trap: 580 mm x 440 mm		
250	TBSP-E.I-04	Supplying & fixing approved make Orissa Pan white glazed W.C 1st quality ISI marked conforming to IS:2556-Part-3-2004 with "P" or "S" trap: 630 mm x 450 mm	Each	1,399.00
251	TBSP-E.I-05	Supplying & fixing approved make porcelain foot rest forsquatting I.W.C.(Rectangular pair) of sizes 250mm x 125 mm x 15 mm thick each foot rest 1st quality ISI marked conforming to IS:2556-Part-10:1974	Pair	217.00
252	TBSP-E.I-06	Providing Brick masonry seat for Orissa pan/ Indian W.C. using traditional common burnt clay bricks as per standard practice	Each	280.00
253	TBSP-E.I-07	Providing Cement Concrete Squatting plate for Orissa pan/ Indian W.C. in P.C.C. 1:2:4 as per standard practice	Each	83.00
II	SUB-SECTION	FLOOR MOUNTED EWC		
254	TBSP-E.II-01	Supplying and fixing approved make wash down European Water Closet of 1st quality conforming to IS:2556-Part-2-2004 of white glazed with 'P' trap	Each	1,563.00
255	TBSP-E.II-02	Supplying and fixing approved make wash down European Water Closet of 1st quality conforming to IS:2556-Part-2-2004 of white glazed with 'S' trap	Each	1,649.00
256	TBSP-E.II-03	Supply, Installation and commissioning approved make floor mounted Anglo Indian wash down EWC conforming to IS:2556 (Part 8)-2004 suit with 'P' or 'S' trap with dual flush porcelain cistern fixed on wash down EWC with all internal parts of dual flush cistern, ultra solid seat cover of approved make with rubber buffer and cap & 15 mm angle stop cock & 450 mm long PVC inter connection pipe wall flanges all of approved make etc. complete for finished item of work in all respects: White Colour	Each	5,541.00
257	TBSP-E.II-04	Supply, Installation and commissioning approved make floor mounted Close Coupled wash down EWC conforming to IS:2556 (Part 8)-2004 suit with 'P' or 'S' trap with dual flush porcelain cistern fixed on wash down EWC with all internal parts of	Each	8,134.00

I. No	ITEM CODE	DESCRIPTION OF THE ITEM	UNIT	Scheduled Rates for the Year 2020-21
		dual flush cistern, ultra solid seat cover of approved make with rubber buffer and cap & 15 mm angle stop cock & 450 mm long PVC inter connection pipe wall flanges all of approvedmakeetc.completeforfinisheditem ofwork in all respects: WhiteColour		
258	TBSP-E.II-05	Supply, Installation and commissioning approved make floor mounted Close Coupled wash down EWC conforming to IS:2556 (Part 8)-2004 suit with 'P' or'S' trap with dual flush porcelain cistern fixed on wash down EWC with all internal parts of dual flush cistern, ultra solid seat cover of approved make with rubber buffer and cap & 15 mm angle stop cock & 450 mm long PVC inter connection pipe wall flanges all of approvedmakeetc.completeforfinisheditem ofwork inallrespects:Coloured-Grade-I/Grade-II	Each	11,888.00
259	TBSP-E.II-06	Supply, Installation and commissioning approved make floor mounted Close Coupled wash down EWC conforming to IS:2556 (Part 8)-2004 with 'P' or 'S' trap with dual flush porcelain cistern fixed on wash down EWC with all internal parts of dual flush cistern, ultra solid seat cover of approved make with rubber	Each	15,142.00
		buffer and cap & 15 mm angle stop cock & 450 mm long PVC inter connection pipe wall flanges all of approvedmakeetc.completeforfinisheditem ofwork inallrespects:SpecialColour-Grade-III		
III	SUB-SECTION	WALL MOUNTED EWC		
260	TBSP-E.III-01	Supply, Installation and commissioning approved make wash down wall mounted EWC conforming to IS:2556 (Part 16)-2002 with 'P' or 'S' trap with concealed flush cistern fixed in wall with all internal parts of dual flush cistern, ultra solid seat cover of approved make with rubber buffer and cap all of approvedmakeetc.completeforfinisheditem ofwork in all respects: Whitecolour	Each	8,635.00
261	TBSP-E.III-02	Supply, Installation and commissioning approved make wash down wall mounted EWC conforming to IS:2556 (Part 16)-2002 with 'P' or 'S' trap with concealed flush	Each	11,563.00

I. No	ITEM CODE	DESCRIPTION OF THE ITEM	UNIT	Scheduled Rates for the Year 2020-21
		cistern fixed in wall with all internal parts of dual flush cistern, ultra solid seat cover of approved make with rubber buffer and cap all of approvedmakeetc.completeforfinisheditem ofwork inallrespects:ColouredGrade-I&II		
262	TBSP-E.III-03	Supply, Installation and commissioning approved make wash down wall mounted EWC conforming to IS:2556 (Part 16)-2002 with 'P' or 'S' trap with concealed flush cistern fixed in wall with all internal parts of dual flush cistern, ultra solid seat cover of approved make with rubber buffer and cap all of approvedmakeetc.completeforfinisheditem ofwork inallrespects:SpecialColouredGrade-III	Each	13,641.00
IV	SUB-SECTION	CISTERNS FOR WATER CLOSETS		
263	TBSP-E.IV-01	Supplying & Fixing low down porcelain flushing tank with lid 10 Lit Capacity with internal components	Each	2,127.00
264	TBSP-E.IV-02	Supplying & Fixing internal cistern fittings for dual flush cisterns	Each	1,469.00
265	TBSP-E.IV-03	Supplying & Fixing ultra slim concealed flushing cistern of HDPE body and of size 460 x 450 x 80 mm with internal component for wall mounted Wash downWC	Each	3,306.00
V	SUB-SECTION	PLASTIC SEATS FOR WATER CLOSETS		
266	TBSP-E.V-01	Supplying and Fixing best Indian make plastic seatand lid for European water closets with rubber or plastic Buffers as per IS2548-1996	Each	749.00
267	TBSP-E.V-02	Supplying and Fixing best Indian make plastic soft closing seat and lid for European water closets with rubber or plastic Buffers as per IS 2548-1996	Each	1,486.00
VI	SUB-SECTION	WASH HAND BASINS		
	TBSP-E.VI-01	Supplying & Fixing Indian make Flat Back Wash Hand Basin 1st quality conforming to IS:2556-Part-4:1972 with waste fittings like rubber plug, chain, 32 mm nominal size C.P. Fitting with parallel pipe thread conforming to IS:2963-1979 and fitted with 15 mm nominal bore Chromium Plated Pillar Tap of 1st quality Indian make 400 grams	Each	2,278.00

I. No	ITEM CODE	DESCRIPTION OF THE ITEM	UNIT	Scheduled Rates for the Year 2020-21
		Seiko/ Senior/ Nice/ Esso or equivalent complete with standard CI brackets including wooden block: 660 x 460 mm - Single C.P. Pillar cock		
269	TBSP-E.VI-02	Supplying & Fixing Indian make Flat Back Wash Hand Basin 1st quality conforming to IS:2556-Part-4:1972 with waste fittings like rubber plug, chain, 32 mm nominal size C.P. Fitting with parallel pipe thread conforming to IS:2963-1979 and fitted with 15 mm nominal bore Chromium Plated Pillar Tap of 1st quality Indian make 400 grams Seiko/ Senior/ Nice/ Esso or equivalent complete with standard CI brackets including wooden block: 630 x 450 mm - Single C.P. Pillar cock	Each	2,018.00
270	TBSP-E.VI-03	Supplying & Fixing Indian make Flat Back Wash Hand Basin 1st quality conforming to IS:2556-Part-4:1972 with waste fittings like rubber plug, chain, 32 mm nominal size C.P. Fitting with parallel pipe thread conforming to IS:2963-1979 and fitted with 15 mm nominal bore Chromium Plated Pillar Tap of 1st quality Indian make 400 grams Seiko/ Senior/ Nice/ Esso or equivalent complete with standard CI brackets including wooden block: 630 x 450 mm - Double C.P. Pillar cock	Each	2,473.00
271	TBSP-E.VI-04	Supplying & Fixing Indian make Flat Back Wash Hand Basin 1st quality conforming to IS:2556-Part-4:1972 with waste fittings like rubber plug, chain, 32 mm nominal size C.P. Fitting with parallel pipe thread conforming to IS:2963-1979 and fitted with 15 mm nominal bore Chromium Plated Pillar Tap of 1st quality Indian make 400 grams Seiko/ Senior/ Nice/ Esso or equivalent complete with standard CI brackets including wooden block: 550 x 400 mm - Single C.P. Pillar cock	Each	1,496.00
272	TBSP-E.VI-05	Supplying & Fixing Indian make Flat Back Wash Hand Basin 1st quality conforming to IS:2556-Part-4:1972 with waste fittings like rubber plug, chain, 32 mm nominal size C.P. Fitting with parallel pipe thread conforming to IS:2963-1979 and fitted with 15 mm nominal bore Chromium Plated Pillar Tap of 1st quality Indian make 400 grams	Each	1,822.00

I. No	ITEM CODE	DESCRIPTION OF THE ITEM	UNIT	Scheduled Rates for the Year 2020-21
		Seiko/ Senior/ Nice/ Esso or equivalent complete with standard CI brackets including wooden block: 550 x 400 mm - Double C.P. Pillar cock		
273	TBSP-E.VI-06	Supplying & Fixing Indian make Flat Back Wash Hand Basin 1st quality conforming to IS:2556-Part-4:1972 with waste fittings like rubber plug, chain, 32 mm nominal size C.P. Fitting with parallel pipe thread conforming to IS:2963-1979 and fitted with 15 mm	Each	1,301.00
		nominal bore Chromium Plated Pillar Tap of 1st quality Indian make 400 grams Seiko/ Senior/ Nice/ Esso or equivalent complete with standard CI brackets including wooden block: 450 x 300 mm - Single C.P. Pillar cock		
274	TBSP-E.VI-07	Supplying & Fixing Indian make Flat Back Wash Hand Basin 1st quality conforming to IS:2556-Part-4:1972 with waste fittings like rubber plug, chain, 32 mm nominal size C.P. Fitting with parallel pipe thread conforming to IS:2963-1979 and fitted with 15 mm nominal bore Chromium Plated Pillar Tap of 1st quality Indian make 400 grams Seiko/ Senior/ Nice/ Esso or equivalent complete with standard CI brackets including wooden block: 450 x 300 mm - Double C.P. Pillar cock	Each	1,692.00
275	TBSP-E.VI-08	Supplying & Fixing Indian make below counter Wash Hand Basin 1st quality with waste fittings like rubber plug, chain, 32 mm nominal size C.P. Fitting with parallel pipe thread conforming to IS:2963-1979 and fitted with 15 mm nominal bore Chromium Plated Pillar Tap of 1st quality Indian make 400 gramsSeiko/ Senior/ Nice/ Esso or equivalent complete with standard CI brackets including wooden block with single CP pillarcock	Each	3,555.00
276	TBSP-E.VI-09	Supplying & Fixing Indian make white glazed vitreous china porcelain sink conforming to IS:2556-Part-5- 1994 on cantilever brackets with waste fittings like rubber plug, chain, 32 mm nominal size C.P. Fitting withparallelpipethreadconformingtoIS:2963-1979: 600 x 400 x250	Each	4,162.00
277	TBSP-E.VI-	Supplying & Fixing Indian make white glazed	Each	

I. No	ITEM CODE	DESCRIPTION OF THE ITEM	UNIT	Scheduled Rates for the Year 2020-21
	10	vitreous china porcelain sink conforming to IS:2556-Part-5- 1994 on cantilever brackets with waste fittings like rubber plug, chain, 32 mm nominal size C.P. Fitting with parallel pipe thread conforming to IS:2963-1979: 750 x 450 x 250		4,684.00
278	TBSP-E.VI-11	Supplying & fixing oval shape basin white (520x410mm) parry orequivalent	Each	2,292.00
279	TBSP-E.VI-12	Supplying and Fixing Pedestal for Wash Hand Basin	Each	1,055.00
280	TBSP-E.VI-13	Supplying & fixing stainless steel sink size 36" x 18" (914.4x457.2mm) 1 mm thick with accessories	Each	6,339.00
281	TBSP-E.VI-14	Supplying & fixing SINGLE BOWL stainless steel sink size 24"x18"x8 " (609.6 x 457.2 x 203.2mm) 1 mm thick with accessories	Each	4,999.00
282	TBSP-E.VI-15	Supplying & fixing stainless steel sink size 20" x18" x 8 " (508x457.2x203.2mm) 1 mm thick with accessories	Each	4,530.00
283	TBSP-E.VI-16	S & F 609.6 x 457.2 x 254 mm RCC terrazzo finished sink (or constructed at site with 50.8mm thick) brass plug and chain including CI cantilever brackets	Each	664.00
VII	SUB-SECTION	URINALS		
284	TBSP-E.VII-01	Supplying & Fixing white glazed flat back Bowl urinals of size 440 mm x 265 mm x 315 mm with internal flushing rim fixed with screws complete Indian make conforming to IS:2556-1995	Each	781.00
285	TBSP-E.VII-02	Supplying & Fixing white glazed flat back half stall urinals 1st quality conforming to IS:2556-1995 with standard C.P. Spreader fixed with screws complete Indian make : 410 x 265 x 305 mm	Each	2,343.00
286	TBSP-E.VII-03	Supplying & Fixing white glazed flat back half stall urinals 1st quality conforming to IS:2556-1995 with standard C.P. Spreader fixed with screws complete Indian make : 590 x 375 x 390 mm	Each	2,603.00
287	TBSP-E.VII-04	Supplying & fixing 4 " x 24 " (101.6x609.6mm) white glazed porcelain channel fixed in brick masonry white cement pointing.	Each	457.00
287-1	TBSP-E.VII-05	Odorless, Waterless Urinal Commode, of size 600mm x 340mmx320 mm/470 mm x 356mm x 305mm made of Specially designed curvature	Each	18,476.00

I. No	ITEM CODE	DESCRIPTION OF THE ITEM	UNIT	Scheduled Rates for the Year 2020-21
		profile and the non-stick ceramic Coating help to ensure maximum slippery index. All the urine or water which is poured, slip into cartridge and does not stick to urinal basin. The Cartridge works on a Uni-directional system i.e., It gets opened only For the amount of urine passed through and gets closed immediately. This ensures bad odor behind trap in the drainage system can't pass back into the lavatory/ restroom. Cartridge has been sealed for high durability With no leakage		
VIII	SUB-SECTION	LABOUR CHARGES FOR SANITARY WARE		
288	TBSP-E.VIII-01	Labour charges only for fixing Indian pattern W.C with "P" or "S" trap	Each	360.00
289	TBSP-E.VIII-02	Labour charges only Fixing Orissa pan W.C with "P" or "S" trap	Each	448.00
290	TBSP-E.VIII-03	Labour charges only for fixing porcelain foot rest for squatting I.W.C. (Rectangular pair)	Pair	82.00
291	TBSP-E.VIII-04	Labour charges only for fixing low down porcelain flushing tank with internal components	Each	627.00
292	TBSP-E.VIII-05	Labour charges only for fixing internal cistern fittings of any flushing tank	Each	311.00
293	TBSP-E.VIII-06	Labour charges only for fixing European Water Closet with 'P' or 'S' trap as per standard practice	Each	314.00
294	TBSP-E.VIII-07	Labour charges only for fixing plastic seat and lid for European water closet	Each	91.00
295	TBSP-E.VIII-08	Labour charges only for fixing Indian make Flat Back Wash Hand Basin with waste fittings like rubber plug, chain, 32 mm nominal size C.P. Fitting Pillar Taps complete with standard CI brackets including wooden block	Each	448.00
296	TBSP-E.VIII-09	Labour charges only for fixing pedestal for wash hand basin	Each	162.00
297	TBSP-E.VIII-10	Labour charges only for fixing bottle trap to the wash hand basin	Each	62.00
298	TBSP-	Labour charges only Fixing flat back Bowl/	Each	

I. No	ITEM CODE	DESCRIPTION OF THE ITEM	UNIT	Scheduled Rates for the Year 2020-21
	E.VIII-11	Half stall urinals with fixing C.P. Spreader and screws complete		179.00
299	TBSP-E.VIII-12	Labour charges only for fixing Vitreous china porcelain sinks with waste fittings, rubber plug, chain, cantilever brackets etc.	Each	448.00
F	SECTION	CPFITTINGS(Materialsshallbeprocuredf romthe list of approved Brands/ Manufacturers/ Suppliers)		
I	SUB-SECTION	TAPS & FAUCETS - BIB TAPS		
300	TBSP-F.I-01	S&F of 15 mm brass body CP finish bib tap of not less than 300 grams weight screw type (full turn) with internal / external threaded connection conforming to IS 8931	Each	227.00
301	TBSP-F.I-02	S&F of 15 mm brass body CP finish bib tap of not less than 300 grams weight with quarter turn spindle with either internal or external threaded connection conforming to IS 8931	Each	553.00
302	TBSP-F.I-03	S&F of 15 mm brass body premium variety Chromium Plated finish bib tap with wall flange of not less than 500 grams weight with quarter turn spindle with either internal or external threaded connection conforming to IS 8931 and with 10 years warranty	Each	786.00
303	TBSP-F.I-04	S&F of 15 mm brass body premium variety Chromium Plated finish bib tap angular shape with wall flange of not less than 500 grams weight with quarter turn spindle with either internal or external threaded connection conforming to IS 8931 and with 10 years warranty	Each	1,108.00
304	TBSP-F.I-05	S&F of 15 mm brass body CP finish two way bib tap of not less than 400 grams weight with quarter turn spindle internal/ external threaded connection conforming to IS 8931	Each	791.00
305	TBSP-F.I-06	S&F of 15 mm brass body premium variety Chromium Plated finish two way bib tap with flange of not less than 500 grams weight with quarter turn spindle internal/ external threaded connection conforming to IS 8931 and with 10 years warranty	Each	1016.00
306	TBSP-F.I-07	S&F of Chromium plated finish brass body quarter turn Bibcock cum Health Faucet with 1m long tubeand wall hook with 10 yearswarranty	Each	2,969.00
307	TBSP-F.I-	S&F of 15 mm brass body CP finish long	Each	

I. No	ITEM CODE	DESCRIPTION OF THE ITEM	UNIT	Scheduled Rates for the Year 2020-21
	08	body bib tap of not less than 400 grams weight with quarter turn spindle internal / external threaded connection conforming to IS 8931		706.00
II	SUB-SECTION	TAPS & FAUCETS - PILLAR TAPS		
308	TBSP-F.II-01	S&F of 15 mm brass body CP finish pillar tap of not less than 300 grams weight screw type (full turn) conforming to IS 8931	Each	579.00
309	TBSP-F.II-02	S&F of 15 mm brass body CP finish pillar tap of not less than 500 grams weight quarter turn spindle conforming to IS 8931	Each	748.00
310	TBSP-F.II-03	S&F of 15 mm brass body Premium variety Chromium plated finish pillar cock with aerator of not less than 500 grams weight quarter turn spindle conforming to IS 8931 and with a warranty of 10 years	Each	763.00
311	TBSP-F.II-04	S&F of 15 mm brass body Premium variety Chromium plated finish long neck pillar cock with aerator of not less than 500 grams weight quarter turn spindle conforming to IS 8931 and with a warranty of 10 years	Each	1016.00
312	TBSP-F.II-05	S&F of 15 mm brass body Premium variety Chromium plated finish single lever pillar cock with aerator of not less than 500 grams weight quarter turn spindle conforming to IS 8931 and with a warranty of 10 years	Each	1,108.00
313	TBSP-F.II-06	S&F premium make Sensotronic sensor faucet for wash basin, and with 10 years warranty	Each	13,421.00
314	TBSP-F.II-07	S&F premium make Sensotronic concealed type flushing valve for urinal complete set with installation box with control cock, and with 10 years warranty	Each	13,421.00
315	TBSP-F.II-08	S&F premium make Auto closing system pillar cock for wash basin, and with 10 years warranty	Each	2,224.00
316	TBSP-F.II-09	S&F premium make Auto Closing system Bibcock, and with 10 years warranty	Each	2,333.00
III	SUB-SECTION	TAPS & FAUCETS - OTHER TAPS & SPOUTS		
317	TBSP-F.III-01	S&F of 15 mm brass body CP finish self closing tap push type conforming to IS 1711	Each	250.00

I. No	ITEM CODE	DESCRIPTION OF THE ITEM	UNIT	Scheduled Rates for the Year 2020-21
318	TBSP-F.III-02	S&F of 15 mm brass body CP finish self closing tap lift type conforming to IS1711	Each	219.00
319	TBSP-F.III-03	S&F of 15 mm brass body Premium variety Chromium plated finish Swan neck tap with right/left hand operating knob with aerator of not less than 500 grams weight quarter turn spindle conforming to IS 8931 and with a warranty of 10 years	Each	1,479.00
320	TBSP-F.III-04	S&F of 15 mm brass body CP finish wall mounted sink spout with connecting legs & wall flanges swinging nozzle conforming to IS 8931 and with a warranty of 10 years	Each	2,124.00
321	TBSP-F.III-05	S&F of 15 mm brass body CP finish wall mounted sink spout with connecting legs & wall flanges fixed nozzle conforming to IS 8931 and with a warranty of 10 years	Each	1,293.00
322	TBSP-F.III-06	S&F of 15 mm bath tub spout minimum 180 mm projection with diverter system	Each	1,204.00
323	TBSP-F.III-07	S&F of 15 mm bath tub spout with tip ton minimum 180 mm projection with diverter system	Each	1,621.00
IV	SUB-SECTION	STOP & ANGLE VALVES		
324	TBSP-F.IV-01	S & F 15 mm nominal size CP finish brass stop valve screw type with internal /external threaded conforming to IS 8931	Each	214.00
325	TBSP-F.IV-02	S & F 15 mm nominal size brass concealed stop valve screw type with internal /external threaded conforming to IS 8931	Each	229.00
326	TBSP-F.IV-03	S & F 15 mm nominal size CP finish brass angled stop valve screw type with internal /external threaded conforming to IS 8931	Each	219.00
327	TBSP-F.IV-04	S&F of 15 mm CP finish brass stop valve of not less than 400 grams weight quarter turn spindle with internal threaded conforming to IS 8931	Each	724.00
328	TBSP-F.IV-05	S&F of 15 mm CP finish brass concealed stop valve of not less than 400 grams weight quarter turn spindle conforming to IS 8931	Each	561.00
329	TBSP-F.IV-06	S&F of 15 mm CP finish brass concealed stop valve of not less than 400 grams weight with adjustable wall flange and quarter turn spindle conforming to IS 8931 and with 10 years warranty	Each	878.00
330	TBSP-F.IV-07	S&F of 15 mm brass angle stop valve of quarter turn spindle type of not less than 400 grams weight with internal threaded	Each	562.00

I. No	ITEM CODE	DESCRIPTION OF THE ITEM	UNIT	Scheduled Rates for the Year 2020-21
		conforming to IS 8931		
V	SUB-SECTION	COMBINATION FAUCETS		
330	TBSP-F.V-01	S&F of 15 mm CP finish brass body wall mixer with hand shower with centre distance 150 mm conforming to IS 8931	Each	2,574.00
331	TBSP-F.V-02	S&F of 15 mm CP finish brass body wall mixer conforming to IS 8931 with centre distance 150 mm conforming to IS 8931	Each	1,983.00
332	TBSP-F.V-03	S&F of 15 mm premium variety Chromium plated finish brass body wall mixer with hand shower with a provision for over head shower with 115 mm long bend pipe on upper side, connecting legs & wall flanges conforming to IS 8931 with 10 years warranty	Each	3,373.00
333	TBSP-F.V-04	S&F of 15 mm brass forged body concealed diverter with regular flow	Each	3,122.00
334	TBSP-F.V-05	S&F of 15 mm brass forged body concealed diverter with high flow	Each	4,050.00
335	TBSP-F.V-06	S&F of 15 mm brass forged body concealed diverter forged body with 3 way in let	Each	3,883.00
336	TBSP-F.V-07	S&F of 15 mm central hole Chromium plated finish brass body basin mixer 450 mm long pipe for hot & cold water mixing conforming to IS 8931 and with 10 years warranty	Each	2,533.00
337	TBSP-F.V-08	S&F of 15 mm central hole Chromium plated finish brass body single lever basin mixer 450 mm long braided pipe for hot & cold water mixing conforming to IS 8931 and with 10 years warranty	Each	2,957.00
338	TBSP-F.V-09	S&F of 15 mm central hole Chromium plated finish brass body sink mixer with swinging cascade round shape spout (wall/table mounted model) with connecting legs & wall flanges conforming to IS 8931 and with 10 years warranty	Each	2,586.00
VI	SUB-SECTION	SHOWER ROSES & FITTINGS		
339	TBSP-F.VI-01	S&F 15 mm nominal size 152.0 mm CP finish iron body showerrose	Each	174.00
340	TBSP-F.VI-02	S&F 15 mm nominal size 137.0 mm CP finish iron body showerrose	Each	166.00
341	TBSP-F.VI-03	S&F 15 mm nominal size 101.6 mm CP finish iron body showerrose	Each	158.00
342	TBSP-F.VI-	S&F 15 mm nominal size CP finish shower	Each	

I. No	ITEM CODE	DESCRIPTION OF THE ITEM	UNIT	Scheduled Rates for the Year 2020-21
	04	rose 200 mm dia with CP finish flexible pipe		533.00
343	TBSP-F.VI-05	S&F 15 mm nominal size CP finish brass over head shower arm of 450 mm long with 90 degree bend & wall flange suitable for rain shower	Each	1,138.00
344	TBSP-F.VI-06	S&F 15 mm nominal size Chromium plated finish brass over head shower arm of 450 mm long with 90 degree bend & wall flange suitable for rain shower and with 10 years warranty	Each	1,386.00
345	TBSP-F.VI-07	S&F 15 mm nominal size over head 5 flow round massage shower rose	Each	807.00
346	TBSP-F.VI-08	S&F 15 mm nominal size 5 flow hand shower with rabbit cleaning system and 1.5 m long flexible hose and wall hook.	Each	1,662.00
VII	SUB-SECTION	MISCELLANEOUS CP FITTINGS		
347	TBSP-F.VII-01	S&F of 15 mm Stainless steel flexible hose 1.0 m long for hand shower / health faucet with brass nuts	Each	236.00
348	TBSP-F.VII-02	S&F of 15 mm CP finish brass body health faucet gun	Each	195.00
349	TBSP-F.VII-03	S&F CP finish brass bottle trap 250 mm long with wall connection pipe & wall Flange	Each	878.00
350	TBSP-F.VII-04	S&F CP finish brass bottle trap 190mm long with wall connection pipe & wall Flange	Each	883.00
351	TBSP-F.VII-05	S&F PVC bottle trap with wall connection pipe	Each	132.00
352	TBSP-F.VII-06	S&F CP finish brass body 32 mm dia nominal size waste coupling with half/full thread & brass check nut conforming to IS 2963: 1979	Each	216.00
353	TBSP-F.VII-07	S&F CP finish brass body 32 mm dia nominal size waste coupling with half/ full thread & brass body check nut and chain & plug conforming to IS 2963: 1979	Each	236.00
354	TBSP-F.VII-08	S&F CP finish brass body 32 mm dia nominal size waste coupling doom type with half/ full thread & brass body check nut conforming to IS 2963: 1979	Each	278.00
355	TBSP-F.VII-09	S&F brass body CP spreader for urinals	Each	144.00
356	TBSP-F.VII-10	S&F CP finish steel towel rod of 600 mm long and 20 mm dia with brackets	Each	367.00
357	TBSP-F.VII-11	S&F CP finish brass towel rod 600 mm long and 20 mm dia with brackets	Each	990.00
358	TBSP-F.VII-12	S&F of Towel rod 24 " premium make powder coated stainless steel body with 10 years	Each	2,993.00

I. No	ITEM CODE	DESCRIPTION OF THE ITEM	UNIT	Scheduled Rates for the Year 2020-21
		warranty		
359	TBSP-F.VII-13	S&F CP finish brass wall mounted towel ring	Each	570.00
360	TBSP-F.VII-14	S&F of Chromium plated finish stainless steel body Towel Ring with 10 years warranty	Each	926.00
361	TBSP-F.VII-15	S&F of powder coated brass body finish Towel ring premium make with 10 years warranty	Each	1,915.00
362	TBSP-F.VII-16	S&F of Chromium plated finish stainless steel body towel rail 24" with 10 years warranty	Each	1,497.00
363	TBSP-F.VII-17	S&F powder coated stainless steel body wall mounted towel rack 600 mm long	Each	3,142.00
364	TBSP-F.VII-18	S&F CP finish brass metal body single coat hook	Each	375.00
365	TBSP-F.VII-19	S&F CP finish brass robe hook	Each	291.00
366	TBSP-F.VII-20	Supply & Fixing Double coat hook with 10 yearswarranty	Each	692.00
367	TBSP-F.VII-21	S&F CP finish brass soap dish	Each	524.00
368	TBSP-F.VII-22	S&F Stainless steel liquid soap container wallmounted and bottletype	Each	417.00
369	TBSP-F.VII-23	S&F premium make wall mirror with provision for over head shower and 115 mm long bend pipe with wall flange and with 10 years warranty	Each	5,089.00
370	TBSP-F.VII-24	S&F premium make wall mirror with provision for over head shower and 115 mm long bend pipe with wall flange powder coated with 10 years warranty	Each	8,004.00
371	TBSP-F.VII-25	S&F of Chromium plated finish stainless steel body Toilet paper holder with 10 years warranty	Each	807.00
372	TBSP-F.VII-26	S&F Stainless steel 4" dia round Grating with framefor nahany or floor trap cover with or without houthole	Each	59.00
373	TBSP-F.VII-27	S&F Stainless steel 5" square Grating with frame for nahany or floor trap cover with or without hole	Each	70.00
374	TBSP-F.VII-28	S&F Stainless steel 4" dia round Grating for nahany or floor trap cover with cockroach trap with or without hole	Each	153.00
375	TBSP-F.VII-29	S&F Stainless steel 5" square Grating for nahany or floor trap cover with cockroach trap with or without hole	Each	159.00

I. No	ITEM CODE	DESCRIPTION OF THE ITEM	UNIT	Scheduled Rates for the Year 2020-21
376	TBSP-F.VII-30	S&F brass body plumber union of size 31.75 mm dia with check nut	Each	64.00
377	TBSP-F.VII-31	S&F brass body plumber union of size 38.1 mm dia with check nut	Each	69.00
378	TBSP-F.VII-32	S&F 4" dia CP thimble pipe: 150 mm long	Each	383.00
379	TBSP-F.VII-33	S&F 4" dia CP thimble pipe: 220 mm long	Each	570.00
380	TBSP-F.VII-34	S&F 4" dia CP thimble pipe: 300 mm long	Each	763.00
381	TBSP-F.VII-35	S&F CP long bend	Each	323.00
382	TBSP-F.VII-36	S&F CP short bend	Each	162.00
383	TBSP-F.VII-37	Supply & fixing of LLC handle set 1st quality	Each	73.00
384	TBSP-F.VII-38	S&F premium make copper pipe 450 mm long with nuts & washers with 10 years warranty	Each	387.00
385	TBSP-F.VII-39	S&F premium make copper pipe 450 mm long with nuts & washers power colour coated and with 10 years warranty	Each	749.00
386	TBSP-F.VII-40	S&F of Chromium plated finish stainless steel body Tumbler holder with 10 years warranty	Each	1009.00
387	TBSP-F.VII-41	S&F of Chromium plated finish stainless steel body Glass shelf 22" with 10 years warranty	Each	1,984.00
VIII	SUB-SECTION	LABOUR CHARGES		
Sl. No	ITEM CODE	DESCRIPTION OF THE ITEM	UNIT	SS RATE FOR 2020-21
388	TBSP-F.VIII-01	Labour charges for fixing all types of CP Taps & faucets	Each	55.00
389	TBSP-F.VIII-02	Labour charges for fixing all types of CP Stop & Angle Valves	Each	108.00
390	TBSP-F.VIII-03	Labour charges for fixing all types of wall combination taps, mixers & diverters	Each	191.00
391	TBSP-F.VIII-04	Labour charges for fixing all types of miscellaneous CP fittings	Each	108.00
392	TBSP-F.VIII-05	Cleaning of water tanks, Sumps and PVC/RCC tank through 'T' clean process undertaking cleaning by using latest Gernam state of art technology with High pressure	1000 Litres	84.00

I. No	ITEM CODE	DESCRIPTION OF THE ITEM	UNIT	Scheduled Rates for the Year 2020-21
		Rotary Jet cleaning and usage of the most effective Anti-bacterial agents, which is Bio degradable and eco friendly in nature, UV radiation 1. First stage of Mechanised dewatering 2. Cleaning of wall and ceiling to the sump with high pressure rotary jet which dislodges the layer of dirt and algae 3. Dirty water and sludge are removed by using sludge pump 4. Removing dirt is again removed by using industrial vacuum 5. Treatment of wall ceiling roof with anti bacterial liquid (which is bio degradable and eco friendly in nature) 6. Final important treatment is ultra violet radiation which kills suspended or floating bacteria(for sumps)		
G	SECTION	G.I. PIPES & FITTINGS (Materials shall be procured from the list of approved Brands/ Manufacturers/ Suppliers)		
I	SUB-SECTION	G.I. PIPES		
393	TBSP-G.I-01	S& F 15 mm Nominal Bore GI pipe Light Grade properties & weight as per IS 1239 ISI mark with GI fittings including the cost of pipe & its fittings & labour charges complete	1 RM	169.00
394	TBSP-G.I-02	S& F 20 mm Nominal Bore GI pipe Light Grade properties & weight as per IS 1239 ISI mark with GI fittings including the cost of pipe & its fittings & labour charges complete	1 RM	195.00
395	TBSP-G.I-03	S& F 25 mm Nominal Bore GI pipe Light Grade properties & weight as per IS 1239 ISI mark with GI fittings including the cost of pipe & its fittings & labour charges complete	1 RM	255.00
396	TBSP-G.I-04	S& F 32 mm Nominal Bore GI pipe Light Grade properties & weight as per IS 1239 ISI mark with GI fittings including the cost of pipe & its fittings & labour charges complete	1 RM	355.00
397	TBSP-G.I-05	S& F 40 mm Nominal Bore GI pipe Light Grade properties & weight as per IS 1239 ISI mark with GI fittings including the cost of pipe & its fittings & labour charges complete	1 RM	399.00
398	TBSP-G.I-06	S& F 50 mm Nominal Bore GI pipe Light Grade properties & weight as per IS 1239 ISI mark with GI fittings including the cost of	1 RM	436.00

I. No	ITEM CODE	DESCRIPTION OF THE ITEM	UNIT	Scheduled Rates for the Year 2020-21
		pipe & its fittings & labour charges complete		
399	TBSP-G.I-07	S& F 15 mm Nominal Bore GI pipe Medium Grade properties & weight as per IS 1239 ISI mark with GI fittings including the cost of pipe & its fittings & labour charges complete	1 RM	187.00
400	TBSP-G.I-08	S& F 20 mm Nominal Bore GI pipe Medium Grade properties & weight as per IS 1239 ISI mark with GI fittings including the cost of pipe & its fittings & labour charges complete	1 RM	209.00
401	TBSP-G.I-09	S& F 25 mm Nominal Bore GI pipe Medium Grade properties & weight as per IS 1239 ISI mark with GI fittings including the cost of pipe & its fittings & labour charges complete	1 RM	273.00
402	TBSP-G.I-10	S& F 32 mm Nominal Bore GI pipe Medium Grade properties & weight as per IS 1239 ISI mark with GI fittings including the cost of pipe & its fittings & labour charges complete	1 RM	382.00
403	TBSP-G.I-11	S& F 40 mm Nominal Bore GI pipe Medium Grade properties & weight as per IS 1239 ISI mark with GI fittings including the cost of pipe & its fittings & labour charges complete	1 RM	429.00
404	TBSP-G.I-12	S& F 50 mm Nominal Bore GI pipe Medium Grade properties & weight as per IS 1239 ISI mark with GI fittings including the cost of pipe & its fittings & labour charges complete	1 RM	460.00
405	TBSP-G.I-13	S & F 65 mm Nominal Bore GI pipe Medium Grade properties & weight as per IS 1239 with GI fittings such as elbows tees couplings, nipples, plugs including excavation for trenches and refilling the trenches complete except for GI bends union and GI connectors with checkout and socket Tata or Zenith make or equivalent.	1 RM	817.00
II	SUB-SECTION	G.I. FITTINGS		
406	TBSP-G.II-01	S& F GI union 15 mm nominal size 1st Quality	Each	42.00
407	TBSP-G.II-02	S& F GI union 20 mm nominal size 1st Quality	Each	50.00
408	TBSP-G.II-03	S& F GI union 25 mm nominal size 1st Quality	Each	75.00
409	TBSP-G.II-04	S& F GI union 30 mm nominal size 1st Quality	Each	93.00
410	TBSP-G.II-05	S& F GI union 40 mm nominal size 1st Quality	Each	111.00
411	TBSP-G.II-06	S& F GI union 50 mm nominal size 1st Quality	Each	139.00

I. No	ITEM CODE	DESCRIPTION OF THE ITEM	UNIT	Scheduled Rates for the Year 2020-21
412	TBSP-G.II-07	S& F GI connector 25 mm nominal size dia	Each	83.00
413	TBSP-G.II-08	S& F 15 mm nominal size GI 'T' A class 1st quality	Each	51.00
414	TBSP-G.II-09	S& F 30 mm nominal size dia GI bend 1st quality	Each	75.00
415	TBSP-G.II-10	S & F 30 mm nominal size dia GI 'T' 1st Quality	Each	74.00
416	TBSP-G.II-11	S & F 25 mm nominal size copper body float valve with PVC ball Indian make ISI mark	Each	430.00
417	TBSP-G.II-12	S & F 20 mm nominal size copper body float valve with PVC ball Indian make ISI mark	Each	353.00
418	TBSP-G.II-13	S & F 15 mm nominal size copper body float valve with PVC ball Indian make ISI mark	Each	229.00
419	TBSP-G.II-14	Supplying & fixing leather washers for 15 mm nominal size bib tap and stop cock	Each	2.00
420	TBSP-G.II-15	Supplying & fixing leather washers for 20 mm nominal size bib tap and stop cock	Each	4.00
421	TBSP-G.II-16	Supplying & Fixing 15 mm nominal size fibre washers	Each	4.00
422	TBSP-G.II-17	Supplying & Fixing 20 mm nominal size fibre washers	Each	4.00
423	TBSP-G.II-18	S & F 15 mm nominal size holder bat clamps	Each	12.00
424	TBSP-G.II-19	S & F 20 mm nominal size holder bat clamps	Each	19.00
425	TBSP-G.II-20	S & F 25 mm nominal size holder bat clamps	Each	25.00
426	TBSP-G.II-21	S & F 40 mm nominal size holder bat clamps	Each	30.00
427	TBSP-G.II-22	Supplying & fixing 15 mm nominal size GI drain pipe with plug for tanks (Mud valve) including making a hole	Each	44.00
428	TBSP-G.II-23	Supplying & fixing 20 mm nominal size GI drain pipe with plug for tanks (Mud valve) including making a hole	Each	63.00
429	TBSP-G.II-24	Supplying & fixing 25 mm nominal size GI drain pipe with plug for tanks (Mud valve) including making a hole	Each	74.00
III	SUB-SECTION	BRONZE (COPPER ALLOY) VALVES		
430	TBSP-G.III-01	S & F Bronze Gate/ Globe valve as per IS - 778 Class - I, Indian make heavy type - 15mm NBS size	Each	589.00
431	TBSP-G.III-02	S & F Bronze Gate/ Globe valve as per IS - 778 Class - I, Indian make heavy type - 20mm NBS size	Each	793.00

I. No	ITEM CODE	DESCRIPTION OF THE ITEM	UNIT	Scheduled Rates for the Year 2020-21
432	TBSP-G.III-03	S & F Bronze Gate/ Globe valve as per IS - 778 Class - I, Indianmakeheavytype-25mmNBSize	Each	1,140.00
433	TBSP-G.III-04	S & F Bronze Gate/ Globe valve as per IS - 778 Class - I, Indianmakeheavytype-32mmNBSize	Each	1,733.00
434	TBSP-G.III-05	S & F Bronze Gate/ Globe valve as per IS - 778 Class - I, Indianmakeheavytype-40mmNBSize	Each	2,338.00
435	TBSP-G.III-06	S & F Bronze Gate/ Globe valve as per IS - 778 Class - I, Indianmakeheavytype-50mmNBSize	Each	3,429.00
436	TBSP-G.III-07	S & F Bronze Gate/ Globe valve as per IS - 778 Class - I, Indianmakeheavytype-65mmNBSize	Each	5,292.00
437	TBSP-G.III-08	S & F Bronze Gate/ Globe valve as per IS - 778 Class - I, Indianmakeheavytype-80mmNBSize	Each	7,846.00
438	TBSP-G.III-09	Supplying & fixing Bronze Horizontal Check (Non return) Valve as per IS-778 I-class heavy duty - 15 mm NB Size	Each	434.00
439	TBSP-G.III-10	Supplying & fixing Bronze Horizontal Check (Non return) Valve as per IS-778 I-class heavy duty - 20 mm NB Size	Each	634.00
440	TBSP-G.III-11	Supplying & fixing Bronze Horizontal Check (Non return) Valve as per IS-778 I-class heavy duty - 25 mm NB Size	Each	991.00
441	TBSP-G.III-12	Supplying & fixing Bronze Horizontal Check (Non return) Valve as per IS-778 I-class heavy duty - 32 mm NB Size	Each	1,455.00
442	TBSP-G.III-13	Supplying & fixing Bronze Horizontal Check (Non return) Valve as per IS-778 I-class heavy duty - 40 mm NB Size	Each	2,018.00
443	TBSP-G.III-14	Supplying & fixing Bronze Vertical Check (Non return) Valve as per IS-778 I-class heavy duty - 15 mm NB Size	Each	409.00
444	TBSP-G.III-15	Supplying & fixing Bronze Vertical Check (Non return) Valve as per IS-778 I-class heavy duty - 20 mm NB Size	Each	533.00
445	TBSP-G.III-16	Supplying & fixing Bronze Vertical Check (Non return) Valve as per IS-778 I-class heavy duty - 25 mm NB Size	Each	805.00
446	TBSP-G.III-17	Supplying & fixing Bronze Vertical Check (Non return) Valve as per IS-778 I-class heavy duty - 32 mm NB Size	Each	1,108.00
447	TBSP-G.III-18	Supplying & fixing Bronze Vertical Check (Non return) Valve as per IS-778 I-class heavy	Each	1,340.00

I. No	ITEM CODE	DESCRIPTION OF THE ITEM	UNIT	Scheduled Rates for the Year 2020-21
		duty - 40 mm NB Size		
448	TBSP-G.III-19	Supplying & fixing Bronze Vertical Check (Non return) Valve as per IS-778 I-class heavy duty - 50 mm NB Size	Each	2,124.00
449	TBSP-G.III-20	S & F Bronze Ball valve with SS Ball and SS Spindle as per IS - Class - I, Indian make heavy type - 15 mm NB Size	Each	192.00
450	TBSP-G.III-21	S & F Bronze Ball valve with SS Ball and SS Spindle as per IS - Class - I, Indian make heavy type - 20 mm NB Size	Each	278.00
451	TBSP-G.III-22	S & F Bronze Ball valve with SS Ball and SS Spindle as per IS - Class - I, Indian make heavy type - 25 mm NB Size	Each	391.00
452	TBSP-G.III-23	S & F Bronze Ball valve with SS Ball and SS Spindle as per IS - Class - I, Indian make heavy type - 32 mm NB Size	Each	693.00
453	TBSP-G.III-24	S & F Bronze Ball valve with SS Ball and SS Spindle as per IS - Class - I, Indian make heavy type - 40 mm NB Size	Each	955.00
454	TBSP-G.III-25	S & F Bronze Ball valve with SS Ball and SS Spindle as per IS - Class - I, Indian make heavy type - 50 mm NB Size	Each	1,434.00
455	TBSP-G.III-26	S & F Bronze Compact pressure reducing valve (Screwed) as per IS - Class -I, Indian make heavy type- 15 mm NBSize	Each	1,246.00
456	TBSP-G.III-27	S & F Bronze Compact pressure reducing valve (Screwed) as per IS - Class -I, Indian make heavy type- 20 mm NBSize	Each	1,585.00
IV	SUB-SECTION	LABOUR CHARGES FOR G.I PLUMBING		
457	TBSP-G.IV-01	Taking branch water connection from the existing 25 mm nominal size GI pipe including cutting threading, etc, complete with fitting	Each	184.00
458	TBSP-G.IV-02	Taking branch water connection from the existing 20 mm nominal size GI pipe including cutting threading, etc, complete with fitting	Each	105.00
459	TBSP-G.IV-03	Taking branch water connection from the existing 15 mm nominal size GI pipe including cutting threading, etc, complete with fitting	Each	68.00
H	SECTION	PVC PIPES & FITTINGS (Materials shall be procured from the list of approved Brands/ Manufacturers/ Suppliers)		
I	SUB-SECTION	PVC PIPES		

I. No	ITEM CODE	DESCRIPTION OF THE ITEM		UNIT	Scheduled Rates for the Year 2020-21
460	TBSP-H.I-01	75 mm dia 3 M Single Socket PVC/SWR pipe - 4 Kg/sq.cm		Each	252.00
461	TBSP-H.I-02	90 mm dia 3 M single Socket PVC/SWR pipe - 4 Kg/sq.cm		Each	401.00
462	TBSP-H.I-03	110 mm dia 3 M Single Socket PVC/SWR pipe - 4 Kg/sq.cm		Each	479.00
463	TBSP-H.I-04	75 mm dia 3 M Kg/sq.cm	Double Socket PVC/SWR pipe - 4	Each	285.00
464	TBSP-H.I-05	90 mm dia 3 M Kg/sq.cm	Double Socket PVC/SWR pipe - 4	Each	454.00
465	TBSP-H.I-06	110 mm dia 3 M Kg/sq.cm	Double Socket PVC/SWR pipe - 4	Each	556.00
466	TBSP-H.I-07	75 mm dia 1828.8 mm (6'-0") Single Socket PVC/SWR pipe - 4 Kg/sq.cm		Each	177.00
467	TBSP-H.I-08	90 mm dia 1828.8 mm (6'-0") Single Socket PVC/SWR pipe - 4 Kg/sq.cm		Each	274.00
468	TBSP-H.I-09	110 mm dia 1828.8 mm (6'-0") Single Socket PVC/SWR pipe - 4 Kg/sq.cm		Each	341.00
469	TBSP-H.I-10	75 mm dia 1828.8 mm (6'-0") Double Socket PVC/SWR pipe - 4Kg/sq.cm		Each	190.00
470	TBSP-H.I-11	90 mm dia 1828.8 mm (6'-0") Double Socket PVC/SWR pipe - 4Kg/sq.cm		Each	291.00
471	TBSP-H.I-12	110 mm dia 1828.8 mm (6'-0") Double Socket PVC/SWR pipe - 4 Kg/sq.cm		Each	352.00
472	TBSP-H.I-13	75 mm dia 1219. mm (4'-0") Double Socket PVC/SWR pipe - 4 Kg/sq.cm		Each	131.00
473	TBSP-H.I-14	90 mm dia 1219. mm (4'-0") Double Socket PVC/SWR pipe - 4 Kg/sq.cm		Each	200.00
474	TBSP-H.I-15	110 mm dia 1219. mm (4'-0") Double Socket PVC/SWR pipe - 4 Kg/sq.cm		Each	241.00
475	TBSP-H.I-16	75 mm dia 914.4mm (3'-0") Double Socket PVC/SWR pipe - 4 Kg/sq.cm		Each	110.00
476	TBSP-H.I-17	90 mm dia 914.4mm (3'-0") Double Socket PVC/SWR pipe - 4 Kg/sq.cm		Each	162.00
477	TBSP-H.I-18	110 mm dia 914.4mm (3'-0") Double Socket PVC/SWR pipe - 4 Kg/sq.cm		Each	209.00
478	TBSP-H.I-19	75 mm dia 609.6mm (2'-0") Double Socket PVC/SWR pipe - 4 Kg/sq.cm		Each	67.00
479	TBSP-H.I-20	90 mm dia 609.6mm (2'-0") Double Socket PVC/SWR pipe - 4 Kg/sq.cm		Each	111.00
480	TBSP-H.I-21	110 mm dia 609.6mm (2'-0") Double Socket PVC/SWR pipe - 4 Kg/sq.cm		Each	139.00
481	TBSP-H.I-22	160 MM dia 3 M Double Socket PVC/SWR pipe - 4 Kg/sq.cm		Each	1,140.00
482	TBSP-H.I-23	75 mm dia 3 M Single Socket PVC/SWR pipe - 6 Kg/sq.cm		Each	428.00
483	TBSP-H.I-	90 mm dia 3 M single Socket PVC/SWR pipe -		Each	

I. No	ITEM CODE	DESCRIPTION OF THE ITEM		UNIT	Scheduled Rates for the Year 2020-21
	24	6 Kg/sq.cm			689.00
484	TBSP-H.I-25	110 mm dia 3 M Single Socket PVC/SWR pipe - 6 Kg/sq.cm		Each	819.00
485	TBSP-H.I-26	75 mm dia 3 M Kg/sq.cm	Double Socket PVC/SWR pipe - 6	Each	469.00
486	TBSP-H.I-27	90 mm dia 3 M Kg/sq.cm	Double Socket PVC/SWR pipe - 6	Each	742.00
487	TBSP-H.I-28	110 mm dia 3 M Kg/sq.cm	Double Socket PVC/SWR pipe - 6	Each	904.00
488	TBSP-H.I-29	75 mm dia 1828.8 mm (6'-0") Single Socket PVC/SWR pipe - 6 Kg/sq.cm		Each	281.00
489	TBSP-H.I-30	90 mm dia 1828.8 mm (6'-0") Single Socket PVC/SWR pipe - 6 Kg/sq.cm		Each	436.00
490	TBSP-H.I-31	110 mm dia 1828.8 mm (6'-0") Single Socket PVC/SWR pipe - 6 Kg/sq.cm		Each	520.00
491	TBSP-H.I-32	75 mm dia 1828.8 mm (6'-0") Double Socket PVC/SWR pipe - 6Kg/sq.cm		Each	300.00
492	TBSP-H.I-33	90 mm dia 1828.8 mm (6'-0") Double Socket PVC/SWR pipe - 6Kg/sq.cm		Each	454.00
493	TBSP-H.I-34	110 mm dia 1828.8 mm (6'-0") Double Socket PVC/SWR pipe - 6 Kg/sq.cm		Each	561.00
494	TBSP-H.I-35	75 mm dia 1219. mm (4'-0") Double Socket PVC/SWR pipe - 6 Kg/sq.cm		Each	203.00
495	TBSP-H.I-36	90 mm dia 1219. mm (4'-0") Double Socket PVC/SWR pipe - 6 Kg/sq.cm		Each	315.00
496	TBSP-H.I-37	110 mm dia 1219. mm (4'-0") Double Socket PVC/SWR pipe - 6 Kg/sq.cm		Each	383.00
497	TBSP-H.I-38	75 mm dia 914.4mm (3'-0") Double Socket PVC/SWR pipe - 6 Kg/sq.cm		Each	175.00
498	TBSP-H.I-39	90 mm dia 914.4mm (3'-0") Double Socket PVC/SWR pipe - 6 Kg/sq.cm		Each	257.00
499	TBSP-H.I-40	110 mm dia 914.4mm (3'-0") Double Socket PVC/SWR pipe - 6 Kg/sq.cm		Each	310.00
500	TBSP-H.I-41	75 mm dia 609.6mm (2'-0") Double Socket PVC/SWR pipe - 6 Kg/sq.cm		Each	113.00
501	TBSP-H.I-42	90 mm dia 609.6mm (2'-0") Double Socket PVC/SWR pipe - 6 Kg/sq.cm		Each	176.00
502	TBSP-H.I-43	110 mm dia 609.6mm (2'-0") Double Socket PVC/SWR pipe - 6 Kg/sq.cm		Each	225.00
503	TBSP-H.I-44	160 mm dia 3 M Double Socket PVC/SWR pipe - 6 Kg/sq.cm		Each	1,864.00
II	SUB-SECTION	PVC FITTINGS			
504	TBSP-H.II-01	Providing & Placing on Terrace (at all floor levels) polyethylene water storage tank with Double layer approved brand & manufacture with cover and suitable		1 Lit	7.00

I. No	ITEM CODE	DESCRIPTION OF THE ITEM	UNIT	Scheduled Rates for the Year 2020-21
		locking arrangement & making necessary holes for inlet & outlets and over flow pipes but without fittings & base support for tanks		
505	TBSP-H.II-02	Supply of Plastic storage tank lid with hinges	Each	75.00
506	TBSP-H.II-03	Supply & Fixing 75 mm nominal size dia PVC elbow 1st quality	Each	47.00
Sl. No	ITEM CODE	DESCRIPTION OF THE ITEM	UNIT	SS RATE FOR 2020-21
507	TBSP-H.II-04	Supply & fixing 30 mm nominal size dia PVC flexible waste pipe of 914.4 mm length of 1st quality	Each	26.00
508	TBSP-H.II-05	Supply & Fixing 40 mm nominal size dia PVC solid waste pipe outlet	Each	90.00
509	TBSP-H.II-06	Supply & fixing Fancy PVC shelf including all fittings	Each	214.00
510	TBSP-H.II-07	Supply & fixing of PVC low level system with internal components & short bend: 10 Litres capacity Single Flush	Each	1,466.00
511	TBSP-H.II-08	Supply & fixing of PVC low level system with internal components & short bend: 10 litres capacity Dual Flush	Each	1,722.00
512	TBSP-H.II-09	Supply & fixing of PVC low level system with internal components & short bend: 8 Litres capacity single Flush	Each	829.00
513	TBSP-H.II-10	75 mm dia - Plain Bend 87.5 Degree - UPVC/SWR Pipe fittings	Each	50.00
514	TBSP-H.II-11	90 mm dia - Plain Bend 87.5 Degree - UPVC/SWR Pipe fittings	Each	70.00
515	TBSP-H.II-12	110 mm dia - Plain Bend 87.5 Degree - UPVC/SWR Pipe fittings	Each	83.00
516	TBSP-H.II-13	75 mm dia - Door Bend 87.5 Degree - UPVC/SWR Pipe fittings	Each	67.00
517	TBSP-H.II-14	90 mm dia - Door Bend 87.5 Degree - UPVC/SWR Pipe fittings	Each	94.00
518	TBSP-H.II-15	110 mm dia - Door Bend 87.5 Degree - UPVC/SWR Pipe fittings	Each	107.00
519	TBSP-H.II-16	75 mm dia - 45 Degree Bend - UPVC/SWR Pipe fittings	Each	39.00
520	TBSP-H.II-17	90 mm dia - 45 Degree Bend - UPVC/SWR Pipe fittings	Each	54.00
521	TBSP-H.II-18	110 mm dia - 45 Degree Bend - UPVC/SWR Pipe fittings	Each	70.00
522	TBSP-H.II-19	75 mm dia - Cleaning Pipe - UPVC/SWR Pipe fittings	Each	67.00
523	TBSP-H.II-	90 mm dia - Cleaning Pipe - UPVC/SWR Pipe	Each	

I. No	ITEM CODE	DESCRIPTION OF THE ITEM	UNIT	Scheduled Rates for the Year 2020-21
	20	fittings		97.00
524	TBSP-H.II-21	110 mm dia - Cleaning Pipe - UPVC/SWR Pipe fittings	Each	117.00
525	TBSP-H.II-22	75 mm dia - Single Tee - UPVC/SWR Pipe fittings	Each	59.00
526	TBSP-H.II-23	90 mm dia - Single Tee - UPVC/SWR Pipe fittings	Each	89.00
527	TBSP-H.II-24	110 mm dia - Single Tee - UPVC/SWR Pipe fittings	Each	108.00
528	TBSP-H.II-25	75 mm dia - Single Tee with Door - UPVC/SWR Pipe fittings	Each	72.00
529	TBSP-H.II-26	90 mm dia - Single Tee with Door - UPVC/SWR Pipe fittings	Each	108.00
530	TBSP-H.II-27	110 mm dia - Single Tee with Door - UPVC/SWR Pipe fittings	Each	129.00
531	TBSP-H.II-28	75 mm dia - Double Tee - UPVC/SWR Pipe fittings	Each	124.00
532	TBSP-H.II-29	90 mm dia - Double Tee - UPVC/SWR Pipe fittings	Each	181.00
533	TBSP-H.II-30	110 mm dia - Double Tee - UPVC/SWR Pipe fittings	Each	257.00
534	TBSP-H.II-31	75 mm dia - Double Tee with Door - UPVC/SWR Pipe fittings	Each	198.00
535	TBSP-H.II-32	90 mm dia - Double Tee with Door - UPVC/SWR Pipe fittings	Each	283.00
536	TBSP-H.II-33	110 mm dia - Double Tee with Door - UPVC/SWR Pipe fittings	Each	292.00
537	TBSP-H.II-34	75 mm dia - Single 'Y' - UPVC/SWR Pipe fittings	Each	73.00
538	TBSP-H.II-35	90 mm dia - Single 'Y' - UPVC/SWR Pipe fittings	Each	117.00
539	TBSP-H.II-36	110 mm dia - Single 'Y' - UPVC/SWR Pipe fittings	Each	135.00
540	TBSP-H.II-37	75 mm dia - Single 'Y' with Door - UPVC/SWR Pipe fittings	Each	94.00
541	TBSP-H.II-38	90 mm dia - Single 'Y' with Door - UPVC/SWR Pipe fittings	Each	148.00
542	TBSP-H.II-39	110 mm dia - Single 'Y' with Door - UPVC/SWR Pipe fittings	Each	170.00
543	TBSP-H.II-40	75 mm dia - Double 'Y' - UPVC/SWR Pipe fittings	Each	101.00
544	TBSP-H.II-41	90 mm dia - Double 'Y' - UPVC/SWR Pipe fittings	Each	157.00
545	TBSP-H.II-42	110 mm dia - Double 'Y' - UPVC/SWR Pipe fittings	Each	177.00
546	TBSP-H.II-43	75 mm dia - Double 'Y' with Door - UPVC/SWR Pipe fittings	Each	131.00

I. No	ITEM CODE	DESCRIPTION OF THE ITEM	UNIT	Scheduled Rates for the Year 2020-21
547	TBSP-H.II-44	90 mm dia - Double 'Y' with Door - UPVC/SWR Pipe fittings	Each	204.00
548	TBSP-H.II-45	110 mm dia - Double 'Y' with Door - UPVC/SWR Pipe fittings	Each	229.00
549	TBSP-H.II-46	75 mm dia - Coupler - UPVC/SWR Pipe fittings	Each	35.00
550	TBSP-H.II-47	90 mm dia - Coupler - UPVC/SWR Pipe fittings	Each	50.00
551	TBSP-H.II-48	110 mm dia - Coupler - UPVC/SWR Pipe fittings	Each	57.00
552	TBSP-H.II-49	90 x 75 mm dia - Reducer - UPVC/SWR Pipe fittings	Each	59.00
553	TBSP-H.II-50	110 x 75 mm dia - Reducer - UPVC/SWR Pipe fittings	Each	57.00
554	TBSP-H.II-51	90 x 110 mm dia - Reducer - UPVC/SWR Pipe fittings	Each	79.00
555	TBSP-H.II-52	63 mm dia - Vent Cowl - UPVC/SWR Pipe fittings	Each	10.00
556	TBSP-H.II-53	75 mm dia - Vent Cowl - UPVC/SWR Pipe fittings	Each	14.00
557	TBSP-H.II-54	90 mm dia - Vent Cowl - UPVC/SWR Pipe fittings	Each	17.00
558	TBSP-H.II-55	110 mm dia - Vent Cowl - UPVC/SWR Pipe fittings	Each	19.00
559	TBSP-H.II-56	40 mm dia - Pipe Clip - UPVC/SWR Pipe fittings - Pipe Clip - UPVC/SWR Pipe fittings	Each	11.00
560	TBSP-H.II-57	50 mm dia - Pipe Clip - UPVC/SWR Pipe fittings	Each	14.00
561	TBSP-H.II-58	63 mm dia - Pipe Clip - UPVC/SWR Pipe fittings	Each	14.00
562	TBSP-H.II-59	75 mm dia - Pipe Clip - UPVC/SWR Pipe fittings	Each	15.00
563	TBSP-H.II-60	90 mm dia - Pipe Clip - UPVC/SWR Pipe fittings	Each	17.00
564	TBSP-H.II-61	110 mm - Pipe Clip - UPVC/SWR Pipe fittings	Each	18.00
565	TBSP-H.II-62	160 mm dia - Pipe Clip - UPVC/SWR Pipe fittings	Each	35.00
566	TBSP-H.II-63	P' Trap (Small without Air vent) 110 mm - UPVC/SWR Pipe fittings	Each	187.00
567	TBSP-H.II-64	P' Trap (Small with Air vent) 110 mm - UPVC/SWR Pipe fittings	Each	206.00
568	TBSP-H.II-65	P' Trap (Big with Air vent) 110 mm - UPVC/SWR Pipe fittings	Each	236.00
569	TBSP-H.II-66	P' Trap (Big without Air vent) 110 mm - UPVC/SWR Pipe fittings	Each	217.00
570	TBSP-H.II-	Floor Trap (Bell Mouth) 110 mm - UPVC/SWR	Each	225.00

I. No	ITEM CODE	DESCRIPTION OF THE ITEM	UNIT	Scheduled Rates for the Year 2020-21
	67	Pipe fittings		
571	TBSP-H.II-68	Bell Mouth Trap 7 " (177.8 mm) - UPVC/SWR Pipe fittings	Each	327.00
572	TBSP-H.II-69	4" (101.6 mm) Nahany Trap (Without Jali with inlet)UPVC/SWR Pipe fittings	Each	111.00
573	TBSP-H.II-70	3" (75 mm nominal size) Nahany Trap (without Jali without inlet)UPVC/SWR Pipe fittings	Each	87.00
574	TBSP-H.II-71	4" (101.6 mm) Nahany Trap (without inlet with outJali)UPVC/SWR Pipe fittings	Each	108.00
575	TBSP-H.II-72	Mini Trap - UPVC/SWR Pipe fittings	Each	53.00
576	TBSP-H.II-73	3" (75 mm nominal size) Nahany Trap with Jali - UPVC/SWR Pipe fittings	Each	101.00
577	TBSP-H.II-74	4" (101.6 mm) multi floor trap with Jali-UPVC/SWR Pipe fittings	Each	143.00
578	TBSP-H.II-75	4" (101.6) multi floor trap with outJali-UPVC/SWR Pipe fittings	Each	111.00
579	TBSP-H.II-76	Round Jali - UPVC/SWR Pipe fittings	Each	24.00
580	TBSP-H.II-77	Square tile &Jali - UPVC/SWR Pipe fittings	Each	39.00
581	TBSP-H.II-78	Pipe connector (with LIP ring) - UPVC/SWR Pipe fittings	Each	150.00
582	TBSP-H.II-79	Pipe connector (with out LIP ring) - UPVC/SWR Pipe fittings	Each	116.00
583	TBSP-H.II-80	4" (101.6 mm) Floor Trap - UPVC/SWR Pipe fittings	Each	137.00
584	TBSP-H.II-81	5" (127.mm) floor Trap - UPVC/SWR Pipe fittings	Each	145.00
585	TBSP-H.II-82	75 mm dia - Door cap - UPVC/SWR Pipe fittings	Each	57.00
586	TBSP-H.II-83	90 mm dia - Door cap - UPVC/SWR Pipe fittings	Each	64.00
587	TBSP-H.II-84	110 mm dia - Door cap - UPVC/SWR Pipe fittings	Each	73.00
588	TBSP-H.II-85	75 mm dia - Socket plug - UPVC/SWR Pipe fittings	Each	53.00
589	TBSP-H.II-86	90 mm dia - Socket plug - UPVC/SWR Pipe fittings	Each	61.00
590	TBSP-H.II-87	110 mm dia - Socket plug - UPVC/SWR Pipe fittings	Each	64.00
591	TBSP-H.II-88	75 mm dia - Rubber ring for Socket - UPVC/SWR Pipe fittings	Each	9.00
592	TBSP-H.II-89	90 mm dia - Rubber ring for Socket - UPVC/SWR Pipe fittings	Each	10.00
593	TBSP-H.II-	110 mm dia - Rubber ring for Socket -	Each	11.00

I. No	ITEM CODE	DESCRIPTION OF THE ITEM	UNIT	Scheduled Rates for the Year 2020-21
	90	UPVC/SWR Pipe fittings		
594	TBSP-H.II-91	75 mm dia - Door Socket - UPVC/SWR Pipe fittings	Each	10.00
595	TBSP-H.II-92	90 mm dia - Door Socket - UPVC/SWR Pipe fittings	Each	11.00
596	TBSP-H.II-93	110 mm dia - Door Socket - UPVC/SWR Pipe fittings	Each	14.00
597	TBSP-H.II-94	LIP ring 110 mm - UPVC/SWR Pipe fittings	Each	69.00
598	TBSP-H.II-95	110mm x 90 mm - Internal Reducer - UPVC/SWR Pipe fittings	Each	90.00
599	TBSP-H.II-96	160 mm x 110 mm - Internal Reducer - UPVC/SWR Pipe fittings	Each	222.00
III	SUB-SECTION	PVC PLUMBING ACCESSORIES		
600	TBSP-H.III-01	Rubber Lubricant - 100 Grams	Each	30.00
601	TBSP-H.III-02	Rubber Lubricant - 250 Grams	Each	65.00
602	TBSP-H.III-03	Rubber Lubricant - 500 Grams	Each	117.00
603	TBSP-H.III-04	Rubber Lubricant - 1000 Grams	Each	217.00
604	TBSP-H.III-05	P' Trap with lip UPVC/SWR Pipe fittings	Each	295.00
605	TBSP-H.III-06	50 ml - Solvent Cement	Each	15.00
606	TBSP-H.III-07	100 ml - Solvent Cement	Each	25.00
607	TBSP-H.III-08	250 ml - Solvent Cement	Each	59.00
608	TBSP-H.III-09	500 ml - Solvent Cement	Each	115.00
609	TBSP-H.III-10	1000 ml - Solvent Cement	Each	225.00
IV	SUB-SECTION	LABOUR CHARGES FOR PVC PLUMBING		
610	TBSP-H.IV-01	Labour charges for laying, fixing and commissioning the PVC pipes including couplers/ bends/ tees etc any diameter including fixing necessary fittings like bends, plugs, couplers, junctions, tees, etc with solvent jointing as per standard practice	1 RM	83.00
611	TBSP-H.IV-02	Labour charges for laying, joining, welding, fixing and commissioning the PPR pipes including all specials such as couplers/	1 RM	38.00

I. No	ITEM CODE	DESCRIPTION OF THE ITEM	UNIT	Scheduled Rates for the Year 2020-21
		bends/ tees etc including fixing necessary fittings like bends, plugs, couplers, junctions, tees, etc with welding the joint as per standard practice - up to 40 mm dia		
612	TBSP-H.IV-03	Labour charges for laying, joining, welding, fixing and commissioning the PPR pipes including all specials such as couplers/ bends/ tees etc including fixing necessary fittings like bends, plugs, couplers, junctions, tees, etc with welding the joint as per standard practice - above 40 mm dia	1 RM	63.00
J	SECTION	MISCELLANEOUS ITEMS		
I	SUB-SECTION	MISCELLANEOUS PLUMBING WORK ITEMS		
613	TBSP-J.I-01	Supplying & Fixing solder joints up to 50 mm nominal size dia	Each	57.00
614	TBSP-J.I-02	Supplying & Fixing solution joints up to 50.8 dia 1st quality.	Each	11.00
615	TBSP-J.I-03	Chiselling the stone masonry wall for fixing of wooden blocks including finishing as directed by the department	Each	33.00
616	TBSP-J.I-04	Chiselling the stone masonry wall and repairs as directed by the department.	1 Rm	156.00
617	TBSP-J.I-05	Chiselling the brick masonry wall and repairs as directed by the department.	1 Rm	33.00
618	TBSP-J.I-06	Painting the flushing tank with white enamel paint	Each	100.00
619	TBSP-J.I-07	S & F internal cistern fittings for PVC flush tank	Each	869.00
620	TBSP-J.I-08	Repairing and over hauling flushing tank	Each	101.00
621	TBSP-J.I-09	Removing and refixing W.C s	Each	266.00
622	TBSP-J.I-10	Removing and refixing wash hand basins of any size with fittings complete	Each	238.00
623	TBSP-J.I-11	Removing 15 mm nominal size GI pipe and refixing thesame	Mr.	73.00
624	TBSP-J.I-12	Removing 20 mm nominal size GI pipe and refixing thesame	Mr.	83.00
625	TBSP-J.I-13	Removing 25 mm nominal size GI pipe and refixing thesame	Mr.	121.00
626	TBSP-J.I-14	Removing 40 mm nominal size GI pipe and refixing thesame	Rm	155.00
627	TBSP-J.I-15	Removing 50 mm nominal size GI pipe and refixing thesame	Rm	180.00
628	TBSP-J.I-16	Cleaning the W.C with acid and Vim powder	Each	50.00

I. No	ITEM CODE	DESCRIPTION OF THE ITEM	UNIT	Scheduled Rates for the Year 2020-21
629	TBSP-J.I-17	Cleaning the Urinal with acid and Vim power	Each	50.00
630	TBSP-J.I-18	Cleaning the wash basin with acid and Vim powder	Each	50.00
631	TBSP-J.I-19	Cleaning the E.W.C with acid and Vim power	Each	50.00
632	TBSP-J.I-20	Cutting holes in C.C; basement & repairs Labour charges only	Each	117.00
633	TBSP-J.I-21	Cutting holes in stone masonry & basement and repairs Labour charges only	Each	78.00
634	TBSP-J.I-22	Cutting holes in Brick masonry & repairs Labour charges only	Each	52.00
635	TBSP-J.I-23	Cutting holes in RCC slab floor & repairs Labour charges only	Each	78.00
636	TBSP-J.I-24	Supplying & Fixing NP chain rubber and plug for basin	Each	39.00
637	TBSP-J.I-25	S & F 25 mm nominal size dia & 609.6 mm long aluminium anodized towel rod with brackets and aluminium screws	Each	152.00
638	TBSP-J.I-26	S & F 19.04 mm dia & 609.6 mm long aluminium anodized towel rod with brackets and aluminium screws	Each	133.00
639	TBSP-J.I-27	S & F 609.6 mm long 127 mm wide plate glass shelf with superior quality aluminium railing complete with aluminium screws	Each	195.00
640	TBSP-J.I-28	S & F 609.6 mm long 127 mm wide plate glass shelf only	Each	64.00
641	TBSP-J.I-29	Supplying & fixing 88.9 mm A.C cowls	Each	66.00
642	TBSP-J.I-30	Supplying & fixing A.C Cowl 63.5 mm dia	Each	45.00
643	TBSP-J.I-31	S & F 76.2 x 101.6 mm teak wood block complete	Each	24.00
644	TBSP-J.I-32	Supplying & Fixing 15 mm nominal size PVC connection with brass union nut C.P coated	Each	103.00
645	TBSP-J.I-33	Removing of 101.6 mm or 75 mm nominal size CI pipe	1 RM	42.00
646	TBSP-J.I-34	Supplying & fixing 75 mm nominal size W.I clamps	Each	23.00
647	TBSP-J.I-35	Supplying and fixing TV shape mirror with plastic frame size 609.6 mm x 457.2 mm	Each	474.00
648	TBSP-J.I-36	Supplying & fixing GI pipe plug of size 15 mm nominal size dia	Each	10.00
649	TBSP-J.I-37	Supplying & fixing 20 mm dia GI plug	Each	14.00
650	TBSP-J.I-38	Supplying and fixing 40 mm nominal size dia of GI plug	Each	73.00
651	TBSP-J.I-39	Supplying & fixing 50 mm nominal size dia of GI PLUG	Each	112.00
652	TBSP-J.I-40	Supplying & fixing 75 mm nominal size dia of GI PLUG	Each	202.00

I. No	ITEM CODE	DESCRIPTION OF THE ITEM	UNIT	Scheduled Rates for the Year 2020-21
II	SUB-SECTION	POLYETHYLENE-ALUMINIUM-POLYETHYLENE COMPOSITE PIPES		
653	TBSP-J.II-01	S&F Polyethylene-Aluminium-Polyethylene (PE-AL- PE) composite pressure pipes conforming to IS- 15450-2004 with UV stabilized, carbon black for hot & coldwatersupply, capableto withstandpressur eupto 80 C including all special composite fittings, plastic & brass blend inserts for elbows, tees, reducers, couplers, connectors etc complete for external works including laying pipes, fixing in position, testing and commissioning etc : 16 mm ODpipe	1 RM	145.00
654	TBSP-J.II-02	S&F Polyethylene-Aluminium-Polyethylene (PE-AL- PE) composite pressure pipes conforming to IS- 15450-2004 with UV stabilized, carbon black for hot & coldwatersupply, capableto withstandpressur eupto 80 C including all special composite fittings, plastic & brass blend inserts for elbows, tees, reducers, couplers, connectors etc complete for external works including laying pipes, fixing in position, testing and commissioning etc : 20 mm ODpipe	1 RM	180.00
655	TBSP-J.II-03	S&F Polyethylene-Aluminium-Polyethylene (PE-AL- PE) composite pressure pipes conforming to IS- 15450-2004 with UV stabilized, carbon black for hot & coldwatersupply, capableto withstandpressur eupto 80 C including all special composite fittings, plastic & brass blend inserts for elbows, tees, reducers, couplers, connectors etc complete for external works including laying pipes, fixing in position, testing and commissioning etc : 25mm ODpipe	1 RM	226.00
656	TBSP-J.II-04	S&F Polyethylene-Aluminium-Polyethylene (PE-AL- PE) composite pressure pipes conforming to IS- 15450-2004 with UV stabilized, carbon black for hot & coldwatersupply, capableto withstandpressur eupto 80 C including all special composite fittings, plastic & brass blend inserts for elbows, tees, reducers, couplers, connectors etc complete for external works including laying pipes, fixing in position,	1 RM	303.00

I. No	ITEM CODE	DESCRIPTION OF THE ITEM	UNIT	Scheduled Rates for the Year 2020-21
		testing and commissioning etc : 32 mm ODpipe		
657	TBSP-J.II-05	S&F Polyethylene-Aluminium-Polyethylene (PE-AL- PE) composite pressure pipes conforming to IS- 15450-2004 with UV stabilized, carbon black for hot & coldwatersupply, capableto withstandpressur eupto 80 C including all special composite fittings, plastic & brass blend inserts for elbows, tees, reducers, couplers, connectors etc complete for external works including laying pipes, fixing in position, testing and commissioning etc : 40 mm ODpipe	1 RM	398.00
658	TBSP-J.II-06	S&F Polyethylene-Aluminium-Polyethylene (PE-AL- PE) composite pressure pipes conforming to IS- 15450-2004 with UV stabilized, carbon black for hot & coldwatersupply, capableto withstandpressur eupto 80 C including all special composite fittings, plastic & brass blend inserts for elbows, tees, reducers, couplers, connectors etc complete for external works including laying pipes, fixing in position, testing and commissioningetc:50mmODpipe	1 RM	506.00
659	TBSP-J.II-07	S&F Polyethylene-Aluminium-Polyethylene (PE-AL- PE) composite pressure pipes conforming to IS- 15450-2004 with UV stabilized, carbon black for hot & coldwatersupply, capableto withstandpressur eupto 80 C including all special composite fittings, plastic & brass blend inserts for elbows, tees, reducers, couplers, connectors etc complete with MS Iron clamps at 1.0 M spacing including cutting, chasing walls, making good, laying pipes, fixing in position, testing and commissioning etc 16 mm ODpipe	1 RM	210.00
660	TBSP-J.II-08	S&F Polyethylene-Aluminium-Polyethylene (PE-AL- PE) composite pressure pipes conforming to IS- 15450-2004 with UV stabilized, carbon black for hot & coldwatersupply, capableto withstandpressur eupto 80 C including all special composite fittings, plastic & brass blend inserts for elbows, tees, reducers, couplers, connectors etc complete with MS Iron clamps at 1.0 M spacing including cutting, chasing walls,	1 RM	251.00

I. No	ITEM CODE	DESCRIPTION OF THE ITEM	UNIT	Scheduled Rates for the Year 2020-21
		making good, laying pipes, fixing in position, testing and commissioning etc 20 mm ODpipe		
661	TBSP-J.II-09	S&F Polyethylene-Aluminium-Polyethylene (PE-AL- PE) composite pressure pipes conforming to IS- 15450-2004 with UV stabilized, carbon black for hot & coldwatersupply, capableto withstandpressur eupto 80 C including all special composite fittings, plastic & brass blend inserts for elbows, tees, reducers, couplers, connectors etc complete with MS Iron clamps at 1.0 M spacing including cutting, chasing walls, making good, laying pipes, fixing in position, testing and commissioning etc 25mm ODpipe	1 RM	311.00
662	TBSP-J.II-10	S&F Polyethylene-Aluminium-Polyethylene (PE-AL- PE) composite pressure pipes conforming to IS- 15450-2004 with UV stabilized, carbon black for hot & coldwatersupply, capableto withstandpressur eupto 80 C including all special composite fittings, plastic & brass blend inserts for elbows, tees, reducers, couplers, connectors etc complete with MS Iron clamps at 1.0 M spacing including cutting, chasing walls, making good, laying pipes, fixing in position, testing and commissioning etc 32 mm ODpipe	1 RM	409.00
663	TBSP-J.II-11	S&F Polyethylene-Aluminium-Polyethylene (PE-AL- PE) composite pressure pipes conforming to IS- 15450-2004 with UV stabilized, carbon black for hot & coldwatersupply, capableto withstandpressur eupto 80 C including all special composite fittings, plastic & brass blend inserts for elbows, tees, reducers, couplers, connectors etc complete with MS Iron clamps at 1.0 M spacing including cutting, chasing walls, making good, laying pipes, fixing in position, testing and commissioning etc 40 mm ODpipe	1 RM	530.00
664	TBSP-J.II-12	S&F Polyethylene-Aluminium-Polyethylene (PE-AL- PE) composite pressure pipes conforming to IS- 15450-2004 with UV stabilized, carbon black for hot & coldwatersupply, capableto withstandpressur eupto 80 C including all special composite	1 RM	671.00

I. No	ITEM CODE	DESCRIPTION OF THE ITEM	UNIT	Scheduled Rates for the Year 2020-21
		fittings, plastic & brass blend inserts for elbows, tees, reducers, couplers, connectors etc complete with MS Iron clamps at 1.0 M spacing including cutting, chasing walls, making good, laying pipes, fixing in position, testing and commissioning etc 50 mm ODpipe		
665	TBSP-J.II-13	S&F Polyethylene-Aluminium-Polyethylene (PE-AL- PE) composite pressure pipes conforming to IS- 15450-2004 with UV stabilized, carbon black for hot & coldwatersupply, capable to withstand pressure upto 80 C including all special composite fittings, plastic & brass blend inserts for elbows, tees, reducers, couplers, connectors etc complete including excavating trenches up to 1.0 M deep laying pipes, fixing in position, testing, refilling excavated earth and commissioning etc 16 mm ODpipe	1 RM	173.00
666	TBSP-J.II-14	S&F Polyethylene-Aluminium-Polyethylene (PE-AL- PE) composite pressure pipes conforming to IS- 15450-2004 with UV stabilized, carbon black for hot & coldwatersupply, capable to withstand pressure upto 80 C including all special composite fittings, plastic & brass blend inserts for elbows, tees, reducers, couplers, connectors etc complete including excavating trenches up to 1.0 M deep laying pipes, fixing in position, testing, refilling excavated earth and commissioning etc 20 mm ODpipe	1 RM	204.00
667	TBSP-J.II-15	S&F Polyethylene-Aluminium-Polyethylene (PE-AL- PE) composite pressure pipes conforming to IS- 15450-2004 with UV stabilized, carbon black for hot & coldwatersupply, capable to withstand pressure upto 80 C including all special composite fittings, plastic & brass blend inserts for elbows, tees, reducers, couplers, connectors etc complete including excavating trenches up to 1.0 M deep laying pipes, fixing in position, testing, refilling excavated earth and commissioning etc 25mm ODpipe	1 RM	247.00
668	TBSP-J.II-16	S&F Polyethylene-Aluminium-Polyethylene (PE-AL- PE) composite pressure pipes	1 RM	319.00

I. No	ITEM CODE	DESCRIPTION OF THE ITEM	UNIT	Scheduled Rates for the Year 2020-21
		conforming to IS- 15450-2004 with UV stabilized, carbon black for hot & coldwatersupply, capable to withstand pressure upto 80 C including all special composite fittings, plastic & brass blend inserts for elbows, tees, reducers, couplers, connectors etc complete including excavating trenches up to 1.0 M deep laying pipes, fixing in position, testing, refilling excavated earth and commissioning etc 32 mm OD pipe		
669	TBSP-J.II-17	S&F Polyethylene-Aluminium-Polyethylene (PE-AL- PE) composite pressure pipes conforming to IS- 15450-2004 with UV stabilized, carbon black for hot & coldwatersupply, capable to withstand pressure upto 80 C including all special composite fittings, plastic & brass blend inserts for elbows, tees, reducers, couplers, connectors etc complete including excavating trenches up to 1.0 M deep laying pipes, fixing in position, testing, refilling excavated earth and commissioning etc 40 mm OD pipe	1 RM	408.00
III	SUB-SECTION	OTHER VARIETIES OF PIPES		
670	TBSP-J.III-01	S&F premium make CPVC Pipes of 15.90mm OD Pipe - SDR 13.5	1 RM	130.00
671	TBSP-J.III-02	S&F premium make CPVC Pipes of 22.20mm OD Pipe - SDR 13.5	1 RM	149.00
672	TBSP-J.III-03	S&F premium make CPVC Pipes of 28.60mm OD Pipe - SDR 13.5	1 RM	197.00
673	TBSP-J.III-04	S&F premium make CPVC Pipes of 34.90mm OD Pipe - SDR 13.5	1 RM	268.00
674	TBSP-J.III-05	S&F premium make CPVC Pipes of 41.30mm OD Pipe - SDR 13.5	1 RM	333.00
675	TBSP-J.III-06	S&F premium make CPVC Pipes of 54.00mm OD Pipe - SDR 13.5	1 RM	485.00
676	TBSP-J.III-07	S&F premium make CPVC Pipes of 15.90mm OD Pipe - SDR 11	1 RM	144.00
677	TBSP-J.III-	S&F premium make CPVC Pipes of 22.20mm	1 RM	175.00

I. No	ITEM CODE	DESCRIPTION OF THE ITEM	UNIT	Scheduled Rates for the Year 2020-21
	08	OD Pipe - SDR 11		
678	TBSP-J.III-09	S&F premium make CPVC Pipes of 28.60mm OD Pipe - SDR 11	1 RM	210.00
679	TBSP-J.III-10	S&F premium make CPVC Pipes of 34.90mm OD Pipe - SDR 11	1 RM	286.00
680	TBSP-J.III-11	S&F premium make CPVC Pipes of 41.30mm OD Pipe - SDR 11	1 RM	355.00
681	TBSP-J.III-12	S&F premium make CPVC Pipes of 54.00mm OD Pipe - SDR 11	1 RM	517.00
682	TBSP-J.III-13	Supply of 20mm x 1.9mm PN 10/PPR pipe conforming to DIN Standards 8077/8078	1 RM	44.00
683	TBSP-J.III-14	Supply of 25mm x 2.3mm PN 10/PPR pipe conforming to DIN Standards 8077/8078	1 RM	66.00
684	TBSP-J.III-15	Supply of 32mm x 2.9mm PN 10/PPR pipe conforming to DIN Standards 8077/8079	1 RM	105.00
685	TBSP-J.III-16	Supply of 40mm x 3.7mm PN 10/PPR pipe conforming to DIN Standards 8077/8079	1 RM	163.00
686	TBSP-J.III-17	Supply of 50mm x 4.6mm PN 10/PPR pipe conforming to DIN Standards 8077/8080	1 RM	292.00
687	TBSP-J.III-18	Supply of 63mm x 5.8mm PN 10/PPR pipe conforming to DIN Standards 8077/8081	1 RM	458.00
688	TBSP-J.III-19	Supply of 75mm x 6.8mm PN 10/PPR pipe conforming to DIN Standards 8077/8082	1 RM	637.00
689	TBSP-J.III-20	Supply of 90mm x 8.2mm PN 10/PPR pipe conforming to DIN Standards 8077/8083	1 RM	873.00
690	TBSP-J.III-21	Supply of 110mm x 10mm PN 10/PPR pipe conforming to DIN Standards 8077/8084	1 RM	1,294.00
691	TBSP-J.III-22	Supply of 20mm x 2.8mm PN 16/PPR pipe conforming to DIN Standards 8077/8078	1 RM	60.00
692	TBSP-J.III-23	Supply of 25mm x 3.5mm PN 16/PPR pipe conforming to DIN Standards 8077/8078	1 RM	93.00
693	TBSP-J.III-	Supply of 32mm x 4.4mm PN	1 RM	148.00

I. No	ITEM CODE	DESCRIPTION OF THE ITEM	UNIT	Scheduled Rates for the Year 2020-21
	24	16/PPRpipeconforming to DINStandards 8077/8079		
694	TBSP-J.III-25	Supply of 40mm x 5.5mm PN 16/PPRpipeconforming to DINStandards 8077/8079	1 RM	228.00
695	TBSP-J.III-26	Supply of 50mm x 6.9mm PN 16/PPRpipeconforming to DINStandards 8077/8080	1 RM	408.00
696	TBSP-J.III-27	Supply of 63mm x 8.6mm PN 16/PPRpipeconforming to DINStandards 8077/8081	1 RM	641.00
697	TBSP-J.III-28	Supply of 75mm x 10.3mm PN 16/PPR pipe conforming to DIN Standards 8077/8082	1 RM	907.00
698	TBSP-J.III-29	Supply of 90mm x 12.3mm PN 16/PPR pipe conforming to DIN Standards 8077/8083	1 RM	1,293.00
699	TBSP-J.III-30	Supply of 110mm x 15.1mm PN 16/PPR pipe conforming to DIN Standards 8077/8084	1 RM	1,935.00
700	TBSP-J.III-31	Supply of 20mm x 3.4mm PN 20/PPRpipeconforming to DINStandards 8077/8078	1 RM	70.00
701	TBSP-J.III-32	Supply of 25mm x 4.2mm PN 20/PPRpipeconforming to DINStandards 8077/8078	1 RM	107.00
702	TBSP-J.III-33	Supply of 32mm x 5.4mm PN 20/PPRpipeconforming to DINStandards 8077/8079	1 RM	173.00
703	TBSP-J.III-34	Supply of 40mm x 6.7mm PN 20/PPRpipeconforming to DINStandards 8077/8079	1 RM	266.00
704	TBSP-J.III-35	Supply of 50mm x 8.3mm PN 20/PPRpipeconforming to DINStandards 8077/8080	1 RM	471.00
705	TBSP-J.III-36	Supply of 63mm x 10.5mm PN 20/PPR pipe conforming to DIN Standards 8077/8081	1 RM	743.00
706	TBSP-J.III-37	Supply of 75mm x 12.5mm PN 20/PPR pipe conforming to DIN Standards 8077/8082	1 RM	1,054.00
707	TBSP-J.III-38	Supply of 90mm x 15mm PN 20/PPR pipe conforming to DIN Standards 8077/8083	1 RM	1,432.00
708	TBSP-J.III-39	Supply of 110mm x 18.3mm PN 20/PPR pipe conforming to DIN Standards 8077/8084	1 RM	2,255.00
709	TBSP-J.III-40	Supply of 20mm PPR Socket conforming to DIN Standards 8077/8084	Each	10.00
710	TBSP-J.III-41	Supply of 25mm PPR Socket conforming to DIN Standards 8077/8085	Each	14.00
711	TBSP-J.III-42	Supply of 32mm PPR Socket conforming to DIN Standards 8077/8086	Each	19.00
712	TBSP-J.III-	Supply of 40mm PPR Socket conforming to	Each	33.00

I. No	ITEM CODE	DESCRIPTION OF THE ITEM	UNIT	Scheduled Rates for the Year 2020-21
	43	DIN Standards 8077/8087		
713	TBSP-J.III-44	Supply of 50mm PPR Socket conforming to DIN Standards 8077/8088	Each	64.00
714	TBSP-J.III-45	Supply of 63mm PPR Socket conforming to DIN Standards 8077/8089	Each	122.00
715	TBSP-J.III-46	Supply of 75mm PPR Socket conforming to DIN Standards 8077/8090	Each	185.00
716	TBSP-J.III-47	Supply of 90mm PPR Socket conforming to DIN Standards 8077/8091	Each	355.00
717	TBSP-J.III-48	Supply of 110mm PPR Socket conforming to DIN Standards 8077/8092	Each	631.00
718	TBSP-J.III-49	Supply of 32mm PPR Core Flange conforming to DIN Standards 8077/8086	Each	38.00
719	TBSP-J.III-50	Supply of 40mm PPR Core Flange conforming to DIN Standards 8077/8087	Each	61.00
720	TBSP-J.III-51	Supply of 50mm PPR Core Flange conforming to DIN Standards 8077/8088	Each	79.00
721	TBSP-J.III-52	Supply of 63mm PPR Core Flange conforming to DIN Standards 8077/8089	Each	126.00
722	TBSP-J.III-53	Supply of 75mm PPR Core Flange conforming to DIN Standards 8077/8090	Each	147.00
723	TBSP-J.III-54	Supply of 90mm PPR Core Flange conforming to DIN Standards 8077/8091	Each	373.00
724	TBSP-J.III-55	Supply of 110mm PPR Core Flange conforming to DIN Standards 8077/8092	Each	482.00
725	TBSP-J.III-56	Supply of 20mm PPR Elbow conforming to DIN Standards 8077/8084	Each	17.00
726	TBSP-J.III-57	Supply of 25mm PPR Elbow conforming to DIN Standards 8077/8085	Each	20.00
727	TBSP-J.III-58	Supply of 32mm PPR Elbow conforming to DIN Standards 8077/8086	Each	39.00
728	TBSP-J.III-59	Supply of 40mm PPR Elbow conforming to DIN Standards 8077/8087	Each	68.00
729	TBSP-J.III-60	Supply of 50mm PPR Elbow conforming to DIN Standards 8077/8088	Each	128.00
730	TBSP-J.III-61	Supply of 63mm PPR Elbow conforming to DIN Standards 8077/8089	Each	249.00
731	TBSP-J.III-62	Supply of 75mm PPR Elbow conforming to DIN Standards 8077/8090	Each	402.00
732	TBSP-J.III-63	Supply of 90mm PPR Elbow conforming to DIN Standards 8077/8091	Each	748.00
733	TBSP-J.III-64	Supply of 110mm PPR Elbow conforming to DIN Standards 8077/8092	Each	1,388.00
734	TBSP-J.III-65	Supply of 20mm PPR Tee conforming to DINStandards8077/8084	Each	15.00
735	TBSP-J.III-66	Supply of 25mm PPR Tee conforming to DINStandards8077/8085	Each	26.00

I. No	ITEM CODE	DESCRIPTION OF THE ITEM	UNIT	Scheduled Rates for the Year 2020-21
736	TBSP-J.III-67	Supply of 32mm PPR Tee conforming to DINStandards8077/8086	Each	46.00
737	TBSP-J.III-68	Supply of 40mm PPR Tee conforming to DINStandards8077/8087	Each	82.00
738	TBSP-J.III-69	Supply of 50mm PPR Tee conforming to DINStandards8077/8088	Each	146.00
739	TBSP-J.III-70	Supply of 63mm PPR Tee conforming to DINStandards8077/8089	Each	295.00
740	TBSP-J.III-71	Supply of 75mm PPR Tee conforming to DINStandards8077/8090	Each	577.00
741	TBSP-J.III-72	Supply of 90mm PPR Tee conforming to DINStandards8077/8091	Each	837.00
742	TBSP-J.III-73	Supply of 110mm PPR Tee conforming to DIN Standards 8077/8092	Each	1,449.00
743	TBSP-J.III-74	Supply of 20mm PPR End Cap conforming to DIN Standards 8077/8084	Each	7.00
744	TBSP-J.III-75	Supply of 25mm PPR End Cap conforming to DIN Standards 8077/8085	Each	10.00
745	TBSP-J.III-76	Supply of 32mm PPR End Cap conforming to DIN Standards 8077/8086	Each	19.00
746	TBSP-J.III-77	Supply of 40mm PPR End Cap conforming to DIN Standards 8077/8087	Each	33.00
747	TBSP-J.III-78	Supply of 50mm PPR End Cap conforming to DIN Standards 8077/8088	Each	58.00
748	TBSP-J.III-79	Supply of 63mm PPR End Cap conforming to DIN Standards 8077/8089	Each	122.00
749	TBSP-J.III-80	Supply of 75mm PPR End Cap conforming to DIN Standards 8077/8090	Each	204.00
750	TBSP-J.III-81	Supply of 90mm PPR End Cap conforming to DIN Standards 8077/8091	Each	325.00
751	TBSP-J.III-82	Supply of 110mm PPR End Cap conforming to DIN Standards 8077/8092	Each	643.00
752	TBSP-J.III-83	Supply of 25mm x 20mm PPR Reducer conforming to DIN Standards 8077/8092	Each	12.00
753	TBSP-J.III-84	Supply of 32mm x 25mm PPR Reducer conforming to DIN Standards 8077/8092	Each	20.00
754	TBSP-J.III-85	Supply of 32mm x 20mm PPR Reducer conforming to DIN Standards 8077/8092	Each	19.00
755	TBSP-J.III-86	Supply of 40mm x 32mm PPR Reducer conforming to DIN Standards 8077/8092	Each	34.00
756	TBSP-J.III-87	Supply of 40mm x 25mm PPR Reducer conforming to DIN Standards 8077/8092	Each	33.00
757	TBSP-J.III-88	Supply of 40mm x 20mm PPR Reducer conforming to DIN Standards 8077/8092	Each	32.00
758	TBSP-J.III-89	Supply of 50mm x 20mm PPR Reducer conforming to DIN Standards 8077/8092	Each	50.00
759	TBSP-J.III-	Supply of 50mm x 25mm PPR Reducer	Each	51.00

I. No	ITEM CODE	DESCRIPTION OF THE ITEM	UNIT	Scheduled Rates for the Year 2020-21
	90	conforming to DIN Standards 8077/8092		
760	TBSP-J.III-91	Supply of 50mm x 32mm PPR Reducer conforming to DIN Standards 8077/8092	Each	52.00
761	TBSP-J.III-92	Supply of 50mm x 40mm PPR Reducer conforming to DIN Standards 8077/8092	Each	52.00
762	TBSP-J.III-93	Supply of 63mm x 20mm PPR Reducer conforming to DIN Standards 8077/8092	Each	113.00
763	TBSP-J.III-94	Supply of 63mm x 25mm PPR Reducer conforming to DIN Standards 8077/8092	Each	113.00
764	TBSP-J.III-95	Supply of 63mm x 32mm PPR Reducer conforming to DIN Standards 8077/8092	Each	114.00
765	TBSP-J.III-96	Supply of 63mm x 40mm PPR Reducer conforming to DIN Standards 8077/8092	Each	114.00
766	TBSP-J.III-97	Supply of 63mm x 50mm PPR Reducer conforming to DIN Standards 8077/8092	Each	115.00
767	TBSP-J.III-98	Supply of 75mm x 40mm PPR Reducer conforming to DIN Standards 8077/8092	Each	168.00
768	TBSP-J.III-99	Supply of 75mm x 50mm PPR Reducer conforming to DIN Standards 8077/8092	Each	169.00
769	TBSP-J.III-100	Supply of 75mm x 63mm PPR Reducer conforming to DIN Standards 8077/8092	Each	213.00
770	TBSP-J.III-101	Supply of 90mm x 63mm PPR Reducer conforming to DIN Standards 8077/8092	Each	408.00
771	TBSP-J.III-102	Supply of 90mm x 75mm PPR Reducer conforming to DIN Standards 8077/8092	Each	432.00
772	TBSP-J.III-103	Supply of 110mm x 63mm PPR Reducer conforming to DIN Standards 8077/8092	Each	544.00
773	TBSP-J.III-104	Supply of 110mm x 75mm PPR Reducer conforming to DIN Standards 8077/8092	Each	633.00
774	TBSP-J.III-105	Supply of 110mm x 90mm PPR Reducer conforming to DIN Standards 8077/8092	Each	683.00
775	TBSP-J.III-106	Supply of 25mm x 20mm x 25mm PPR Reducer Tee conforming to DIN Standards 8077/8092	Each	32.00
776	TBSP-J.III-107	Supply of 32mm x 25mm x 32mm PPR Reducer Tee conforming to DIN Standards 8077/8092	Each	56.00
777	TBSP-J.III-108	Supply of 32mm x 20mm x 32mm PPR Reducer Tee conforming to DIN Standards 8077/8092	Each	57.00
778	TBSP-J.III-109	Supply of 40mm x 20mm x 40mm PPR Reducer Tee conforming to DIN Standards 8077/8092	Each	92.00
779	TBSP-J.III-110	Supply of 40mm x 25mm x 40mm PPR Reducer Tee conforming to DIN Standards 8077/8092	Each	93.00
780	TBSP-J.III-	Supply of 40mm x 32mm x 40mm PPR	Each	96.00

I. No	ITEM CODE	DESCRIPTION OF THE ITEM	UNIT	Scheduled Rates for the Year 2020-21
	111	Reducer Tee conforming to DIN Standards 8077/8092		
781	TBSP-J.III-112	Supply of 50mm x 20mm x 50mm PPR Reducer Tee conforming to DIN Standards 8077/8092	Each	133.00
782	TBSP-J.III-113	Supply of 50mm x 25mm x 50mm PPR Reducer Tee conforming to DIN Standards 8077/8092	Each	134.00
783	TBSP-J.III-114	Supply of 50mm x 32mm x 50mm PPR Reducer Tee conforming to DIN Standards 8077/8092	Each	138.00
Sl. No	ITEM CODE	DESCRIPTION OF THE ITEM	UNIT	SS RAT FOR 202021
784	TBSP-J.III-115	Supply of 50mm x 40mm x 50mm PPR Reducer Tee conforming to DIN Standards 8077/8092	Each	139.00
785	TBSP-J.III-116	Supply of 63mm x 20mm x 63mm PPR Reducer Tee conforming to DIN Standards 8077/8092	Each	384.00
786	TBSP-J.III-117	Supply of 63mm x 25mm x 63mm PPR Reducer Tee conforming to DIN Standards 8077/8092	Each	386.00
787	TBSP-J.III-118	Supply of 63mm x 32mm x 63mm PPR Reducer Tee conforming to DIN Standards 8077/8092	Each	391.00
788	TBSP-J.III-119	Supply of 63mm x 40mm x 63mm PPR Reducer Tee conforming to DIN Standards 8077/8092	Each	397.00
789	TBSP-J.III-120	Supply of 63mm x 50mm x 63mm PPR Reducer Tee conforming to DIN Standards 8077/8092	Each	403.00
790	TBSP-J.III-121	Supply of 75mm x 50mm x 75mm PPR Reducer Tee conforming to DIN Standards 8077/8092	Each	542.00
791	TBSP-J.III-122	Supply of 75mm x 63mm x 75mm PPR Reducer Tee conforming to DIN Standards 8077/8092	Each	551.00
792	TBSP-J.III-123	Supply of 90mm x 50mm x 90mm PPR Reducer Tee conforming to DIN Standards 8077/8092	Each	730.00
793	TBSP-J.III-124	Supply of 90mm x 63mm x 90mm PPR Reducer Tee conforming to DIN Standards 8077/8092	Each	776.00
794	TBSP-J.III-125	Supply of 110mm x 75mm x 110mm PPR Reducer Tee conforming to DIN Standards 8077/8092	Each	1,323.00

I. No	ITEM CODE	DESCRIPTION OF THE ITEM	UNIT	Scheduled Rates for the Year 2020-21
795	TBSP-J.III-126	Supply of 110mm x 90mm x 110mm PPR Reducer Tee conforming to DIN Standards 8077/8092	Each	1,376.00
796	TBSP-J.III-127	Supply of 20mm x ½" PPR Female Threaded Adaptor conforming to DIN Standards 8077/8092	Each	102.00
797	TBSP-J.III-128	Supply of 25mm x ½" PPR Female Threaded Adaptor conforming to DIN Standards 8077/8092	Each	105.00
798	TBSP-J.III-129	Supply of 25mm x ¾" PPR Female Threaded Adaptor conforming to DIN Standards 8077/8092	Each	183.00
799	TBSP-J.III-130	Supply of 32mm x ½" PPR Female Threaded Adaptor conforming to DIN Standards 8077/8092	Each	186.00
800	TBSP-J.III-131	Supply of 32mm x ¾" PPR Female Threaded Adaptor conforming to DIN Standards 8077/8092	Each	193.00
801	TBSP-J.III-132	Supply of 32mm x 1" PPR Female Threaded Adaptor conforming to DIN Standards 8077/8092	Each	297.00
802	TBSP-J.III-133	Supply of 40mm x 1¼" PPR Female Threaded Adaptor conforming to DIN Standards 8077/8092	Each	439.00
803	TBSP-J.III-134	Supply of 50mm x 1½" PPR Female Threaded Adaptor conforming to DIN Standards 8077/8092	Each	613.00
804	TBSP-J.III-135	Supply of 63mm x 2" PPR Female Threaded Adaptor conforming to DIN Standards 8077/8092	Each	816.00
805	TBSP-J.III-136	Supply of 75mm x 2½" PPR Female Threaded Adaptor conforming to DIN Standards 8077/8092	Each	1,572.00
806	TBSP-J.III-137	Supply of 20mm x ½" PPR Male Threaded Adaptor conforming to DIN Standards 8077/8092	Each	158.00
807	TBSP-J.III-138	Supply of 25mm x ½" PPR Male Threaded Adaptor conforming to DIN Standards 8077/8092	Each	163.00
808	TBSP-J.III-139	Supply of 25mm x ¾" PPR Male Threaded Adaptor conforming to DIN Standards 8077/8092	Each	238.00
809	TBSP-J.III-140	Supply of 32mm x ¾" PPR Male Threaded Adaptor conforming to DIN Standards 8077/8092	Each	249.00
810	TBSP-J.III-141	Supply of 32mm x 1" PPR Male Threaded Adaptor conforming to DIN Standards	Each	462.00

I. No	ITEM CODE	DESCRIPTION OF THE ITEM	UNIT	Scheduled Rates for the Year 2020-21
		8077/8092		
811	TBSP-J.III-142	Supply of 40mm x 1¼" PPR Male Threaded Adaptor conforming to DIN Standards 8077/8092	Each	541.00
812	TBSP-J.III-143	Supply of 50mm x 1½" PPR Male Threaded Adaptor conforming to DIN Standards 8077/8092	Each	756.00
813	TBSP-J.III-144	Supply of 63mm x 2" PPR Male Threaded Adaptor conforming to DIN Standards 8077/8092	Each	1,163.00
814	TBSP-J.III-145	Supply of 75mm x 2½" PPR Male Threaded Adaptor conforming to DIN Standards 8077/8092	Each	1,861.00
815	TBSP-J.III-146	Supply of 20mm x ½" PPR Female Threaded Elbow conforming to DIN Standards 8077/8092	Each	109.00
816	TBSP-J.III-147	Supply of 25mm x ½" PPR Female Threaded Elbow conforming to DIN Standards 8077/8092	Each	114.00
817	TBSP-J.III-148	Supply of 25mm x ¾" PPR Female Threaded Elbow conforming to DIN Standards 8077/8092	Each	176.00
818	TBSP-J.III-149	Supply of 32mm x ½" PPR Female Threaded Elbow conforming to DIN Standards 8077/8092	Each	169.00
819	TBSP-J.III-150	Supply of 32mm x ¾" PPR Female Threaded Elbow conforming to DIN Standards 8077/8092	Each	197.00
820	TBSP-J.III-151	Supply of 32mm x 1" PPR Female Threaded Elbow conforming to DIN Standards 8077/8092	Each	328.00
821	TBSP-J.III-152	Supply of 20mm x ½" PPR Male Threaded Elbow conforming to DIN Standards 8077/8092	Each	163.00
822	TBSP-J.III-153	Supply of 25mm x ½" PPR Male Threaded Elbow conforming to DIN Standards 8077/8092	Each	179.00
823	TBSP-J.III-154	Supply of 25mm x ¾" PPR Male Threaded Elbow conforming to DIN Standards 8077/8092	Each	237.00
824	TBSP-J.III-155	Supply of 32mm x ½" PPR Male Threaded Elbow conforming to DIN Standards 8077/8092	Each	228.00
825	TBSP-J.III-156	Supply of 32mm x 1" PPR Male Threaded Elbow conforming to DIN Standards 8077/8092	Each	491.00
826	TBSP-J.III-	Supply of 20mm x ½" PPR Female Threaded	Each	106.00

I. No	ITEM CODE	DESCRIPTION OF THE ITEM	UNIT	Scheduled Rates for the Year 2020-21
	157	Tee conforming to DIN Standards 8077/8092		
827	TBSP-J.III-158	Supply of 25mm x ½” PPR Female Threaded Tee conforming to DIN Standards 8077/8092	Each	115.00
828	TBSP-J.III-159	Supply of 25mm x ¾” PPR Female Threaded Tee conforming to DIN Standards 8077/8092	Each	193.00
829	TBSP-J.III-160	Supply of 32mm x ½” PPR Female Threaded Tee conforming to DIN Standards 8077/8092	Each	203.00
830	TBSP-J.III-161	Supply of 32mm x ¾” PPR Female Threaded Tee conforming to DIN Standards 8077/8092	Each	228.00
831	TBSP-J.III-162	Supply of 32mm x 1” PPR Female Threaded Tee conforming to DIN Standards 8077/8092	Each	320.00
832	TBSP-J.III-163	Supply of 20mm x ½” PPR Male Threaded Tee conforming to DIN Standards 8077/8092	Each	164.00
833	TBSP-J.III-164	Supply of 25mm x ½” PPR Male Threaded Tee conforming to DIN Standards 8077/8092	Each	176.00
834	TBSP-J.III-165	Supply of 25mm x ¾” PPR Male Threaded Tee conforming to DIN Standards 8077/8092	Each	252.00
835	TBSP-J.III-166	Supply of 32mm x ½” PPR Male Threaded Tee conforming to DIN Standards 8077/8092	Each	257.00
836	TBSP-J.III-167	Supply of 32mm x ¾” PPR Male Threaded Tee conforming to DIN Standards 8077/8092	Each	272.00
837	TBSP-J.III-168	Supply of 32mm x 1” PPR Male Threaded Tee conforming to DIN Standards 8077/8092	Each	501.00
838	TBSP-J.III-169	Supply of 20mm x ½” PPR Female Threaded Union conforming to DIN Standards 8077/8092	Each	423.00
839	TBSP-J.III-170	Supply of 25mm x ¾” PPR Female Threaded Union conforming to DIN Standards 8077/8092	Each	633.00
840	TBSP-J.III-171	Supply of 32mm x 1” PPR Female Threaded Union conforming to DIN Standards 8077/8092	Each	845.00
841	TBSP-J.III-172	Supply of 40mm x 1¼” PPR Female Threaded Union conforming to DIN Standards 8077/8092	Each	1,184.00
842	TBSP-J.III-173	Supply of 50mm x 1½” PPR Female Threaded Union conforming to DIN Standards 8077/8092	Each	1,904.00
843	TBSP-J.III-174	Supply of 63mm x 2” PPR Female Threaded Union conforming to DIN Standards 8077/8092	Each	3,024.00
844	TBSP-J.III-175	Supply of 20mm x ½” PPR Male Threaded Union conforming to DIN Standards 8077/8092	Each	485.00
845	TBSP-J.III-176	Supply of 25mm x ¾” PPR Male Threaded Union conforming to DIN Standards	Each	645.00

I. No	ITEM CODE	DESCRIPTION OF THE ITEM	UNIT	Scheduled Rates for the Year 2020-21
		8077/8092		
846	TBSP-J.III-177	Supply of 32mm x 1" PPR Male Threaded Union conforming to DIN Standards 8077/8092	Each	845.00
847	TBSP-J.III-178	Supply of 40mm x 1¼" PPR Male Threaded Union conforming to DIN Standards 8077/8092	Each	1,057.00
848	TBSP-J.III-179	Supply of 50mm x 1½" PPR Male Threaded Union conforming to DIN Standards 8077/8092	Each	2,009.00
849	TBSP-J.III-180	Supply of 63mm x 2" PPR Male Threaded Union conforming to DIN Standards 8077/8092	Each	3,384.00
850	TBSP-J.III-181	Supply of 20mm PPR Union conforming to DIN Standards 8077/8092	Each	93.00
851	TBSP-J.III-182	Supply of 25mm PPR Union conforming to DIN Standards 8077/8092	Each	108.00
852	TBSP-J.III-183	Supply of 32mm PPR Union conforming to DIN Standards 8077/8092	Each	178.00
853	TBSP-J.III-184	Supply of 20mm PPR Ball Valve conforming to DIN Standards 8077/8092	Each	169.00
854	TBSP-J.III-185	Supply of 25mm PPR Ball Valve conforming to DIN Standards 8077/8092	Each	223.00
855	TBSP-J.III-186	Supply of 32mm PPR Ball Valve conforming to DIN Standards 8077/8092	Each	233.00
856	TBSP-J.III-187	Supply of 40mm PPR Ball Valve conforming to DIN Standards 8077/8092	Each	478.00
857	TBSP-J.III-188	Supply of 50mm PPR Ball Valve conforming to DIN Standards 8077/8092	Each	556.00
858	TBSP-J.III-189	Supply of 63mm PPR Ball Valve conforming to DIN Standards 8077/8092	Each	900.00
859	TBSP-J.III-190	Supply of 75mm PPR Ball Valve conforming to DIN Standards 8077/8092	Each	1,481.00
860	TBSP-J.III-191	Supply of 90mm PPR Ball Valve conforming to DIN Standards 8077/8092	Each	2,115.00
861	TBSP-J.III-192	Supply of 20mm PPR Clamp conforming to DIN Standards 8077/8092	Each	10.00
862	TBSP-J.III-193	Supply of 25mm PPR Clamp conforming to DIN Standards 8077/8092	Each	13.00
863	TBSP-J.III-194	Supply of 32mm PPR Clamp conforming to DIN Standards 8077/8092	Each	15.00
864	TBSP-J.III-195	Supply of 40mm PPR Clamp conforming to DIN Standards 8077/8092	Each	17.00
NOTE				
1	All the items to be used on work are of first quality & ISI and as approved by the Engineer In charge of the work.			

I. No	ITEM CODE	DESCRIPTION OF THE ITEM	UNIT	Scheduled Rates for the Year 2020-21
	RATES			
2		<p>Note: All the prices of the material given in this section are excluding taxes but including cost of loading, cost of conveyance, unloading & stacking</p> <p>a) Supply Rates for all the materials are based on market rates plus Sales Tax/ Material VAT.</p> <p>b) Works Contract VAT for General/ Composition Scheme on finished items may be allowed as applicable.</p>		
4		LABOUR charges are increased based on proposals and market rates		
5		Coloured porcelain items: 50% extra may be allowed on basic cost of white porcelain items excluding fittings		
6		SSR Rates for Sanitary & water supply items are purely for guidance for the officers for preparation of estimates vide Para 113 of APPWD code. Authority who prepares the estimate is however responsible for proper rates as envisaged in Para 45 of APPWD code.		
	LEGEND			
		"TBSP" -A.I-01		
		"TBSP" -C.I-22		
		"TBSP" -D.III-14		
		TBSP - Denotes Plumbing item in the Telangana Buildings SoR		
		A.I/ C.IV - Denotes the Section & Sub-section		
		01/22 - Denotes the serial number of the item		

Sl. No	SECTION	NAMES OF THE APPROVED BRAND/MANUFACTURER/SUPPLIER
A	SECTION	S.W.G. PIPES & FITTINGS
		(Landingcost - includingmaterialVAT / loading / costofconveyance / unloading&stacking)
I	SUB-SECTION	SUPPLY & LAYING OF SWG PIPES - Any ISI Brand
II	SUB-SECTION	S.W.G. FITTINGS - Any ISI Brand
C	SECTION	CENTRIFUGAL CI PIPES & FITTINGS - IS : 1729
I	SUB-SECTION	SUPPLY & LAYING OF CAST IRON PIPES - BIC/ NECO/ JayaswalNeco
II	SUB-SECTION	SUPPLYING & LAYING OF C.I. FITTINGS - BIC/ NECO/ JayaswalNeco
D	SECTION	CENTRIFUGAL CI PIPES & FITTINGS - IS : 3989
I	SUB-SECTION	SUPPLY OF CENTRIFUGAL CI PIPES - BIC/ NECO/ JayaswalNeco
II	SUB-SECTION	SUPPLY OF C.I. SPUN FITTINGS - BIC/ NECO/ JayaswalNeco
E	SECTION	VITREOUS CHINAWARE - SANITARY APPLIANCES
I	SUB-SECTION	INDIAN WATER CLOSETS - Hindustan Sanitary ware/ Parryware/ Neycer/ CERA /Jaquar / Somany, Watertec, Kerovit by Kajaria
II	SUB-SECTION	FLOOR MOUNTED EWC - Hindustan Sanitary ware/ Parryware/ Neycer/ CERA /Jaquar / Somany, Watertec, Kerovit by Kajaria
III	SUB-SECTION	WALL MOUNTED EWC - Hindustan Sanitary ware/ Parryware/ Neycer/ CERA /Jaquar / Somany, Watertec, Kerovit by Kajaria
IV	SUB-SECTION	CISTERNS FOR WATER CLOSETS - Hindustan Sanitary ware/ Parryware/ Neycer/ CERA /Jaquar / Somany, Watertec, Kerovit by Kajaria
V	SUB-SECTION	PLASTIC SEATS FOR WATER CLOSETS - Hindustan Sanitary ware/ Parryware/ Neycer/ CERA /Jaquar / Somany, Watertec, Kerovit by Kajaria
VI	SUB-SECTION	WASH HAND BASINS - Hindustan Sanitary ware/ Parryware/ Neycer/ CERA /Jaquar / Somany, Watertec, Kerovit by Kajaria
VII	SUB-SECTION	URINALS - Hindustan Sanitary ware/ Parryware/ Neycer/ CERA /Jaquar / Somany, Naturesani, Watertec, Kerovit by Kajaria
F	SECTION	CPFITTINGS-TAPS/FAUCETS&ACCESSORIES
I	SUB-SECTION	TAPS&FAUCETS - BIB TAPS - Seiko/ Senior/ Nice/ Senior/ Nice/ CERA/ Hindware - PREMIUM MAKE - Jaquar/ Hindware/ Plumber/ Parryware/ H & R Johnson, Karla / Essco / Somany/Kingston/Prayag Polymer/KUNCHAL (Aluminium Udyog)/M/s Sumo Polyplast Pvt. Ltd (Sumolex), Watertec, Ambani, Kerovit by Kajaria, Austro,
II	SUB-SECTION	TAPS&FAUCETS - PILLAR TAPS - Seiko/ Senior/ Nice/ Senior/ Nice/ CERA/ Hindware - PREMIUM MAKE - Jaquar/ Hindware/ Plumber/ Parryware/ H & R Johnson, Karla / Essco / Somany/ Kingston/Prayag Polymer/ KUNCHAL (Aluminium Udyog)/ M/s Sumo Polyplast Pvt. Ltd (Sumolex), Watertec, Ambani, Kerovit by Kajaria, Austro,
III	SUB-SECTION	TAPS&FAUCETS - OTHER TAPS & SPOUTS - Seiko/ Senior/ Nice/ Senior/ Nice/CERA/ Hindware - PREMIUM MAKE - Jaquar/ Hindware/ Plumber/ Parryware/ H & R Johnson, Karla / Essco /Somany/ Kingston/Prayag Polymer/ KUNCHAL (Aluminium Udyog)/ M/s Sumo Polyplast Pvt. Ltd (Sumolex) Watertec, Ambani, Kerovit by Kajaria, Austro,

Sl. No	SECTION	NAMES OF THE APPROVED BRAND/MANUFACTURER/SUPPLIER
IV	SUB-SECTION	STOP & ANGLE VALVES - Seiko/ Senior/ Nice/ Senior/ Nice/ CERA/ Hindware - PREMIUM MAKE - Jaquar/ Hindware/ Plumber/ Parryware/ H & R Johnson, Karla / Essco / Somany/ Kingston/Prayag Polymer/ KUNCHAL (Aluminium Udyog), Watertec, Ambani, Kerovit by Kajaria, Austro,
V	SUB-SECTION	COMBINATION FAUCETS - Seiko/ Senior/ Nice/ Senior/ Nice/ CERA/ Hindware - PREMIUM MAKE - Jaquar/ Hindware/ Plumber/ Parryware/ H & R Johnson, Karla / Essco / Somany/ Kingston/Prayag Polymer/ KUNCHAL (Aluminium Udyog) Watertec, Ambani, Kerovit by Kajaria, Austro,
VI	SUB-SECTION	SHOWERS & FITTINGS - Seiko/ Senior/ Nice/ Senior/ Nice/ CERA/ Hindware - PREMIUM MAKE - Jaquar/ Hindware/ Plumber/ Parryware/ H & R Johnson, Karla / Essco / Somany/ Kingston/Prayag Polymer/ KUNCHAL (Aluminium Udyog), Watertec, Ambani, Kerovit by Kajaria, Austro,
VII	SUB-SECTION	MISCELLANEOUS CP FITTINGS - Seiko/ Senior/ Nice/ Senior/ Nice/ CERA/ Hindware - PREMIUM MAKE - Jaquar/ Hindware/ Plumber/ Parryware/ H & R Johnson, Karla / Essco / Somany/ Kingston/Prayag Polymer/ KUNCHAL (Aluminium Udyog), Watertec, Ambani, Kerovit by Kajaria, Austro,
G	SECTION	G.I. PIPES & FITTINGS
I	SUB-SECTION	G.I. PIPES - Tata/ JSW/ Oswal/ Zenith
II	SUB-SECTION	G.I. FITTINGS - HB / Kirti/ R-Brand
III	SUB-SECTION	BRONZE (COPPER ALLOY) VALVES - Zoloto/ R-Brand
H	SECTION	PVC PIPES & FITTINGS
I	SUB-SECTION	PVC PIPES - Prince/Sudhakar/Kisan/Supreme/ Astral/ Finolex/ Ajay/ Ashirvad/Birla Aerocon/Trueflow by Hindware/Prayag Polymer, Watertec, Austro, Nandi
II	SUB-SECTION	PVC FITTINGS- Prince/Sudhakar/Kisan/Supreme/ Astral/ Finolex/ Ajay/ Ashirvad/ Birla Aerocon/ Trueflow by Hindware/Prayag Polymer, Watertec, Austro, Nandi
Sl. No	SECTION	NAMES OF THE APPROVED BRAND / MANUFACTURER / SUPPLIER
III	SUB-SECTION	PVC PLUMBING ACCESSORIES - Prince/Sudhakar/Kisan/Supreme/ Astral/ Finolex/ Ajay/ Ashirvad/ Birla Aerocon/ Trueflow by Hindware, Watertec, Austro, Nandi
		PVC Tanks - Sintex, Aquatech, Nandi
		PVC - LLC Cisterns - Parryware/ Slimlines/ CERA/ Hindware/Prayag Polymer
J	SECTION	MISCELLANEOUS ITEMS
I	SUB-SECTION	POLYETHYLENE-ALUMINIUM-POLYETHYLENE COMPOSITE PIPES - Kitec/ Kisan/ Uniflex/M/s Sumolex Polyplast Pvt. Ltd
II	SUB-SECTION	CPVC PIPES - Supreme/ Ashirvad/ Astral/ Prince / Kisan / Ajay/Birla Aerocon/ Hindware Trueflo/Sudhakar/Prayag Polymer/ M/s Sumolex Polyplast Pvt. Ltd, Watertec, Ambani, Austro, Nandi
III	SUB-SECTION	PPR PIPES - Supreme/ Ashirvad/ Astral/ Prince/ Kisan / SFMC / KPT/ M/s Sumolex Polyplast Pvt. Ltd

ELECTRICAL ITEMS

INDEX FOR ELECTRICAL ITEMS OF TELANGANA BUILDINGS SoR 2020-21

Sl. No.	Code	DESCRIPTION OF ITEM	Unit	Scheduled Rates for the Year 2020-21
		SECTION - 1		
	1.1	M.S. CONDUIT PIPES		
	ELEC-1.1.1	Supply of ISI, ----- dia, 1.6mm thickness MS conduit pipe as per IS 9537 Part II / 1981. Makes : NAI / Bharath / GB / BEC / Super.		
1	a	20mm	1 Mtr	90.00
2	b	25mm	1 Mtr	115.00
3	c	32mm	1 Mtr	165.00
	ELEC-1.1.2	Supply of ISI, ----- dia, 2.0mm thickness MS conduit pipe as per IS 9537 Part II / 1981. Makes : NAI / Bharath / GB / BEC / Super.		
4	a	40mm	1 Mtr	275.00
5	b	50mm	1 Mtr	345.00
		HOT DIP GALVANIZED CONDUIT PIPES		
	ELEC-1.1.3	Supply of ISI, ----- dia, 1.6mm thickness hot dip galvanized conduit pipe as per IS 9537 Part II / 1981. Makes : NAI / Bharath / GB / BEC / Super.		
6	a	20mm	1 Mtr	145.00
7	b	25mm	1 Mtr	175.00
8	c	32mm	1 Mtr	270.00
	ELEC-1.1.4	Supply of ISI, ----- dia, 2.0mm thickness hot dip galvanized conduit pipe as per IS 9537 Part II / 1981. Makes : NAI / Bharath / GB / BEC / Super.		
9	a	40mm	1 Mtr	430.00
10	b	50mm	1 Mtr	500.00
	ELEC-1.1.5	Supply of ----- MS Junction box normal range big size long neck.		
11	a	19 / 20 mm	1 No	24.00
12	b	25 mm	1 No	27.00
13	c	32 mm	1 No	73.00
14	d	40 / 38 mm	1 No	105.00
15	e	50 mm	1 No	205.00
	ELEC-1.1.6	Supply of-----MS Junction deep box.		
16	a	20/25mm	1 No	65.00
17	b	32mm	1 No	115.00
18	c	40mm	1 No	140.00
19	d	50mm	1 No	170.00
	ELEC-1.1.7	Supply of-----MS Inspection Bends.		
20	a	19/20mm	1 No	22.00
21	b	25mm	1 No	24.00
22	c	32mm	1 No	53.00

Sl. No.	Code	DESCRIPTION OF ITEM	Unit	Scheduled Rates for the Year 2020-21
23	d	40/38mm	1 No	82.00
24	e	50mm	1 No	175.00
	ELEC-1.1.8	Supply of-----MS Inspection Tee.		
25	a	19/20mm	1 No	24.00
26	b	25mm	1 No	26.00
27	c	32mm	1 No	72.00
28	d	40/38mm	1 No	87.00
29	e	50mm	1 No	180.00
	ELEC-1.1.9	Supply of-----MS Inspection Elbow.		
30	a	19/20mm	1 No	19.00
31	b	25mm	1 No	20.00
32	c	32mm	1 No	56.00
33	d	40/38mm	1 No	72.00
34	e	50mm	1 No	160.00
	ELEC-1.1.10	Supply of MS Inspection 10 Guage G.I. checknut size		
35	a	19/20mm	100 Nos	200.00
36	b	25mm	100 Nos	250.00
37	c	32mm	100 Nos	510.00
38	d	40/38mm	100 Nos	770.00
39	e	50mm	100 Nos	1210.00
	ELEC-1.1.11	Supply of-----Saddles with Base.		
40	a	19/20mm	100 Nos	200.00
41	b	25mm	100 Nos	210.00
42	c	32mm	100 Nos	385.00
43	d	40/38mm	100 Nos	660.00
44	e	50mm	100 Nos	835.00
	ELEC-1.1.12	Supply of-----20 guage Saddles.		
45	a	19/20mm	100 Nos	110.00
46	b	25mm	100 Nos	140.00
47	c	32mm	100 Nos	230.00
48	d	40/38mm	100 Nos	305.00
49	e	50mm	100 Nos	395.00
	ELEC-1.1.13	Supply of-----16 Guage socket coupler.		
50	a	19/20mm	12 Nos	57.00
51	b	25mm	12 Nos	67.00
52	c	32mm	12 Nos	155.00
53	d	38mm	12 Nos	280.00
54	e	40mm	12 Nos	160.00
55	f	50mm	12 Nos	460.00
	ELEC-1.1.14	Supply of-----Ball Socket.		
56	a	19mm	12 Nos	240.00
57	b	25mm	12 Nos	355.00
	1.2	PVC CONDUIT PIPES		

Sl. No.	Code	DESCRIPTION OF ITEM	Unit	Scheduled Rates for the Year 2020-21
	ELEC-1.2.1	Supply of ISI -----outer dia heavy grade, FRLS with IS:9537 part 3 rigid PVC pipe. Makes : Sudhakar / Finolex / Modi / VIP / Precision / Universal / Million Plast / Gold / Polycab / DEC / Beljin / Champion / Austro		
58	a	20mm	1 Mtr	25.00
59	b	25mm	1 Mtr	33.00
	ELEC-1.2.2	Supply of ISI ----- outer dia medium grade, FRLS with IS:9537 part 3 rigid PVC pipe. Makes : Sudhakar / Finolex / Modi / VIP / Precision / Universal / Million Plast / Gold / Polycab / DEC / Beljin / Champion / Austro		
60	a	20mm	1 Mtr	18.00
61	b	25mm	1 Mtr	24.00
62	c	32mm	1 Mtr	39.00
63	d	40mm	1 Mtr	53.00
64	e	50mm	1 Mtr	75.00
65	f	38/40mm	1 Mtr	58.00
	ELEC-1.2.3	Supply of ----- FRPP Flexible Conduit Pipe. Make: Precision or its equivalent		
66	a	20mm	1 Mtr	12.00
67	b	25 mm	1 Mtr	15.00
68	c	32 mm	1 Mtr	24.00
69	d	40 mm	1 Mtr	33.00
70	e	50 mm	1 Mtr	54.00
	ELEC-1.2.4	Supply of ----- PVC Flexible Couplings. Make: Precision or its equivalent		
71	a	19/20mm	1 No	11.00
72	b	25mm	1 No	14.00
73	c	32mm	1 No	26.00
74	d	38/40mm	1 No	28.00
75	e	50mm	1 No	56.00
	ELEC-1.2.4	Supply of ----- width and 12.5mm height Casing and Caping. Makes : Modi with ISI or its equivalent make		
76	a	19/20mm	1 Mtr	24.00
77	b	25mm	1 Mtr	30.00
78	c	32mm	1 Mtr	34.00
79	d	38/40mm	1 Mtr	58.00
	ELEC-1.2.5	Supply of----- PVC Junction Boxes		

Sl. No.	Code	DESCRIPTION OF ITEM	Unit	Scheduled Rates for the Year 2020-21
		Normal.Makes : Sudhakar / Finolex / Modi / VIP / Precision DEC / Beljin / Champion / Austro		
80	a	19 / 20mm	1 No	19.00
81	b	25 mm	1 No	20.00
82	c	32 mm	1 No	35.00
83	d	40 mm	1 No	37.00
84	e	50 mm	1 No	52.00
	ELEC-1.2.6	Supply of PVC Junction Boxes Deep size Makes : Sudhakar / Finolex / Modi / VIP / Precision / DEC / Beljin / Champion / Austro		
85	a	19 / 20mm	1 No	23.00
86	b	25 mm	1 No	26.00
87	c	32 mm	1 No	41.00
88	d	40 mm	1 No	44.00
89	e	50 mm	1 No	64.00
	ELEC-1.2.7	Supply of ----- dia Medium grade PVC Bends. Makes : Sudhakar / Finolex / Modi / VIP / Precision / DEC / Beljin / Champion / Austro		
90	a	19 / 20mm	1 No	6.00
91	b	25 mm	1 No	8.00
	ELEC-1.2.8	Supply of ----- dia Heavy Grade PVC Bends. Makes : Sudhakar / Finolex / Modi / VIP / Precision / DEC / Beljin / Champion / Austro		
92	a	32 mm	1 No	18.00
93	b	40 mm	1 No	20.00
94	c	50 mm	1 No	29.00
95	ELEC-1.2.9	Dummy Cover to PVC junction boxes	1 No	5.00
	Note:	If Non-ISI Pipes / Casing & capping are used during execution of work, for arriving the Non-ISI Pipe / casing & capping rates 15% may be deducted from the finished Cost data of ISI Pipe.		
	1.3			
		HOT DIP GALVANIZED METAL BOXES (MODULAR)		
	ELEC-1.3.1	Supply of ----- Module box Makes : Similar to Switches Make		
96	a	1 or 2	1 No	59.00
97	b	3	1 No	84.00
98	c	4	1 No	99.00

Sl. No.	Code	DESCRIPTION OF ITEM	Unit	Scheduled Rates for the Year 2020-21
99	d	6	1 No	136.00
100	e	8 or 9 Module box Horizontal/Vertical.	1 No	176.00
101	f	12	1 No	213.00
		MODULAR COVER FRAMES		
	ELEC-1.3.2	Supply of ----- Modular Cover Frame. Makes : Legrand Arteor / Schneider Zen celo / Honeywell Blenge Plus / Cabtree Amare / Logus Platina / Gold Medal GIFA / GM-Zenova/ L&T- Englaze		
102	a	1 or 2	1 No	66.00
103	b	3	1 No	80.00
104	c	4	1 No	92.00
105	d	6	1 No	136.00
106	e	8 or 9 Modular Horizontal / Vertical Cover Frame.	1 No	176.00
107	f	12	1 No	218.00
	ELEC-1.3.3	Supply of ----- Modular Cover Frame. Makes : Legrand Myrius / Million Tap-Wood / Anchor Roma viola / Havells Fabio / C&S Prime / CPL Vysma / Benlo Vesta / Polycab Levana		
108	a	1 or 2	1 No	58.00
109	b	3	1 No	70.00
110	c	4	1 No	84.00
111	d	6	1 No	114.00
112	e	8 or 9 Modular Horizontal / Vertical Cover Frame.	1 No	141.00
113	f	12	1 No	171.00
		METALLIC BOXES (MS)		
	ELEC-1.3.4	Supply of ----- Metal Box		
114	a	4" x 4"	1 No	49.00
115	b	4" x 7"	1 No	57.00
116	c	6" x 6"	1 No	72.00
117	d	6" x 8"	1 No	96.00
118	e	8" x 10"	1 No	170.00
119	f	10" x 12"	1 No	215.00
	1.4	WOODEN BOARDS		
	ELEC-1.4.1	Supply of Wooden Deep Boards / Wooden Deep Boxes of following Size or its equivalent.		
120	a	4" x 4"	1 No	10.00
121	b	4" x 7"	1 No	18.00
122	c	6" x 6"	1 No	22.00
123	d	6" x 8"	1 No	30.00
124	e	8" x 10"	1 No	48.00
125	f	10" x 12"	1 No	73.00

Sl. No.	Code	DESCRIPTION OF ITEM	Unit	Scheduled Rates for the Year 2020-21
126	g	12" x 15"	1 No	110.00
	ELEC-1.4.2	Supply of Decolam Board of Size or its equivalent.		
127	a	4" x 4"	1 No	14.00
128	b	4" x 7"	1 No	25.00
129	c	6" x 6"	1 No	33.00
130	d	6" x 8"	1 No	44.00
131	e	8" x 10"	1 No	73.00
132	f	10" x 12"	1 No	110.00
133	g	12" x 15"	1 No	165.00
	ELEC-1.4.3	Supply of Peeta Board of Size ----- or its equivalent.		
134	a	9" x 14"	1 No	54.00
135	b	12" x 10"	1 No	56.00
136	c	15" x 20"	1 No	190.00
137	d	18" x 24"	1 No	275.00
138	e	18" x 30"	1 No	345.00
		SCREWS		
	ELEC-1.4.4	Supply of No.8 Screws of size-----		
139	a	12mm.	100 Nos	68.00
140	b	25mm.	100 Nos	84.00
141	c	30mm.	100 Nos	103.00
142	d	35/38mm.	100 Nos	110.00
143	e	50mm.	100 Nos	127.00
144	f	63/75mm.	100 Nos	154.00
	1.5	COPPER FLEXIBLE CABLES (AS PER IS:694)		
	ELEC-1.5.1	Supply of -----FRLS / HFFR PVC insulated 1100V grade as per IS:694/1990 specification for Copper cable. Makes : Finolex / RR kabel / Havells / APAR EBXL / KEI (HFFR) / Polycab ((HR_FR-LF) / L&T / V-Guard (HFFR).		
145	a	1.5 Sqmm	100 Mtrs	1571.00
146	b	2.5 Sqmm	100 Mtrs	2539.00
147	c	4.0 Sqmm	100 Mtrs	3877.00
148	d	6.0 Sqmm	100 Mtrs	5930.00
149	e	10.0 Sqmm	100 Mtrs	9156.00
150	f	16.0 Sqmm	100 Mtrs	14462.00
	ELEC-1.5.2	Supply of -----FRLS / HFFR PVC insulated 1100V grade as per IS:694/1990 specification for Copper cable. Makes : HPL / RPG / Kundancab / Nakoda / Anchor / GM / Million / Gold Medal / Power Flex / Fine Cab / Sun Cab / Fortune Art / Delton / Ollvin / Airson / Benlo / Bonton / Gloster / Gemini / Uniflex /		

Sl. No.	Code	DESCRIPTION OF ITEM	Unit	Scheduled Rates for the Year 2020-21
		Sudhakar / Nandicab / Beljin / Savera Champion / Rhino		
151	a	1.5 Sqmm	100 Mtrs	1373.00
152	b	2.5 Sqmm	100 Mtrs	2227.00
153	c	4.0 Sqmm	100 Mtrs	3433.00
154	d	6.0 Sqmm	100 Mtrs	5306.00
155	e	10.0 Sqmm)	100 Mtrs	8063.00
156	f	16.0 Sqmm	100 Mtrs	13421.00
	ELEC-1.5.3	Supply of -----FRLS / HFFR PVC insulated 1100V grade as per IS:694/1990 specification for Copper cable. Makes : Khanthi / Vimal / Stanjo / Rajnigandha / Orbit		
157	a	1.5 Sqmm	100 Mtrs	1120.00
158	b	2.5 Sqmm	100 Mtrs	1800.00
159	c	4.0 Sqmm	100 Mtrs	2700.00
160	d	6.0 Sqmm	100 Mtrs	4200.00
161	e	10.0 Sqmm	100 Mtrs	6650.00
162	f	16.0 Sqmm	100 Mtrs	10200.00
163	ELEC-1.5.4	Supply of 23 / 0060 , 3 core (0.15 mm dia of each lead) twisted / flat heavy Copper wire. Makes : Finolex / RR Kabel / Havells / Polycab / GM / Million / V-Guard / Gold Medal / Kundancab / HPL / RPG / Nandicab / Nakoda / Payal / Finocab / Gemini / Vimal / Suncab	100 Mtrs	980.00
		NOTE : If FR Wires are used instead of FRLS / HFFR during execution of work, for arriving the FR Flexible wires rates 20% may be deducted from the finished Cost data of Light / Fan / Separate Plug Points and Run of mains.		
		SHEATHED FLEXIBLE COPPER CABLES		
	ELEC-1.5.5	Supply of PVC / XLPE Insulated Sheathed Multi Core Bright Annealed Bare Copper Conductor Heavy Duty Industrial Cables for Voltage Grade upto 1100 Volts as per IS: 694:1990 including all transportation charges etc complete. Makes : Finolex / RR kabel / Havells / Polycab / RPG / KEI / Gloster / V-Guard		
164	a	25 Sqmm Single Core	1 RM	220.00

Sl. No.	Code	DESCRIPTION OF ITEM	Unit	Scheduled Rates for the Year 2020-21
165	b	35 Sqmm Single Core	1 RM	310.00
166	c	50 Sqmm Single Core	1 RM	440.00
167	d	70 Sqmm Single Core	1 RM	600.00
168	e	1.5 Sqmm 2 core	1 RM	46.00
169	f	2.5 Sqmm 2 Core	1 RM	72.00
170	g	4.0 Sqmm 2 Core	1 RM	97.00
171	h	6.0 Sqmm 2 Core	1 RM	150.00
172	i	10.0 Sqmm 2 Core	1 RM	220.00
173	j	16.0 Sqmm 2 Core	1 RM	270.00
174	k	1.5 Sqmm 3 core	1 RM	62.00
175	l	2.5 Sqmm 3 Core	1 RM	105.00
176	m	4.0 Sqmm 3 Core	1 RM	140.00
177	n	6.0 Sqmm 3 Core	1 RM	185.00
178	o	10.0 Sqmm 3 Core	1 RM	240.00
179	p	16.0 Sqmm 3 Core	1 RM	380.00
180	q	1.5 Sqmm 4 Core	1 RM	81.00
181	r	2.5 Sqmm 4 Core	1 RM	125.00
182	s	4.0 Sqmm 4 Core	1 RM	190.00
183	t	6.0 Sqmm 4 Core	1 RM	290.00
184	u	10.0 Sqmm 4 Core	1 RM	440.00
185	v	16.0 Sqmm 4 Core	1 RM	560.00
186	w	25.0 Sqmm 4 Core	1 RM	920.00
187	x	35.0 Sqmm 4 Core	1 RM	1380.00
188	y	50.0 Sqmm 4 Core	1 RM	1820.00
189	z	70.0 Sqmm 4 Core	1 RM	2600.00
	ELEC-1.5.6	Supply of PVC / XLPE Insulated Sheathed Multi Core Bright Annealed Bare Copper Conductor Heavy Duty Industrial Cables for Voltage Grade upto 1100 Volts as per IS: 694:1990 including all transportation charges etc complete. Makes : Nakoda / Sun cab / Sudhakar / Powerflex / Gemni / Ollvin / Delton / Airson / HPL / Beljin / Savera Champion / Rhino		
190	a	25 Sqmm Single Core	1 RM	200.00
191	b	35 Sqmm Single Core	1 RM	290.00
192	c	50 Sqmm Single Core	1 RM	400.00
193	d	70 Sqmm Single Core	1 RM	570.00
194	e	1.5 Sqmm 2 core	1 RM	44.00
195	f	2.5 Sqmm 2 Core	1 RM	65.00
196	g	4.0 Sqmm 2 Core	1 RM	90.00
197	h	6.0 Sqmm 2 Core	1 RM	140.00
198	i	10.0 Sqmm 2 Core	1 RM	200.00

Sl. No.	Code	DESCRIPTION OF ITEM	Unit	Scheduled Rates for the Year 2020-21
199	j	16.0 Sqmm 2 Core	1 RM	250.00
200	k	1.5 Sqmm 3 core	1 RM	60.00
201	l	2.5 Sqmm 3 Core	1 RM	100.00
202	m	4.0 Sqmm 3 Core	1 RM	130.00
203	n	6.0 Sqmm 3 Core	1 RM	175.00
204	o	10.0 Sqmm 3 Core	1 RM	225.00
205	p	16.0 Sqmm 3 Core	1 RM	350.00
206	q	1.5 Sqmm 4 Core	1 RM	75.00
207	r	2.5 Sqmm 4 Core	1 RM	110.00
208	s	4.0 Sqmm 4 Core	1 RM	175.00
209	t	6.0 Sqmm 4 Core	1 RM	275.00
210	u	10.0 Sqmm 4 Core	1 RM	410.00
211	v	16.0 Sqmm 4 Core	1 RM	530.00
212	w	25.0 Sqmm 4 Core	1 RM	870.00
213	x	35.0 Sqmm 4 Core	1 RM	1300.00
214	y	50.0 Sqmm 4 Core	1 RM	1700.00
215	z	70.0 Sqmm 4 Core	1 RM	2400.00
	ELEC-1.5.7	Supply of PVC / XLPE Insulated, Flexible Armouring Flexible Copper cable as per IS 7098 / Part-I / 1988 including all transportation charges etc complete. Makes : Finolex / RR kabel / Havells / Polycab / RPG / KEI / Gloster / V-Guard		
216	a	1.5 Sqmm 2 Core	1 RM	69.00
217	b	2.5 Sqmm 2 Core	1 RM	85.00
218	c	4.0 Sqmm 2 Core	1 RM	125.00
219	d	6.0 Sqmm 2 Core	1 RM	175.00
220	e	10.0 Sqmm 2 Core	1 RM	245.00
221	f	16.0 Sqmm 2 Core	1 RM	335.00
222	g	1.5 Sqmm 3 Core	1 RM	88.00
223	h	2.5 Sqmm 3 Core	1 RM	115.00
224	i	4.0 Sqmm 3 Core	1 RM	145.00
225	j	6.0 Sqmm 3 Core	1 RM	205.00
226	k	10.0 Sqmm 3 Core	1 RM	255.00
227	l	16.0 Sqmm 3 Core	1 RM	360.00
228	m	1.5 Sqmm 4 Core	1 RM	110.00
229	n	2.5 Sqmm 4 Core	1 RM	140.00
230	o	4.0 Sqmm 4 Core	1 RM	210.00
231	p	6.0 Sqmm 4 Core	1 RM	295.00
232	q	10.0 Sqmm 4 Core	1 RM	455.00
233	r	16.0 Sqmm 4 Core	1 RM	770.00
234	s	25.0 Sqmm 4 Core	1 RM	1190.00
235	t	35.0 Sqmm 4 Core	1 RM	1630.00
236	u	50.0 Sqmm 4 Core	1 RM	2310.00
237	v	70.0 Sqmm 4 Core	1 RM	3550.00
238	w	2.5 Sqmm 8 Core	1 RM	255.00

Sl. No.	Code	DESCRIPTION OF ITEM	Unit	Scheduled Rates for the Year 2020-21
239	x	2.5 Sqmm 16 Core	1 RM	340.00
240	y	1.5 Sqmm 10 Core	1 RM	215.00
241	z	1.5 Sqmm 16 Core	1 RM	315.00
	ELEC-1.5.8	Supply of PVC / XLPE Insulated, Flexible Armouring Flexible Copper cable as per IS 7098 / Part-I / 1988 including all transportation charges etc complete.Makes : Nakoda / Gemni / HPL / Delton / Ollvin / Airson / Beljin / Rhino		
242	a	1.5 Sqmm 2 Core	1 RM	60.00
243	b	2.5 Sqmm 2 Core	1 RM	80.00
244	c	4.0 Sqmm 2 Core	1 RM	115.00
245	d	6.0 Sqmm 2 Core	1 RM	160.00
246	e	10.0 Sqmm 2 Core	1 RM	225.00
247	f	16.0 Sqmm 2 Core	1 RM	315.00
248	g	1.5 Sqmm 3 Core	1 RM	80.00
249	h	2.5 Sqmm 3 Core	1 RM	105.00
250	i	4.0 Sqmm 3 Core	1 RM	135.00
251	j	6.0 Sqmm 3 Core	1 RM	185.00
252	k	10.0 Sqmm 3 Core	1 RM	225.00
253	l	16.0 Sqmm 3 Core	1 RM	325.00
254	m	1.5 Sqmm 4 Core	1 RM	100.00
255	n	2.5 Sqmm 4 Core	1 RM	130.00
256	o	4.0 Sqmm 4 Core	1 RM	185.00
257	p	6.0 Sqmm 4 Core	1 RM	275.00
258	q	10.0 Sqmm 4 Core	1 RM	425.00
259	r	16.0 Sqmm 4 Core	1 RM	700.00
260	s	25.0 Sqmm 4 Core	1 RM	950.00
261	t	35.0 Sqmm 4 Core	1 RM	1400.00
262	u	50.0 Sqmm 4 Core	1 RM	2000.00
263	v	70.0 Sqmm 4 Core	1 RM	3000.00
264	w	2.5 Sqmm 8 Core	1 RM	220.00
265	x	2.5 Sqmm 16 Core	1 RM	300.00
266	y	1.5 Sqmm 10 Core	1 RM	200.00
267	z	1.5 Sqmm 16 Core	1 RM	300.00
	1.6	SERVICE MAINS AND FLAT CABLE OF ISI FOR SUBMERSIBLE MOTORS.		
	ELEC-1.6.1	Supply of ----- WPSC (Weather Proof Single Core) ISI mark Alluminium Wire.Makes : Polycab / GM / Million / V-Guard / Gold Medal / Kundancab / HPL / RPG / Nandicab / Nakoda / Payal / Finecab / Gemini / Vimal / Suncab / Stanjo / Rajnigandha / Orbit / Airson / Beljin / Savera Champion / Rhino		
268	a	2.5 Sqmm	100 Mtrs	690.00

Sl. No.	Code	DESCRIPTION OF ITEM	Unit	Scheduled Rates for the Year 2020-21
269	b	6.0 Sqmm	100 Mtrs	1400.00
270	c	10.0 Sqmm	100 Mtrs	1510.00
271	d	16 Sqmm	100 Mtrs	2520.00
	ELEC-1.6.2	Supply of ----- WPTC (Weather Proof Twin Core) ISI mark Alluminium Wire. Makes : Polycab / GM / Million / V-Guard / Gold Medal / Kundancab / HPL / RPG / Nandicab / Nakoda / Payal / Finecab / Gemini / Vimal / Suncab / Stanjo / Rajnigandha / Orbit / Airson / Beljin / Savera Champion. / Rhino		
272	a	6 Sqmm	100 Mtrs	2820.00
273	b	10 Sqmm	100 Mtrs	3400.00
	ELEC-1.6.3	Supply of 3 Core ----- Flat Copper cable of ISI for Submersible Motors. Makes : Finolex / RR Kabel / Havells / KEI / L&T		
274	a	1.5 Sqmm	100 Mtrs	5900.00
275	b	2.5 Sqmm	100 Mtrs	9100.00
276	c	4.0 Sqmm	100 Mtrs	13600.00
277	d	6.0 Sqmm	100 Mtrs	20000.00
278	e	10.0 Sqmm	100 Mtrs	32400.00
	ELEC-1.6.4	Supply of 3 Core ----- Flat Copper cable of ISI for Submersible Motors. Makes : Polycab / GM / Million / V-Guard / Gold Medal / Kundancab / HPL / RPG / Nandicab / Payal / Finecab / Gemini / Vimal / Suncab / Delton / Ollvin / Airson / Stanjo/ Nakoda / Beljin / Savera Champion / Rhino		
279	a	1.5 Sqmm	100 Mtrs	5600.00
280	b	2.5 Sqmm	100 Mtrs	8600.00
281	c	4.0 Sqmm	100 Mtrs	12900.00
282	d	6.0 Sqmm	100 Mtrs	19000.00
283	e	10.0 Sqmm	100 Mtrs	30800.00
	1.7	FLUSH TYPE SWITCHES AND ACCESSORIES		
	ELEC-1.7.1	Supply of ----- Makes : GM G Home / Gold Medal Olive / Million Zoom / Anchor Penta Cherry / Great white Omega / HPL / Vimal / CPL.		
284	a	6A 1 Way flush type Swich.	1 No	16.00
285	b	6A 2 Way flush type Swich.	1 No	19.00
286	c	6A 2 pin flush type Socket.	1 No	18.00
287	d	6A 3/2 pin flush type Socket with shutter.	1 No	24.00
288	e	6A flush type Neon Indicator.	1 No	18.00
289	f	6A Triangle Plug Top .	1 No	33.00

Sl. No.	Code	DESCRIPTION OF ITEM	Unit	Scheduled Rates for the Year 2020-21
290	g	6A 1 Way flush type Bed Swich / Bell Push.	1 No	19.00
291	h	16A flush type Swich.	1 No	59.00
292	i	16A flush type Socket with shutter.	1 No	59.00
293	j	16A flush type Switch Socket combined (2 in one).	1 No	93.00
294	k	16A Triangle Plug Top.	1 No	46.00
295	l	Stepped type Electronic Regulator.	1 No	200.00
296	m	3 Plate Jumbo Ceiling Rose.	1 No	19.00
297	n	BH / SBH.	1 No	18.00
298	o	Pendent Holder / Adopter.	1 No	16.00
299	p	Telephone Jack with Connector	1 No	44.00
300	q	TV Antenna Outlet.	1 No	24.00
301	r	15A/10A Flush type Fuse.	1 No	30.00
302	s	32A DP Flush type	1 No	97.00
	ELEC-1.7.2	Supply of ----- Makes : GM / Million / Gold Medal / Anchor / Great white.		
303	a	Buzzer.	1 No	45.00
304	b	Ding Dong Bell.	1 No	95.00
305	c	Electronic Musical Bell.	1 No	220.00
306	d	Remote Bell.	1 No	530.00
307	e	MC Holder.	1 No	20.00
308	f	Spike Guard with 1 No Switch and 4 Nos Sockets.	1 No	450.00
309	g	Spike Guard with 4 No Switches and 4 Nos Sockets.	1 No	670.00
	1.8	MINI MODULAR SWITCHES AND ACCESSORIES		
	ELEC-1.8.1	Supply of ----- Makes : GM / Anchor / Million / Vimal / Gold Medal / CPL / Great White.		
310	a	6A 1 Way Mini Modular Switch with Cover Frame.	1 No	21.00
311	b	6A 2 Way Mini Modular Switch with Cover Frame.	1 No	24.00
312	c	6A 2 Pin Mini Modular Socket with Cover Frame.	1 No	22.00
313	d	6A 3/2 Pin Mini Modular Socket with Cover Frame.	1 No	32.00
314	e	6A Mini Modular Neon Indicator with Cover Frame.	1 No	25.00
315	f	6A Mini Modular Bed Switch / Bell Push with Cover Frame.	1 No	24.00
316	g	6A 1 Way Mini Modular Switch with Neon Indicator with Cover Frame.	1 No	25.00

Sl. No.	Code	DESCRIPTION OF ITEM	Unit	Scheduled Rates for the Year 2020-21
317	h	6A Mini Modular Bell Push with Neon Indicator with Cover Frame.	1 No	35.00
318	i	16A Mini Modular Switch with Cover Frame.	1 No	72.00
319	j	16A (2 in one) Mini Modular Switch & Socket combined with Cover Frame.	1 No	98.00
320	k	16A Triangle Top with Cover Frame.	1 No	44.00
321	l	Mini Modular Stepped type Electronic Regulator with Cover Frame.	1 No	215.00
322	m	Mini Modular Telephone Jack with Connector with Cover Frame.	1 No	48.00
323	n	Mini Modular TV Antenna Outlet with Cover Frame.	1 No	32.00
324	o	16A/10A Mini Modular Flush Fuse with Cover Frame.	1 No	36.00
	1.9	MODULAR SWITCHES AND ACCESSORIES		
	ELEC-1.9.1	Supply of ----- Makes : Legrand Arteor / Schneider Zen celo / Honeywell Blenge Plus / Cabtree Amare / Logus Platina / Gold Medal GIFA / GM-Zenova/ L&T- Englaze		
325	a	10A 1 Way 1 Module Modular Switch	1 No	92.00
326	b	10A 2 Way 1 Module Modular Switch.	1 No	101.00
327	c	10A 2 Pin 2 Module Modular Socket.	1 No	93.00
328	d	10A 3/2 Pin 2 Module Modular Socket with shutter.	1 No	141.00
329	e	10A 1 Module Modular Switch with Neon Indicator.	1 No	114.00
330	f	10A Modular Bell Push with Neon Indicator.	1 No	136.00
331	g	16A / 10A Modular Flush Fuse with Neon Indicator.	1 No	124.00
332	h	16A / 20A 1 Way 1 Module Modular Switch.	1 No	124.00
333	i	16A / 20A 2 Way 1 Module Modular Switch.	1 No	138.00
334	j	20A 1 Way 1 Module Modular Switch with Indicator.	1 No	138.00
335	k	20A 2 Module Modular Socket with shutter.	1 No	188.00
336	l	16A / 6A 1 way 2 Module Combi Socket Modular Socket with shutter.	1 No	196.00
337	m	16A Triangle Top.	1 No	156.00
338	n	2 Module Modular type Electronic Fan Regulator.	1 No	468.00
339	o	Modular socket type Telephone jack with Connector.	1 No	99.00
340	p	Modular co-Axial socket type TV Antenna outlet.	1 No	99.00
341	q	25 to 32A Modular type Motor Starter Switch	1 No	500.00

Sl. No.	Code	DESCRIPTION OF ITEM	Unit	Scheduled Rates for the Year 2020-21
342	r	Modular type buzzer	1 No	92.00
	ELEC-1.9.2	Supply of ----- Makes : Legrand Myrius / Million mway / Goldmedal Curve/ Anchor Roma viola / Havells Fabio / Panasonic Vision / Hager Insista / Benlo Vesta / C&S Primo / CPL Vysma / Polycab Levana.		
343	a	10A 1 Way 1 Module Modular Switch	1 No	63.00
344	b	10A 2 Way 1 Module Modular Switch.	1 No	74.00
345	c	10A 2 Pin 2 Module Modular Socket.	1 No	64.00
346	d	10A 3/2 Pin 2 Module Modular Socket with shutter.	1 No	94.00
347	e	10A 1 Module Modular Switch with Neon Indicator.	1 No	74.00
348	f	10A Modular Bell Push with Neon Indicator.	1 No	91.00
349	g	16A / 10A Modular Flush Fuse with Neon Indicator.	1 No	84.00
350	h	16A / 20A 1 Way 1 Module Modular Switch.	1 No	84.00
351	i	16A / 20A 2 Way 1 Module Modular Switch.	1 No	96.00
352	j	20A 1 Way 1 Module Modular Switch with Indicator.	1 No	92.00
353	k	20A 2 Module Modular Socket with shutter.	1 No	136.00
354	l	16A / 6A 1 way 2 Module Combi Socket Modular Socket with shutter.	1 No	136.00
355	m	16A Triangle Top.	1 No	65.00
356	n	2 Module Modular type Electronic Fan Regulator.	1 No	379.00
357	o	Modular socket type Telephone jack with Connector.	1 No	65.00
358	p	Modular co-Axial socket type TV Antenna outlet.	1 No	64.00
359	q	25 to 32A Modular type Motor Starter Switch	1 No	448.00
360	r	Modular type buzzer	1 No	90.00
		SECTION - 2		
	2.1	PANEL MOUNTING SWITCH DISCONNECTOR FUSE UNITS (SDFU) AS PER IS: 13947		
	ELEC-2.1.1	Supply of ----- TPN Switch Disconnecter Fuse Unit Cubical type without fuses. Makes : L&T / SCHNEIDER / C&S / ABB / SIEMENS		
361	a	32A	1 No	1300.00
362	b	63A	1 No	2220.00
363	c	125A	1 No	5310.00
364	d	200A	1 No	6950.00

Sl. No.	Code	DESCRIPTION OF ITEM	Unit	Scheduled Rates for the Year 2020-21
365	e	250A	1 No	8320.00
366	f	400A	1 No	12800.00
367	g	630A	1 No	21700.00
	ELEC-2.1.2	Supply of ----- TPN Switch Disconnecter Fuse Unit Cubical type without fuses. Makes : Havells / HPL / Indo Asian / Standard / Vimal.		
368	a	32A	1 No	1100.00
369	b	63A	1 No	1600.00
370	c	125A	1 No	3700.00
371	d	200A	1 No	5510.00
372	e	250A	1 No	6210.00
373	f	400A	1 No	9490.00
374	g	630A	1 No	15750.00
	2.2	ON LOAD CHANGEOVER SWITCHES (OPEN EXECUTION) AS PER IS:13947		
	ELEC-2.2.1	Supply of-----4 Pole Change Over Switch on Load with open Execution. Makes : Socomec / L & T		
375	a	63A	1 No	4520.00
376	b	125A	1 No	8489.00
377	c	200A	1 No	11356.00
378	d	250A	1 No	16097.00
379	e	400A	1 No	24586.00
380	f	630A	1 No	29216.00
	ELEC-2.2.2	Supply of-----4 Pole Change Over Switch on Load with open Execution.Makes : ABB / Siemens / Havells / Indo Asian / HPL / Standard / C&S / Benlo.		
381	a	32A	1 No	1556.00
382	b	63A	1 No	4079.00
383	c	125A	1 No	7938.00
384	d	200A	1 No	10474.00
385	e	250A	1 No	14884.00
386	f	400A	1 No	23153.00
387	g	630A	1 No	27673.00
	2.3	OFF LOAD CHANGE OVER SWITCHES IN SS ENCLOSURE AS PER IS:13947		
	ELEC-2.3.1	Supply of ----- Off load Changeover Switch in sheet steel enclosure. Makes : HPL / Havells / Indo Asian / Sputnik / C&S		
388	a	32A 240V DP	1 No	1240.00
389	b	63A 415V FP	1 No	4300.00

Sl. No.	Code	DESCRIPTION OF ITEM	Unit	Scheduled Rates for the Year 2020-21
390	c	100A 415V FP	1 No	6600.00
	ELEC-2.3.2	Supply of ----- Off load Changeover Switch in sheet steel enclosure. Makes : Million / Benlo / Gold Medal / Star / Standard.		
391	a	32A 240V DP	1 No	710.00
392	b	63A 415V FP	1 No	2500.00
393	c	100A 415V FP	1 No	4700.00
	2.4	REWIRABLE / DOUBLE BREAK SWITCHES IN SS ENCLOSURE AS PER IS:13947		
	ELEC-2.4.1	Supply of ----- Rewirable Fuse Switch in SS enclosure. Makes : HPL / Havells / Indo Asian / C&S		
394	a	32A 240V SPN	1 No	840.00
395	b	32A 415V TPN	1 No	1300.00
396	c	63A 415V TPN	1 No	2950.00
397	d	100A 415V TPN	1 No	5500.00
	ELEC-2.4.2	Supply of ----- Double Break Switch in SS enclosure without fuses. Makes : HPL / Havells / Indo Asian / C&S		
398	a	100A 415V TPN	1 No	5500.00
399	b	200A 415V TPN	1 No	8100.00
	ELEC-2.4.3	Supply of ----- Rewirable Fuse Switch in SS enclosure. Makes : GM / Million / Sputnik / Sigma / Gold Medal / Benlo / Star.		
400	a	32A 240V SPN	1 No	560.00
401	b	32A 415V TPN	1 No	920.00
402	c	63A 415V TPN	1 No	2100.00
403	d	100A 415V TPN	1 No	4100.00
	ELEC-2.4.4	Supply of ----- Double Break Switch in SS enclosure without fuses. Makes : GM / Million / Sputnik / Sigma / Gold Medal / Benlo / Star.		
404	a	100A 415V TPN	1 No	4210.00
405	b	200A 415V TPN	1 No	6900.00
	2.5	HRC FUSE LINKS (BOLTED TYPE)		
	ELEC-2.5.1	Supply of ----- HRC Fuse Links. Makes : L & T / C & S / Standard / HPL / Havells / Siemens / Indo Asian.		
406	a	Up to 32A	1 No	47.00
407	b	32A to 63A	1 No	72.00
408	c	125A to 200A	1 No	235.00
409	d	250A to 350A	1 No	340.00
410	e	400A	1 No	660.00
411	f	630A	1 No	1330.00

Sl. No.	Code	DESCRIPTION OF ITEM	Unit	Scheduled Rates for the Year 2020-21
	2.6	PORCELAIN REWIRABLE FUSE UNITS.		
	ELEC-2.6.1	Supply of ----- Porcelain Rewirable Fuse Units. Makes : C&S / GM / Sputnik / Kundancab / Million / Gold Medal / Vimal / Star / Benlo.		
412	a	32A 240V	1 No	92.00
413	b	32A 415V	1 No	120.00
414	c	63A 415V	1 No	245.00
415	d	100A 415V	1 No	460.00
	ELEC-2.6.2	Supply of ----- Porcelain Rewirable Fuse Units with extension strip.Makes : C&S / GM / Sputnik / Kundancab / Million / Gold Medal / Vimal / Star / Benlo.		
416	a	200A 415V	1 No	840.00
417	b	300A 415V	1 No	1110.00
	2.7	VOLTAGE SURGE PROTECTORS		
	ELEC-2.7.1	Supply of ----- Voltage Surge Protector. Make:Legrand / Siemens / Hager / L&T.		
418	a	2 Pole 2 Module 40 KA	1 No	7300.00
419	b	4 Pole 4 Module 40 KA	1 No	13600.00
420	c	2 Pole 2 Module 15/16 KA	1 No	5800.00
421	d	4 Pole 4 Module 15/16 KA	1 No	10900.00
	2.8	PANEL MOUNTING MCCBs		
	ELEC-2.8.1	Supply of ----- Adjustable, Confirms to IS/IEC 60947-2 having Breaking Capacity -----KA with thermal magnetic release Panel Mounted. Makes : L&T- D shine / Schneider-NS NSX/Legrand -DP X3/ Siemens-3VL / Hager-h3/C&S -Winbreak.		
422	a	63A 3 Pole MCCB, 16KA	1 No	6876.00
423	b	63A 4 Pole MCCB, 16KA	1 No	7732.00
424	c	125A 3 Pole MCCB, 25KA	1 No	8162.00
425	d	125A 4 Pole MCCB, 25KA	1 No	9870.00
426	e	160A 3 Pole MCCB, 25KA	1 No	10825.00
427	f	160A 4 Pole MCCB, 25KA	1 No	14135.00
428	g	250A 3 Pole MCCB, 35/36KA	1 No	18182.00
429	h	250A 4 Pole MCCB, 35/36KA	1 No	23619.00
430	i	400A 3 Pole MCCB, 35/36KA	1 No	24608.00
431	j	400A 4 Pole MCCB, 35/36KA	1 No	29732.00

Sl. No.	Code	DESCRIPTION OF ITEM	Unit	Scheduled Rates for the Year 2020-21
432	k	630A 3 Pole MCCB, 50KA	1 No	35447.00
433	l	630A 4 Pole MCCB, 50KA	1 No	43875.00
434	m	800A 3 Pole MCCB, 50KA	1 No	63207.00
435	n	800A 4 Pole MCCB, 50KA	1 No	70036.00
	ELEC-2.8.2	Supply of ----- Adjustable, Confirms to IS/IEC 60947-2 having Breaking Capacity -----KA with thermal magnetic release Panel Mounted.Makes : Havells / HPL / Indo Asian / Benlo / Delton / Standard.		
436	a	63A 3 Pole MCCB, 16KA	1 No	4799.00
437	b	63A 4 Pole MCCB, 16KA	1 No	6433.00
438	c	125A 3 Pole MCCB, 25KA	1 No	6275.00
439	d	125A 4 Pole MCCB, 25KA	1 No	8248.00
440	e	160A 3 Pole MCCB, 25KA	1 No	8509.00
441	f	160A 4 Pole MCCB, 25KA	1 No	11461.00
442	g	250A 3 Pole MCCB, 35/36KA	1 No	16818.00
443	h	250A 4 Pole MCCB, 35/36KA	1 No	20434.00
444	i	400A 3 Pole MCCB, 35/36KA	1 No	21557.00
445	j	400A 4 Pole MCCB, 35/36KA	1 No	25970.00
446	k	630A 3 Pole MCCB, 50KA	1 No	29635.00
447	l	630A 4 Pole MCCB, 50KA	1 No	35887.00
448	m	800A 3 Pole MCCB, 50KA	1 No	52094.00
449	n	800A 4 Pole MCCB, 50KA	1 No	58114.00
	2.9	RCCBs CONFIRMS TO IEC:61008 AND IS:12640		
	ELEC-2.9.1	Supply of ----- Makes : Legrand-DX3 / Schneider-Acti9 / Siemens / L&T Exora.		
450	a	40A 2 Pole RCCB 30mA.	1 No	3116.00
451	b	40A 2 Pole RCCB 100mA.	1 No	3350.00
452	c	40A 4 Pole RCCB 30mA.	1 No	3432.00
453	d	40A 4 Pole RCCB 100mA.	1 No	3620.00
454	e	63A 2 Pole RCCB 30mA.	1 No	3811.00
455	f	63A 2 Pole RCCB 100mA.	1 No	3845.00
456	g	63A 4 Pole RCCB 30mA.	1 No	4059.00
457	h	63A 4 Pole RCCB 100mA.	1 No	4617.00
	ELEC-2.9.2	Supply of -----Makes : ABB / Havells / HPL(Techno) / Hager / Indo Asian (Gold Plus) / C&S / Honeywell sentry / Delton / Benlo.		
458	a	40A 2 Pole RCCB 30mA.	1 No	2487.00
459	b	40A 2 Pole RCCB 100mA.	1 No	2447.00
460	c	40A 4 Pole RCCB 30mA.	1 No	3057.00
461	d	40A 4 Pole RCCB 100mA.	1 No	2955.00

Sl. No.	Code	DESCRIPTION OF ITEM	Unit	Scheduled Rates for the Year 2020-21
462	e	63A 2 Pole RCCB 30mA.	1 No	3352.00
463	f	63A 2 Pole RCCB 100mA.	1 No	3211.00
464	g	63A 4 Pole RCCB 30mA.	1 No	3487.00
465	h	63A 4 Pole RCCB 100mA.	1 No	3403.00
	2.10	RCBOs CONFIRMS TO IEC:61008 AND IS:12640		
	ELEC-2.10.1	Supply of ----- Makes : Legrand-DX3 / Schneider-Acti9 / Siemens / L&T Exora / Cabtree.		
466	a	40A 2 Pole RCBO 30mA.	1 No	5017.00
467	b	40A 2 Pole RCBO 100mA.	1 No	5480.00
468	c	40A 4 Pole RCBO 30mA.	1 No	5701.00
469	d	40A 4 Pole RCBO 100mA.	1 No	6032.00
470	e	63A 2 Pole RCBO 30mA.	1 No	5998.00
471	f	63A 2 Pole RCBO 100mA.	1 No	6350.00
472	g	63A 4 Pole RCBO 30mA.	1 No	6725.00
473	h	63A 4 Pole RCBO 100mA.	1 No	6858.00
474	ELEC-2.10.2	Supply of MCB type Change Over Switch 20A Double Pole 2 way 400V AC suitable to fix on Din Channel.	1 No	1985.00
	2.11	PANEL MOUNTING ACBs (Microprocessor Based)		
	ELEC-2.11.1	Supply of ----- Air Circuit Breaker Confirms to IS 13947-2, IEC 60947-2 and BS-EN 60947 with Micro processor based having over load, shot circuit and earth fault Protection. Makes : Siemens (Sentron- 3WL) / L&T U Power / Schneider Master Pact / ABB Emax / C&S.Winmaster2 / Legrand DMX ³		
475	a	630A 3 Pole, 50kA, electrically fixed	1 No	113006.00
476	b	630A 3 Pole, 50kA, electrically drawout	1 No	151043.00
477	c	630A 4 Pole, 50kA, electrically fixed	1 No	140569.00
478	d	630A 4 Pole, 50kA, electrically drawout	1 No	187425.00
479	e	800A 3 Pole, 50kA, electrically drawout	1 No	159863.00
480	f	800A 4 Pole, 50kA, electrically drawout	1 No	197348.00
481	g	1000A 3 Pole, 50kA, electrically drawout	1 No	167580.00
482	h	1000A 4 Pole, 50kA, electrically drawout	1 No	210578.00
483	i	1250A 3 Pole, 50kA, electrically drawout	1 No	224910.00
484	j	1250A 4 Pole, 50kA, electrically drawout	1 No	275625.00
485	k	1600A 3 Pole, 50kA, electrically drawout	1 No	249165.00
486	l	1600A 4 Pole, 50kA, electrically drawout	1 No	297675.00
487	m	2000A 3 Pole, 50kA, electrically drawout	1 No	289958.00
488	n	2000A 4 Pole, 50kA, electrically drawout	1 No	352800.00

Sl. No.	Code	DESCRIPTION OF ITEM	Unit	Scheduled Rates for the Year 2020-21
489	o	2500A 3 Pole, 50kA, electrically drawout	1 No	413438.00
490	p	2500A 4 Pole, 50kA, electrically drawout	1 No	507150.00
491	q	3200A 3 Pole, 50kA, electrically drawout	1 No	429975.00
492	r	3200A 4 Pole, 50kA, electrically drawout	1 No	540225.00
	ELEC-2.11.2	Supply of ----- Air Circuit Breaker Confirms to IS 13947-2, IEC 60947-2 and BS-EN 60947 with Micro processer based having over load, shot circuit and earth fault Protection Makes : HPL / Hager / Havells / Indo Asian.		
493	a	630A 3 Pole, 50kA, electrically fixed	1 No	102533.00
494	b	630A 3 Pole, 50kA, electrically drawout	1 No	136710.00
495	c	630A 4 Pole, 50kA, electrically fixed	1 No	126788.00
496	d	630A 4 Pole, 50kA, electrically drawout	1 No	168683.00
497	e	800A 3 Pole, 50kA, electrically drawout	1 No	143325.00
498	f	800A 4 Pole, 50kA, electrically drawout	1 No	178605.00
	2.12	RAISING MAINS		
	ELEC-2.12.1	Supply, instalation, testing and commisioning ofAmp,KA breaking capacity (100% Neutral busbar) air insulated compact Raising mains/Bus Duct system made of CRCA sheet/Hot Galvanized steel encloser of thickness not less than 0.8 mm having degree of protection of IP 55 as per IEC/EN 61439-6, PVC/Plastic insulated reinforced with glass fibre four strip ALUMINIUM busbar in convinent sections including necessary end cover units suitable for 415 volts 3 phase, 4 wire, 50 Hz A.C. System,etc.,with necessary joints Fire barrrier at each floor Provision of tapping at each floor/every meter,continuous earthing with 2 nos alluminium strip of suitable size (one on each side0 including GI clamping brackets,angle iron brackets,steel fastners,connecting to earth system as required . Makes: Legrand (Zucchini) / C&S		
499	a	400Amp, 50 - 53KA	1 RM	8820.00
500	b	630Amp, 50 - 63KA	1 RM	10400.00
501	c	800 Amp, 50 - 76KA	1 RM	11797.00
502	d	1000 Amp, 50 - 76KA	1 RM	13100.00
503	e	1250 Amp, 50 - 76KA	1 RM	13600.00
504	f	1600 Amp, 50 - 76KA	1 RM	17000.00
505	ELEC-2.12.2	Supply and Fixing of Spring Bracket with	1 No	5000.00

Sl. No.	Code	DESCRIPTION OF ITEM	Unit	Scheduled Rates for the Year 2020-21
		fixing kit for Air Insulated Busduct / Raising Mains. Makes: Legrand (Zucchini) / C&S		
	ELEC-2.12.3	Supply and Fixing of Amps Horizontal / Vertical bends for Air Insulated Bus Duct .Makes: Legrand (Zucchini) / C&S		
506	a	400Amp,	1 No	10000.00
507	b	630Amp,	1 No	11400.00
507	c	800 Amp,	1 No	11900.00
508	d	1000 Amp,	1 No	13900.00
508	e	1250 Amp,	1 No	15010.00
509	f	1600 Amp,	1 No	16900.00
	ELEC-2.12.4	Supply and Fixing ofAmps Tap off box for Air Insulated Busduct. Makes: Legrand (Zucchini) / C&S		
510	a	125Amp,	1 No	11800.00
511	b	250Amp,	1 No	13750.00
512	c	400 Amp,	1 No	19000.00
513	d	630 Amp,	1 No	21000.00
	2.13	SANDWITCH BUSDUCT		
	ELEC-2.13.1	Supply, instalation, testing and commisioning ofAmp,KA breaking capacity (100% Neutral busbar) sandwich Busduct system made of CRCA sheet/Hot Galvanized steel encloser of thickness not less than 1.5mm having degree of protection of IP 55 as per IEC/EN 61439-6, PVC/Plastic insulated reinforced with glass fibre four strip ALUMINIUM busbar in convinent sections including end cover units suitable for 415 volts 3 phase, 4 wire, 50 Hz A.C. System,etc., with necessary joints Fire barrrier at each floor Provision of tapping at each floor/every meter,continuous earthing with 2 nos alluminium strip of suitable size (one on each side0 including GI clamping brackets,angle iron brackets,steel fastners,connecting to earth system as required . Makes: Legrand (Zucchini) / L&T / Schneider/C&S/siemens		
514	a	630A 36/40KA	1 RM	12240.00
515	b	800A 42/50KA	1 RM	13140.00
516	c	1000A 50KA	1 RM	14640.00
517	d	1250A 75KA	1 RM	16140.00
518	e	1600A 80KA	1 RM	21300.00

Sl. No.	Code	DESCRIPTION OF ITEM	Unit	Scheduled Rates for the Year 2020-21
519	f	2000A 80KA	1 RM	22500.00
520	g	2500A 150KA	1 RM	31200.00
521	h	3200A 160KA	1 RM	36300.00
522	i	4000 A,160kA	1 RM	43000.00
	ELEC-2.13.2	Supply and Fixing ofAmps Horizontal / Vertical bends for sandwich Bus Duct . Makes: Legrand (Zucchini) / L&T / Schiender / C&S /Siemens.		
523	a	630A	1 No	10900.00
524	b	800A	1 No	11500.00
525	c	1000A	1 No	12200.00
526	d	1250A	1 No	13200.00
527	e	1600A	1 No	15000.00
528	f	2000A	1 No	17500.00
529	g	2500A	1 No	22200.00
530	h	3200A	1 No	26800.00
531	i	4000 A	1 No	30900.00
	ELEC-2.13.3	Supply and Fixing of Amps Copper Flexibles for three phases and neutral for Air Insulated / sandwichBusduct . Makes: Legrand (Zucchini) / L&T / Schiender /C&S/Siemens.		
532	a	400A	1 No	15000.00
533	b	630A	1 No	16000.00
534	c	800A	1 No	17000.00
535	d	1000A	1 No	19000.00
536	e	1250A	1 No	22000.00
537	f	1600A	1 No	26000.00
538	g	2000A	1 No	30000.00
539	h	2500A	1 No	35000.00
540	i	3200A	1 No	40000.00
541	j	4000 A	1 No	45000.00
	ELEC-2.13.4	Supply and fixing of Flange end forAmps for Air insulated Busdusts . Makes: Legrand (Zucchini) / Schiender / C&S / Siemens.		
542	a	400Amp,	1 No	9000.00
543	b	630Amp,	1 No	12000.00
544	c	800 Amp,	1 No	14000.00
	ELEC-2.13.5	Supply and fixing of Flange end forAmps for Sandwich Busdusts . Makes: Legrand (Zucchini) / L&T / Schiender / C&S / Siemens.		
545	a	400A	1 No	10500.00
546	b	630A	1 No	15500.00
547	c	800A	1 No	18000.00
548	d	1000A	1 No	19000.00

Sl. No.	Code	DESCRIPTION OF ITEM	Unit	Scheduled Rates for the Year 2020-21
549	e	1250A	1 No	20800.00
550	f	1600A	1 No	22200.00
551	g	2000A	1 No	24000.00
552	h	2500A	1 No	27000.00
553	i	3200A	1 No	32000.00
554	j	4000 A	1 No	38000.00
	ELEC-2.13.6	Supply and Fixing ofAmps Tap off box for Sandwich Busduct Makes: Legrand (Zucchini) / L&T / Schiender / C&S / Siemens..		
555	a	160A	1 No	9500.00
556	b	250A	1 No	16000.00
557	c	400A	1 No	18000.00
558	d	630A	1 No	22000.00
	ELEC-2.13.7	Supply and Fixing ofAmps end cover for Sandwich Busduct Makes: Legrand (Zucchini) / L&T / Schiender / C&S / Siemens.		
559	a	400A -4000A	1 No	8600.00
	ELEC-2.13.8	Supply and Fixing ofAmps expansion joint for Sandwich Busduct Makes: Legrand (Zucchini) / L&T / Schiender /C&S/siemens.		
560	a	400A	1 No	105000.00
561	b	630A	1 No	140000.00
562	c	800A	1 No	145000.00
563	d	1000A	1 No	146000.00
564	e	1250A	1 No	156000.00
565	f	1600A	1 No	162000.00
566	g	2000A	1 No	170000.00
567	h	2500A	1 No	176000.00
568	i	3200A	1 No	180000.00
569	j	4000 A	1 No	185000.00
	ELEC-2.13.9	Supply and Fixing ofAmps rubber bellows for Sandwich Busduct Makes: Legrand (Zucchini) / L&T / Schiender / C&S / Siemens.		
570	a	400A -4000A	1 No	11500.00
	2.14	MCBs (AS PER IS:60898-1:2002)		
	ELEC-2.14.1	Supply of -----10KA, C/D Curve ISI Mark. Makes : Legrand-DX3 / Schneider-Acti9 / Siemens / L&T Exora / Cabtree.		
571	a	6-32A SP MCB	1 No	233.00
572	b	40-63A SP MCB	1 No	490.00

Sl. No.	Code	DESCRIPTION OF ITEM	Unit	Scheduled Rates for the Year 2020-21
573	c	6-32A DP MCB	1 No	689.00
574	d	40-63A DP MCB	1 No	1115.00
575	e	6-32A TP MCB	1 No	1053.00
576	f	40-63A TP MCB	1 No	1632.00
577	g	6-32A FP MCB	1 No	1411.00
578	h	40-63A FP MCB	1 No	2095.00
	ELEC-2.14.2	Supply of -----10KA, C/D Curve ISI Mark. Makes : ABB / Havells / HPL(Techno) / Hager / Indo Asian (Gold Plus) / C&S / Delton / Honeywell sentry / Benlo.		
579	a	6-32A SP MCB	1 No	181.00
580	b	40-63A SP MCB	1 No	397.00
581	c	6-32A DP MCB	1 No	563.00
582	d	40-63A DP MCB	1 No	772.00
583	e	6-32A TP MCB	1 No	904.00
584	f	40-63A TP MCB	1 No	1257.00
585	g	6-32A FP MCB	1 No	1169.00
586	h	40-63A FP MCB	1 No	1578.00
	ELEC-2.14.3	Supply of ----- 10KA, C/D Curve ISI Mark. Makes : Gold Medal / GM / Milltec / Sputnik / Stanjo Amron.		
587	a	6-32A SP MCB	1 No	125.00
588	b	40-63A SP MCB	1 No	220.00
589	c	6-32A DP MCB	1 No	335.00
590	d	40-63A DP MCB	1 No	500.00
591	e	6-32A TP MCB	1 No	610.00
592	f	40-63A TP MCB	1 No	950.00
593	g	6-32A FP MCB	1 No	790.00
594	h	40-63A FP MCB	1 No	1110.00
	2.15	ISOLATORS CONFIRMS TO I E C 60947 PART-III		
	ELEC-2.15.1	Supply of -----Isolator. Makes : Legrand-DX3 / Schneider-Acti9 / Siemens / L&T Exora / Cabtree.		
595	a	32A DP	1 No	392.00
596	b	40A DP	1 No	424.00
597	c	63A DP	1 No	563.00
598	d	40A TP	1 No	723.00
599	e	63A TP	1 No	838.00
600	f	40A FP	1 No	943.00
601	g	63A FP	1 No	1031.00
602	h	100A FP	1 No	1103.00
	ELEC-2.15.2	Supply of -----Isolator. Makes : ABB / Havells / HPL(Techno) / Hager / Indo Asian (Gold Plus) / C&S /		

Sl. No.	Code	DESCRIPTION OF ITEM	Unit	Scheduled Rates for the Year 2020-21
		Honeywell sentry.		
603	a	32A DP	1 No	353.00
604	b	40A DP	1 No	370.00
605	c	63A DP	1 No	458.00
606	d	40A TP	1 No	639.00
607	e	63A TP	1 No	652.00
608	f	40A FP	1 No	750.00
609	g	63A FP	1 No	806.00
610	h	100A FP	1 No	1014.00
	ELEC-2.15.3	Supply of -----Isolator. Makes : Gold Medal / GM / Milltec / Sputnik / Benlo / Stanjo Amron.		
611	a	32A DP	1 No	243.00
612	b	40A DP	1 No	287.00
613	c	63A DP	1 No	387.00
614	d	40A TP	1 No	419.00
615	e	63A TP	1 No	475.00
616	f	40A FP	1 No	629.00
	2.16	MCB DISTRIBUTION BOARDS (AS PER IS:13032)		
		SPN DB		
	2.16.1	Supply of ----- Protection as per IS:13032 and suitable for-----S.P out goings and for 1 No Incommer etc complete. Makes : Legrand / Schneider / Siemens / L&T / Cabtree Xpro.		
617	a	4 Way SPN DB with IP 20/30, 4 Nos	1 No	921.00
618	b	4 Way SPN DB with IP 43, 4 Nos	1 No	1196.00
619	c	8 Way SPN DB with IP 20/30, 8 Nos	1 No	1063.00
620	d	8 Way SPN DB with IP 43, 8 Nos	1 No	1504.00
621	e	12 Way SPN DB with IP 20/30, 12 Nos	1 No	1262.00
622	f	12 Way SPN DB with IP 43, 12 Nos	1 No	1820.00
	2.16.2	Supply of ----- Protection as per IS:13032 and suitable for-----S.P out goings and for 1 No Incommer etc complete. Makes : ABB / Havells / HPL / Hager / Indo Asian (Gold Plus) / C&S / Delton / Honeywell sentry / Benlo / Panasonic.		
623	a	4 Way SPN DB with IP 20/30, 4 Nos	1 No	563.00
624	b	4 Way SPN DB with IP 43, 4 Nos	1 No	982.00
625	c	8 Way SPN DB with IP 20/30, 8 Nos	1 No	740.00
626	d	8 Way SPN DB with IP 43, 8 Nos	1 No	1367.00

Sl. No.	Code	DESCRIPTION OF ITEM	Unit	Scheduled Rates for the Year 2020-21
627	e	12 Way SPN DB with IP 20/30, 12 Nos	1 No	838.00
628	f	12 Way SPN DB with IP 43, 12 Nos	1 No	1632.00
	2.16.3	Supply of ----- Protection as per IS:13032 and suitable for-----S.P out goings and for 1 No Incommer etc complete. Makes : Gold Medal / GM / Milltec / Sputnik / Stanjo Amron.		
629	a	4 Way SPN DB with IP 20/30, 4 Nos	1 No	397.00
630	b	4 Way SPN DB with IP 43, 4 Nos	1 No	674.00
631	c	8 Way SPN DB with IP 20/30, 8 Nos	1 No	541.00
632	d	8 Way SPN DB with IP 43, 8 Nos	1 No	916.00
633	e	12 Way SPN DB with IP 20/30, 12 Nos	1 No	662.00
634	f	12 Way SPN DB with IP 43, 12 Nos	1 No	1159.00
	2.17	TPN DB		
	2.17.1	Supply of ----- Protection as per IS:13032 and suitable for - ----- S.P. out goings and for 1 No 4 pole Incommer (FP Isolator / MCB) etc complete Makes : Legrand / Schneider / Siemens / L&T / Hager / Cabtree Xpro.		
635	a	(8+12) 4 Way TPN DB Horizontal with IP 20/30, 12 Nos	1 No	1896.00
636	b	(8+12) 4 Way TPN DB Horizontal with IP 43, 12 Nos	1 No	3153.00
637	c	(8+18) 6 Way TPN DB Horizontal with IP 43, 18 Nos	1 No	4631.00
638	d	(8+24) 8 Way TPN DB Horizontal with IP 43, 24 Nos	1 No	5172.00
	2.17.2	Supply of ----- Protection as per IS:13032 and suitable for T.P. / S.P. out goings and for 1 No 4 pole Isolater / MCB Incommer etc complete Makes : Legrand / Schneider / Siemens / L&T / Hager / Cabtree Xpro.		
639	a	4 Way VTPN DB with IP 43	1 No	7994.00
640	b	8 Way VTPN DB with IP 43	1 No	10275.00
	2.17.3	Supply of ----- Protection as per IS:13032 and suitable for accommodating T.P. / S.P. as out goings and 125A / 160A 4 pole MCCB as Incommer etc complete Makes : Legrand / Schneider / Siemens / L&T / Hager / Cabtree Xpro.		
641	a	4 Way VTPN DB with IP 43	1 No	10364.00
642	b	8 Way VTPN DB with IP 43	1 No	13010.00

Sl. No.	Code	DESCRIPTION OF ITEM	Unit	Scheduled Rates for the Year 2020-21
	2.17.4	Supply of ----- Protection as per IS:13032 and suitable for - ----- S.P. out goings and for 1 No 4 pole Incommer (FP Isolator / MCB) etc complete Makes : GE / ABB / Havells / HPL / Benlo / Panasonic / Delton / Indo Asian (Gold Plus) / C&S / Honeywell sentry		
643	a	(8+12) 4 Way TPN DB Horizontal with IP 20/30, 12 Nos	1 No	1764.00
644	b	(8+12) 4 Way TPN DB Horizontal with IP 43, 12 Nos	1 No	2778.00
645	c	(8+18) 6 Way TPN DB Horizontal with IP 43, 18 Nos	1 No	3859.00
646	d	(8+24) 8 Way TPN DB Horizontal with IP 43, 24 Nos	1 No	4410.00
	2.17.5	Supply of ----- Protection as per IS:13032 and suitable for T.P. / S.P. out goings and for 1 No (FP Isolator / MCB) incommer etc complete Makes : GE / ABB / Havells / HPL / Hager / Indo Asian (Gold Plus) / C&S / Honeywell sentry / Benlo.		
647	a	4 Way VTPN DB with IP 43	1 No	6892.00
648	b	8 Way VTPN DB with IP 43	1 No	8379.00
	2.17.6	Supply of ----- Protection as per IS:13032 and suitable for - ----- S.P. out goings and for 1 No 4 pole Incommer (FP Isolator / MCB) etc complete Makes : Gold Medal / GM / Miltec / Sputnik / Stanjo Amron.		
649	a	(8+12) 4 Way TPN DB Horizontal with IP 20/30, 12 Nos	1 No	1566.00
650	b	(8+12) 4 Way TPN DB Horizontal with IP 43, 12 Nos	1 No	2029.00
651	c	(8+18) 6 Way TPN DB Horizontal with IP 43, 18 Nos	1 No	2646.00
652	d	(8+24) 8 Way TPN DB Horizontal with IP 43, 24 Nos	1 No	3109.00
	2.17.7	Supply of ----- Protection as per IS:13032 and suitable for T.P. / S.P. out goings and for 1 No (FP Isolator / MCB) Incommer etc complete Makes : Gold Medal / GM / Miltec / Sputnik / Stanjo Amron.		
653	a	4 Way VTPN DB with IP 43	1 No	3991.00

Sl. No.	Code	DESCRIPTION OF ITEM	Unit	Scheduled Rates for the Year 2020-21
654	b	8 Way VTPN DB with IP 43	1 No	6362.00
	2.17.8	Supply of -----Plug and Socket with SS enclosure. Makes : Legrand / Schneider / Siemens / L&T / Hager / Cabtree Xpro.		
655	a	20A SP	1 No	1142.00
656	b	20A TP	1 No	2151.00
657	c	32A TP	1 No	2531.00
	2.17.9	Supply of -----Plug and Socket with SS enclosure.Makes : ABB / Havells / HPL / Benlo / Panasonic / Delton / Indo Asian (Gold Plus) / C&S / Honeywell sentry		
658	a	20A SP	1 No	728.00
659	b	20A TP	1 No	1477.00
660	c	32A TP	1 No	1852.00
	2.17.10	Supply of -----Plug and Socket with SS enclosure. Makes : Gold Medal / GM / Milltec / Sputnik.		
661	a	20A SP	1 No	551.00
662	b	20A TP	1 No	1147.00
663	c	32A TP	1 No	1600.00
	2.17.11	Supply of ----- Metal Enclosure with IP 20/30 Protection. Makes : Legrand / Schneider / Siemens / L&T / Hager / Cabtree Xpro.		
664	a	SP	1 No	343.00
665	b	DP/TP/FP	1 No	485.00
	2.17.12	Supply of ----- Metal Enclosure with IP 20/30 Protection. Makes : ABB / Havells / HPL / Benlo / Panasonic / Delton / Indo Asian (Gold Plus) / C&S / Honeywell sentry		
666	a	SP	1 No	309.00
667	b	DP/TP/FP	1 No	453.00
	2.17.13	Supply of ----- Metal Enclosure with IP 20/30 Protection. Makes : Gold Medal / GM / Milltec / Sputnik.		
668	a	SP	1 No	277.00
669	b	DP/TP/FP	1 No	387.00
		SECTION - 3		
	3.1	STREET LIGHT LUMINAIRES		
	ELEC-3.1.1	Supply of----- Flood light luminaire with integral weather proof diecast		

Sl. No.	Code	DESCRIPTION OF ITEM	Unit	Scheduled Rates for the Year 2020-21
		alluminium housing with IP66 protection with Control Gear Box without lamp Makes : Wipro / G.E. Venture / Phillips / Bajaj / Crompton / Surya / Halonix.		
670	a	1 x 250W MH	1 No	4200.00
671	b	1 x 400W MH	1 No	5500.00
	ELEC-3.1.2	Supply of----- Flood light luminaire with integral weather proof diecast alluminium housing with IP66 protection with Control Gear Box without lamp Makes : Style Lamp / Mahita Electro / Capart / Akhil / RK / Pro-Lite.		
672	a	1 x 250W MH	1 No	3200.00
673	b	1 x 400W MH	1 No	4200.00
	ELEC-3.1.3	Supply of ----- Hallozen Flood light luminaire with cast alluminium housing and tough end glass cover with all standard accessories. Makes : Style Lamp / Mahita Electro / Capart / Akhil / RK / GE Venture / Pro-Lite.		
674	a	500 W	1 No	390.00
675	b	1000 W	1 No	770.00
	3.2	POST TOP LED LUMINAIRES		
676	ELEC-3.2.1	Supply of 15-20W aesthetically designed LED post top lantern with die cast alluminium spigot, prismatic diffuser etc suitable for pole mounting complete with all accessories. Makes : Crompton / Bajaj / Surya / Havells / Phillips / Panasonic / Halonix / K Lite / Wipro / Polycab / FIEM / Jaquar .	1 No	5513.00
677	ELEC-3.2.2	Supply of 30-35W decorative LED post top lantern with die cast alluminium spigot, spun alluminium powder coated top cover, alluminium pressure die cast heat sink, opel PC diffuser and clear acrylic etc suitable for pole mounting complete with all accessories. Makes : Crompton / Bajaj / Surya / Havells / Phillips / Panasonic / Halonix / K Lite / Wipro / Polycab / FIEM / Jaquar .	1 No	8820.00
678	ELEC-3.2.3	Supply of 40-45W decorative LED post top lantern with die cast alluminium spigot, spun alluminium powder coated top cover, alluminium pressure die cast heat sink, opel PC diffuser and clear acrylic etc suitable for pole mounting complete with	1 No	10474.00

Sl. No.	Code	DESCRIPTION OF ITEM	Unit	Scheduled Rates for the Year 2020-21
		all accessories.Makes : Crompton / Bajaj / Surya / Havells / Phillips / Panasonic / Halonix / K Lite / Wipro / Polycab / FIEM / Jaquar .		
	3.3	ACCESSORIES FOR MV / SV / MH LUMINAIRES		
		COPPER BALLASTS		
	ELEC-3.3.1	Supply of ----- copper ballast. Makes : G.E. / Phillips / Crompton / Bajaj / Surya / Havells.		
679	a	80W MV	1 No	570.00
680	b	125W MV	1 No	630.00
681	c	70 W SV / MH	1 No	520.00
682	d	150 W SV / MH	1 No	810.00
683	e	250 W SV / MH	1 No	1150.00
684	f	400 W SV / MH	1 No	1680.00
	ELEC-3.3.2	Supply of ----- copper ballast. Makes : RK / Style Lamp / Mahitha Electro / GE Venture / Prolite.		
685	a	80W MV	1 No	517.00
686	b	125W MV	1 No	524.00
687	c	70 W SV / MH	1 No	494.00
688	d	150 W SV / MH	1 No	724.00
689	e	250 W SV / MH	1 No	981.00
690	f	400 W SV / MH	1 No	1361.00
		HPF CAPACITORS		
	ELEC-3.3.3	Supply of -----HPF Capacitor. Makes : TIBCON / Phillips / Crompton / Bajaj / Surya / Havells.		
691	a	4 mfd	1 No	77.00
692	b	10 mfd	1 No	129.00
693	c	15 mfd	1 No	153.00
694	d	20 mfd	1 No	209.00
695	e	33 mfd	1 No	334.00
696	f	42 mfd	1 No	370.00
		IGNITOR		
697	ELEC-3.3.4	Supply of Ignitor for SV / MH Lamp Makes : Wipro / GE Venture / Phillips / Crompton / Bajaj / Surya / HPL / Havells / Capart / Prolite / Halonix.	1 No	144.00
		ENEGRY SAVING ELECTRONIC BALLAST		

Sl. No.	Code	DESCRIPTION OF ITEM	Unit	Scheduled Rates for the Year 2020-21
		FOR STREET LIGHT		
	ELEC-3.3.5	Supply of ----- Electronic ballast having < 3W loss, PF > 0.90, THD < 15% with 3 years guarantee Makes : Phillips / Whipro / Trinic / GE.		
698	a	70W SV / MH	1 No	1862.00
699	b	150W SV / MH	1 No	2546.00
700	c	250W SV / MH	1 No	3192.00
	3.4	LAMPS		
	ELEC-3.4.1	Supply of ----- Lamp with ISI mark. Makes : Phillips / Osram / Crompton / Bajaj / Surya / HPL / Havells / Halonix.		
701	a	500W Hallozen	1 No	90.00
702	b	1000W Hallozen	1 No	110.00
703	c	70W SV	1 No	420.00
704	d	150W SV	1 No	600.00
705	e	250W SV	1 No	650.00
706	f	400W SV	1 No	710.00
707	g	70W double end MH	1 No	510.00
708	h	150W double end MH	1 No	760.00
709	i	70W MH	1 No	750.00
710	j	150W MH	1 No	840.00
711	k	250W MH	1 No	1140.00
712	l	400W MH	1 No	1300.00
	ELEC-3.4.2	Supply of ----- Lamp with ISI mark.Makes : Style Lamp / Mahita Electro		
713	a	500W Hallozen	1 No	50.00
714	b	1000W Hallozen	1 No	70.00
715	c	70W SV	1 No	340.00
716	d	150W SV	1 No	510.00
717	e	250W SV	1 No	575.00
718	f	400W SV	1 No	660.00
719	g	70W double end MH	1 No	450.00
720	h	150W double end MH	1 No	680.00
721	i	70W MH	1 No	720.00
722	j	150W MH	1 No	760.00
723	k	250W MH	1 No	930.00
724	l	400W MH	1 No	1190.00
	3.5	AUTOMATIC STREET LIGHT CONTROL SYSTEMS		
	ELEC-3.5.1	Supply and fixing of Automatic Street Light Control System with Optical Sensor, Low volatage / High voltage trip and reset,		

Sl. No.	Code	DESCRIPTION OF ITEM	Unit	Scheduled Rates for the Year 2020-21
		operating voltage 150 - 280V AC, 50 HZ with suitable SMC enclosure of IP 54 protection, MCBs of Legrand / Schneider / L&T / Siemens of 10KA C/D curve and Contactor suitable to control the load of --- ----- Single phase load with necessary clamping arrangements. Makes : Swadep Nature Switch / Light Mate / L&T / Siemens / Bajaj		
725	a	1 KW	1 No	9000.00
726	b	3 KW	1 No	11300.00
727	c	5 KW	1 No	11800.00
728	d	8 KW	1 No	13500.00
	ELEC-3.5.2	Supply and fixing of Automatic Street Light Control System with Optical Sensor, Low volatage / High voltage trip and reset, operating voltage 380 - 450 V AC, 50 HZ with suitable SMC enclosure of IP 54 protection, MCBs of Legrand / Schneider / L&T / Siemens of 10KA C/D curve and Contactor suitable to control the load of --- ----- Three phase load with necessary clamping arrangements. Makes : Swadep Nature Switch / Light Mate / L&T / Siemens / Bajaj		
729	a	5 KW	1 No	14800.00
730	b	8 KW	1 No	15300.00
731	c	12 KW	1 No	18500.00
732	d	25 KW	1 No	29400.00
	3.6	INTERNAL LUMINAIRES		
733	ELEC-3.6.1	Supply of 1 x 11W Mirror light with all standard accessories diffuser Makes : G.E. Venture / Phillips / Crompton / Bajaj.	1 No	544.00
734	ELEC-3.6.2	Supply of 1 x 11W Mirror light with all standard accessories diffuser Makes : Surya / Havells / HPL / Fortune Art	1 No	464.00
	3.7	ACCESSORIES		
		Makes For the Following Items : Phillips / Crompton / Bajaj / Surya / HPL / Havells.		
735	ELEC-3.7.1	Supply of 9/13W VPIT Ballast for CFL with ISI mark.	1 No	102.00
736	ELEC-3.7.2	Supply of 18W VPIT Ballast for CFL with ISI mark.	1 No	96.00
737	ELEC-3.7.3	Supply of 20W / 40W Copper Wound	1 No	128.00

Sl. No.	Code	DESCRIPTION OF ITEM	Unit	Scheduled Rates for the Year 2020-21
		Ballast.		
738	ELEC-3.7.4	Supply of 18/20W VPIT Ballast.	1 No	128.00
739	ELEC-3.7.5	Supply of 36/40W VPIT Ballast of makes Phillips / Crompton / Bajaj / Surya.	1 No	168.00
740	ELEC-3.7.6	Supply of 40W Starter of makes Phillips / Crompton / Bajaj / Surya.	1 No	9.00
741	ELEC-3.7.7	Supply of Rotor holder(FTL).	1 No	17.00
742	ELEC-3.7.8	Supply of HID Lamp holder.	1 No	43.00
743	ELEC-3.7.9	Supply of CFL holder of makes Phillips / Crompton / Bajaj / Surya.	1 No	26.00
744	ELEC-3.7.10	Supply of FTL Starter holder.	1 No	13.00
		Makes For the Following Items : Fortune Art / Style Lamp / Mahita Electro / Capart		
745	ELEC-3.7.11	Supply of 9/13W VPIT Ballast for CFL with ISI mark.	1 No	88.00
746	ELEC-3.7.12	Supply of 18W VPIT Ballast for CFL with ISI mark.	1 No	88.00
747	ELEC-3.7.13	Supply of 20W / 40W Copper Wound Ballast.	1 No	118.00
748	ELEC-3.7.14	Supply of 18/20W VPIT Ballast.	1 No	117.00
749	ELEC-3.7.15	Supply of 36/40W VPIT Ballast of makes Phillips / Crompton / Bajaj / Surya.	1 No	136.00
750	ELEC-3.7.16	Supply of 40W Starter of makes Phillips / Crompton / Bajaj / Surya.	1 No	8.00
751	ELEC-3.7.17	Supply of Rotor holder(FTL).	1 No	15.00
752	ELEC-3.7.18	Supply of HID Lamp holder.	1 No	34.00
753	ELEC-3.7.19	Supply of CFL holder of makes Phillips / Crompton / Bajaj / Surya.	1 No	21.00
754	ELEC-3.7.20	Supply of FTL Starter holder.	1 No	10.00
755	ELEC-3.7.21	Supply of 36W Electronic Ballast with total harmonic distortion is less than 10% for FTL. Makes : Phillips / Crompton / Bajaj / Surya / HPL / Havells.	1 No	492.00
756	ELEC-3.7.22	Supply of 36W Electronic ballast with power factor greater than 0.9 to 0.95 suitable for FTL. Make : Crompton / Bajaj / Havells or its equivalent.	1 No	221.00
757	ELEC-3.7.23	Supply of Bulk head fitting with cast aluminium enamel painted body with water tight, clear glass with wire guard hinged with lock and key arrangements etc., complete. Makes : Bajaj / Crompton / Surya.	1 No	280.00
758	ELEC-3.7.24	Supply of single fancy bracket with glass shade best Indian make	1 No	173.00

Sl. No.	Code	DESCRIPTION OF ITEM	Unit	Scheduled Rates for the Year 2020-21
759	ELEC-3.7.25	Supply of double fancy bracket with glass shade best Indian make	1 No	309.00
	3.8	FLOURSCENT TUBES / CFL LAMPS		
		Makes for the following items: Phillips / Crompton / Bajaj / Surya / Style Lamp / Mahita Electro / Capart.		
760	ELEC-3.8.1	Supply of 40W-60W Lamp.	1 No	11.00
761	ELEC-3.8.2	Supply of Night Lamp.	1 No	10.00
762	ELEC-3.8.3	Supply of 18/20W fluorescent tube. Makes : Phillips / Crompton / Bajaj / Surya.	1 No	37.00
763	ELEC-3.8.4	Supply of 36/40W fluorescent tube. Makes : Phillips / Crompton / Bajaj / Surya.	1 No	40.00
764	ELEC-3.8.5	Supply of 36/40W fluorescent tube. Makes : Fortune Art / Style lamp / Mahita Electro / Capart	1 No	34.00
765	ELEC-3.8.6	Supply of 28W T5 fluorescent tube. Makes : Crompton / Bajaj / Phillips / Surya / Havells.	1 No	107.00
	ELEC-3.8.7	Supply of ----- Pin type CFL Lamp. Makes : Phillips / Crompton / Bajaj / Surya / Havells / HPL / Halonix.		
766	a	9W	1 No	67.00
767	b	11W	1 No	72.00
768	c	13W	1 No	94.00
769	d	18W	1 No	103.00
770	e	26W	1 No	143.00
771	f	36W	1 No	120.00
	ELEC-3.8.8	Supply of ----- Retrofit tiny CFL. Makes : Phillips / Crompton / Bajaj / Surya / Havells / HPL / Halonix.		
772	a	Up to 5W	1 No	103.00
773	b	Up to 8W	1 No	112.00
774	c	Up to 10/11W	1 No	120.00
775	d	Up to 13/14W	1 No	98.00
776	e	15W	1 No	160.00
777	f	Up to 18/20W Retrofit CFL.	1 No	152.00
778	g	23W Retrofit CFL.	1 No	178.00
779	h	Up to 25/26W Retrofit CFL.	1 No	178.00
	3.9	LED LUMINAIRES INDOOR		
	ELEC-3.9.1	Supply and transportation of ----- LED Spot Light Recessed mounting with housing made of Powder coated Pressure die cast aluminium, IP20, with wide operating voltage range, Power factor >		

Sl. No.	Code	DESCRIPTION OF ITEM	Unit	Scheduled Rates for the Year 2020-21
		0.9, Surge protection: > 2KV, System efficacy of >100 lumens/watt, CCT: 3000K - 6500K as desired by the department and as per IS, CRI >80, and THD is less than 15% etc., complete with 5 years warranty with BIS Certification. LUMINAIRE MAKE : Phillips / OSRAM / Wipro / Crompton / Bajaj / Havells / Jaquar / IB LED / Panasonic / Halonix / HPL / Syska / Eveready / Surya / Keselec/ FIEM. LED MAKE : PHILIPS LUMILEDS / CREE / NICHIA / OSRAM / SAMSUNG / LG LEDs.		
780	a	5 W / 6 W +/-10%	1 No	570.00
781	b	7 W +/-10%	1 No	1150.00
	ELEC-3.9.2	Supply and transportation of ----- LED Spot Light Recessed mounting with housing made of Powder coated Pressure die cast aluminium , IP20, with wide operating voltage range, Power factor > 0.9, Surge protection: > 2KV, System efficacy of >90 lumens/watt, CCT: 3000K - 6500K as desired by the department and as per IS, CRI >80, and THD is less than 15% etc., complete with 5 years warranty. LUMINAIRE MAKE : Fortune Art / Capart / Kashyap BLU / GM / Million / Goldmedal / Trinic / Sieger / Stanjo / Promptec / Lighting Technologies / Renesola / C&S / RR Electric / Rhino		
782	a	5 W / 6 W +/-10%	1 No	400.00
783	b	7 W +/-10%	1 No	880.00
	ELEC-3.9.3	Supply and transportation of ----- LED Spot Light Recessed mounting with housing made of Powder coated Pressure die cast aluminium , IP20, with wide operating voltage range, Power factor > 0.9, Surge protection: > 2KV, System efficacy of >80 lumens/watt, CCT: 3000K - 6500K as desired by the department and as per IS, CRI >80, and THD is less than 15% etc., complete with 5 years warranty. LUMINAIRE MAKE : Cosmo / VRILISO / Pro-Lite / Scintilla / JSTC Solar / Vimal / Taiyolux / Link Well / RYON / Enrich / Kiran / Pharox / Mulex / Benlo / Maklites.		
784	a	5 W / 6 W +/-10%	1 No	365.00
785	b	7 W +/-10%	1 No	680.00

Sl. No.	Code	DESCRIPTION OF ITEM	Unit	Scheduled Rates for the Year 2020-21
	ELEC-3.9.4	Supply and transportation of ----- ----- back lit LED Down Light Recessed / Surface mounting round / square with housing made of Powder coated Pressure die cast aluminium housing with extended heat sink, with Protruded high efficiency diffuser, IP20, with wide operating voltage range, Power factor > 0.9, Surge protection: > 2KV, System efficacy of >100 lumens/watt, CCT: 3000K - 6500K as desired by the department and as per IS, CRI >80, and THD is less than 15% etc., complete with 5 years warranty with BIS Certification. LUMINAIRE MAKE : Phillips / OSRAM / Wipro / Crompton / Bajaj / Havells / Jaquar / IB LED / Panasonic / Halonix / HPL / Syska / Eveready / Surya / Keselec / FIEM. LED MAKE : PHILIPS LUMILEDS / CREE / NICHIA / OSRAM / SAMSUNG / LG LEDs.		
786	a	12 W +/-10%	1 No	1590.00
787	b	15 W +/-10%	1 No	1700.00
788	c	18 W +/-10%	1 No	1960.00
789	d	24 W +/-10%	1 No	2200.00
	ELEC-3.9.5	Supply and transportation of ----- back lit LED Down Light Recessed / Surface mounting round/ square with housing made of Powder coated Pressure die cast aluminium housing with extended heat sink, with Protruded high efficiency diffuser, IP20, with wide operating voltage range, Power factor > 0.9, Surge protection: > 2KV, System efficacy of >90 lumens/watt, CCT: 3000K - 6500K as desired by the department and as per IS, CRI >80, and THD is less than 15% etc., complete with 5 years warranty. LUMINAIRE MAKE : Fortune Art / Capart / Kashyap BLU / GM / Million / Goldmedal / Trinic / Sieger / Stanjo / Promptec / Lighting Technologies / Renesola / C&S / Luker / RR Electric / Rhino		
790	a	12 W +/-10%	1 No	1200.00
791	b	18 W +/-10%	1 No	1400.00
	ELEC-3.9.6	Supply and transportation of ----- back lit LED Down Light Recessed / Surface mounting with housing made of Powder coated Pressure die cast aluminium housing		

Sl. No.	Code	DESCRIPTION OF ITEM	Unit	Scheduled Rates for the Year 2020-21
		with extended heat sink, with Protruded high efficiency diffuser, IP20, with wide operating voltage range, Power factor > 0.9, Surge protection: > 2KV, System efficacy of >80 lumens/watt, CCT: 3000K - 6500K as desired by the department and as per IS, CRI >80, and THD is less than 15% etc., complete with 5 years warranty. LUMINAIRE MAKE : Cosmo / VRILISO / Pro-Lite / Scintilla / JSTC Solar / Vimal / Taiyolux / Link Well / RYON / Enrich / Lumens (India) / Kiran / Pharox / Mulex / Benlo / Savitha / Maklites.		
792	a	12 W +/-10%	1 No	800.00
793	b	18 W +/-10%	1 No	1100.00
	ELEC-3.9.7	Supply and transportation of ----- edge lit LED slimline panel light Housing made of Pressure die cast aluminium with Powder coated, round / Square with Protruded high efficiency diffuser, IP20, with wide operating voltage range, Power factor > 0.9, Surge protection: > 2KV, System efficacy of >100 lumens/watt, CCT: 3000K - 6500K as desired by the department and as per IS, CRI >80, and THD is less than 15% etc., complete with 5 years warranty with BIS Certification. LUMINAIRE MAKE : Phillips / OSRAM / Wipro / Crompton / Bajaj / Havells / Jaquar / IB LED / Panasonic / Halonix / HPL / Syska / Eveready / Surya / Keselec/ FIEM. LED MAKE : PHILIPS LUMILEDS / CREE / NICHIA / OSRAM / SAMSUNG / LG LEDs.		
794	a	6W +/-10%	1 No	660.00
795	b	12W +/-10%	1 No	900.00
796	c	15W +/-10%	1 No	1200.00
797	d	18W +/-10%	1 No	1300.00
	ELEC-3.9.8	Supply and transportation of ----- edge lit LED slimline panel Light Housing made of Pressure die cast aluminium with Powder coated, round / Square with Protruded high efficiency diffuser, IP20, with wide operating voltage range, Power factor > 0.9, Surge protection: > 2KV, System efficacy of >90 lumens/watt, CCT: 3000K - 6500K as desired by the department and as per IS, CRI >80, and		

Sl. No.	Code	DESCRIPTION OF ITEM	Unit	Scheduled Rates for the Year 2020-21
		THD is less than 15% etc., complete with 5 years warranty. LUMINAIRE MAKE : Fortune Art / Capart / Kashyap BLU / GM / Million / Goldmedal / Trinic / Sieger / Stanjo / Promptec / Lighting Technologies / Renesola / C&S / Luker / RR Electric / Rhino		
798	a	12W +/-10%	1 No	740.00
799	b	18W +/-10%	1 No	1050.00
	ELEC-3.9.9	Supply and transportation of ----- edge lit LED slimline panel Light Housing made of Pressure die cast aluminium with Powder coated, round / Square with Protruded high efficiency diffuser, IP20, with wide operating voltage range, Power factor > 0.9, Surge protection: > 2KV, System efficacy of >80 lumens/watt, CCT: 3000K - 6500K as desired by the department and as per IS, CRI >80, and THD is less than 15% etc., complete with 5 years warranty. LUMINAIRE MAKE : Cosmo / VRILISO / Pro-Lite / Scintilla / JSTC Solar / Vimal / Taiyolux / Link Well / RYON / Enrich / Kiran / Pharox / Mulex / Benlo / Savitha / Maklites.		
800	a	12W +/-10%	1 No	670.00
801	b	18W +/-10%	1 No	970.00
802	ELEC-3.9.10	Supply and transportation of 18-20W, >/ 2000 lumens, 1200mm length LED retro tube light, housing made with alluminium anodised body, wide operating voltage with double side connection, PF≥0.9, Surge protection: > 2KV, THD<15%, with inbuilt driver and frosted cover CCT: 3000K - 6500K as desired by the department and as per IS specifications, minimum CRI≥80,.etc complete with 5 years warranty with BIS Certification. LUMINAIRE MAKE: Phillips / OSRAM / Wipro / Crompton / Bajaj / Havells / Jaquar / IB LED / Panasonic / Halonix / HPL / Syska / Eveready / Surya / Keselec/ FIEM. LED MAKE : PHILIPS LUMILEDS / CREE / NICHIA / OSRAM / SAMSUNG / LG LEDs.	1 No	730.00
803	ELEC-3.9.11	Supply and transportation of 18-20W, 1900 lumens, 1200mm length LED	1 No	600.00

Sl. No.	Code	DESCRIPTION OF ITEM	Unit	Scheduled Rates for the Year 2020-21
		retro tube light, housing made with alluminium anodised body, wide operating voltage, double side connection, with PF \geq 0.9, Surge protection: > 2KV, THD<10%, with inbuilt driver and frosted cover CCT: 3000K - 6500K as desired by the department and as per IS specifications, minimum CRI \geq 80,.etc.complete with 5 years warranty.LUMINAIRE MAKE: Fortune Art / Capart / Kashyap BLU / GM / Million / Goldmedal / Trinic / Sieger / Stanjo / Promptec / Lighting Technologies / Renesola / C&S / Luker / RR Electric / Rhino		
804	ELEC-3.9.12	Supply and transportation of 18-20W, 1800 lumens, 1200mm length LED retro tube light, housing made with alluminium anodised body, wide operating voltage, with double side connection, with PF \geq 0.9, Surge protection: > 2KV, THD<15%, with inbuilt driver and frosted cover CCT: 3000K - 5700K, minimum CRI \geq 70,.etc.,complete with 5 years warranty. LUMINAIRE MAKE : Cosmo / VRILISO / Pro-Lite / Scintilla / JSTC Solar / Vimal / Taiyolux / Link Well / RYON / Enrich / Lumens (India) / Kiran / Pharox / Mulex / Benlo / Savitha / Maklites.	1 No	550.00
805	ELEC-3.9.13	Supply and transportation of 18-20W, >/ 2000 lumens, 1200mm length LED retro tube light, housing made with glass body, wide operating voltage with Single / double side connection, PF \geq 0.9, Surge protection: > 2KV, THD<15%, with inbuilt driver and frosted cover CCT: 3000K - 6500K as desired by the department and as per IS specifications, minimum CRI \geq 80,.etc complete with 5 years warranty with BIS Certification. LUMINAIRE MAKE: Phillips / OSRAM / GE Venture / Wipro / Crompton / Bajaj / Havells / Jaquar / IB LED / Panasonic / Halonix / HPL / Syska / Eveready / Surya / Keselec. LED MAKE : PHILIPS LUMILEDS / CREE / NICHIA / OSRAM / SAMSUNG / LG LEDs.	1 No	425.00

Sl. No.	Code	DESCRIPTION OF ITEM	Unit	Scheduled Rates for the Year 2020-21
806	ELEC-3.9.14	Supply and transportation of 18-20W, >/ 2000 lumens, 1200mm length LED retro tube light, housing made with PC body, wide operating voltage with Single / double side connection, PF \geq 0.9, Surge protection: > 2KV, THD<15%, with inbuilt driver and frosted cover CCT: 3000K - 6500K as desired by the department and as per IS specifications, minimum CRI \geq 80,.etc complete with 5 years warranty with BIS Certification.LUMINAIRE MAKE: Phillips / OSRAM / GE Venture / Wipro / Crompton / Bajaj / Havells / Jaquar / IB LED / Panasonic / Halonix / HPL / Syska / Eveready / Surya / Keselec/ FIEM. LED MAKE : PHILIPS LUMILEDS / CREE / NICHIA / OSRAM / SAMSUNG / LG LEDs.	1 No	525.00
807	ELEC-3.9.15	Supply and transportation of 10W, 1000 lumens, 600mm length LED batten tube light, housing made with PC body, wide operating voltage with Single / double side connection, PF \geq 0.9, Surge protection: > 2KV, THD<15%, with inbuilt driver and frosted cover CCT: 3000K - 6500K as desired by the department and as per IS specifications, minimum CRI \geq 80,.etc complete with 5 years warranty with BIS Certification. LUMINAIRE MAKE: Phillips / OSRAM / GE Venture / Wipro / Crompton / Bajaj / Havells / Jaquar / IB LED / Panasonic / Halonix / HPL / Syska / Eveready / Surya / Keselec. LED MAKE : PHILIPS LUMILEDS / CREE / NICHIA / OSRAM / SAMSUNG / LG LEDs.	1 No	500.00
808	ELEC-3.9.16	Supply and transportation of 22W, +/- 10% , >/ 2300 lumens, 1200mm length LED light housing made with alluminium anodised body, wide operating voltage with PF \geq 0.9, Surge protection: > 2KV, THD<10%, with inbuilt driver and frosted cover CCT: 3000K - 6500K as desired by the department as per IS, minimum CRI \geq 80 etc., complete with 5 years warranty with BIS Certification with BIS Certification. LUMINAIRE MAKE: Phillips / OSRAM / GE Venture / Wipro / Crompton / Bajaj /	1 No	800.00

Sl. No.	Code	DESCRIPTION OF ITEM	Unit	Scheduled Rates for the Year 2020-21
		Havells / Jaquar / IB LED / Panasonic / Halonix / HPL / Syska / Eveready / Surya / Keselec/ FIEM. LED MAKE : PHILIPS LUMILEDS / CREE / NICHIA / OSRAM / SAMSUNG / LG LEDs.		
	ELEC-3.9.17	Supply and Transportation ofEdge lit, 2' x2' (600mm x 600mm) slim panel LED luminaire Square Housing Made of Aluminum alloy with corrosion resistant powder coat, with high efficiency acrylic wide diffuser, with wide operating voltage range, Power factor > 0.9, Surge protection >2KV, System efficacy of >100 lumens/watt, CCT: 3000K - 6500K as desired by the department, CRI >80, and THD is less than 15% with non integrated driver etc., complete with 5 years warranty with BIS Certification.LUMINAIRE MAKE : Phillips / OSRAM / GE Venture / Wipro / Crompton / Bajaj / Havells / Jaquar / IB LED / Panasonic / Halonix / HPL / Syska / Eveready / Surya / Keselec / FIEM. LED MAKE : PHILIPS LUMILEDS / CREE / NICHIA / OSRAM / SAMSUNG / LG LEDs.		
809	a	36W	1 No	3620.00
810	b	40-42W		4000.00
811	c	45W		4200.00
812	ELEC-3.9.18	Supply and Transportation of 36W Edge lit, 2' x2' (600mm x 600mm) slim panel LED luminaire Square Housing Made of Aluminum alloy with corrosion resistant powder coat, with high efficiency acrylic wide diffuser, with wide operating voltage range, Power factor > 0.9, Surge protection >2KV, System efficacy of >90 lumens/watt, CCT: 3000K - 6500K as desired by the department, CRI >80, and THD is less than 15% with non integrated driver etc., complete with 5 years warranty. LUMINAIRE MAKE: Fortune Art / Capart / Kashyap BLU / GM / Million / Goldmedal / Trinic / Sieger / Stanjo / Promptec / Lighting Technologies / Renesola / C&S / Luker / RR Electric / Rhino	1 No	3220.00
813	ELEC-3.9.19	Supply and Transportation of 36W Edge lit 2' x2' (600mm x 600mm) Slim panel LED luminaire Square Housing Made of	1 No	2990.00

Sl. No.	Code	DESCRIPTION OF ITEM	Unit	Scheduled Rates for the Year 2020-21
		Aluminum alloy with corrosion resistant powder coat, with high efficiency acrylic wide diffuser, with wide operating voltage range, Power factor > 0.9, Surge protection >2KV, System efficacy of >80 lumens/watt, CCT: 3000K - 6500K as desired by the department, CRI >80, and THD is less than 15% with non integrated driver etc., complete with 5 years warranty. LUMINAIRE MAKE : Cosmo / VRILISO / Pro-Lite / Scintilla / JSTC Solar / Vimal / Taiyolux / Link Well / RYON / Enrich / Lumens (India) / Kiran / Pharox / Mulex / Benlo / Savitha / Maklites.		
	ELEC-3.9.20	Supply and Transportation of ----- ---- Back lit, 2' x2' (600mm x 600mm) Recessed / Surface mounted LED luminaire made of CRCA sheet housing with powder coated with high efficiency acrylic wide diffuser, with wide operating voltage range, Power factor > 0.9, Surge protection >2KV, System efficacy of >100 lumens/watt, CCT: 3000K - 6500K as desired by the department, CRI >80, and THD is less than 15% etc., complete with 5 years warranty with BIS Certification.LUMINAIRE MAKE : Phillips / OSRAM / GE Venture / Wipro / Crompton / Bajaj / Havells / Jaquar / IB LED / Panasonic / Halonix / HPL / Syska / Eveready / Surya / Keselec / FIEM. LED MAKE : PHILIPS LUMILEDS / CREE / NICHIA / OSRAM / SAMSUNG / LG LEDs.		
814	a	36 W +/-10%	1 No	3710.00
815	b	40-42 W +/-10%	1 No	3900.00
816	c	45 W +/-10%	1 No	4140.00
	ELEC-3.9.21	Supply and Transportation of ----- Back lit, 2' x2' (600mm x 600mm) Recessed / Surface mounted LED luminaire made of CRCA sheet housing with powder coated with high efficiency acrylic wide diffuser, with wide operating voltage range, Power factor > 0.9, Surge protection >2KV, System efficacy of >90 lumens/watt, CCT: 3000K - 6500K as desired by the department, CRI >80, and THD is less than 15% etc., complete with 5 years warranty. LUMINAIRE MAKE: Fortune Art / Capart /		

Sl. No.	Code	DESCRIPTION OF ITEM	Unit	Scheduled Rates for the Year 2020-21
		Kashyap BLU / GM / Million / Goldmedal / Trinic / Sieger / Stanjo / Promptec / Lighting Technologies / Renesola / C&S / Luker / RR Electric / Rhino		
817	a	36 W +/-10%	1 No	2990.00
818	b	45 W +/-10%	1 No	3620.00
	ELEC-3.9.22	Supply and Transportation of ----- Back lit, 2' x2' (600mm x 600mm) Recessed / Surface mounted LED luminaire made of CRCA sheet housing with powder coated with high efficiency acrylic wide diffuser, with wide operating voltage range, Power factor > 0.9, Surge protection >2KV, System efficacy of >80 lumens/watt, CCT: 3000K - 6500K as desired by the department, CRI >80, and THD is less than 15% etc., complete with 5 years warranty. LUMINAIRE MAKE : Cosmo / VRILISO / Pro-Lite / Scintilla / JSTC Solar / Vimal / Taiyolux / Link Well / RYON / Enrich / Lumens (India) / Kiran / Pharox / Mulex / Benlo / Savitha / Maklites.		
819	a	36 W +/-10%	1 No	2810.00
820	b	45 W +/-10%	1 No	3100.00
821	ELEC-3.9.23	Supply and transportation of MS frame with powder coating suitable for 600mm x 600mm LED panel light.	1 No	480.00
822	ELEC-3.9.24	Supply & Fixing of pre wired Patty type batten frame made with CRCA sheet powder coated suitable for LED tube light.	1 No	144.00
823	ELEC-3.9.25	Supply & Fixing of decorative pre wired box type fixture made with CRCA sheet powder coated suitable for 4' LED tube light	1 No	280.00
	3.10	LED INDOOR LAMPS		
	ELEC-3.10.1	Supply of ----- with input voltage 90 to 300V, Colour temperature 3000k - 6500k, Beam angle 170 - 220 degrees, B22 base. Makes: Phillips / OSRAM / Crompton / Eveready / Bajaj / Havells / Pharox / Halonix / Greenlites / IB LED/ Jaquar / C&S / GM / / FIEM / Gold Medal / Million / Syska.		
824	a	0.5W LED Lamp	1 No	48.00
825	b	3.0W LED Lamp	1 No	110.00
826	c	5.0W LED Lamp	1 No	120.00

Sl. No.	Code	DESCRIPTION OF ITEM	Unit	Scheduled Rates for the Year 2020-21
827	d	7.0W LED Lamp	1 No	128.00
828	e	9.0W LED Lamp	1 No	150.00
829	f	12.0W LED Lamp	1 No	225.00
830	g	15.0W LED Lamp	1 No	250.00
831	h	18.0W LED Lamp	1 No	325.00
832	i	30.0W LED Lamp	1 No	675.00
833	j	40.0W LED Lamp	1 No	875.00
834	k	50.0W LED Lamp	1 No	1150.00
835	ELEC-3.10.2	Supply of LED Candel Lamp for shandliers. Makes: Phillips / OSRAM / Crompton / Eveready / Bajaj / Havells / Pharox / Halonix / Greenlites / IB LED/ Jaquar / C&S / GM / Gold Medal / Million / Syska.	1 No	272.00
	3.11	LED STREET LIGHTS		
	ELEC-3.11.1	Supply and transportation of LED Street light Body made of high grade pressure die - cast Aluminium alloy with corrosion resistant powder coat, having protective toughened glass cover, Less Glare, IP 66 (Silicon gasket ensures Optical & Electrical compartments are IP 66) protected, wide operating voltage range, P.F > 0.90, System having efficacy >100 lumens/watt, with Ingress protection IP66, Potted driver, Driver surge protection >10KV, THD<15%, CCT: 3000- 6500K as desired by the department and as per IS, CRI>80, Inbuilt Electrical protections like Over voltage, short circuit, Over load, Open Circuit, Miswiring, etc complete with BIS certification with 5 years warranty. The contractor has to furnish the manufacturer warranty letter, LM 79 and LM 80 certificates. LUMINAIRE MAKE : PHILIPS / OSRAM / GE Venture / CROMPTON / BAJAJ / Wipro / Jaquar / Eveready / Halonix / Keselec / HAVELLS / POLYCAB / SURYA / SYSKA / Capart / Fortune Art / FIEM / Panasonic LED MAKE : PHILIPS LUMILEDS / CREE / NICHIA / OSRAM / SAMSUNG / LG LEDs.		
836	a	20 W +/-10%	1 No	1900.00
837	b	30 W +/-10%	1 No	2651.00
838	c	43 / 45 W +/-10%	1 No	3807.00
839	d	60 / 65 W +/-10%	1 No	5700.00
840	e	72 W +/-10%	1 No	6200.00

Sl. No.	Code	DESCRIPTION OF ITEM	Unit	Scheduled Rates for the Year 2020-21
841	f	90W +/-10%	1 No	8450.00
842	g	100 W +/-10%	1 No	9400.00
843	h	110 W +/-10%	1 No	10400.00
844	i	120 W +/-10%	1 No	11000.00
845	j	150 W +/-10%	1 No	13500.00
846	k	180 W +/-10%	1 No	14700.00
847	l	210 W +/-10%	1 No	20000.00
	ELEC-3.11.2	Supply and transportation of LED Street light Body made of high grade pressure die - cast Aluminium alloy with corrosion resistant powder coat, having protective toughened glass cover, Less Glare, IP 66 (Silicon gasket ensures Optical & Electrical compartments are IP 66) protected, wide operating voltage range, P.F > 0.90, System having efficacy >90 lumens/watt, with Ingress protection IP66, Driver surge protection >10KV, THD<15%, CCT: 3000- 6500K as desired by the department and as per IS, CRI>70, Inbuilt Electrical protections like Over voltage, short circuit, Over load, Open Circuit, Miswiring, etc complete with 5 years warranty. The contractor has to furnish the manufacturer warranty letter, LM 79 and LM 80 certificates.LUMINAIRE MAKE : VIN / HPL / GOLDMEDAL / GM / MILLION / C&S / RR Electric / IB LED / MIC / Promptec / Luker / Lumens (India) / Sieger / Renesola / TRINIC / STANJO / PANASONIC / Rhino		
848	a	20 W +/-10%	1 No	1720.00
849	b	30 W +/-10%	1 No	2700.00
850	c	43 / 45 W +/-10%	1 No	4300.00
851	d	60 / 65 W +/-10%	1 No	5100.00
852	e	72 W +/-10%	1 No	5600.00
853	f	90W +/-10%	1 No	7600.00
854	g	100 W +/-10%	1 No	8500.00
855	h	110 W +/-10%	1 No	9500.00
856	i	120 W +/-10%	1 No	9900.00
	ELEC-3.11.3	Supply and transportation of LED Street light Body made of high grade pressure die - cast Aluminium alloy with corrosion resistant powder coat, having protective toughened glass cover, Less Glare, IP 66 (Silicon gasket ensures Optical & Electrical compartments are IP 66) protected, wide operating voltage range,		

Sl. No.	Code	DESCRIPTION OF ITEM	Unit	Scheduled Rates for the Year 2020-21
		P.F > 0.90, System having efficacy >80 lumens/watt, with Ingress protection IP66, Driver surge protection >10KV, THD<15%, CCT: 3000- 6500K as desired by the department and as per IS, CRI>70, Inbuilt Electrical protections like Over voltage, short circuit, Over load, Open Circuit, Miswiring, etc complete with 5 years warranty. The contractor has to furnish the manufacturer warranty letter, LM 79 and LM 80 certificates. LUMINAIRE MAKE : COSMO / KASHYAP BLU / PRO-LITE / SCINTILLA / TAIYOLUX / LINK WELL / RYON / Mulex / Enrich / Kiran / Benlo / Savitha / Maklites.		
857	a	20 W +/-10%	1 No	1650.00
858	b	30 W +/-10%	1 No	2600.00
859	c	43 / 45 W +/-10%	1 No	4000.00
860	d	60 / 65 W +/-10%	1 No	4800.00
861	e	90W +/-10%	1 No	7200.00
862	f	100 W +/-10%	1 No	8000.00
863	g	110 W +/-10%	1 No	9000.00
864	h	120 W +/-10%	1 No	9300.00
		LED FLOOD LIGHTS		
	ELEC-3.11.4	Supply and transportation of LED Flood light Luminaire made of pressure die cast aluminum housing with powder coated, having toughened glass cover, IP 66 (Silicon gasket ensures Optical & Electrical compartments are IP 66)protected, wide operating voltage range , P.F > 0.90, System having efficacy >100 lumens/watt, with Ingress protection IP66, Driver surge protection >10KV, THD<15%, CCT: 3000- 6500K as desired by the department and as per IS, CRI>80, Inbuilt Electrical protections like Over voltage, short circuit, Over load, Open Circuit, Miswiring, etc complete with BIS certification with 5 years warranty. The contractor has to furnish the manufacturer warranty letter, LM 79 and LM 80 certificates. LUMINAIRE MAKE : PHILIPS / OSRAM / GE Venture / CROMPTON / BAJAJ / Wipro / Jaquar / Eveready / Halonix / Keselec / HAVELLS / POLYCAB / SURYA / SYSKA. / Capart / Fortune Art/ FIEM		

Sl. No.	Code	DESCRIPTION OF ITEM	Unit	Scheduled Rates for the Year 2020-21
		LED MAKE : PHILIPS LUMILEDS / CREE / NICHIA / OSRAM / SAMSUNG / LG LEDs.		
865	a	60 W +/-10%	1 No	6740.00
866	b	90 W +/-10%	1 No	9438.00
867	c	120 W +/-10%	1 No	12674.00
868	d	150 W +/-10%	1 No	16248.00
869	e	200 W +/-10%	1 No	18700.00
870	f	250 W +/-10%	1 No	22984.00
	ELEC-3.11.5	Supply and transportation of LED Flood light Luminaire made of pressure die cast aluminum housing with powder coated, having toughened glass cover, IP 66 (Silicon gasket ensures Optical & Electrical compartments are IP 66)protected, wide operating voltage range , P.F > 0.90, System having efficacy >90 lumens/watt, with Ingress protection IP66, Driver surge protection >10KV, THD<15%, CCT: 3000-6500K as desired by the department and as per IS, CRI>70, Inbuilt Electrical protections like Over voltage, short circuit, Over load, Open Circuit, Miswiring, etc complete with 5 years warranty. The contractor has to furnish the manufacturer warranty letter, LM 79 and LM 80 certificates. LUMINAIRE MAKE : VIN / HPL / GOLDMEDAL / GM / MILLION / C&S / RR Electric / IB LED / MIC / Promptec / Luker / Lumens (India) / Sieger / Renesola / TRINIC / STANJO / PANASONIC / Rhino		
871	a	60 W +/-10%	1 No	5680.00
872	b	90 W +/-10%	1 No	8400.00
873	c	120 W +/-10%	1 No	10550.00
874	d	150 W +/-10%	1 No	12480.00
	ELEC-3.11.6	Supply and transportation of LED Flood light Luminaire made of pressure die cast aluminum housing with powder coated, having toughened glass cover, IP 66 (Silicon gasket ensures Optical & Electrical compartments are IP 66)protected, wide operating voltage range , P.F > 0.90, System having efficacy >80 lumens/watt, with Ingress protection IP66, Driver surge protection >10KV, THD<15%, CCT: 3000-6500K as desired by the department and as		

Sl. No.	Code	DESCRIPTION OF ITEM	Unit	Scheduled Rates for the Year 2020-21
		per IS, CRI>70, Inbuilt Electrical protections like Over voltage, short circuit, Over load, Open Circuit, Miswiring, etc complete with 5 years warranty. The contractor has to furnish the manufacturer warranty letter, LM 79 and LM 80 certificates. LUMINAIRE MAKE : COSMO / KASHYAP BLU / PRO-LITE / SCINTILLA / TAIYOLUX / LINK WELL / RYON / Mulex / Enrich / Kiran / Benlo / Savitha / Maklites.		
875	a	60 W +/-10%	1 No	4970.00
876	b	90 W +/-10%	1 No	7340.00
877	c	120 W +/-10%	1 No	9230.00
878	d	150 W +/-10%	1 No	11230.00
		NOTE : The concerned Engineer has to verify the following certificates and allow the product to use.		
		1. LM 79, LM 80 certificate		
		2. BIS Certificate		
		3. CRI / THD Certificate		
		4. Surge Protection > 2 KV for indoor & > 10 KV for outdoor		
		5. Manufacturer must produce NABL certified test reports		
		6. Guarantee letter from Manufacturer with project name		
		7. The Manufacturer Must have sufficient pick and paste machines.		
		8. The Manufacturer must of IP test facility.		
		9. The Manufacturer must use good lenses.		
	ELEC-3.11.7	Supply and transportation of LED High Bay Luminaire with high power COB LED made of pressure diecast aluminium housing with powder coated, Supply Input voltage 120 - 270 V AC, P.F > 0.90, high power LED's, System efficacy >100 lm / W and junction temperature < 70°C, with Ingress protection IP65, IK05, Driver surge protection 4KV, external Surge protection ≥ 5KV with wide/ Narrow beam optics, THD<10% at 110 Volts AC, driver efficiency >90%, CCT: 3000K - 5700K, minimum CRI>70, etc., complete with BIS certification with warranty 5 years warranty. The contractor has to furnish the		

Sl. No.	Code	DESCRIPTION OF ITEM	Unit	Scheduled Rates for the Year 2020-21
		manufacturer warranty letter, LM 79 and LM 80 certificates.LUMINAIRE MAKE : PHILIPS / OSRAM / GE Venture / CROMPTON / BAJAJ / Wipro / Jaquar / Eveready / Halonix / Keselec / HAVELLS / SURYA / SYSKA.LED MAKE : PHILIPS LUMILEDS / CREE / NICHIA / OSRAM / SAMSUNG / LG LEDs.		
879	a	60 W +/-10%	1 No	8550.00
880	b	90 W +/-10%	1 No	10450.00
881	c	120 W +/-10%	1 No	12350.00
882	d	150 W +/-10%	1 No	14250.00
883	ELEC-3.11.8	Supply and transportation of 10W LED Bulk head fitting with milky diffuser heat sink integrated with housing with all accessories etc complete with 5 years warranty warranty. LUMINAIRE MAKE : PHILIPS / OSRAM / GE / CROMPTON / BAJAJ / Keselec / Fortune Art / HALONIX / HAVELLS / HPL / SYSKA / SURYA. LED MAKE : PHILIPS LUMILEDS / CREE / NICHIA / OSRAM / SAMSUNG / LG LEDs.	1 No	1260.00
	ELEC-3.11.9	Supply and transportation of LED well glass fitting madeup of pressure die cast aluminium, integrated heat sink, dedicated mounting bracket, with all accessories etc complete with 5 years warranty warranty. LUMINAIRE MAKE : PHILIPS / OSRAM / GE / CROMPTON / BAJAJ / Keselec / Fortune Art / HALONIX / HAVELLS / HPL / SYSKA / SURYA. LED MAKE : PHILIPS LUMILEDS / CREE / NICHIA / OSRAM / SAMSUNG / LG LEDs.		
884	a	25 W +/-10%	1 No	3000.00
885	b	35 W +/-10%	1 No	3600.00
886	c	40 W +/-10%	1 No	4300.00
887	d	45 W +/-10%	1 No	4800.00
	3.12	LED DRIVERS		
	ELEC-3.12.1	Supply and transportation of LED Driver with input line voltage 120V-270V AC, 50Hz with surge protection more than 2.5 KV, IP20, suitable for----- LED down lighter.MAKES : PHILIPS / OSRAM / GE /		

Sl. No.	Code	DESCRIPTION OF ITEM	Unit	Scheduled Rates for the Year 2020-21
		CROMPTON / BAJAJ / Keselec / HALONIX / HAVELLS / HPL / SURYA / SYSKA / Jaquar.		
888	a	6 W / 9 W	1 No	279.00
889	b	12 W / 18 W / 20W / 22 W LED	1 No	411.00
890	c	36W	1 No	635.00
891	d	40 W / 45 W	1 No	767.00
	ELEC-3.12.2	Supply and transportation of LED Driver with input line voltage 120V-270V AC, 50Hz with surge protection more than 2.5 KV, IP20, suitable for----- LED down lighter. MAKES : PHAROX / AVNI / GOLDWYN / KRIPA LIGHTS / FORTUNE ART / STANJO / GREENLITES / TRINIC / PRO-LITE / SCINTILLA / JSTC - SOLAR / INSTA POWER / GM / MILLION / PANASONIC / VIN.		
892	a	6 W / 9 W	1 No	237.00
893	b	12 W / 18 W / 20W / 22 W LED	1 No	351.00
894	c	36W	1 No	545.00
895	d	40 W / 45 W	1 No	661.00
	ELEC-3.12.3	Supply and transportation of LED Driver with input line voltage 120V-270V AC, 50Hz with surge protection of 4.0 KV, IP20, suitable for -----LED street light fitting. Makes : PHILIPS / OSRAM / GE / CROMPTON / BAJAJ / Keselec / VIN / HALONIX / HAVELLS / HPL / SURYA / SYSKA / Jaquar.		
896	a	15-30W	1 No	464.00
897	b	45-80W	1 No	971.00
898	c	90-180W	1 No	1852.00
	ELEC-3.12.4	Supply and transportation of LED Driver with input line voltage 120V-270V AC, 50Hz with surge protection of 4.0 KV, IP20, suitable for -----LED street light fitting. MAKES : PHAROX / AVNI / GOLDWYN / KRIPA LIGHTS / FORTUNE ART / STANJO / GREENLITES / TRINIC / PRO-LITE / SCINTILLA / JSTC - SOLAR / INSTA POWER / GM / MILLION / PANASONIC.		
899	a	15-30W	1 No	430.00
900	b	45-80W	1 No	914.00
901	c	90-180W	1 No	1746.00
		SECTION - 4		

Sl. No.	Code	DESCRIPTION OF ITEM	Unit	Scheduled Rates for the Year 2020-21
	4.1	U.G. CABLES		
	ELEC-4.1.1	Supply of ----- XLPE insulated, 1100V grade armoured aluminium cable with ISI mark as per specification confirming to IS:7098 (Part - I) Makes : Torrent / Unicab / Universal / Polycab / Havells / Gloster / KEI / Finolex / Paragon		
902	a	4 Sqmm 2 Core	1 Mtr	102.00
903	b	6 Sqmm 2 Core	1 Mtr	118.00
904	c	10 Sqmm 2 Core	1 Mtr	144.00
905	d	6 Sqmm 4 Core	1 Mtr	144.00
906	e	10 Sqmm 4 Core	1 Mtr	161.00
907	f	16 Sqmm 4 Core	1 Mtr	178.00
908	g	25 Sqmm 3.5 Core	1 Mtr	227.00
909	h	35 Sqmm 3.5 Core	1 Mtr	272.00
910	i	50 Sqmm 3.5 Core	1 Mtr	359.00
911	j	70 Sqmm 3.5 Core	1 Mtr	463.00
912	k	95 Sqmm 3.5 Core	1 Mtr	602.00
913	l	120 Sqmm 3.5 Core	1 Mtr	740.00
914	m	150 Sqmm 3.5 Core	1 Mtr	838.00
915	n	185 Sqmm 3.5 Core	1 Mtr	1029.00
916	o	240 Sqmm 3.5 Core	1 Mtr	1306.00
917	p	300 Sqmm 3.5 Core	1 Mtr	1595.00
918	q	400 Sqmm 3.5 Core	1 Mtr	2002.00
	ELEC-4.1.2	Supply of ----- XLPE insulated, 1100V grade armoured aluminium cable with ISI mark as per specification confirming to IS:7098 (Part - I) Makes : RPG / V-Guard / Fortune Art / Suncab / Finecab / Gemscab / Payal / Orbit / RR Kabel / Beljin		
919	a	4 Sqmm 2 Core	1 Mtr	88.00
920	b	6 Sqmm 2 Core	1 Mtr	103.00
921	c	10 Sqmm 2 Core	1 Mtr	124.00
922	d	6 Sqmm 4 Core	1 Mtr	124.00
923	e	10 Sqmm 4 Core	1 Mtr	140.00
924	f	16 Sqmm 4 Core	1 Mtr	155.00
925	g	25 Sqmm 3.5 Core	1 Mtr	198.00
926	h	35 Sqmm 3.5 Core	1 Mtr	235.00
927	i	50 Sqmm 3.5 Core	1 Mtr	308.00
928	j	70 Sqmm 3.5 Core	1 Mtr	400.00
929	k	95 Sqmm 3.5 Core	1 Mtr	520.00
930	l	120 Sqmm 3.5 Core	1 Mtr	638.00

Sl. No.	Code	DESCRIPTION OF ITEM	Unit	Scheduled Rates for the Year 2020-21
931	m	150 Sqmm 3.5 Core	1 Mtr	725.00
932	n	185 Sqmm 3.5 Core	1 Mtr	887.00
933	o	240 Sqmm 3.5 Core	1 Mtr	1130.00
934	p	300 Sqmm 3.5 Core	1 Mtr	1379.00
935	q	400 Sqmm 3.5 Core	1 Mtr	1732.00
	4.2	11 KV H.T. XLPE CABLES		
	ELEC-4.2.1	Supply of ----- HT XLPE (E) insulated 11000 V grade armoured Cable, as per IS specification confirming to IS 7098/II/85 with latest amendments. Makes : Torrent / Unicab / Universal / Polycab / Havells / KEI / RPG / Gloster.		
936	a	35 Sqmm 3 Core	1 Mtr	652.00
937	b	50 Sqmm 3 Core	1 Mtr	740.00
938	c	70 Sqmm 3 Core	1 Mtr	882.00
939	d	95 Sqmm 3 Core	1 Mtr	1048.00
940	e	120 Sqmm 3 Core	1 Mtr	1191.00
941	f	150 Sqmm 3 Core	1 Mtr	1350.00
942	g	185 Sqmm 3 Core	1 Mtr	1600.00
943	h	240 Sqmm 3 Core	1 Mtr	1820.00
944	i	300 Sqmm 3 Core	1 Mtr	2051.00
	ELEC-4.2.2	Supply of ----- HT XLPE (E) insulated 33000 V grade armoured Cable, as per IS specification confirming to IS 7098/II/85 with latest amendments. Makes : Torrent / Unicab / Universal / Polycab / Havells / KEI.		
945	a	95 Sqmm 3 Core	1 Mtr	1588.00
946	b	120 Sqmm 3 Core	1 Mtr	1764.00
947	c	150 Sqmm 3 Core	1 Mtr	1930.00
948	d	185 Sqmm 3 Core	1 Mtr	2117.00
949	e	240 Sqmm 3 Core	1 Mtr	2426.00
950	f	300 Sqmm 3 Core	1 Mtr	2734.00
951	g	400 Sqmm 3 Core	1 Mtr	3165.00
	4.3	CABLE GLANDS		
		SINGLE COMPRESSION HEAVY DUTY GLANDS FOR ARMoured CABLES		
	ELEC-4.3.1	Supply of heavy duty type single compression brass cable glands duly nickel plated complete with brass checknut, outer sheath sealing rubber ring and washers suitable for -----XLPE insulated armoured cable etc complete. Makes: SMI / Commet / Dowels.		
952	a	Up to 16.0 Sq.mm 2 Core	1 No	85.00

Sl. No.	Code	DESCRIPTION OF ITEM	Unit	Scheduled Rates for the Year 2020-21
953	b	Up to 16.0 Sq.mm 4 Core	1 No	109.00
954	c	25 Sqmm to 50.0 Sq.mm 3.5 Core	1 No	157.00
955	d	70 Sqmm to 95.0 Sq.mm 3.5 core	1 No	242.00
956	e	120 Sqmm to 150.0 Sq.mm 3.5 core	1 No	406.00
957	f	185 Sq.mm 3.5 core	1 No	503.00
958	g	240 Sq.mm 3.5 core	1 No	581.00
959	h	300 Sq.mm 3.5 core	1 No	726.00
960	i	400 Sq.mm 3.5 core	1 No	847.00
		DOUBLE COMPRESSION HEAVY DUTY GLANDS FOR ARMOURED CABLES		
	ELEC-4.3.2	Supply of heavy duty type double compression weather proof type brass cable glands duly nickel plated as per BS 6121 and IP66 complete with brass checknut, outer sheath sealing gasket suitable for ----- XLPE insulated armoured cable etc complete. Makes: SMI / Commet / Dowels.		
961	a	Up to 16.0 Sq.mm 2 Core	1 No	182.00
962	b	10 Sq.mm 4 Core	1 No	182.00
963	c	16 to 25 Sq.mm 4 Core	1 No	242.00
964	d	35 Sq mm 3.5 Core	1 No	298.00
965	e	50 Sq mm 3.5 Core	1 No	382.00
966	f	70 to 95 Sq.mm 4 Core	1 No	576.00
967	g	120 to 150 Sq.mm 4 Core	1 No	799.00
968	h	185 Sq mm 3.5 Core	1 No	980.00
969	i	240 Sq mm 3.5 Core	1 No	1295.00
970	j	300 Sq mm 3.5 Core	1 No	1500.00
971	k	400 Sq mm 3.5 Core	1 No	1718.00
		SHROUDS FOR DOUBLE COMPRESSION GLANDS		
	ELEC-4.3.3	Supply and erecting of PVC shrouds for double compression brass cable glands suitable for ----- --- XLPE insulated armoured cable etc complete.		
972	a	Up to 16.0 Sq.mm 2 Core	1 No	8.00
973	b	10 Sq.mm 4 Core	1 No	13.00
974	c	16 to 25 Sq.mm 4 Core	1 No	13.00
975	d	35 Sq mm 3.5 Core	1 No	20.00
976	e	50 Sq mm 3.5 Core	1 No	23.00
977	f	70 to 95 Sq.mm 4 Core	1 No	32.00
978	g	120 to 150 Sq.mm 4 Core	1 No	32.00
979	h	185 Sq mm 3.5 Core	1 No	48.00
980	i	240 Sq mm 3.5 Core	1 No	48.00
981	j	300 Sq mm 3.5 Core	1 No	70.00
982	k	400 Sq mm 3.5 Core	1 No	70.00

Sl. No.	Code	DESCRIPTION OF ITEM	Unit	Scheduled Rates for the Year 2020-21
		EARTH TAGS FOR GLANDS		
	ELEC-4.3.4	Supply and erecting of brass earth tag for cable glands suitable for ----- etc complete.		
983	a	up to 10.0 Sq.mm	1 No	13.00
984	b	16 to 35.0 Sq.mm	1 No	13.00
985	c	50.0 Sq.mm	1 No	18.00
986	d	70 to 95.0 Sq.mm	1 No	21.00
987	e	120 to 185.0 Sq.mm	1 No	28.00
988	f	240 to 300.0 Sq.mm	1 No	46.00
989	g	400.0 Sq.mm	1 No	64.00
	4.4	LUGS		
	ELEC-4.4.1	Supply of heavy duty long barrel copper lugs confirming to I.S specifications suitable for ----- cable etc complete with nuts, bolts and washers. Makes: DMI / Jainson / Dowels		
990	a	Up to 16 Sq.mm	1 No	23.00
991	b	25 Sq.mm	1 No	31.00
992	c	35 Sq.mm	1 No	38.00
993	d	50 Sq.mm	1 No	53.00
994	e	70 Sq.mm	1 No	93.00
995	f	95 Sq.mm	1 No	114.00
996	g	120 Sq.mm	1 No	154.00
997	h	150 Sq.mm	1 No	181.00
998	i	185 Sq.mm	1 No	260.00
999	j	240 Sq.mm	1 No	375.00
1000	k	300 Sq.mm	1 No	497.00
1001	l	400 Sq.mm	1 No	728.00
	ELEC-4.4.2	Supply of heavy duty long barrel aluminium lugs confirming to I.S specifications suitable for ----- cable etc complete with nuts, bolts and washers. Makes: DMI / Jainson / Dowels		
1002	a	Upto 16 Sq.mm	1 No	14.00
1003	b	25 Sq.mm	1 No	16.00
1004	c	35 Sq.mm	1 No	19.00
1005	d	50 Sq.mm	1 No	21.00
1006	e	70 Sq.mm	1 No	26.00
1007	f	95 Sq.mm	1 No	27.00
1008	g	120 Sq.mm	1 No	39.00
1009	h	150 Sq.mm	1 No	49.00
1010	i	185 Sq.mm	1 No	64.00
1011	j	240 Sq.mm	1 No	92.00
1012	k	300 Sq.mm	1 No	122.00
1013	l	400 Sq.mm	1 No	198.00

Sl. No.	Code	DESCRIPTION OF ITEM	Unit	Scheduled Rates for the Year 2020-21
	4.5	HEAT SHRINKABLE LT CABLE JOINTS		
	ELEC-4.5.1	Supply and erecting of heat shrinkable straight through joint Indoor / Out door for L.T. XLPE Armoured 1100V grade cable complete with necessary accessories and suitable clamps including cost and conveyance of materials complete for ----- with outer tubing seamless type etc complete for finished item of work. Makes : Raychem / Transeal / M Seal		
1014	a	10 to 16 Sqmm 4 Core	1 No	1610.00
1015	b	25 to 50 Sqmm 3.5 Core	1 No	1908.00
1016	c	70 to 185 Sqmm 3.5 Core	1 No	2756.00
1017	d	240 to 300 Sqmm 3.5 Core	1 No	4939.00
1018	e	400 Sqmm 3.5 Core	1 No	6725.00
	4.6	11 KV 3 CORE HT CABLE STRAIGHT THROUGH JOINTS		
	ELEC-4.6.1	Providing and erecting heat shrinkable straight through joint for out door / indoor for H.T, XLPE Insulated armoured cable 11000V grade complete with necessary accessories and suitable clamps for ----- cable including cost and conveyance of materials and all labour charges etc., complete with outer tubing tubular type. Makes : Raychem / Transeal / M Seal		
1019	a	16 to 35Sqmm	1 No	16538.00
1020	b	50 to 95Sqmm	1 No	19845.00
1021	c	120 to 185Sqmm	1 No	25358.00
	4.7	HT END TERMINATION KITS		
	ELEC-4.7.1	Providing and erecting heat shrinkable indoor termination kit for 11 KV HT XLPE insulated armoured cable ----- with necessary materials etc., complete. Makes : Raychem / Transeal / M Seal		
1022	a	70-95 Sqmm 3 core	1 No	9295.00
1023	b	120 Sqmm 3 core	1 No	9427.00
1024	c	150-185 Sqmm 3 core	1 No	10111.00
1025	d	240-300 Sqmm 3 core	1 No	10805.00
1026	e	70-95 Sqmm 3 core	1 No	14112.00
1027	f	120 Sqmm 3 core	1 No	14333.00
1028	g	150-185 Sqmm 3 core	1 No	15656.00
1029	h	240-300 Sqmm 3 core	1 No	16097.00
	4.8	CABLE FAULT DETECTION		

Sl. No.	Code	DESCRIPTION OF ITEM	Unit	Scheduled Rates for the Year 2020-21
1030	ELEC-4.8.1	Cable Fault Detection for all types of LT underground cbles from 16 sq mm to 400 sq mm upto 250 Mtrs length of cable	1 Job	7000.00
1031	ELEC-4.8.2	Cable Fault Detection for all types of HT underground cbles from 16 sq mm to 400 sq mm upto 250 Mtrs length of cable	1 Job	8000.00
	4.9	DOUBLE WALLED CORRUGATED HDPE PIPE		
	ELEC-4.9.1	Supply and Transportation of double walled corrugated HDPE duct made as per specification BSEN - 500 86/IS 14930 Part-II with all accessories like couplers, bends, end caps, Ts etc., complete. Makes: DURA LINE (Dura Guard) / Bajaj / Gamson / Ultra Plus		
1032	a	Outer dia 50mm and Inner dia 38mm	1 Mtr	91.00
1033	b	Outer dia 63mm and Inner dia 51mm	1 Mtr	117.00
1034	c	Outer dia 78mm and Inner dia 63mm	1 Mtr	143.00
1035	d	Outer dia 90mm and Inner dia 76mm	1 Mtr	152.00
1036	e	Outer dia 120mm and Inner dia 103.50mm	1 Mtr	237.00
1037	f	Outer dia 160mm and Inner dia 136mm	1 Mtr	352.00
1038	g	Outer dia 180mm and Inner dia 152mm	1 Mtr	462.00
1039	h	Outer dia 200mm and Inner dia 170mm	1 Mtr	538.00
	4.10	CABLE TRAYS		
		PERFORATED CABLE TRAYS		
	ELEC-4.10.1	Supply, Transportation and Installation of ----- hot dip GI perforated cable tray without cover along with coupler plates, T's, Bends, Reducers, Anchor bolts, nuts, washers and slotted channels / Angle Iron Channels etc complete and the tray should be fitted on the wall / Ceiling etc. complete for finished item of work.		
		Note: Add 30% Extra for Perforated cable tray with cover on below rates.		
1040	a	600mm x 75mm x 2mm thick	1 Mtr	1472.00
1041	b	600mm x 50mm x 2mm thick	1 Mtr	1093.00
1042	c	450mm x 50mm x 2mm thick	1 Mtr	960.00
1043	d	300mm x 50mm x 2mm thick	1 Mtr	811.00
1044	e	150mm x 50mm x 2mm thick	1 Mtr	453.00
1045	f	100mm x 25mm x 2mm thick	1 Mtr	265.00
1046	g	75mm x 25mm x 2mm thick	1 Mtr	233.00
1047	h	600mm x 75mm x 1.6mm thick	1 Mtr	1181.00
1048	i	600mm x 50mm x 1.6mm thick	1 Mtr	872.00
1049	j	450mm x 50mm x 1.6mm thick	1 Mtr	767.00
1050	k	300mm x 50mm x 1.6mm thick	1 Mtr	662.00

Sl. No.	Code	DESCRIPTION OF ITEM	Unit	Scheduled Rates for the Year 2020-21
1051	l	150mm x 50mm x 1.6mm thick	1 Mtr	358.00
1052	m	100mm x 25mm x 1.6mm thick	1 Mtr	211.00
1053	n	75mm x 25mm x 1.6mm thick	1 Mtr	188.00
		LADDER TYPE CABLE TRAYS		
	ELEC-4.10.2	Supply, Transportation and Installation of ----- GI Ladder type cable tray along with required coupler plates, T's, Bends, Reducers, Anchor bolts, nuts, washers and slotted channels / Angle Iron Channels etc complete and the tray should be fitted on the wall / Ceiling etc. complete for finished item of work.		
1054	a	1000mm x 75mm x 2mm thick	1 Mtr	1169.00
1055	b	750mm x 75mm x 2mm thick	1 Mtr	1053.00
1056	c	600mm x 75mm x 2mm thick	1 Mtr	926.00
1057	d	300mm x 50mm x 2mm thick	1 Mtr	578.00
1058	e	150mm x 50mm x 2mm thick	1 Mtr	463.00
		SECTION - 5		
	5.1	FANS		
1059	ELEC- 5.1.1	Supply, Transportation of energy efficient fan, 1200 mm sweep, aluminium body, consuming 28 W, BEE 5 star rated, ceiling fan with Brush Less Direct Current(BLDC)motor, class of insulation: B, 3 no's blades, 30 cm long down rod, 2 no's canopies, shackle'kit, safety rope, copper winding, Power Factor greater than 0.90, Service Value (CMMAV) greater than 8.5, Air delivery minimum 235 CMM, 350 RPM(tolerance as per IS:374-2019), THD less than 10%. with remote or compatible to electronic step type regulator unit for speed control and all remaining accessories including safety pin, nut bolts, washers, temperature rise=75 degree C(max), insulation resistance more than 2 mega ohm, suitable for 230V, 50 HZ, single phase AC supply, earthing etc., including all standard accessories etc., complete. Makes : Atomberg (Efficio) / Havells / Orient	1 No	2825.00
1060	ELEC- 5.1.2	Supply, Transportation of energy efficient fan, 1400 mm sweep, aluminium body, consuming 32 W, BEE 5 star rated, ceiling	1 No	2960.00

Sl. No.	Code	DESCRIPTION OF ITEM	Unit	Scheduled Rates for the Year 2020-21
		fan with Brush Less Direct Current(BLDC)motor, class of insulation: B, 3 no's blades, 30 cm long down rod, 2 no's canopies, shackle kit, safety rope, copper winding, Power Factor greater than 0.90, Service Value (CMMAV) greater than 7.85, Air delivery minimum 270 CMM, 275 RPM(tolerance as per IS:374-2019), THD less than 10%. with remote or compatible to electronic step type regulator unit for speed control and all remaining accessories including safety pin, nut bolts, washers, temperature rise = 75 degree C(max), insulation resistance more than 2 mega ohm, suitable for 230V, 50 HZ, single phase AC supply, earthing etc., including all standard accessories etc., complete. Makes : Atomberg (Efficio) / Havells / Orient		
1061	ELEC- 5.1.3	Supply, Transportation of energy efficient decorative fan, 1200 mm sweep, aluminium body, consuming 28 W, BEE 5 star rated, ceiling fan with Brush Less Direct Current(BLDC)motor, class of insulation: B, 3 no's blades, 30 cm long down rod, 2 no's canopies, shackle kit, safety rope, copper winding, Power Factor greater than 0.90, Service Value (CMM/W) greater than 8.5, Air delivery minimum 235 CMM, 350 RPM (tolerance as per IS:374-2019), THD less than 10%, remote or compatible to electronic step type regulator unit for speed control and all remaining accessories including safety pin, nut bolts, washers, temperature rise = 75 degree C (max), insulation resistance more than 2 mega ohm, suitable for 230V, 50 HZ, single phase AC supply, earthing etc., complete. Makes : Atomberg (Efficio +) / Havells / Orient / RR / Halonix	1 No	3000.00
1062	ELEC- 5.1.4	Supply, Transportation of energy efficient decorative fan, 1400 mm sweep, aluminium body, consuming 35 W, BEE 5 star rated, ceiling fan with Brush Less Direct Current(BLDC)motor, class of insulation: B, 3 no's blades, 30 cm long down rod, 2 no's canopies, shackle kit, safety rope, copper winding, Power Factor greater than 0.90,	1 No	3300.00

Sl. No.	Code	DESCRIPTION OF ITEM	Unit	Scheduled Rates for the Year 2020-21
		Service Value (CMM/W) greater than 7.8, Air delivery minimum 270 CMM, 275 RPM (tolerance as per IS:374-2019), THD less than 10%, remote or compatible to electronic step type regulator unit for speed control and all remaining accessories including safety pin, nut bolts, washers, temperature rise = 75 degree C (max), insulation resistance more than 2 mega ohm, suitable for 230V, 50 HZ, single phase AC supply, earthing etc., complete. Makes : Atomberg (Efficio +) / Havells / Orient / RR / Halonix		
1063	ELEC-5.1.5	Supply of 12" (300mm) Cabin fan. Makes : Crompton / Havells ciera / Orient AP12 / Panasonic / Halonix / RR.	1 No	1896.00
1064	ELEC-5.1.6	Supply of 16" (400 mm) BLDC 30 W Pedestal Fan with service value 2.7 CMM / Watt and with remote controller and with all accessories etc., Makes : Gorilla / Crompton / Orient / Havells / Halonix .	1 No	2960.00
1065	ELEC-5.1.7	Supply of 16" (400mm) BLDC 30 W Wall mounted Fanwith service value 2.7 CMM / Watt with all accessories etc., Makes : Gorilla / Crompton / Orient / Havells / Halonix .	1 No	2750.00
	ELEC-5.1.8	Supply of -----Wall mounting / Pedestal Air Circulators Makes : Crompton / Havells Turbo Force / Orient / Almonard / Panasonic / Halonix / RR.		
1066	a	18" (450mm)	1 No	5976.00
1067	b	24" (600mm)	1 No	7299.00
	ELEC-5.1.9	Supply of ----- Light duty exhaust fan with metal blades etc complete Makes : Crompton / Havells Ventilair-DB / Orient hill air.		
1068	a	9" (225mm)	1 No	1423.00
1069	b	12" (300mm)	1 No	1583.00
	ELEC-5.1.10	Supply of ----- Ventilating exhaust fan with shutters etc complete Makes : Crompton / Havells Ventilair / Orient / Panasonic / Halonix / RR.		
1070	a	6" (150mm)	1 No	1433.00
1071	b	8" (200mm)	1 No	1654.00
	ELEC-5.1.11	Supply of -----, 900 RPM		

Sl. No.	Code	DESCRIPTION OF ITEM	Unit	Scheduled Rates for the Year 2020-21
		Heavy duty exhaust fan with metallic blades. Makes : Crompton / Almonard / Havells Turbo Force SP.		
1072	a	12" (300mm)	1 No	3121.00
1073	b	15" (375mm)	1 No	3682.00
1074	c	18" (450mm)	1 No	4807.00
	ELEC-5.1.12	Supply and fixing of GI louver shutter including GI mesh to avoid birds entry with necessary materials suitable for ----- Exhaust fan.		
1075	a	9"	1 No	154.00
1076	b	12"	1 No	166.00
1077	c	15" / 16"	1 No	181.00
1078	d	18"	1 No	198.00
	ELEC-5.1.13	Providing recessing -----thickness brick wall suitable for erection of exhaust fan up to 450mm sweep completed with grouting, nuts, bolts, plastering and colour wash to match the the colour of wall .		
1079	a	9"	1 No	255.00
1080	b	12"	1 No	441.00
1081	c	15" / 18"	1 No	551.00
	5.2	WATER HEATERS		
	ELEC-5.2.1	Supply, Transportation, Installation, Testing and commissioning of storage / Pressure type Vertical / Horizontal 230/250V single phase 2000watts ISI mark 5 Star rated water heater with ABS plastic body of ----- capacity to withstand up to 8.0 bar of water pressure including all standard accessories and dead weight pressure reducing valve on out let side, including cost of 2 Nos SS flexible braided hose pipe, testing and all labour charges etc., complete.Makes : Crompton Solarium BLX / Jaquar Elena / Venus Lyra / Racold Eterno Swift / Racold Andris Lux Plus / AO Smith HSE SDS / AO Smith HSE SES / Havells Puro Turbo		
1082	a	15 Ltrs	1 No	10364.00
1083	b	25 Ltrs	1 No	12128.00
	5.3	ACCESSORIES FOR WATER HEATERS		
1084	ELEC-5.3.1	Supply and Installation of Heating element of 1.5 / 2.0 / 3.0 KW.	1 No	484.00

Sl. No.	Code	DESCRIPTION OF ITEM	Unit	Scheduled Rates for the Year 2020-21
1085	ELEC-5.3.2	Supply, Installation, Testing and Commissioning of thermostat with range 30° to 90°C adjustable and suitable for 25 to 50 Ltrs capacity.	1 No	327.00
1086	ELEC-5.3.3	Supply , Installation, Testing and Commissioning of pressure release valve for water heater of 15 to 50 Ltrs.capacity.	1 No	327.00
1087	ELEC-5.3.4	Supply, , Installation, Testing and Commissioning Flexible Metallic hose pipe	1 No	218.00
		NOTE : If it is only supply the material (without installation) reduce the prices by 5%		
	5.4	STARTERS FOR MOTORS		
	ELEC-5.4.1	Supply & Fixing of D.O.L Starter 250V, Single phase, 50Hz. With SS encloser comprising of contactor with bi-metalic relay with necessary push buttons, etc., complete suitable ----- Makes: Siemens / Crompton / L&T / BCH.		
1088	a	Up to 3.0 HP.	1 No	900.00
1089	b	Upto 7.5.HP.	1 No	2100.00
1090	c	Upto 10.0.HP.	1 No	3500.00
	ELEC-5.4.2	Supply & Fixing of Star Delta Starter 415V, Three phase, 50Hz. With SS encloser comprising of contactor with bi-metalic relay with necessary push buttons, etc., complete suitable from ----- Makes: Siemens / Crompton / L&T / BCH.		
1091	a	12.5 HP to 15.0 HP.	1 No	6800.00
1092	b	Above 15.0 HP up to 25.0 HP.	1 No	12450.00
1093	c	Above 25.0 HP up to 35.0 HP.	1 No	25789.00
1094	ELEC-5.4.3	Supply and errecting water level controller 230 / 415V AC, 2 way per under ground tank operation only.	1 No	1719.00
1095	ELEC-5.4.4	Supply and errecting water level controller 230 / 415V AC, 2 way per under ground and over head tank operation only.	1 No	1984.00
1096	ELEC-5.4.5	Supply and errecting Float sensor switch for water level controller working on 250V and rated current 8 A, with 2Mtr High quality wire.	1 No	661.00
1097	ELEC-5.4.6	Supply and errecting directly operated single phasing preventer complete errected and connected to power supply to operate in case of single phasing.	1 No	1058.00
1098	ELEC-5.4.7	Supply and errecting pump protection relay	1 No	3306.00

Sl. No.	Code	DESCRIPTION OF ITEM	Unit	Scheduled Rates for the Year 2020-21
		comprising current sensing phase failure and UV+OV relay with dry run and over load protection suitable for 3 phase pumps.		
	5.5	SINGLE PHASE SUBMERSIBLE MOTOR PUMP SETS		
	ELEC-5.5.1	Supply and Transportation of ----- --- single phase ISI submersible motor pumpset suitable for 4" Bore well. Makes: Texmo / CRI / KSB / Aryan Varsha / Lubi		
1099	a	0.75HP 8 Stage	1 No	14200.00
1100	b	1.00HP 10 Stage	1 No	16200.00
1101	c	1.00HP 15 Stage	1 No	16700.00
1102	d	1.50HP 21 Stage	1 No	20200.00
1103	e	2.00HP 25 Stage	1 No	24500.00
	ELEC-5.5.2	Supply and Transportation of ----- --- single phase ISI submersible motor pumpset suitable for 4" Bore well. Makes: Flowell / Waterman / Falcon / Ellen/Kirlosker .		
1104	a	0.75 HP 8 Stage	1 No	13500.00
1105	b	1.00 HP 10 Stage	1 No	15400.00
1106	c	1.00 HP 15 Stage	1 No	15900.00
1107	d	1.50 HP 21 Stage	1 No	19300.00
1108	e	2.00 HP 25 Stage	1 No	23100.00
	5.6	THREE PHASE SUBMERSIBLE MOTOR PUMP SETS.		
	ELEC-5.6.1	Supply and Transportation of star rated ---- -----Three phase ISI submersible motor pumpset suitable for 6" Bore well. Makes: Texmo / CRI / KSB / Aryan Varsha / Lubi		
1109	a	3.00 HP 5-10 Stage	1 No	26293.00
1110	b	5.00 HP 5-10 Stage	1 No	29580.00
1111	c	5.00 HP 12-16 Stage	1 No	33212.00
1112	d	7.50 HP 5-10 Stage	1 No	32780.00
1113	e	7.50 HP 12-16 Stage	1 No	36239.00
1114	f	7.50 HP 20-25 Stage	1 No	37191.00
1115	g	10.00 HP 12-18 Stage	1 No	38315.00
1116	h	10.00 HP 20-30 Stage	1 No	50495.00
1117	i	10.00 HP 35-40 Stage	1 No	57330.00
1118	j	12.50 HP 12-20 Stage	1 No	48841.00
1119	k	12.50 HP 24-40 Stage	1 No	59535.00

Sl. No.	Code	DESCRIPTION OF ITEM	Unit	Scheduled Rates for the Year 2020-21
1120	l	15.00 HP 10-20 Stage	1 No	63945.00
1121	m	15.00 HP 24-40 Stage	1 No	66150.00
	ELEC-5.6.2	Supply and Transportation of star rated ----- -----Three phase ISI submersible motor pumpset suitable for 6" Bore well. Makes: Flowell / Waterman / Falcon / Ellen / Kirlosker.		
1122	a	3.00 HP 5-10 Stage	1 No	27300.00
1123	b	5.00 HP 5-10 Stage	1 No	30300.00
1124	c	5.00 HP 12-16 Stage	1 No	34600.00
1125	d	7.50 HP 5-10 Stage	1 No	34100.00
1126	e	7.50 HP 12-16 Stage	1 No	37700.00
1127	f	7.50 HP 20-25 Stage	1 No	39000.00
1128	g	10.00 HP 12-16 Stage	1 No	40000.00
1129	h	10.00 HP 20-30 Stage	1 No	41200.00
1130	i	10.00 HP 35-40 Stage	1 No	46800.00
1131	j	12.50 HP 12-20 Stage	1 No	40000.00
1132	k	12.50 HP 24-40Stage	1 No	48500.00
1133	l	15.00 HP 10-20 Stage	1 No	52000.00
1134	m	15.00 HP 24-40 Stage	1 No	54000.00
	5.7	SINGLE PHASE OPEN WELL SUBMERSIBLE MOTOR PUMP SETS.		
	ELEC-5.7.1	Supply and Transportation of----- Single phase open well ISI submersible motor pumpset. Makes: Texmo / CRI / KSB / Aryan Varsha / Lubi		
1135	a	1.00 HP	1 No	11200.00
1136	b	1.50 HP	1 No	12700.00
1137	c	3.00 HP	1 No	17200.00
	ELEC-5.7.2	Supply and Transportation of----- Single phase open well ISI submersible motor pumpset. Makes: Flowell / Waterman / Falcon / Ellen .		
1138	a	1.00 HP	1 No	10600.00
1139	b	1.50 HP	1 No	12100.00
1140	c	3.00 HP	1 No	16400.00
	5.8	THREE PHASE OPEN WELL SUBMERSIBLE PUMP SETS.		
	ELEC-5.8.1	Supply and Transportation of ----- Three phase open well ISI submersible motor pumpset-----		

Sl. No.	Code	DESCRIPTION OF ITEM	Unit	Scheduled Rates for the Year 2020-21
		Makes: Texmo / CRI / KSB / Aryan Varsha / Lubi		
1141	a	3.00 HP (65x50).	1 No	17200.00
1142	b	5.00 HP (75x65).	1 No	21300.00
1143	c	7.50 HP (100x75).	1 No	25300.00
1144	d	10.00 HP (100x75).	1 No	32400.00
	ELEC-5.8.2	Supply and Transportation of ----- Three phase open well ISI submersible motor pumpset----- Makes: Varuna / Flowell / Waterman / Techno / Mahavir / unitek / Fitwell / Falcon / Ellen / Karvel / LPS / Duke / Varsha / Ajantha.		
1145	a	3.00 HP (65x50).	1 No	19844.00
1146	b	5.00 HP (75x65).	1 No	24563.00
1147	c	7.50 HP (100x75).	1 No	29161.00
1148	d	10.00 HP (100x75).	1 No	37268.00
	5.9	SINGLE PHASE MONO BLOCK MOTOR PUMP SETS.		
1149	ELEC-5.9.1	Supply and Transportation of 0.5HP Single phase, 2880 RPM 50 Hz ISI Mono block CI body motor pumpset (25x25mm). Makes: Texmo / CRI / KSB / Aryan Varsha / Lubi	1 No	6050.00
1150	ELEC-5.9.2	Supply and Transportation of 0.5HP Single phase, 2880 RPM 50 Hz ISI Mono block CI body motor pumpset (25x25mm). Makes: Flowell / Waterman / Falcon / Ellen	1 No	5808.00
	ELEC-5.9.3	Supply and Transportation of----- Single phase ISI Mono block CI body motor pumpset----- Makes: Texmo / CRI / KSB / Aryan Varsha / Lubi		
1151	a	1.00 HP (25x25mm).	1 No	10368.00
1152	b	1.50 HP (32x25mm).	1 No	13824.00
	ELEC-5.9.4	Supply and Transportation of----- Single phase ISI Mono block CI body motor pumpset. Makes: Varuna / Flowell / Waterman / Techno / Mahavir / unitek / Fitwell / Falcon / Ellen / Karvel / LPS / Varsha.		
1153	a	1.00 HP (25x25mm).	1 No	8349.00
1154	b	1.50 HP (32x25mm).	1 No	11132.00
	ELEC-5.9.5	Supply and Transportation of ----- -----ISI self priming Mono block IP44 motor pumpset-----		

Sl. No.	Code	DESCRIPTION OF ITEM	Unit	Scheduled Rates for the Year 2020-21
		Makes: Texmo / CRI / KSB / Aryan Varsha / Lubi		
1155	a	1.02 HP Single phase (40x40mm).	1 No	14762.00
1156	b	2.00 HP Three phase (40x40mm).	1 No	17182.00
1157	c	3.00 HP Three phase (50x50mm).	1 No	24200.00
1158	d	5.00 HP Three phase (80x80mm).	1 No	28193.00
	ELEC-5.9.6	Supply and Transportation of ----- -----ISI self priming Mono block IP44 motor pumpset----- Makes: Flowell / Waterman/ Falcon / Ellen.		
1159	a	1.02 HP Single phase (40x40mm).	1 No	11600.00
1160	b	2.00 HP Three phase (40x40mm).	1 No	13500.00
1161	c	3.00 HP Three phase (50x50mm).	1 No	18300.00
1162	d	5.00 HP Three phase (80x80mm).	1 No	22200.00
	5.10	CONTROL PANEL BOARD FOR MOTORS		
1163	ELEC-5.10.1	Supply and Transportation of control panel for single phase submersible motors up to 3 HP @ 220V 50Hz operating range between 80 to 240V including supply and fixing of Direct - on - Line LTLK / SIEMENS / CROMPTON make Volt meter and Ammeter with starting and running capacitors assembled with ISI mark contactors and fitted with Legrand make ISI mark MCB etc., complete.	1 No	7031.00
1164	ELEC-5.10.2	Supply and Transportation of control panel for three phase submersible motors up to 5 HP @ 415V 50Hz operating fitted with supply and fixing of Direct - on - Line LTLK /BCH/ SIEMENS / CROMPTON make, 0-500V Volt meter and 0-30A Ammeter, Indication lamps, selector switches, CTS, 32A TP MCB, Single phase preventor,suitable contactor to with stand low voltage pick up and high voltage resistant, with ISI marked capacitors assembled with ISI mark contactors and fitted with Legrand make ISI mark MCB etc., complete.	1 No	10938.00

Sl. No.	Code	DESCRIPTION OF ITEM	Unit	Scheduled Rates for the Year 2020-21
1165	ELEC-5.10.3	Supply and Transportation of control panel for three phase submersible motors above 5 HP up to 7.5 HP @ 415V 50Hz operating fitted with supply and fixing of Direct - on - Line LTLK /BCH/ SIEMENS / CROMPTON make, 0-500V Volt meter and 0-30A Ammeter, Indication lamps, selector switches, CTS, 32A TP MCB, Single phase preventor,suitable contactor to with stand low voltage pick up and high voltage resistant, with ISI marked capacitors assembled with ISI mark contactors and fitted with Legrand make ISI mark MCB etc., complete.	1 No	13125.00
1166	ELEC-5.10.4	Supply and Transportation of control panel for three phase submersible motors above 7.5 HP to 12.5 HP @ 415V 50Hz operating fitted with supply and fixing of Direct - on - Line LTLK /BCH/ SIEMENS / CROMPTON make, 0-500V Volt meter and 0-30A Ammeter, Indication lamps, selector switches, CTS, 32A TP MCB, Single phase preventor,suitable contactor to with stand low voltage pick up and high voltage resistant, with ISI marked capacitors assembled with ISI mark contactors and fitted with Legrand make ISI mark MCB etc., complete.	1 No	15000.00
		Note: If it is Out door panel add 10% extra on above.		
	5.11	UPVC PIPES AND FITTINGS		
	ELEC-5.11.1	Supply and delivery of UPVC Raising Column Pipes for submersible motors with both ends square threaded, with rubber 'O' rings with smooth inner surface which can take the minimum load of 2100 to 4000 Kgs weights.Makes : Ashirvad / Finolex / Waterflo / Apollo / Falcon.		
1167	a	Nominal diameter of Standard 42 / 32mm UPVC pipe with standing upto 20 Kgs / CM2 upto 200 Mts	1 Mtr	164.00
1168	b	Nominal diameter of Standard 48 / 40mm UPVC pipe with standing upto 20 Kgs / CM2 upto 200 Mts	1 Mtr	194.00
1169	c	Nominal diameter of Standard 60 / 50 mm UPVC pipe with standing upto 20 Kgs / CM2 upto 200 Mts	1 Mtr	285.00

Sl. No.	Code	DESCRIPTION OF ITEM	Unit	Scheduled Rates for the Year 2020-21
1170	d	Nominal diameter of Standard 75 / 65 mm UPVC pipe with standing upto 20 Kgs / CM2 upto 200 Mts	1 Mtr	382.00
1171	e	Nominal diameter of Standard 88 / 80 mm UPVC pipe with standing upto 20 Kgs / CM2 upto 200 Mts	1 Mtr	540.00
	ELEC-5.11.2	SUITABLE HEAVY DUTY COUPLINGS FOR STANDARD PIPES		
1172	a	Nominal diameter of heavy duty couplings 42/32 mm UPVC pipe (27 Kgs / CM 2) capable of with standing up to 27 Kgs / CM2 above 200 mts and upto 300 mts	1 Mtr	51.00
1173	b	Nominal diameter of heavy duty couplings 48/40 mm UPVC pipe (27 Kgs / CM 2) capable of with standing up to 27 Kgs / CM2 above 200 mts and upto 300 mts	1 Mtr	78.00
1174	c	Nominal diameter of heavy duty couplings 60/50 mm UPVC pipe (27 Kgs / CM 2) capable of with standing up to 27 Kgs / CM2 above 200 mts and upto 300 mts	1 Mtr	84.00
1175	d	Nominal diameter of heavy duty couplings 75/65 mm UPVC pipe (27 Kgs / CM 2) capable of with standing up to 27 Kgs / CM2 above 200 mts and upto 300 mts	1 Mtr	96.00
1176	e	Nominal diameter of heavy duty couplings 88/80 mm UPVC pipe (27 Kgs / CM 2) capable of with standing up to 27 Kgs / CM2 above 200 mts and upto 300 mts	1 Mtr	115.00
	ELEC-5.11.3	Supply and Delivery of CI Adopter Assembly Makes : Ashirvad / Finolex / Waterflo / Apollo.		
1177	a	1 1/2" (48/40mm)	1 No	835.00
1178	b	2" (60/50mm)	1 No	1094.00
1179	c	2 1/2" (75/65 mm)	1 No	1411.00
	ELEC-5.11.4	Supply and Delivery of pump guard assembly with 2Nos SS Powder coated flange and 2Nos SS Rods with nut and colter pin.Makes : Ashirvad / Finolex / Waterflo / Apollo.		
1180	a	1 1/2" (48/40mm)	1 No	518.00
1181	b	2" (60/50mm)	1 No	576.00
1182	c	2 1/2" (75/65 mm)	1 No	778.00
1183	d	(88/80 mm)	1 No	1152.00
	5.12	REPAIRS TO MOTORS		
1184	ELEC-5.12.1	Rewinding of motor of table fan / wall	1 No	545.00

Sl. No.	Code	DESCRIPTION OF ITEM	Unit	Scheduled Rates for the Year 2020-21
		bracket fan / Cabin Fan including minor repairs, lubrication of ball bearings, bush bearings and replacing condenser, screws etc testing of fan for original speed.		
1185	ELEC-5.12.2	Rewinding of motor of 900mm ceiling Fan including minor repairs, lubrication of ball bearings, bush bearings and replacing condenser, screws etc testing of fan for original speed.	1 No	569.00
1186	ELEC-5.12.3	Rewinding of motor of 1200mm / 1400mm ceiling Fan including minor repairs, lubrication of ball bearings, bush bearings and replacing condenser, screws etc testing of fan for original speed.	1 No	581.00
1187	ELEC-5.12.4	Rewinding of motor of 900 / 1400 RPM 300mm Exhaust Fan including minor repairs, lubrication of ball bearings, bush bearings and replacing condenser, screws etc testing of fan for original speed.	1 No	581.00
1188	ELEC-5.12.5	Rewinding of motor of 900 / 1400 RPM 375mm Exhaust Fan including minor repairs, lubrication of ball bearings, bush bearings and replacing condenser, screws etc testing of fan for original speed.	1 No	690.00
1189	ELEC-5.12.6	Rewinding of motor of 900 / 1400 RPM 450mm Exhaust Fan including minor repairs, lubrication of ball bearings, bush bearings and replacing condenser, screws etc testing of fan for original speed.	1 No	968.00
	ELEC-5.12.7	Rewinding of Electric motor up to and including.....HP, 3 Phase up to 1400 RPM of all types and makes with copper wire including minor repairs, lubrication of ball bearings, bush bearings and replacing condenser, screws etc testing of motor for original speed.		
1190	a	Up to 1.00 HP	1 No	1621.00
1191	b	Above 1.00 HP up to 2.00 HP	1 No	1815.00
1192	c	Above 2.00 HP up to 3.00 HP	1 No	2178.00
1193	d	Above 3.00 HP up to 5.00 HP	1 No	3630.00
1194	e	Above 5.00 HP up to 7.50 HP	1 No	4356.00
1195	f	Above 7.50 HP up to 10.00 HP	1 No	5203.00
1196	g	12.50 HP up to 15.00 HP	1 No	6050.00
	ELEC-5.12.8	Rewinding of Submersible pums motor up to and including.....HP, 3 Phase up to 1400 RPM of all types and makes with copper wire including minor repairs, lubrication of		

Sl. No.	Code	DESCRIPTION OF ITEM	Unit	Scheduled Rates for the Year 2020-21
		ball bearings, bush bearings and replacing condenser, screws etc testing of motor for original speed.		
1197	a	Up to 5.00 HP	1 HP	1500.00
1198	b	Above 5.00 HP up to 25.00 HP	1 HP	2057.00
		Note: If it is in open well submersible rate shall be decreased by 40%		
	ELEC-5.12.9	Bearing of approved make for electric motor single phase / 3 phase AC ----- of all types.		
1199	a	Upto 1 HP	1 No	190.00
1200	b	Upto 2 to 3 HP	1 No	245.00
1201	c	Upto 5 to 7.5 HP	1 No	320.00
1202	d	Upto 10 to 12.5 HP	1 No	335.00
1203	e	Upto 15 to 20 HP	1 No	510.00
	ELEC-5.12.10	Supply of -----for table / cabin / pedestal / ceiling / exhaust fan complete with alignment of shaft and tested.		
1204	a	Bearing	1 No	160.00
1205	b	Bush / rubber / ring washers	1 No	85.00
1206	c	Capacitor	1 No	50.00
1207	ELEC-5.12.11	EICHER model 11:10 with 100 H.P. direct injection 4 stroke engine with one spare wheel 3800 mm cabin high deck with jangla (full body) (4 wheeler) for generator	1 No	600000.00
	5.13	ACCESSORIES OF MOTORS		
	ELEC-5.13.1	Supply, Transportation and fixing of suitable pump guard set (2Nos SS), Flanges set (2 Nos) to protect and safe guard the pump and Motor from vibrations while starting and switching of the pumpset.		
1208	a	OD 42mm	1 No	380.00
1209	b	OD 48mm	1 No	450.00
1210	c	OD 60mm	1 No	645.00
1211	d	OD 75mm	1 No	775.00
1212	e	OD 80mm	1 No	1000.00
	ELEC-5.13.2	Supply, Transportation and fixing of seamless cast iron adopter assembly (Two Nos at bottom of the pipe to coupling to the pump set and the other at top end of the pipes) for installing the pump set with pipes including cost and conveyance of all materials, taxes etc., complete.		
1213	a	OD 42mm	1 No	555.00
1214	b	OD 48mm	1 No	645.00

Sl. No.	Code	DESCRIPTION OF ITEM	Unit	Scheduled Rates for the Year 2020-21
1215	c	OD 60mm	1 No	845.00
1216	d	OD 75mm	1 No	1090.00
1217	e	OD 80mm	1 No	1300.00
	ELEC-5.13.3	Supply, Transportation and fixing of ----- -----90 degree bend with length of 20cm (Center to face) galvanised GI bends heavy duty with threaded at both ends for installing the pump set including cost and conveyance of all materials, taxes etc., complete.		
1218	a	50mm dia	1 No	225.00
1219	b	65mm dia	1 No	303.00
1220	c	80mm dia	1 No	382.00
	ELEC-5.13.4	Supply, Transportation and fixing of following MS threaded Flanges 2 Nos with nuts and bolts including cost and conveyance of all materials, taxes etc., complete.		
1221	a	50mm dia MS flanges set (2 Nos) 150mm dia OD, 12mm thick each flange with required dia bolts and nuts.	1 No	290.00
1222	b	65mm dia MS flanges set (2 Nos) 165mm dia OD, 12mm thick each flange with required dia bolts and nuts.	1 No	411.00
1223	c	80mm dia MS flanges set (2 Nos) 175mm dia OD, 12mm thick each flange with required dia bolts and nuts.	1 No	436.00
	ELEC-5.13.5	Supply and erecting cast iron foot wall ball type / Flat type of sizedia with strainer for negative suction etc complete.		
1224	a	80mm	1 No	4500.00
1225	b	100mm	1 No	6500.00
1226	c	150mm	1 No	16000.00
1227	d	200mm	1 No	27000.00
	ELEC-5.13.6	Supply, Transportation and fixing of ----- -----with required nuts and bolts.		
1228	a	50mm dia, 450mm length, 12mm thickness and 75mm wide MS Clamp set	1 No	363.00
1229	b	65mm dia, 450mm length, 12mm thickness and 75mm wide MS Clamp set	1 No	382.00
1230	c	80mm dia, 450mm length, 12mm thickness and 75mm wide MS Clamp set	1 No	508.00
1231	d	150mm dia galvanised bore cover	1 No	194.00
1232	e	150mm dia stainless steel bore cover	1 No	382.00
		SECTION - 6		

Sl. No.	Code	DESCRIPTION OF ITEM	Unit	Scheduled Rates for the Year 2020-21
		AIR CONDITIONERS		
	6.1	SPLIT Acs		
	ELEC-6.1.1	Supply and Transportation of split AC unit with high wall mounted 100% copper indoor unit and outdoor condensing unit Hermetically sealed compressor suitable for operation on 230V, 50Hz, 1Phase AC supply capable of performing cooling dehumidifying air circulating and filtering with cooling and condensing units with 3.0 mts of copper piping, insulation kit and 4 mts of 3 core copper flexible chord (Voltage range 160- 264 volts) and cordless remote control with 5 years warranty compressor for 5 years including servicing.		
1233	a	1.5 TR 3 Star capable of delivering 18000 BTU/hr Carrier / Daikin / Blue Star / Hitachi	1 No	39847.00
1234	b	2.0 / 1.8 TR 2-3 Star capable of delivering 21600 BTU/hr and above of makes Daikin / Thoshiba / O General / Carrier / Blue Star / Hitachi	1 No	48510.00
	6.2	INVERTER SPLIT AC UNITS (COOLING ONLY)		
	ELEC-6.2.1	Supply and Transportation of of INVERTER Model Cool type split AC unit with high wall mounted Single Split 100% copper indoor and outdoor condensing unit Hermetically sealed compressor suitable for operation on 230V, 50Hz, 1Phase AC supply capable of performing Heat cool dehumidifying air circulating and filtering with cooling and condensing units with 3.0 mts of copper piping, insulation kit and 4 mts of 4 core copper flexible chord (Voltage range 160- 264 volts) and cordless remote control with with warranty of compressor for 5 years including servicing.		
1235	a	1.5 TR 3 Star capable of delivering 18000 BTU/hr and above with operating on refrigerant R-32 / R-410 Makes : Daikin / Blue Star / Toshibha / Carrier / Hitachi	1 No	44100.00
1236	b	1.5 TR 5 Star capable of delivering 18000	1 No	50715.00

Sl. No.	Code	DESCRIPTION OF ITEM	Unit	Scheduled Rates for the Year 2020-21
		BTU/hr and above with operating on refrigerant R-32 / R-410 Makes : Daikin / Toshiba / Carrier / Blue Star / Hitachi		
1237	c	2.0 / 1.8 TR 3 Star capable of delivering 21600 BTU/hr and above with operating on refrigerant R-32 / R-410 Makes : Daikin / Toshiba / Carrier / Blue Star / Hitachi	1 No	59535.00
1238	d	2.0 / 1.8 TR 5 Star capable of delivering 21600 BTU/hr and above with operating on refrigerant R-32 / R-410 Makes : Daikin / Toshiba / Carrier / Blue Star / Hitachi	1 No	65048.00
	6.3	INVERTER CASSETTE TYPE AC UNITS		
	ELEC-6.3.1	Supply and Transportation of Inverter Cassette type AC unit with ceiling mounted indoor unit and outdoor condensing unit Hermetically sealed compressor suitable for operation on AC supply capable of performing cooling dehumidifying air circulating and filtering with cooling and condensing units etc complete with Wireless remote controller, but without refrigerent piping and cable.with 2 years warranty and annual maintenance contract.		
1239	a	1.5 TR 4 Star capable of delivering 18000 BTU/hr and above with operating on refrigerant R-32 / R-410 Makes : Daikin / Toshiba	1 No	91914.00
1240	b	1.5 TR 5 Star capable of delivering 18000 BTU/hr and above with operating on refrigerant R-32 / R-410 Makes : Daikin / Toshiba	1 No	85000.00
1241	c	2.0 TR 4 Star capable of delivering 24000 BTU/hr and above with operating on refrigerant R-32 / R-410 Makes : Daikin / Toshiba	1 No	101436.00
1242	d	2.0 TR 5 Star capable of delivering 24000 BTU/hr and above with operating on refrigerant R-32 / R-410 Makes : Daikin / Toshiba	1 No	95000.00
1243	e	2.5 TR 4 Star capable of delivering 30000 BTU/hr and above with operating on refrigerant R-32 / R-410 Makes : Daikin / Toshiba	1 No	138201.00

Sl. No.	Code	DESCRIPTION OF ITEM	Unit	Scheduled Rates for the Year 2020-21
1244	f	2.5 TR 5 Star capable of delivering 30000 BTU/hr and above with operating on refrigerant R-32 / R-410 Makes : Daikin / Toshiba	1 No	126000.00
1245	g	3.5 TR 4 Star Three Phase capable of delivering 42000 BTU/hr and above with operating on refrigerant R-32 / R-410 Makes : Daikin / Toshiba	1 No	179331.00
1246	h	3.5 TR 5 Star Three Phase capable of delivering 42000 BTU/hr and above with operating on refrigerant R-32 / R-410 Makes : Daikin / Toshiba		162000.00
1247	i	4.0 TR 4 Star Three Phase capable of delivering 48000 BTU/hr and above with operating on refrigerant R-32 / R-410 Makes : Daikin / Toshiba	1 No	182505.00
1248	j	4.0 TR 5 Star Three Phase capable of delivering 48000 BTU/hr and above with operating on refrigerant R-32 / R-410 Makes : Daikin / Toshiba		165000.00
		NON - INVERTER CASSETTE TYPE AC UNITS		
	ELEC-6.3.2	Supply and Transportation of Non - Inverter Cassette type AC unit with ceiling mounted indoor unit and outdoor condensing unit Hermetically sealed compressor suitable for operation on AC supply capable of performing cooling dehumidifying air circulating and filtering with cooling and condensing units etc complete with Wireless remote controller, but without refrigerent piping and cable with 2 years warranty and annual maintenance contract.		
1249	a	1.5 TR 4 Star capable of delivering 18000 BTU/hr and above with operating on refrigerant R-32 / R-410 Makes : Blue Star / Carrier / Hitachi	1 No	77760.00
1250	b	1.9/2.0 TR 4 Star capable of delivering 24000 BTU/hr and above with operating on refrigerant R-32 / R-410 Makes : Blue Star / Carrier / Hitachi	1 No	90720.00
1251	c	3.0 TR 4 Star capable of delivering 30000 BTU/hr and above with operating on refrigerant R-32 / R-410 Makes : Blue Star / Carrier / Hitachi	1 No	122400.00
		CHILLED WATER CASSETTE UNITS		
	ELEC-6.3.3	Supply, Transportation, Installation, testing		

Sl. No.	Code	DESCRIPTION OF ITEM	Unit	Scheduled Rates for the Year 2020-21
		and commissioning of chilled water cooled Cassette fan coil unit complete with decorative panel, drain pump and cordless remote control. Unit shall have 2 Row Coil with AC Motor-3 speed fan control, filter and thermostat built-in, On/Off Control, Compatible with BMS etc including drain tray for finished item of work. Makes : Carryair / Bhutoria		
1252	a	1 TR (400CFM) 1Way Chilled water cassette unit	1 No	35000.00
1253	b	1 TR (400CFM) 2Way Chilled water cassette unit	1 No	37000.00
1254	c	1 TR (400CFM) 4Way Chilled water cassette unit	1 No	39000.00
1255	d	1.5 TR (600CFM) 1Way Chilled water cassette unit	1 No	43000.00
1256	e	1.5 TR (600CFM) 2Way Chilled water cassette unit	1 No	45000.00
1257	f	1.5 TR (600CFM) 4Way Chilled water cassette unit	1 No	48000.00
1258	g	2 TR (800CFM) 1Way Chilled water cassette unit	1 No	45000.00
1259	i	2 TR (800CFM) 4Way Chilled water cassette unit	1 No	51000.00
1260	j	2.5TR (1000CFM) 4Way Chilled water cassette unit	1 No	56000.00
1261	k	3.0 TR (1200CFM) 4Way Chilled water cassette unit	1 No	58000.00
1262	l	3.75 TR (1500CFM) 4Way Chilled water cassette unit	1 No	60000.00
	ELEC-6.3.4	Supply, installation, testing and commissioning of modulating 2 way valve with package assembly with on / off actuator, required control cabling between valve and actuator etc complete for finished item of work.		
1263	a	Valve Package Assembly 2 way 20mm / PIBC valve (DN 20) with Modulating actuator.	1 No	13000.00
1264	b	Valve Package Assembly 2 way 25mm / PIBC valve (DN 25) with Modulating actuator.	1 No	14000.00
	6.4	TOWER MODEL TYPE AC UNITS		
	ELEC-6.4.1	Supply and Transportation of Slim line / Tower Model/Verticool type split AC unit		

Sl. No.	Code	DESCRIPTION OF ITEM	Unit	Scheduled Rates for the Year 2020-21
		with 100% copper indoor unit and floor mounted outdoor condensing unit Hermetically sealed Scroll compressor suitable for operation on AC supply capable of performing cooling dehumidifying air circulating and filtering with cooling and condensing units etc complete with cordless remote control with 2 years warranty and annual maintenance contract.		
1265	a	2.4 TR Three Phase capable of delivering 39600 BTU/hr and above with operating on refrigerant R-32 / R-410 Makes: Daikin / Blue Star / Carrier	1 No	98200.00
1266	b	3.0 / 3.3 TR Three Phase capable of delivering 39600 BTU/hr and above with operating on refrigerant R-32 / R-410 Makes: Daikin / Blue Star / Carrier	1 No	105270.00
1267	c	4.0 / 3.8 TR Three Phase capable of delivering 45600 BTU/hr and above with operating on refrigerant R-32 / R-410 Makes: Daikin / Blue Star / Carrier	1 No	111320.00
1268	d	4.5 / 4.6 TR Three Phase capable of delivering 55200 BTU/hr and above with operating on refrigerant R-32 / R-410 Makes: Daikin / Blue Star / Carrier	1 No	117370.00
	6.5	REPAIRS TO AIR CONDITIONERS		
1269	ELEC-6.5.1	Supply, Fabrication of 1set MS bracket suitable for fixing out door unit of split AC unit.	1 Set	870.00
	ELEC-6.5.2	Providing 2 runs of Copper tubes for suction and liquid between indoor and outdoor unit for split/Casseete Air-Conditioner including foaming etc., complete.		
1270	a	1. 3/4" x 3/8" 2. 5/8" x 1/4" 3. 1/2" x 1/4" or equivalent sizes	1 Mtr	820.00
1271	b	7/8" x 1/2"	1 Mtr	1360.00
1272	c	1 1/8" x 5/8"	1 Mtr	1590.00
1273	ELEC-6.5.3	Supply of 1.0 / 1.5 Ton brand new Rotary type sealed compressor.	1 No	7400.00

Sl. No.	Code	DESCRIPTION OF ITEM	Unit	Scheduled Rates for the Year 2020-21
1274	ELEC-6.5.4	Supply of 2.0 Ton brand new Rotary type sealed compressor.	1 No	8400.00
1275	ELEC-6.5.5	Multi speed Fan Motor suitable for 1.0 / 1.5 / 2.0 Ton Window A.C.Unit of makes Crompton / AU.	1 No	1450.00
1276	ELEC-6.5.6	Fan motor capacitor 6 mfd by new capacitor for A.C machine of 1.0 1.5 / Ton Capacity.	1 No	145.00
1277	ELEC-6.5.7	Thermostat switch suitable for 1.0 / 1.5 / 2.0 Ton A.C.Unit.	1 No	375.00
1278	ELEC-6.5.8	Starting capacitor of 80 to 120 mfd. by new approved make capacitor suitable for compressor motor of 1.0 / 1.5 Ton A.C. Unit.	1 No	185.00
1279	ELEC-6.5.9	Running capacitor of 36 mfd by new approved make capacitor suitable for compressor motor of 1.0 / 1.5 Ton A.C.Unit.	1 No	220.00
1280	ELEC-6.5.10	Relay by approved make having pickup voltage 220 Volts and dropout voltage 120 Volts suitable for 1.0 / 1.50 Ton A.C. Unit.	1 No	205.00
1281	ELEC-6.5.11	Filter and capillary tube including welding etc., complete for 1.0 / 1.5 / 2.0 Ton A.C.Unit.	1 No	445.00
1282	ELEC-6.5.12	Air filter suitable for 1.50 Ton Window A.C.Unit P.V.C. / NYLON.	1 No	205.00
1283	ELEC-6.5.13	Air filter suitable for 1.50 Ton Split A.C.Unit P.V.C. / NYLON.	1 No	435.00
1284	ELEC-6.5.14	Rewiring the entire Window type 1.50 Ton A.C.unit with 2.5 Sq.mm Flexible copper cable and putting the same in working conditions.	1 No	295.00
1285	ELEC-6.5.15	Complete servicing of 1.0 - 2.0 TR AC unit with cleaning the condensor cooling Coil etc., by blower and oiling the Fan Motor and Cleaning all parts and putting the machine in working condition.	1 No	500.00
1286	ELEC-6.5.16	Fan blade for 1.0 / 1.5 Ton A.C.Machine.	1 No	510.00
1287	ELEC-6.5.17	Grill of 1.0 / 1.5 ton A.C. Machine (for assembled Units).	1 No	890.00
1288	ELEC-6.5.18	Grill of 1.0 / 1.5 ton A.C. Machine of branded units.	1 No	1540.00
1289	ELEC-6.5.19	Rotary / Selector switch for window AC.	1 No	105.00
1290	ELEC-6.5.20	Flushing the line, leak testing, leak stopping, vaccumming, dehydrating and charging the gas in the refrigeration system for 1.0 / 1.5 / 2.0 Ton Window A.C.Unit.	1 No	1530.00

Sl. No.	Code	DESCRIPTION OF ITEM	Unit	Scheduled Rates for the Year 2020-21
1291	ELEC-6.5.21	Flushing the line, leak testing, leak stopping, vaccumming, dehydrating and charging the gas in the refrigeration system for 1.5 / 2.0 Ton Split A.C.Unit.	1 No	2140.00
1292	ELEC-6.5.22	Spray painting of Refrigerator using good quality paint after scraping the surface etc.	1 No	735.00
1293	ELEC-6.5.23	Sealed compressor of 1/8 HP suitable for 165 to 185 Ltrs. Capacity Refrigerator.	1 No	2810.00
1294	ELEC-6.5.24	Sealed compressor of 1/6 HP suitable for 285 / 310 Ltrs. Capacity Refrigerator.	1 No	3400.00
1295	ELEC-6.5.25	Supply of fan motor by new 1/10 t0 1/12 H.P 1250 RPM fan motor for Water Cooler of 80-150 Ltrs.	1 No	1450.00
1296	ELEC-6.5.26	Gun metal Bush for fan motor.	1 No	115.00
1297	ELEC-6.5.27	Resistance type regulator for ceiling fans 900/1200/1400mm sweep complete erected on existing board.	1 No	40.00
1298	ELEC-6.5.28	Installation of Split Air Conditioners.	1 No	1600.00
1299	ELEC-6.5.29	Removing of existing Split Air Conditioners without damaging to copper pipe.	1 No	430.00
1300	ELEC-6.5.30	Installation of Cassette type Split Air Conditioners.	1 No	3200.00
1301	ELEC-6.5.31	Installation of Tower type Split Air Conditioners.	1 No	2650.00
1302	ELEC-6.5.32	Supply, Fabrication of 1set MS bracket suitable for fixing out door unit of ductable AC unit.	1 Set	1700.00
	6.6	EVAPORATIVE AIR COOLING SYSTEM		
1303	ELEC-6.6.1	Supply ,Transportation, Installation,testing and commissioning of single phase evaporative air cooling unit with a capacity of 8000 CFM consisting cabinet and water tank made of polypropylene material, blower water pump of 40W, single phase 1.20 KW motor axial type fan with variable speed, 20 micron filtration, noise level less than 78 dBA with auto cleaning and water lack protection etc complete. Makes: Cool Breeze / Breeze Air or equivalent	1 No	97800.00
1304	ELEC-6.6.2	Supply ,Transportation, Installation,testing and commissioning of single phase evaporative air cooling unit with a capacity of 11000 - 12000 CFM consisting cabinet and water tank made of polypropylene material, blower water pump of 40W,	1 No	115550.00

Sl. No.	Code	DESCRIPTION OF ITEM	Unit	Scheduled Rates for the Year 2020-21
		single phase 1.20 KW / 1.5 KW motor axial type fan with variable speed, 20 micron filtration, noise level less than 78 dBA with auto cleaning and water lack protection etc complete. Makes: Cool Breeze / Breeze Air		
1305	ELEC-6.6.3	Supply ,Transportation, Installation,testing and commissioning of three phase evaporative air cooling unit with a capacity of 17000 CFM consisting cabinet and water tank made of polypropylene material, blower water pump of 60W, three phase, 3.0 KW motor, axial type fan with 2 speed, 20 micron filtration, noise level less than 78 dBA with auto cleaning and water lack protection etc complete. Makes: Cool Breeze / Breeze Air or equivalent	1 No	160000.00
	ELEC-6.6.4	Supply, Factory fabrication, Transportation and erection of guage GI sheet Rectangular ducting complete with neoprene rubber gaskets, Elbows, sheet metal / Angle iron / C-cleats as required, G.I.fasteners, bolts, nuts and washers, guide vanes as required, supports shall be galvanised threaded rods etc complete.Makes : Tata / Zindal		
1306	a	20 Guage	1 Sqft	110.00
1307	b	22 Guage	1 Sqft	100.00
1308	c	24 Guage	1 Sqft	83.00
	ELEC-6.6.5	Supply, Factory fabrication, Transportation and erection of guage GI sheet Spiral / Round ducting complete with neoprene rubber gaskets, Elbows, sheet metal / Angle iron / C-cleats as required, G.I.fasteners, bolts, nuts and washers, guide vanes as required, supports shall be galvanised threaded rods etc complete. Makes : Tata / Zindal		
1309	a	20 Guage	1 Sqft	122.00
1310	b	22 Guage	1 Sqft	110.00
1311	c	24 Guage	1 Sqft	88.00
		THERMAL INSULATION		
	ELEC-6.6.6	Supply and fixing ofmm thickness closed cell nitrile rubber (Class O) insulation on existing duct after applying 2 coats of cold setting adhesive (CPRX		

Sl. No.	Code	DESCRIPTION OF ITEM	Unit	Scheduled Rates for the Year 2020-21
		Compound). The joints shall be sealed with 50mm wide and 3mm thick self adhesive nitrile rubber tape insulation complete as per specifications.		
1312	a	6 mm	1 Sqmt	441.00
1313	b	9 mm	1 Sqmt	622.00
1314	c	12 mm	1 Sqmt	828.00
1315	d	19 mm	1 Sqmt	992.00
1316	e	25 mm	1 Sqmt	1433.00
	ELEC-6.6.7	Supply and fixing ofmm thickness closed cell nitrile rubber (Class O) insulation on existing duct after applying 2 coats of cold setting adhesive (CPRX Compound). The joints shall be sealed with 50mm wide and 3mm thick self adhesive nitrile rubber tape insulation complete with star bond coating and covered with 24 guage alluminium cladding as per specifications for out door applications.		
1317	a	6 mm	1 Sqmt	468.00
1318	b	9 mm	1 Sqmt	634.00
1319	c	12 mm	1 Sqmt	852.00
1320	d	19 mm	1 Sqmt	1040.00
1321	e	25 mm	1 Sqmt	1457.00
1322	ELEC-6.6.8	Supply and fixing of 40mm thick thermocole insulation of 16 kg density with GI mesh and 12mm thick cement mortor plastering for out door unit.	1 Sqft	70.00
1323	ELEC-6.6.9	Supply and fixing of 40mm thick glasswool of 24 kg density with alluminium foil insulation for indoor duct.	1 Sqft	57.00
1324	ELEC-6.6.10	Supply, installation, testing and commissioning of GI volume control duct damper complete with neoprene rubber gaskets, nuts, bolts, flnges etc as per specifications. The thickness of the damper frame shall be 16 guage and damper plate shall be 18 guage.	1 Sqmtr	8947.00
1325	ELEC-6.6.11	Supply and fixing of alluminium powder coated supply air grill with volume control dampers.	1 Sqft	639.00
1326	ELEC-6.6.12	Supply and fixing of alluminium powder coated supply air diffuser with volume control dampers.	1 Sqft	728.00
1327	ELEC-6.6.13	Supply and fixing of alluminium powder coated supply air diffuser without volume control dampers.	1 Sqft	624.00

Sl. No.	Code	DESCRIPTION OF ITEM	Unit	Scheduled Rates for the Year 2020-21
1328	ELEC-6.6.14	Supply and fixing of angular iron frame with 2 coats of zincromat red oxide for installation of air cooling unit.	1 No	4536.00
1329	ELEC-6.6.15	Installation and commissioning charges for air cooling unit.	1 No	3777.00
1330	ELEC-6.6.16	Supply, installation, testing and commissioning of the drain line with CPVC pipes with all accessories and insulation with 6mm thick closed cell nitrile rubber of the following sizes.		
	a	25 mm	1 RM	198.00
	b	32 mm	1 RM	250.00
	6.7	STABILIZERS		
	ELEC-6.7.1	Supply of ----- Stabilizer Makes : V-Guard / Real Guard / Uni Stab / ITL.		
1331	a	0.5 KVA	1 No	920.00
1332	b	1.0 KVA .	1 No	1500.00
1333	c	3.0 KVA	1 No	1900.00
1334	d	4.0 KVA	1 No	2500.00
1335	e	5.0 KVA	1 No	3000.00
	ELEC-6.7.2	Supply of ----- Stabilizer Makes :Keeline / Soft Line / Capri.		
1336	a	0.5 KVA	1 No	720.00
1337	b	1.0 KVA .	1	1290.00
1338	c	3.0 KVA	1 No	1660.00
1339	d	4.0 KVA	1 No	2280.00
1340	e	5.0 KVA	1 No	2740.00
		SECTION - 7		
		SWAGED POLES / OCTOGONAL POLES, GARDEN POSTS AND ACCESSORIES		
	7.1	SWAGED POLES		
1341	ELEC-7.1.1	Fabrication, supply and transportation of all sizes swaged poles up to site confirming to IS 2713 / 1980 specifications. The pole should be painted with primary coat of red oxide and black bituminous paint up to ground level with base plate, including cost of all materials etc., complete.(Rate per K. G)	1 Kg	73.00
	7.2	M S POLES FOR GARDEN POSTS		
1342	ELEC-7.2.1	Fabrication and Supply of M.S. Poles for garden posts with 'B' class 60.25mm outer dia with base plate and suitable pole cap	1 Kg	67.00

Sl. No.	Code	DESCRIPTION OF ITEM	Unit	Scheduled Rates for the Year 2020-21
		including cost and conveyance of all material including fixing of luminaire and labour charges etc., complete. (Rate per K. G)		
1343	ELEC-7.2.2	Supply of different sizes of M. S. Pipe brackets (Rate per K.G)	1 Kg	67.00
	7.3	OCTOGONAL POLES		
	ELEC-7.3.1	Fabrication, Transportation and supply of hot-dip galvanized Octogonal Pole with BSEN - 10025 grade S 355 JO steel plate for shaft, IS 2062 for base plate with door opening arrangement, including chain for anti theft mechanism, supply of suitable boards with bakelite sheet, din channel for MCB's as per IS specification suitable to withstand the wind speed of 180 KMPH for		
1344	a	7.00 Mtrs height Pole having dimensions Bottom 130mm, Top 70mm with 3mm thick, base plate 220 x 220 x 12mm and 4 Nos of M20 x 700mm long 'J' bolts along with template or equivalent.		11200.00
1345	b	7.50 Mtrs height Pole having dimensions Bottom 130mm, Top 70mm with 3mm thick, base plate 220 x 220 x 12mm and 4 Nos of M20 x 700mm long 'J' bolts along with template or equivalent.	1 No	12000.00
1346	c	8.00 Mtrs height Pole having dimensions Bottom 135mm, Top 70mm with 3mm thick, base plate 220 x 220 x 12mm and 4 Nos of M20 x 700mm long 'J' bolts along with template or equivalent.		13200.00
1347	d	9 Mtrs height Pole having dimensions Bottom 155mm, Top 70mm with 3mm thick, base plate 260 x 260 x 16mm and 4 Nos of M24 x 750mm long 'J' bolts along with template or equivalent.	1 No	16900.00
1348	e	10 Mtrs height Pole having dimensions Bottom 175mm, Top 70mm with 3mm thick, base plate 275 x 275 x 16mm and 4 Nos of M24 x 750mm long 'J' bolts along with template or equivalent.	1 No	19200.00
1349	f	12 Mtrs height Pole having dimensions Bottom 240mm, Top 90mm with 4mm thick, base plate 320 x 320 x 20mm and 4	1 No	27000.00

Sl. No.	Code	DESCRIPTION OF ITEM	Unit	Scheduled Rates for the Year 2020-21
		Nos of M24 x 850mm long 'J' bolts along with template or equivalent.		
	7.4	BRACKETS		
	ELEC-7.4.1	Fabrication, Transportation and supply of ----- standard Bracket made with MS galvanized 50mm dia Pipe.Makes: BAJAJ / VALMONT / TRANSRAIL / SKIPPER / UTKARSH / LAASMA / CONSOUL		
1350	a	1.0 Mtr Length Single Arm	1 No	1300.00
1351	b	1.0 Mtr length Double Arm	1 No	1610.00
1352	c	1.50 Mtr Length Single Arm	1 No	1720.00
1353	d	1.50 Mtr length Double Arm	1 No	2900.00
	ELEC-7.4.2	Fabrication, Transportation and supply of -----complete with all accessories with MS galvanized 50mm dia Pipe. Makes: BAJAJ / VALMONT / TRANSRAIL / SKIPPER / UTKARSH / LAASMA / CONSOUL		
1354	a	1.0 Mtr sword type or any decorative Single arm bracket with dooms	1 No	3650.00
1355	b	1.0 Mtr sword type or any decorative double arm bracket with dooms.	1 No	4300.00
1356	c	1.5 Mtr sword type or any decorative Single arm bracket with dooms	1 No	4100.00
1357	d	1.5 Mtr sword type or any decorative double arm bracket with dooms.	1 No	5350.00
	ELEC-7.4.3	Fabrication, Transportation and supply of -----bracket with PU paint complete with all accessories with MS galvanized 50mm dia Pipe. Makes: BAJAJ / VALMONT / TRANSRAIL / SKIPPER / UTKARSH / LAASMA / CONSOUL		
1358	a	1.5 Mtr decorative galvanized Single arm	1 No	4830.00
1359	b	1.5 Mtr decorative galvanized double arm	1 No	9120.00
	7.5	HIGH MAST POLES		
1360	ELEC-7.5.1	Fabrication, transportation and supply of 12 Mtrs Polygon High Mast with single section of 3mm thick of Bottom 360mm and Top 150mm dia with BSEN - 10025 grade S 355 JO steel plate for shaft, IS 2062 for base plate, having a base plate of size 520mm dia 16mm thick with its accessories. Mast shall be in single section for 12 Mtrs . Mast shall be hot dip galvanized and suitable for wind velocity of 180 KMPH as per IS 875 part 3 including head frame, 2 point	1 No	106000.00

Sl. No.	Code	DESCRIPTION OF ITEM	Unit	Scheduled Rates for the Year 2020-21
		suspension system with steel rope 6mm dia (7/19) construction double drum winch / power tool , and necessary cable trailer connections and single speed motor with M 24 x 800 mm foundation bolts of required quantity, suitable for 6-8 luminaires with GLS type aviation twin lamp. Makes: BAJAJ / VALMONT / TRANSRAIL / SKIPPER / UTKARSH / LAASMA / CONSOUL		
1361	ELEC-7.5.2	Fabrication, transportation and supply of 16 Mtrs Polygon High Mast with two sections of Bottom 4mm thick and Top section with 3mm thick with GLS type aviation lamp of Bottom 360mm and Top 150mm dia with BSEN - 10025 grade S 355 JO steel plate for shaft, IS 2062 for base plate, having a base plate of size 560mm dia 25mm thick with its accessories. Mast shall be in 2 sections and should be hot dip galvanized and suitable for wind velocity of 180 KMPH as per IS 875 part 3 including head frame, 2 point suspension system with steel rope 6mm dia (7/19) construction double drum winch / power tool speed of 900 RPM, and necessary cable trailer connections and single speed motor with M 24 x 800 mm foundation bolts of required quantity, suitable for 6-10 Flood lights, with GLS type aviation twin lamp Makes: BAJAJ / VALMONT / TRANSRAIL / SKIPPER / UTKARSH / LAASMA / CONSOUL	1 No	138000.00
1362	ELEC-7.5.3	Fabrication, transportation and supply of 20 Mtrs Polygon High Mast with two sections of Bottom 4mm thick and Top section with 3mm thick of Bottom 410mm and Top 150mm dia with BSEN - 10025 grade S 355 JO steel plate for shaft, IS 2062 for base plate, having a base plate of size 570mm dia 25mm thick with its accessories. Mast shall be in 2 sections and should be hot dip galvanized and suitable for wind velocity of 180 KMPH as per IS 875 part 3 including head frame, 2 point suspension system with steel rope 6mm dia (7/19) construction double drum winch / power tool operating speed of 900 RPM, and necessary cable trailer connections and single speed motor with M 24 x 800 mm foundation bolts of	1 No	172000.00

Sl. No.	Code	DESCRIPTION OF ITEM	Unit	Scheduled Rates for the Year 2020-21
		required quantity,suitable for 10-12 flood lights, with GLS type aviation twin lamp. Makes:BAJAJ / VALMONT / TRANSRAIL / SKIPPER / UTKARSH / LAASMA / CONSOUL		
	7.6	FEEDER PILLER BOX		
	ELEC-7.6.1	Supply and fixing of suitable out door feeder piller box of size made with 14 SWG CRCA sheet with double door arrangement, making powder coating after processing of 7 Tank process, lock and key, hinges, rubber gasket, danger board,suitable angle iron stand for mounting the feeder pillar with cement concrete, including Supply and fixing of Legrand / Schnieder make ----- ----- as out goings, indication lamps, din channel, 6 Sqmm 3 core copper cable for invidual light control, connectors, bus bars, shroudings, gland plates and provision for 3 phase energy meter etc., complete for finished item of work and suitable wiring provision for connecting the nature switch with following.		
1363	a	40A 4 Pole Isolator as incomer, 6 Nos 6-32A SP MCBs	1 No	20396.00
1364	b	63A, 4 Pole isolator as incomer, 6 Nos 6-32A SP MCBs	1 No	20507.00
1365	c	63A, 4 Pole isolator as incomer, 9 Nos 6-32A SP MCBs	1 No	21278.00
	ELEC-7.6.2	Supply and fixing of suitable out door feeder piller box of size made with 14 SWG CRCA sheet with double door arrangement, making powder coating after processing of 7 Tank process, lock and key, hinges, rubber gasket, danger board,suitable angle iron stand for mounting the feeder pillar with cement concrete, including Supply and fixing of Legrand / Schnieder make ---- ----- as out goings, indication lamps, din channel, 6 Sqmm 3 core copper cable for invidual light control, connectors, bus bars, shroudings, gland plates and provision for 3 phase energy meter etc., complete for finished item of work and suitable wiring provision		

Sl. No.	Code	DESCRIPTION OF ITEM	Unit	Scheduled Rates for the Year 2020-21
		for connecting the nature switch with following.		
1366	a	40A-63A, 4 Pole MCB as incomer, 6 Nos 6-32A SP MCBs	1 No	21719.00
1367	b	63A, 4 Pole MCB as incomer, 9 Nos 6-32A SP MCBs	1 No	22381.00
	7.7	ERRECTION OF HIGH MAST POLES		
1368	ELEC-7.7.1	Earth work excavation with a approximate quantity of 4.0 Cum for erection of 12 Mtrs high mast and refilling with a quantity of 0.53 Cum of PCC 1:4:8, 1.50 Cum M 20 grade concrete and (80 Kgs) reinforced steel of 12mm / 10mm / 8mm, Soil bearing capacity of 10 T/Sqm, Anchor plate with cost and conveyance of all above materials including labour charges for erection of High Mast and Carraige etc complete including soil testing.	1 No	28100.00
1369	ELEC-7.7.2	Earth work excavation with a approximate quantity of 6.0 Cum for erection of 16 Mtrs high mast and refilling with a quantity of 0.65 Cum of PCC 1:4:8, 2.60 Cum M 20 grade concrete and (110 Kgs) reinforced steel of 12mm / 10mm / 8mm, Soil bearing capacity of 10 T/Sqm, Anchor plate with cost and conveyance of all above materials including labour charges for erection of High Mast and Carraige etc complete including soil testing.	1 No	35800.00
1370	ELEC-7.7.3	Earth work excavation with a approximate quantity of 7.0 Cum for erection of 20 Mtrs high mast and refilling with a quantity of 0.75 Cum of PCC 1:4:8, 3.60 Cum M 20 grade concrete and (140 Kgs) reinforced steel of 12mm / 10mm / 8mm, Soil bearing capacity of 10 T/Sqm, Anchor plate with cost and conveyance of all above materials including labour charges for erection of High Mast and Carraige etc complete including soil testing.	1 No	45600.00
	7.8	CONICAL POLES		
1371	ELEC-7.8.1	Fabrication, transportation and supply of MS hot dip galvanized 9.0 Mtrs long Conical poles with 3mm thick HT steel plate with a bottom 173mm dia and top 75mm dia, base plate of size 275mmx275mmx16mm thick	1 No	15700.00

Sl. No.	Code	DESCRIPTION OF ITEM	Unit	Scheduled Rates for the Year 2020-21
		welded to bottom of pole, terminal box with door size of 500mm x 100mm with all accessories connector and fuse base and a fixing arrangements for advertisements holdings, foundation bolts with washers and nuts 4 sets. including S&F of 1.0 mtrs C type decorative single arm with painted bracket with dooms either sides complete with all accessories as per the requirements at site and as per the directions of field engineers during execution for finished item of work. Makes: BAJAJ / VALMONT / TRANSRAIL / SKIPPER / UTKARSH / LAASMA / CONSOUL		
1372	ELEC-7.8.2	Fabrication, transportation and supply of MS hot dip galvanized 10.0 Mtrs long Conical poles with 3mm thick HT steel plate with a bottom 184mm dia and top 75mm dia, base plate of size 275mmx275mmx16mm thick welded to bottom of pole, terminal box with door size of 500mm x 100mm with all accessories connector and fuse base and a fixing arrangements for advertisements holdings, foundation bolts with washers and nuts 4 sets. including S&F of 1.5 mtrs C type decorative Double arm with painted bracket with dooms either sides complete with all accessories as per the requirements at site and as per the directions of field engineers during execution for finished item of work.Makes: BAJAJ / VALMONT / TRANSRAIL / SKIPPER / UTKARSH / LAASMA / CONSOUL	1 No	19845.00
	7.9	DECORATIVE DRAGON TYPE BRACKET WITH POLE		
	ELEC-7.9.1	Fabrication, Transportation and supply of hot-dip galvanized Octogonal Pole with BSEN - 10025 grade S 355 JO steel plate for shaft, IS 2062 for base plate with door opening arrangement, including the supply of suitable boards with bakelite sheet and MCB's as per IS specification suitable to withstand the wind speed of 180 KMPH for 9 Mtrs Mounting height Pole having dimensions Bottom 185 mm,. Top 70mm with 3mm thick, base plate 275 x 275 x		

Sl. No.	Code	DESCRIPTION OF ITEM	Unit	Scheduled Rates for the Year 2020-21
		20mm and 4 Nos of M24 x 1000 long 'J' bolts along with templates Including Supply of 1.5M Dragon type decorative ----- ----- Makes: VALMONT / BAJAJ / TRANSRAIL		
1373	a	galvanised Double Arm with PU Painted bracket.	1 No	26600.00
1374	b	galvanised Single Arm with PU Painted bracket.	1 No	22800.00
1375	c	Double arm Galvanised finish bracket.	1 No	22800.00
1376	d	Single arm Galvanised finish bracket.	1 No	20400.00
	ELEC-7.9.2	Fabrication, Transportation and supply of hot-dip ----- Curved Octogonal Pole with BSEN - 10025 grade S 355 JO steel plate for shaft Including Supply of 0.2M long Single arm bracket, IS 2062 for base plate with door opening arrangement, including the supply of suitable boards with bakelite sheet and MCB's as per IS specification suitable to withstand the wind speed of 180 KMPH for 9 Mtrs Mounting height Curved Pole having dimensions Bottom 180mm, . Top 85mm with 3mm thick, base plate 400 x 400 x 20mm and 4 Nos of M24 x 750 long 'J' bolts along with templates. Makes: VALMONT / BAJAJ / TRANSRAIL		
1377	a	galvanized	1 No	22300.00
1378	b	galvanized PU Paint finish	1 No	30200.00
	7.10	THERMO PLASTIC POLE BOXES		
	ELEC-7.10.1	Supply of following sizes thermo plastic pole boxes IP 65 protection. Make : Hensel / Sintex / Sadhrish		
1379	a	200X150X100		720.00
1380	b	250X200X120		890.00
1381	c	300X150X170		1040.00
1382	d	300X200X125		1120.00
1383	e	300X300X170		1480.00
1384	f	400X300X200		1600.00
1385	g	300X450X170		2020.00
1386	h	490X390X250		2230.00
1387	i	300X600X170		2400.00
	7.11	FOUNDATION AND ERRECTION CHARGES OF POLES		

Sl. No.	Code	DESCRIPTION OF ITEM	Unit	Scheduled Rates for the Year 2020-21
1388	ELEC-7.11.1	Erection charges for 7.50 Mts long Octagonal pole on bridge kerb portion (R.C.C). duly provided 4 Nos 8" Anchor bolts/ M20xsuitable "J" type bolts etc duly drilling holes to RCC slab and with V.C.C. M.15 concrete for base concreting up to a height of 8" with necessary Reinforcement work etc. including cost and conveyance of all material and all labour charges etc. complete as directed by the department officers.	1 No	3360.00
1389	ELEC-7.11.2	Foundation and erection charges with special T&P, for 7.50 Mtrs long Octagonal / Conical pole duly erecting on base plate duly provided 4 Nos foundation bolts with nuts with providing of 0.45Mtrx0.45Mtrsx1.20 Mtr size M20 cc work vibrated concreting mixing with necessary steel (10kgs) reinforcement as directed by the field engineers during execution including centering, decentering, water curing as required, soil excavation, back filling, muffing removal and coil earthing including all labour charges and cost and conveyance of materials etc. complete.	1 No	4730.00
1390	ELEC-7.11.3	Foundation and erection charges with special T&P, for 9.00Mtrs / 10Mtrs long Octagonal / Conical pole duly erecting on base plate duly providing 4 Nos foundation bolts with nuts with providing of 0.60Mtrx0.60Mtrsx1.40 Mtr size M20 cc work vibrated concreting mixing with necessary steel (15kgs) reinforcement as directed by the field engineers during execution including centering, decentering, water curing as required, soil excavation, back filling, muffing removal and coil earthing including all labour charges and cost and conveyance of materials etc. complete.	1 No	6300.00
1391	ELEC-7.11.4	Foundation and erection charges with special T&P, for 12Mtrs long Octagonal / Conical pole duly erecting on base plate duly provided 4 Nos foundation bolts with nuts with providing of	1 No	7900.00

Sl. No.	Code	DESCRIPTION OF ITEM	Unit	Scheduled Rates for the Year 2020-21
		0.67Mtrx0.67Mtrsx1.50 Mtr size M20 cc work vibrated concreting mixing with necessary steel (20kgs) reinforcement as directed by the field engineers during execution including centering, decentering, water curing as required, soil excavation, back filling, muffing removal and coil earthing including all labour charges and cost and conveyance of materials etc. complete.		
	7.12	G R P POLES		
	ELEC-7.12.1	Supply and transportation of following glass reinforced polymer (GRP) composite type Conical pole with single arm bracket of length 1Mtr and internal junction box including labour charges etc., complete. Makes: Bajaj / Valmont / Kemrock / Sumip.		
1392	a	3.00 Mtrs height, Bottom dia 130-143mm, Top 76-89mm, AV thickness 6mm and to withstand maximum wind velocity 155Km/Hr	1 No	9200.00
1393	b	4.00 Mtrs height, Bottom dia 140-145mm, Top 76-89mm, AV thickness 6mm and to withstand maximum wind velocity 155Km/Hr	1 No	11500.00
1394	c	6.00 Mtrs height, Bottom dia 150-170mm, Top 76-89mm, AV thickness 6mm and to withstand maximum wind velocity 155Km/Hr	1 No	14600.00
1395	d	8.00 Mtrs height, Bottom dia 150-193mm, Top 76-89mm, AV thickness 6mm and to withstand maximum wind velocity 155Km/Hr	1 No	19300.00
1396	e	10.00 Mtrs height, Bottom dia 207-227mm, Top 76-89mm, AV thickness 6mm and to withstand maximum wind velocity 155Km/Hr	1 No	27900.00
	ELEC-7.12.2	Supply and transportation of base bracket suitable for glass reinforced polymer (GRP) composite type pole including labour charges etc., complete. Makes : Bajaj / Kemrock / Sumip.		
1397	a	For 3.00 Mtrs Pole	1 No	1540.00
1398	b	For 4.00 Mtrs Pole	1 No	1540.00
1399	c	For 6.00 Mtrs Pole	1 No	1850.00
1400	d	For 8.00 Mtrs Pole	1 No	2160.00

Sl. No.	Code	DESCRIPTION OF ITEM	Unit	Scheduled Rates for the Year 2020-21
1401	e	For 10.00 Mtrs Pole	1 No	3714.00
	7.13	CONTROL PANEL BOARD		
	ELEC-7.13.1	Fabrication and erection of ----- sheet steel enclosure for power control cubicle panel / boxes etc., including cutting, bending drilling, welding and reveting etc., complete with cleaning with 7 tank process and painting with powder coating including cost and conveyance of all materials and labour charges.		
1402	a	14SWG CRCA (2mm)	1 Sq Inch	2.70
1403	b	16 SWG CRCA(1.6mm)	1 Sq Inch	2.55
1404	c	18SWG CRCA(1.25mm)	1 Sq Inch	2.25
		NOTE : For Panels fabrication as per IEC 61439 (TTA Panels), the rate should be considered 1.25 times of above price		
	7.14	METERING EQUIPMENT		
	ELEC-7.14.1	Supply and erection of 0-500V ----- on existing panel board including connections etc., complete. MAKES : CONZERVE / ELMEASURE / L&T / SEIMENS.		
1405	a	Digital Volt meter	1 No	2000.00
1406	b	Analog Volt meter	1 No	400.00
	ELEC-7.14.2	Supply and erection of 0-100 / 200 / 400 / 600 / 1000 -----of size 96x96mm on existing panel board including connections etc., complete. MAKES : CONZERVE / ELMEASURE / L&T / SEIMENS.		
1407	a	Digital Ammeter	1 No	2000.00
1408	b	Analog Ammeter	1 No	400.00
1409	ELEC-7.14.3	Supply and erection of Digital frequency meter on existing panel board including connections etc., complete. MAKES : CONZERVE / ELMEASURE / L&T / SEIMENS.	1 No	2500.00
1410	ELEC-7.14.4	Supply and erection of Digital power factor meter, 3 phase, 4 wire balanced or unbalanced load 5A, 415V of size 96 x 96mm on existing panel board including connections etc., complete.	1 No	2500.00

Sl. No.	Code	DESCRIPTION OF ITEM	Unit	Scheduled Rates for the Year 2020-21
		MAKES : CONZERVE / ELMEASURE / L&T / SEIMENS.		
	ELEC-7.14.5	Supply and erection of L.T. 3phase Digital multifunction -----for measuring all the parameters (Voltage, Current, Frequency, Power factor, KW, KVA, KWH, KVAH, KVAR and THD Events) on existing box panel board including connections etc., complete.MAKES : CONZERVE / ELMEASURE / L&T / SEIMENS.		
1411	a	energy meter Class I with LED display	1 No	6500.00
1412	b	energy meter Class I RS 485 with LED display	1 No	7500.00
1413	c	energy meter Class 0.5 RS 485 with LED display	1 No	8800.00
1414	d	energy meter Class I with LCD display	1 No	7500.00
1415	e	energy meter Class I RS 485 with LCD display	1 No	8400.00
1416	f	energy meter Class 0.5 RS 485 with LCD display	1 No	9800.00
1417	g	bidirectional import / export energy meter Class I with LED display	1 No	14350.00
1418	h	bidirectional import / export energy meter Class I RS 485 with LED display	1 No	15280.00
1419	i	bidirectional import / export energy meter Class I with LCD display	1 No	15280.00
1420	j	bidirectional import / export energy meter Class I RS 485 with LCD display	1 No	16200.00
	ELEC-7.14.6	Supply and erection of ----- ----- Makes : L&T / C&S / SALZAR / HPL MAKE.		
1421	a	Selector switch for Voltmeter / Ammeter on the existing panel including connections etc., complete.	1 No	175.00
1422	b	LED indication lamps on the existing panel board.	1 No	135.00
1423	c	Push buttons on the existing panel board.	1 No	75.00
1424	ELEC-7.14.7	Supply and erection of LT current transformer with bar primary 100/5A to 1000 / 5A ratio in the existing panel including connections etc., complete. MAKE : KAPPA	1 No	440.00
	ELEC-7.14.8	Supply and fixing of----- Electronic energy Meter, 240V AC, 50 HZ as per IS13010 up to 40A range with 200% over load capacity complete with connections etc., complete on the existing board.		

Sl. No.	Code	DESCRIPTION OF ITEM	Unit	Scheduled Rates for the Year 2020-21
		Makes : CONZERVE / ELMEASURE / MECO / HPL / HAVELLS.		
1425	a	Single phase	1 No	985.00
1426	b	Three phase	1 No	2840.00
	ELEC-7.14.9	Supply and fixing of ----- APFC Relay with connection etc complete. Makes : L&T / Siemens / EPCOS / Schneider / Elmeasure		
1427	a	8 Stage	1 No	12400.00
1428	b	12 Stage	1 No	14000.00
1429	c	14 Stage	1 No	16600.00
	ELEC-7.14.10	Supply and fixing of ----- Rating capacitor duty contactor Makes : L&T / Siemens / Meher		
1430	a	3.0 KVAR	1 No	1540.00
1431	b	5.0 KVAR	1 No	1610.00
1432	c	8.5 KVAR	1 No	1860.00
1433	d	10.0 KVAR	1 No	2020.00
1434	e	12.5 KVAR	1 No	2160.00
1435	f	15.0 KVAR	1 No	3000.00
1436	g	20.0 KVAR	1 No	3480.00
1437	h	25.0 KVAR	1 No	3900.00
1438	i	50.0 KVAR	1 No	10780.00
	ELEC-7.14.11	Supply and fixing of detuned reactor 7% 3 phase 440V range ----- Makes : L&T / Siemens / Meher		
1439	a	5.0 KVAR	1 No	7800.00
1440	b	10.0 KVAR	1 No	12300.00
1441	c	12.5 KVAR	1 No	13650.00
1442	d	15.0 KVAR	1 No	15300.00
1443	e	20.0 KVAR	1 No	17850.00
1444	f	25.0 KVAR	1 No	18900.00
1445	g	50.0 KVAR	1 No	30000.00
1446	h	75.0 KVAR	1 No	44700.00
1447	i	100.0 KVAR	1 No	60900.00
	ELEC-7.14.12	Supply of MPP type heavy duty capacitor of operating voltage Makes:L&T/Siemens/Schneider/Epcos.		
1448	a	not less than 440V of cylindrical type of 1 KVAR to 2 KVAR	1 KVAR	340.00
1449	b	not less than 480V of cylindrical type more than 2 KVAR	1 KVAR	330.00
1450	c	not less than 440V of box type of 1 KVAR to 4 KVAR	1 KVAR	440.00
1451	d	not less than 480V of box type of 5 KVAR to	1 KVAR	400.00

Sl. No.	Code	DESCRIPTION OF ITEM	Unit	Scheduled Rates for the Year 2020-21
		50 KVAR		
	7.15	SUB STATION EQUIPMENT / SERVICING		
1452	ELEC-7.15.1	Carryout routine maintenance, servicing and testing of 630A to 1000A L.T.ACB by cleaning fixed contacts, moving contacts and arcchutes including servicing and putting the ACB in perfect working condition after detting all relay and ON, OFF mechanism etc done with only manufacturing companies	1 No	5500.00
1453	ELEC-7.15.2	Carryout routine maintenance and servicing of LT.Cubical pannel board having approximately 15 to 22 Nos of switches cleaning with power brower and servicing the contacts, tightning the connection of incoming and outgoing cables, and clicking the operating machanism for smooth functioning of switches and putting them in smooth working condition.	1 No	2625.00
1454	ELEC-7.15.3	Routine maintenance of transformer in operation covering insulation resistance oil, break down strength. Reconditioning / replacement of silicazel, cleaning of transformer and topping upto oil level if required (extra cost will be paid for oil).	1 No	4500.00
1455	ELEC-7.15.4	Testing of Transformer oil for dielectric breakdown strength.	1 No	617.00
1456	ELEC-7.15.5	Testing of Insulation Resistance H.T. / LT copper / aluminium coils for Transformers.	1 No	310.00
	ELEC-7.15.6	Removing the existing transformer from the plinth / Pole and refixing the standby transformer of following capacity including connections etc., complete----- -----		
1457	a	Upto 315 KVA	1 No	2550.00
1458	b	500 / 1000 KVA	1 No	3570.00
	ELEC-7.15.7	Replacing old and unserviceable gasket of top cover plate of transformer having following capacity -----		
1459	a	Upto 315 KVA	1 No	770.00
1460	b	500 / 1000 KVA	1 No	1080.00
	ELEC-7.15.8	Replacing old and unserviceable gasket of bushing for the following Transformer capacity.		
1461	a	Upto 315 KVA H.T.	1 No	310.00
1462	b	Upto 500 / 1000 KVA H.T.	1 No	570.00

Sl. No.	Code	DESCRIPTION OF ITEM	Unit	Scheduled Rates for the Year 2020-21
1463	c	Upto 315 KVA L.T.	1 No	720.00
1464	d	Upto 500 / 1000 KVA L.T.	1 No	1480.00
	ELEC-7.15.9	Replacement the H.T. / L.T. burntout winding coils of distribution transformer including rewinding, varnishing and vaccuming etc.,duly retaining the removed burnt winding coils by the Contractor / Firm -----		
1465	a	For copper coils	1 Kg	610.00
1466	b	For aluminium coils	1 Kg	400.00
	ELEC-7.15.10	Painting with 2 coats Zinchromate red oxide duly scraping existing paint followed by 2 coats of hammerton grey paint etc., complete.-----		
1467	a	Upto 500 KVA	1 No	3060.00
1468	b	630 / 1000 KVA	1 No	4080.00
	ELEC-7.15.11	Replacing ----- for distribution Transformer by new one.		
1469	a	H.T bushing	1 No	360.00
1470	b	H.T bushing metal parts	1 No	390.00
1471	c	L.T bushing Upto 315 KVA	1 No	170.00
1472	d	L.T bushing for 500 / 1000 KVA	1 No	180.00
1473	e	L.T bushing metal parts 100 KVA	1 No	310.00
1474	f	L.T bushing metal parts 250 / 315 KVA	1 No	510.00
1475	g	L.T bushing metal parts 500 KVA	1 No	1330.00
1476	h	L.T bushing metal parts 1000 KVA	1 No	2040.00
	ELEC-7.15.12	Drying the repaired transformer with appropriate heat / air -----		
1477	a	Upto 315 KVA	1 No	3060.00
1478	b	500 / 1000KVA	1 No	4290.00
	ELEC-7.15.13	Loading and Unloadng of transformer from site to Workshop or vice verse-----		
1479	a	Upto 500 KVA	1 No	4590.00
1480	b	630 / 1000 KVA	1 No	6940.00
	ELEC-7.15.14	Filteration of transformer oil as per ISS specifications filters to die electric strength above 40 KV-----		
1481	a	At site	1 Ltr	10.00
1482	b	At workshop	1 Ltr	7.00
1483	ELEC-7.15.15	Transformer oil tested as per IS-335 - 1972 (per Ltr)	1 Ltr	122.00
		Servicing of DBs		
	ELEC-7.15.16	Servicing of DBs duly opening the top cover		

Sl. No.	Code	DESCRIPTION OF ITEM	Unit	Scheduled Rates for the Year 2020-21
		checking the circuits, tighting the screws, applying tape wherever required and making propoer dressing etc complete.		
1484	a	4 Way SPN DB	1 No	40.00
1485	b	8 Way SPN DB	1 No	80.00
1486	c	12 Way SPN DB	1 No	120.00
1487	d	4 Way TPN DB	1 No	120.00
1488	e	8 Way TPN DB	1 No	240.00
1489	f	12 Way TPN DB	1 No	360.00
1490	g	4 Way VTPN DB with MCCBs / MCB Circuits	1 No	200.00
1491	h	8 Way VTPN DB with MCCBs / MCB Circuits	1 No	300.00
1492	i	12 Way VTPN DB with MCCBs / MCB Circuits	1 No	400.00
		Servicing of HT VCBs		
1493	ELEC-7.15.17	Carryout routine maintenance, servicing and testing of 630A to 3000A HT VCB by cleaning fixed contacts, moving contacts and arcchutes including servicing and putting the VCB in perfect working condition after detting all relay and ON, OFF mechanism etc done with only manufacturing companies / Authorised dealers of respective switch gears	1 No	9000.00
		POWER QUALITY ANALYSIS		
1494	ELEC-7.15.18	Carrying out power quality analysis of the existing load at point of supply/ or as directed with the use of necessary equipment (At 10 points) and recording vottage, current, frequency, KW, KVA, KVAR,PF,THDV, THDI, Load imbalance, preparation and submission of detailed analysis report with remedial measure.	1 day	26000.00
		Note 1: Above job is carriedout irrespective of measuremnts at various electrical panels/ load centers (Upto 10 pts) Note 2: For estimating, one day shall be considered number of hours of one normal working day and it should be actual time required for measurement at site.		
		THERMOGRAPHY		
1495	7.15.19	Service Charges towards Thermography at site with FLIR make E5 thermal Imaging Camera with CRIP Resolution of 10,800-pixel detector and 2% accuracy including all required jobs	1 Job	35000.00

Sl. No.	Code	DESCRIPTION OF ITEM	Unit	Scheduled Rates for the Year 2020-21
	7.16	TRANSFORMERS		
	ELEC-7.16.1	Supply, Transportation, Installation, Testing and Commissioning of ----- KVA TRANSFORMER with all test reports. The Transformer shall be designed and manufactured as per IS:1180 OCTC with level-II with initial filling of oil as per IS 335-1993. The basic details of the Transformer are as under. Makes: Kirloskar / PETE / Esennar / Voltamp / Crompton / ABB / Schneider.		
		1. Quantity : 12. Rated KVA :KVA3. Service & Location: Continuous Outdoor Distribution Transformer 4. Mounting : Plinth. 5. Wound : Copper Double wound 6. Type : Core type oil immersed7. Cooling : ONAN8. Temp Rise : 40°C in oil, 45°C by resistance9. Vector Group: Dyn 1110. Primary Connection : Delta11. Nominal Voltage / Current : _____12. Highest system Voltage: 12000V13. Primary Frequency :50 HZ +/- 3%14. Number of Phases : 3 15. Primary wires: 316. Secondary connection : Star17. Secondary Volts / Current : 433V18. Secondary phases : 319. Secondary wires: 4 20. Taps on primary winding for primary voltage variation : +5% to - 10% in steps of 2.5% of 7 position (6 Steps)		
		21. Terminal arrangement. a. HV: HT terminal box as per the site condition. b. LV: Cable box suitable to receive ---- -----Sq.mm XLPE cable 22. LV:One separate terminal for earthing. 23. Total Losses at 50% Loading [Watts] [Max] --- as per IS 24. Total Losses at 100% Loading [Watts] [Max]--- as per IS 25. Percentage Impedance at 75 deg. C at - ---- as per IS 26. No Load current: Less than 2% of full load current.		
		<u>27. Standrad Fittings & Accessories.</u>		

Sl. No.	Code	DESCRIPTION OF ITEM	Unit	Scheduled Rates for the Year 2020-21
		a. Rating and terminal marking plate: One b. Lifting Lugs:Two c. Off-circuit tap switch :One d. Earthing Terminals :Two e. Radiators (Attachable):Adequate f. Explosion vent with Diaphragm :One g. Conservator with Drain plug:one h. Oil filling hole with cap :One i. Oil level indicator : One j. Dehydrating Silicagel Breather : One k. Terminal Arrangement: HV With Treminal Box l. Terminal Arrangement : LV Cable Box m. Separate Neutral Bushing : One n. Filter valve with blanking plate : One o. Drain cum filter valve with blanking plate : One p. Air release device : One q. Thermometer Pocket : One r. Four :Unidirectional flat rollers s. One :10Cm dial thermometer(Rigid stem type)		
1496	a	160 KVA Copper Wound Transformer	1 No	551250.00
1497	b	200 KVA Copper Wound Transformer	1 No	606375.00
1498	c	250 KVA Copper Wound Transformer	1 No	661500.00
1499	d	315 KVA Copper Wound Transformer	1 No	882000.00
1500	e	400 KVA Copper Wound Transformer	1 No	1047375.00
1501	f	500 KVA Copper Wound Transformer	1 No	1157625.00
1502	g	630 KVA Copper Wound Transformer	1 No	1245825.00
1503	h	1000 KVA Copper Wound Transformer	1 No	1631700.00
	ELEC-7.16.2	Supply, Transportation, Installation, Testing and Commissioning of 3 Phase, 50 Hz, Dry type, Indoor type copper wound Transformer designed and manufactured as per IS 2026-1977 and IS 11171-1985, connected delta on primary side and Star on secondary side with additional neutral brought out on load side, 11000V / (433V / 415V) with HV off load tap changing + 5% to -5% in steps of 2.5%, temperature rise by the resistance 90°C complete with test reports with the following standard mountings. Makes: Kirloskar / PETE / Esennar / Voltamp / Crompton / ABB / Schneider. 1. Rated KVA :KVA (Cast Resin) 2. Service: Indoor 3. Mounting : Floor. 4. Copper wound: Double.		

Sl. No.	Code	DESCRIPTION OF ITEM	Unit	Scheduled Rates for the Year 2020-21
		5. Type of cooling: ANAN. 6. Insulation Class: Class F 7. Temperature rise by resistance: 90°C 8. Vector Group: Dyn 11 9. Primary Connection: Delta 10. Primary Volts: 11000 11. Primary Frequency: 50 12. Primary Phases :3 13. Primary wires: 3 14. Secondary connection: Star 15. Secondary Volts: 433V / 415V 16. Secondary phases :3 17. Secondary wires: 4 18. Taps on primary winding for primary voltage variation: 19. +5.0% to - 10.0% in steps of 2.5% through links. 20. Terminal arrangement. a. HV: Cable end box b. LV: Cable end box 21. No load losses (Watts): As per IS specifications 22. Load losses (Watts):As per IS specifications 23. Impedance (Z%):As per IS specifications 24. Fittings & Accessories. a. Rating and terminal marking plate b. Earthling terminals, c. Lifting Lugs, d. Winding temperature Indicator, e. Separate neutral bushing f. Uni directional flat rollers		
1504	a	250 KVA Copper Wound Cast Resin Transformer	1 No	738675.00
1505	b	315 KVA Copper Wound Cast Resin Transformer	1 No	848925.00
1506	c	400 KVA Copper Wound Cast Resin Transformer	1 No	959175.00
1507	d	500 KVA Copper Wound Cast Resin Transformer	1 No	1157625.00
1508	e	630 KVA Copper Wound Cast Resin Transformer	1 No	1267875.00
1509	f	750 KVA Copper Wound Cast Resin Transformer	1 No	1488375.00
1510	g	1000 KVA Copper Wound Cast Resin Transformer	1 No	1874250.00
		NOTE 1 : All Test reports to be submitted		

Sl. No.	Code	DESCRIPTION OF ITEM	Unit	Scheduled Rates for the Year 2020-21
		NOTE 2. If only transformer is to be supplied then 2% may be deducted from the above price towards Installation, Testing and Commissioning		
		NOTE 3 : If level 3 transformer is to be supplied then increase the price by 10%		
1511	ELEC-7.16.3	Supply , Fabrication, Transportation and fixing of Box type RS Joist pole made with 2 Nos 175X85 mm (ISMB Modified) or equivalent about 30'-0 length / 9.1 mtrs length poles welded together including excavation of pit, coil earthing, Special T&P, painting of Pole with 1 coat of Red oxide and 2 coats of alluminium paint, CC 1:3:6 upto ground and 1:2:4 for Couping work, 200A AB Switch, HG fuse sets, required angle iron channels, clamps, nuts and bolts, 11KV pin insulators, 2Nos GI pipe earthings as per the IS with brick massonry chamber including labour and transportation charges etc., complete.	1 No	72600.00
1512	ELEC-7.16.4	Supply, Fabrication, Transportation and erection of DP structure made with 2 Nos 175mm x 85mm (ISMB Modified) or equivalent about 30'-0 length / 9.1 mtrs length RS joist pole erection of the same Including excavation of pit in all kinds of soil including breaking stones, concreting with (1:3:6) mixture base plate, coil earthing back filling, 1:2:4 for coupling including red oxide primary painting and two coats of aluminium painting etc., complete as required with following as per CEIG norms. a. 400A AB Switch-1No b. HG Fuse sets-1No c. LAS-1set. d. Required Number of 11KV pin and disc insulators. e. Required length of 100X50mm and 75X40 mm ISMC chanell iron including two coats of redoxide and two coats of enamil paint ect for finished item of work. f. 11KV pin insulators and disc insulators. g. AB switch operating pipe with handle and lock and key arrangements.	1 No	127050.00

Sl. No.	Code	DESCRIPTION OF ITEM	Unit	Scheduled Rates for the Year 2020-21
		<p>h. "0" SWG or 8.25 mm dia hard drawn bare copper wire including copper binding wire etc., complete as required including connections.</p> <p>i. 40X6mm GI strip for the DP structure earthing.</p> <p>j. 25X6mm copper strip for lightning arrestors earthing.</p> <p>k. 600X600mmX3,15mm thick copperplate earthings as per NEC with brick massonary chambers - 2 Nos</p> <p>l. GI pipe earthing for the Double pole structure with brick massonary chambers as per IS - 2 Nos</p>		
1513	ELEC-7.16.5	<p>Providing independent earthing for Important equipment with 40mm dia 'B' class 2.5m long G.I pipe and 19mm dia 'B' class G.I pipe of 0.3mtr. long connected with reducer providing G.I funnel with mesh enclosed in C.C/ brick massonry chamber of 450m x 450m x 400mm with R.C.C. Slab cover duly providing staggered holes filling with 20Kg Salt and 40Kg Charcoal or 40Kg bentonite powder from the bottom of the pipe giving earth connection from electrode through G.I strip of 40 x 6mm x 200mm length with all accessories and labour charges complete, as per IS specifications 732/1982 (Part II)</p>	1 No	4631.00
		<p>NOTE : Whenever providing full length of electrode is not possible due to the obstruction of water tube / rock, the length of electrode may be reduced and additional earthing may be done to meet earth resistance.</p>		
1514	ELEC-7.15.6	<p>Providing independent earthing by exacavating a pit to a depth of 2.25Mtr in all soils as per size specified in the data for Sophisticated Electronic equipment with 600mm x 600mm x 3.15mm thick copper plate rigidly fixed to 19mm dia 'B' Class G.I Pipe of 2.5Mtr lengthwith funnel as per National Electric Code and earth connection from electrode GI strip of 40mm x 5mm x 200mm length to be bolted with nut bolts to G.I.pipe including 25mm x 3mm copper strip of 6Mtrs length connected from plate to GI strip including filling with</p>	1 No	13230.00

Sl. No.	Code	DESCRIPTION OF ITEM	Unit	Scheduled Rates for the Year 2020-21
		20Kg Salt and 40Kg Charcoal or 40Kg bentonite powder from the bottom of the pipe and providing CC / Brick masonry chamber 450mmX450mmX400mm and covered with R.C.C. Slab including all accessories and labour charges etc complete as per IS specification 732/1982 (Part II).		
		NOTE: In location where the full length of electrode is not possible due to meeting a water table /rock. The electrode may be reduced length and two earths may be done to meet earth resistance.		
1515	ELEC-7.16.7	Providing transformer plinth 1.2 x 1.2 x 1.5 mtr in size with necessary excavation in ground at the bottom with 150mm thick 1:2:4 cement concrete raft at the bottom and top and 225mm thick wall constructed in stone masonry and remaking hallow portion shall be filled with stone chips duly plastered 20mm thick outsides including watering etc., complete.	1 No	11025.00
1516	ELEC-7.16.8	Providing CTPT plinth 600mm x 600mm x 2.1 mtr in size with necessary excavation in ground at the bottom with 150mm thick 1:2:4 cement concrete raft at the bottom and top duly plastered 20mm thick outsides including watering etc., complete.	1 No	6615.00
1517	ELEC-7.16.9	Providing independent earthing for Important equipment with 100mm dia Heavy gauge C.I (Cast iron) pipe with Flange 2.5m long enclosed in C.C/ brick masonry chamber of 450m x 450m x 400mm with R.C.C. Slab cover duly providing staggered holes filling with salt and charcoal from the bottom of the pipe giving earth connection from electrode through flange with all accessories and labour charges complete, as per IS specifications 732/1982 (Part II)	1 No	8269.00
1518	ELEC-7.16.10	Supply, Transportation, Installation and Commissioning of 11 KV, 630A, 25 KA Outdoor type Load Break Switch as detailed below with suitable CC foundation and 2 Nos GI pipe earthing with brick masonry chambers etc complete for finished item of work.a) Load break switch: 11KV,630A, 25 KA with fuse trip, earth	1 No	126788.00

Sl. No.	Code	DESCRIPTION OF ITEM	Unit	Scheduled Rates for the Year 2020-21
		switch, manually operated spring chargesd mechanis with 2 no + 2 NC.b) HT HRC fuse upto 63A - 3 nos.c) Bus bar connection.d) Indication lamps.e) Manual trip Push buttion.Make : Megawin / Pentagon / Venkateshwara / Jyothi.		
1519	ELEC-7.16.11	<p>Supply, Installation, Testing and commissioning of indoor type floor mounted metal clad VCB panel with 3 Nos VCBs, totally enclosed and fully inter locked horizontal draw out , horizontal isolated type breaker as per IS 13118 Specifications and as amended upto date and additional specifications, having capacities mentioned below, single break, trip free mechanism, motorised operated spring / manually charged and auto/manually closed breaker suitable for use on 11KV, 3 Phase, 50 HZ AC supply with short circuit fault level of 350 MVA, complete with self contained, fully inter locked rack in and rack out mechanism, air insulated but encapsulated copper bus bars of 630A capacity, breaker featured with mechanical ON/OFF indicator with hand trip device, spring charging motor, 110V DC closing and tripping coil, safety shutter assembly, shunt trip coil and auxilary switch of 4 NO + 4 NC and equipped with the following switchgears and accessories including connections suitable for XLPE 11 KV cable, cable entry from bottom, end termination with heat shrinkable jointing material etc as required including construction of suitable CC works for VCB's etc complete.</p> <p>Makes:Kirloskar / Schneider / Siemens / ABB</p> <p>INCOMER - 1 No</p> <p>Vaccum circuit breaker electrical drawout type TP 11 KV 630 A not less than 18 KA rated short circuit rating current -1No</p> <p>POTENTIAL TRANSFORMER:1 No. 11000 / 110 Volts PT, Class 1 accuracy, 100 VA burden with HT/LT fuses.</p> <p>CURRENT TRANSFORMER: 3 Nos epoxy resin cast CTs of ratio 100-300/5A, 15VA burden and accuracy class 1.0 for metering and</p>		1270500.00

Sl. No.	Code	DESCRIPTION OF ITEM	Unit	Scheduled Rates for the Year 2020-21
		<p>class 5P10 for protection</p> <p>METERING</p> <p>1No Digital type Ammeter and selector switch of makes CONZERV/EQVT</p> <p>1 No digital type Voltmeter with 0-15KV range, selector switch for Voltmeter of makes CONZERV/EQVT</p> <p>1No Digital Multifunction meter of makes CONZERV/EQVT</p> <p>Heater ON/OFF switch with space heater and thermostat, single phase switch with socket cubical lamp for panel illumination with door limit switch ,MCB's for AC & DC control.</p> <p>LED indication lamps for breaker on, breaker off, spring charge indication, trip circuit healthy with push button, Auto trip indication meter, Auxilary contact for service test position (4No + 4 NC) service and test positions and R/Y/B indication lamps.</p> <p>PROTECTION: 1 Nos. Microprocessor based IDMTL 3 over current and 1 earth fault relay with Over current, earth fault and short circuit protection.</p> <p>High speed tripping relay</p> <p>ANNUNCIATION: 8 Window annunciation panel with push buttons and hooters.</p> <p>POWER PACK: Supply, Installation, testing and commissioning of Power pack with 230V input and 110V DC continuous output suitable for closing / tripping / indication of 3 Nos VCBs with 2.5sqmm FRLS copper cable etc as required.</p> <p>OUTGOINGS - 2 Nos</p> <p>630A VCBs draw out type TP 11 KV 630 A not less than 16 KA rated short circuit rating current.</p> <p>Each breaker shall consist the following.</p> <p>CURRENT TRANSFORMER: Epoxy resin cast CTs of ratio 300/5A, 15VA burden and accuracy class 1.0 for metering and class 5P10 for protection - 3 Nos</p> <p>Digital type Ammeter and selector switch - 1 No</p> <p>Makes : CONZERV / EQVT</p> <p>Digital Multifunction meter - 1 No</p> <p>Makes: CONZERV / EQVT</p> <p>PROTECTION : Microprocessor based IDMTL</p>		

Sl. No.	Code	DESCRIPTION OF ITEM	Unit	Scheduled Rates for the Year 2020-21
		<p>3 over current and 1 earth fault relay with Over current, earth fault and short circuit protection - 1 No High speed tripping relay Auxiliary relay for bucholz A/T,OTI A/T, WTI A/T Heater ON/OFF switch with space heater and thermostat, single phase switch with socket cubical lamp for panel illumination with door limit switch ,MCB's for AC & DC control. INDICATION LAMPS: LED indication lamps for breaker on, breaker off, spring charge indication, trip circuit healthy with push button, Auto trip indication meter, Auxiliary contact for service test position (4No+ 4 NC) service and test positions and R/Y/B indication lamps. ANNUNCIATION: 8 Window annunciation panel with push buttons and hooters. 1 No. rear entry cable box suitable to receive 11 KV, 1 run of 3CX 120 sqmm cable(XLPE) . 1 set of misc items like control fuses , control wiring , inter connections, nuts, bolts, bus trunking including all connected accessories etc. 1 Set of 11 KV, 630A, 350 MVA aluminium Bus Bar. Note : If out going breaker quantity is increased, Rs.3.00 Lakhs per each breaker to be added to the above.</p>		
1520	ELEC-7.16.12	<p>Supply,transpotation,installation,testing and commissioning of HT INDOOR type single panel switchgear with VCB of floor mounted, metal clad 11KV, 630A, not less than 18.4KA (350MVA) VCB Panel, with 1No VCBs totally enclosed and horizontal drawout type, horizontal isolation type breaker as per IS 13118 as amended upto date and additional specifications having capacities as mentioned below , single break trip free mechanism, motorised/manually charged and auto manually closing breaker suitable for use on 12KV,3phase,50HZ AC supply with self contained fully interlocked rackin and rackout mechanism air insulated alluminium</p>		484000.00

Sl. No.	Code	DESCRIPTION OF ITEM	Unit	Scheduled Rates for the Year 2020-21
		<p>Busbars of 630A capacity, Breaker featured with ON/OFF indicator with hand trip device, spring relief coil, shunt trip coil and auxillary switch of 6NO + 6NC and equiped with following switchgears and accessories incomming connections suitable for 3x95Sqmm XLPE 11KV Cable as required etc complete with adaptor box for outgoing termination.Makes: Kirloskar / Schneider / Siemens / Crompton Greaves / ABB</p> <p>INCOMING : 11KV, 630A,not less than 18.40KA VCB - 1No.</p> <p>POTENTIAL TRANSFORMER : 11000 / 110 Volts PT, Class 1 accuracy, 100 VA burden with HT/LT fuses.</p> <p>Makes: ECS / SILKANS / PRAGATHI / NARAYAN POWER TECH or EQVT - 1 No</p> <p>Digital Voltmeter 0-15KV along with Selector switch and protection fuses/MCB for HT metering upto 15KV on incoming side -1No</p> <p>Makes: CONZERV / ELMEASURE or EQVT</p> <p>Dual core dual ratio Current transformers with 50-300/5 amp, 15VA burden and accuracy class 1 for metering & class 5P10 for protection of makes ECS / SILKANS / PRAGATHI / NARAYAN POWER TECH -3Nos</p> <p>0-300A Digital Type Ammeter with selector switch -1No</p> <p>Makes : CONZERV / ELMEASURE or EQVT</p> <p>Microprocessor based non directional combined 2 over current & one earth fault relay -1No</p> <p>Makes: EASUN REYROLLE or equivalent</p> <p>POWER PACK: Supply, Installation, testing and commissioning of Power pack with 230V input and 110V DC continuous out put suitable for closing / tripping / indication of VCB with 2.5sqmm FRLS copper cable etc as required.</p> <p>Master trip relay-1No</p> <p>Makes: EASUN REYROLLE or equivalent (Makes)</p> <p>Three element transformer fault auxilary relay - 2 Nos</p> <p>Makes: EASUN REYROLLE or equivalent</p> <p>Breaker control switch-1No</p>		

Sl. No.	Code	DESCRIPTION OF ITEM	Unit	Scheduled Rates for the Year 2020-21
		<p>Makes: Switron or equivalent Local / Remote switch-1No Makes: Switron or equivalent Indicating lamps-1set Makes: Vaishnov or equivalent Reputed brand Space heater & thermostat -2Nos Makes: Eltek or equivalent MCB's of suitable current rating - 3 Nos Anti pumping relay -1No Makes: Reputed brand with ISI mark Electronic Audio alarm system with hooter -1No Makes : Reputed brand Auxiliary plug & socket of 230VAC/10A - 1No Makes: Reputed brand with ISI mark Panel illumination lamp 230V/40W -1No Makes: Reputed brand with ISI mark</p>		
1521	ELEC-7.16.13	<p>Supply,transpotation,installation,testing and commissioning of HT OUTDOOR type single panel switchgear with VCB of floor mounted, metal clad 11KV, 630A, not less than 18.4KA (350MVA) VCB Panel, with 1No VCBs totally enclosed and horizontal drawout type, horizontal isolation type breaker as per IS 13118 as amended upto date and additional specifications having capacities as mentioned below , single break trip free mechanism, motorised/manually charged and auto manually closing breaker suitable for use on 12KV,3phase,50HZ AC supply with self contained fully interlocked rackin and rackout mechanism air insulated alluminium Busbars of 630A capacity, Breaker featured with ON/OFF indicator with hand trip device, spring relief coil, shunt trip coil and auxillary switch of 6NO + 6NC and equiped with following switchgears and accessories incomming connections suitable for 3x95Sqmm XLPE 11KV Cable as required etc complete with adaptor box for outgoing termination. Makes: Kirloskar / Schneider / Siemens / Crompton Greaves / ABB</p>		544500.00

Sl. No.	Code	DESCRIPTION OF ITEM	Unit	Scheduled Rates for the Year 2020-21
		<p>INCOMING- 11KV, 630A,not less than 18.40KA VCB - 1No. POTENTIAL TRANSFORMER : 11000 / 110 Volts PT, Class 1 accuracy, 100 VA burden with HT/LT fuses. Makes: ECS / SILKANS / PRAGATHI / NARAYAN POWER TECH or EQVT - 1 No Digital Voltmeter 0-15KV along with Selector switch and protection fuses/MCB for HT metering upto 15KV on incoming side - 1No Makes: CONZERV / ELMEASURE or EQVT Dual core dual ratio Current transformers with 50-300/5 amp, 15VA burden and accuracy class 1 for metering & class 5P10 for protection - 3 Nos Makes : ECS / SILKANS / PRAGATHI / NARAYAN POWER TECH 0-300A Digital Type Ammeter with selector switch - 1No Makes : CONZERV / ELMEASURE or EQVT Microprocessor based non directional combined 2 over current & one earth fault relay - 1No Makes: EASUN REYROLLE or equivalent POWER PACK: Supply, Installation, testing and commissioning of Power pack with 230V input and 110V DC continuous out put suitable for closing / tripping / indication of VCB with 2.5sqmm FRLS copper cable etc as required. Master trip relay-1No Makes: EASUN REYROLLE or equivalent (Makes) Three element transformer fault auxiliary relay - 2 Nos Makes: EASUN REYROLLE or equivalent Breaker control switch-1No Makes: Switron or equivalent Local/Remote switch-1No Makes: Switron or equivalent Indicating lamps-1set Makes: Vaishnov or equivalent Reputed brand Space heater & thermostat -2Nos Makes: Eltek or equivalent MCB's of suitable current rating- - 3 Nos Anti pumping relay -1No</p>		

Sl. No.	Code	DESCRIPTION OF ITEM	Unit	Scheduled Rates for the Year 2020-21
		Makes: Reputed brand with ISI mark Electronic Audio alarm system with hooter -1No Makes : Reputed brand Auxiliary plug & socket of 230VAC/10A - 1No Makes: Reputed brand with ISI mark Panel illumination lamp 230V/40W -1No Makes: Reputed brand with ISI mark		
	7.17	L.T. LINE MATERIALS AND LIGHTENING PROTECTION SYSTEM		
1522	ELEC-7.17.1	Supply and erecting approved make 11KV, 5KA metal oxide lightning arrestors suitable for 11 KV supply with necessary materials on existing cross arm.	1 No	1694.00
	ELEC-7.17.2	Supply and erecting porcelain ----- -- insulator suitable for 11KV line with suitable hardware on existing cross arms.		
1523	a	Disc type	1 No	530.00
1524	b	Pin type	1 No	270.00
1525	c	Post type	1 No	600.00
1526	ELEC-7.17.3	Supply and erecting porcelain pin/shackle type insulator suitable for L. T.	1 No	97.00
1527	ELEC-7.17.4	Supply and erection of approved make 11 KV outdoor type gang operated Air Break switch of 200 A capacity with 3 post pin type insulator per phase, mounted in Horizontal / Vertical position with necessary channels on cross arms with adequate length of 'C' class GI pipe for operating handle provided with Lock & Key at suitable height from ground level with necessary clamps.	1 No	6655.00
1528	ELEC-7.17.5	Supply and erection of approved make 11 KV outdoor type gang operated Air Break switch of 400 A capacity with 3 post pin type insulator per phase, mounted in Horizontal / Vertical position with necessary channels on cross arms with adequate length of 'C' class GI pipe for operating handle provided with Lock & Key at suitable height from ground level with necessary clamps.	1 No	7865.00
1529	ELEC-7.17.6	Supply and erection of approved make 11KV, H.G fuse set with insulation complete with Fuse holders, Fuse barrel with metal fittings, fuse element mounted on M.S. channel with working current 15A	1 No	4356.00

Sl. No.	Code	DESCRIPTION OF ITEM	Unit	Scheduled Rates for the Year 2020-21
		capacity complete with cost and conveyance of all materials.		
1530	ELEC-7.17.7	Supply and erection of approved make 33 KV, H.G fuse set with insulation complete with Fuse holders, Fuse barrel with metal fittings, fuse element mounted on M.S. channel with working current 15A capacity complete with cost and conveyance of all materials.	1 No	4356.00
1531	ELEC-7.17.8	Supply of 7/3.15 AAA C all Alluminium annealed conductor Rabbit.	1 Km	29645.00
1532	ELEC-7.17.9	Supply of 7/2.50 AAA C all Alluminium annealed conductor Weasel.	1 Km	18150.00
1533	ELEC-7.17.10	Supply of 9.1 Mtr PSCC Pole 280 Kg Working load.	1 No	4235.00
1534	ELEC-7.17.11	Supply of 8.0 Mtr PSCC Pole 140 Kg Working load.	1 No	2299.00
1535	ELEC-7.17.12	Supply of 175 x 85 mm / 150 x 75 mm RS Joist.	1 Kg	80.00
1536	ELEC-7.17.13	Supply and installation of advanced lighting protection with 205 -580mm height and 4.60 - 4.940 kgs, and having Rod length 760mm, weight 1.795 kgs with stainless steel rod, working on the principle of (ESE) Early Streamer Emission technology, having a coverage radius of 79 Mts under level 1 protection and 107 Mtrs radius under level 4 protection when mounted on 5 - 15 mts height of existing lattice tower giving level 1 protection and anticipation emission time of 60 - 72 micro seconds. The ESE should be manufactured according to standard NFC 17-102 : 2011 and CE certified including functional integrity etc Complete. Make : EARTHPLUS (THUNDER GUARD) / NIMBUS / KALRE / FOREND./Equivalent approved make.	1 No	114000.00
1537	ELEC-7.17.14	Installation and commissioning of advanced lighting protection systems which includes 1. 50mm dia C class GI mast with base plate of length 5.0 Mtrs with FRP collar (Insulating bush). 2. Laying of CC Bed 3. Installation of Lighting Rod 4. Laying of Down conductor 5. Installation of Counter 6. Installation of Earth Electrodes 7. Interconnection between the Electrodes	1 No	29200.00

Sl. No.	Code	DESCRIPTION OF ITEM	Unit	Scheduled Rates for the Year 2020-21
		8. Specialised supporting guy wire and all fitting accessories. 9. Termination of down conductor to earth bus etc complete		
1538	ELEC-7.17.15	Supply of electro-Mechanical counter Makes: EARTHPLUS (THUNDER GUARD) / NIMBUS / KALRE / FOREND.	1 Pt	15000.00
1539	ELEC-7.17.16	Providing earth electrode of low carbon steel rod, UL listed of 17.2 mm dia, 3 Mtr long, coated with copper of 254 microns thickness, CPRI tested for short time current withstand test of 25 kA, coating thickness, environmental test (Salt Mist Test), Bend test, Tensile strength, Yield / tensile ratio, Electrical Resistivity test, complete with clamps and 2 bags of Earthplus ULTRA high grade earthing compound IEC 62561-7 complaint Eco-friendly, Maintenance free, anti corrosive, lead-free, super conductive, mineral based high-grade earthing compound, to enhance soil conductivity. With resistance <0.20 ohms-meter, should be leach proof & sulphur free complete with earth inspection chamber of dimensions : Width : 320 mm x 320 mm, Height : 192 mm, Weight : 30 Kgs, Load bearing capacity : 5000 Kgs including drilling of bore in any kind of soil.	1 Pt	14832.00
		SECTION - 8		
	8.1	NET WORKING		
	ELEC-8.1.1	Supply of ----- telephone copper cable. Makes : Finolex / Delton / Surabi / Polycab		
1540	a	2 Pair, 0.5mm	100 Mtrs	910.00
1541	b	5 Pair	100 Mtrs	2540.00
1542	c	10 Pair	1 Mtr	36.00
1543	d	20 Pair	1 Mtr	70.00
1544	e	50 Pair	1 Mtr	175.00
	ELEC-8.1.2	Supply of ----- Telephone distribution box with back mount frame, krone connector, powder coated metal body with lock and key arrangement.		
1545	a	10 pair	1 No	639.00
1546	b	20 pair	1 No	970.00
1547	c	50 pair	1 No	2041.00

Sl. No.	Code	DESCRIPTION OF ITEM	Unit	Scheduled Rates for the Year 2020-21
		100 pair	1 No	3638.00
1548	d	200 pair	1 No	7000.00
	ELEC-8.1.3	Supply of LAN Cable cat - Makes : D Link / AMP / Molex / Legrand / Krone.		
1549	a	6 UTP cable.	100 Mtrs	2100.00
1550	b	6 STP cable.	100 Mtrs	4000.00
	ELEC-8.1.4	Supply of Cat 6 RJ-45 information outlets including ----- plate. Makes : D Link / AMP / Molex / Legrand / Krone.		
1551	a	Duel face plate.	1 No	305.00
1552	b	Single face plate.	1 No	230.00
	ELEC-8.1.5	Supply of ----- manageable switches Makes : CISCO / Net Gear / HP / D link.		
1553	a	48 Port	1 No	13870.00
1554	b	24 Port	1 No	6000.00
1555	c	8 Port	1 No	1100.00
1556	ELEC-8.1.6	Supply of access point. Makes : CISCO-WAP321 or its equivalent in Net Gear / HP / D link.	1 No	11100.00
	ELEC-8.1.7	Supply of ----- length moulded patch cord. Makes : D Link / AMP / Molex / Legrand / Krone.		
1557	a	7 feet	1 No	200.00
1558	b	3 feet	1 No	180.00
1559	ELEC-8.1.8	Supply of 24 port patch panels Makes : D Link / AMP / Molex / Legrand / Krone.	1 No	5800.00
1560	ELEC-8.1.9	Supply of 100 pair MDF loaded with 2/10 Modular Makes : Krone make or its equivalent.	1 No	3300.00
1561	ELEC-8.1.10	Supply of 100 Pair raiser cable for telephone Makes : Finolex / Delton / Surabi / Polycab.	1 Mtr	350.00
	ELEC-8.1.11	HDMI & VGA CABLES		
1562	a	Supply and erecting VGA cable to be laid in provided conduits and terminating as per specifications having 15mtr cord length with male/ female VGA connectors as per requirement complete.		2600.00
1563	b	Supply and installing HDMI cable low voltage grade as per standard specifications having 3 mtr cord length with male and		1200.00

Sl. No.	Code	DESCRIPTION OF ITEM	Unit	Scheduled Rates for the Year 2020-21
		female 19 pin HDMI connectors as per requirement at site.		
1564	c	Supply and installing HDMI cable low voltage grade as per standard specifications having 5 mtr cord length with male and female 19 pin HDMI connectors as per requirement at site.		2100.00
1565	d	Supply and installing HDMI cable low voltage grade as per standard specifications having 10 mtr cord length with male and female 19 pin HDMI connectors as per requirement at site.		4200.00
1566	e	Supply and installing HDMI cable low voltage grade as per standard specifications having 15 mtr cord length with male and female 19 pin HDMI connectors as per requirement at site.		5300.00
1567	f	Supply and installing HDMI cable low voltage grade as per standard specifications having 20 mtr cord length with male and female 19 pin HDMI connectors as per requirement at site.		6600.00
1568	g	Supply and installing HDMI cable low voltage grade as per standard specifications having 25 mtr cord length with male and female 19 pin HDMI connectors as per requirement at site.		9800.00
1569	h	Supply and installing Audio Video cable low voltage grade as per standard specifications having 15 mtr cord length with required connectors 3RCA X 3RCA cable complete.		5800.00
1570	i	Supply ,installation, testing and commissioning of DVI to high speed category 2 HDMI convertors supporting full HD 1080p, 2K and 4K vedio up to 30ft lengths, 3D having 24K gold plated 19 pin type A connectors with high flex CL3 -rated jacket. The convertor should be ROHS complaint.Audio Video cable low voltage grade as per standard specifications having 15 mtr cord length with required connectors 3RCA X 3RCA cable complete.		7500.00
		RACKS - WALL MOUNT		
	ELEC-8.1.12	Supply and installation of wall mounting net work rack with power spike including all accessories.		
1571	a	6U Wall	1 No	5555.00
1572	b	9U wall	1 No	6613.00

Sl. No.	Code	DESCRIPTION OF ITEM	Unit	Scheduled Rates for the Year 2020-21
1573	c	12U wall	1 No	7671.00
1574	d	15U wall	1 No	8729.00
		RACKS - FLOOR STAND		
	ELEC-8.1.13	<p>Supply and installation of IP 20, IK 08 ----- ----- 600mm Width x 800mm Deep Floor mounting net work rack with all accessories like front and rear doors, fans, castors, cable manager, shelf, power distribution unit, hardware packet.</p> <p><u>Mod cap floor stand</u> : Modular construction of the rack made of 4 vertical , 4 Horizontal and 4 depth alloy extruded multi folded hallow profiles bolted and joined together with links and corner blocks. 3 Pairs of support channels to equate the load evenly and castor provision at bottom side.</p> <p><u>Painting shade</u> : Combination of RAL 7035 / 7037 fine texture - 60 to 80 microns. or RAL 9005 fine texture - 60 to 80 microns complies with standards : UL 2416, Din 41494, IEC EN 60529, IEC EN 62262, IEC EN 60068-2-11, ISO 9001-2008.</p> <p>Makes : HCL / VAL / Rittal / APW.</p>		
1575	a	17U floor	1 No	31680.00
1576	b	24U floor	1 No	38880.00
1577	c	27U floor	1 No	43200.00
1578	d	32U floor	1 No	51840.00
1579	e	36U floor	1 No	57600.00
1580	f	42U floor	1 No	63360.00
	ELEC-8.1.14	<p>Supply of ----- (Indoor / Out door), Single mode armourd, Optic fibre cable.</p> <p>Makes : D Link / AMP / Molex / Legrand / Krone.</p>		
1581	a	6 Core	1 Mtr	78.00
1582	b	12 Core	1 Mtr	105.00
		24 Core	1 Mtr	154.00
	ELEC-8.1.15	<p>Supply of ----- fibre distribution unit. (FDU / LIU) loaded with couplers etc complete.</p> <p>Makes : D Link / AMP / Molex / Legrand / Krone.</p>		
1583	a	6 port	1 No	6700.00
1584	b	12 port	1 No	8500.00
1585	ELEC-8.1.16	<p>Supply of Subscriber connector (SC) to SC / LC patch card of 1 Mtr length.</p> <p>Makes : D Link / AMP / Molex / Legrand /</p>	1 No	1800.00

Sl. No.	Code	DESCRIPTION OF ITEM	Unit	Scheduled Rates for the Year 2020-21
		Krone.		
1586	ELEC-8.1.17	Supply of single mode SC / LC to SC / LC patch card of 1 Mtr length. Makes : D Link / AMP / Molex / Legrand / Krone.	1 No	2000.00
1587	ELEC-8.1.18	Supply of single mode SC / LC to SC / LC patch card of 2 Mtr length.Makes : D Link / AMP / Molex / Legrand / Krone.	1 No	2500.00
1588	ELEC-8.1.19	Supply of Pigtails for fibre core connectivity. Makes : D Link / AMP / Molex / Legrand / Krone.	1 No	120.00
1589	ELEC-8.1.20	Suppy of 6 Core single mode fibre optic cable armoured.	1 Mtr	75.00
1590	ELEC-8.1.21	Suppy of 12 Core single mode fibre optic cable armoured.	1 Mtr	90.00
1591	ELEC-8.1.22	Suppy of 24 Core single mode fibre optic cable armoured.	1 Mtr	140.00
	8.2	RACEWAYS AND JUNCTION BOXES		
	ELEC-8.2.1	Supply of ----- G I Raceways of 2mm thick with top cover and required hard ware etc complete.		
1592	a	100mm x 38mm	1 Mtr	450.00
1593	b	150mm x 38mm	1 Mtr	595.00
1594	c	300mm x 38mm	1 Mtr	1020.00
1595	d	100mm x 25mm	1 Mtr	430.00
1596	e	150mm x 25mm	1 Mtr	550.00
1597	f	300mm x 25mm	1 Mtr	990.00
	ELEC-8.2.2	Supply of G.I. Junction box of 2mm thick for direct acces to cables at the inter section of Raceways.		
1598	a	172mm x 52mm	1 No	340.00
1599	b	222mm x 52mm	1 No	425.00
1600	c	372mm x 52mm	1 No	820.00
		EPABX SYSTEM		
	8.3	SMALL SYSTEM		
1601	ELEC-8.3.1	IP Based digital Telephone (EPABX) system - ----complied with following specifications: > IP @ Core, PCM/TDM, Non blocking, > Must Support PRI, E1, Analog Junctions > Must Support PC Console, > Must support Mobile SIP (Android and I O.S) > Must support Voice Mail	1 No	82680.00

Sl. No.	Code	DESCRIPTION OF ITEM	Unit	Scheduled Rates for the Year 2020-21
		<ul style="list-style-type: none"> > Must support Card based GSM > Inbuilt 8 Channel Auto Attendant > Inbuilt Call Details Software with search engine software > 4 Analog Trunks > 6 Digital Extensions > 32 Analog Extensions > 1 Digital Key Phone with minimum 16 Keys (Must work only on 2 wires) > Expandable to 64 Analog Extensions or more <p>Approved Brands: NEC/ Alcatel/ Karel/ Unify</p>		
1602	ELEC-8.3.2	<p>IP Based digital Telephone (EPABX) system - ----complied with following specifications:</p> <ul style="list-style-type: none"> > IP @ Core, PCM/TDM, Non blocking, > Must Support PRI, E1, Analog Junctions > Must Support PC Console, > Must support Mobile SIP (Android and I O.S) > Must support Voice Mail > Must support Card based GSM > Inbuilt 8 Channel Auto Attendant > Inbuilt Call Details Software with search engine software > 4 Analog Trunks > 6 Digital Extensions > 48 Analog Extensions > 1 Digital Key Phone with minimum 16 Keys (Must work only on 2 wires) > Expandable to 64 Analog Extensions or more <p>Approved Brands: NEC/ Alcatel/ Karel/ Unify</p>	1 No	90800.00
1603	ELEC-8.3.3	<p>IP Based digital Telephone (EPABX) system - ----complied with following specifications:</p> <ul style="list-style-type: none"> > IP @ Core, PCM/TDM, Non blocking, > Must Support PRI, E1, Analog Junctions > Must Support PC Console,> Must support Mobile SIP (Android and I O.S) > Must support Voice Mail > Must support Card based GSM > Inbuilt 8 Channel Auto Attendant > Inbuilt Call Details Software with search engine software > 4 Analog Trunks > 1 ISDN PRI Module> 6 Digital Extensions > 48 Analog Extensions > 1 Digital Key Phone with minimum 16 Keys (Must work only on 2 wires)> Expandable to 	1 No	100800.00

Sl. No.	Code	DESCRIPTION OF ITEM	Unit	Scheduled Rates for the Year 2020-21
		64 Analog Extensions or more Approved Brands: NEC/ Alcatel/ Karel/ Unify		
1604	ELEC-8.3.4	IP Based digital Telephone (EPABX) system - ----complied with following specifications: > IP @ Core, PCM/TDM, Non blocking, > Must Support PRI, E1, Analog Junctions > Must Support PC Console, > Must support Mobile SIP (Android and I O.S) > Must support Voice Mail > Must support Card based GSM > Inbuilt 8 Channel Auto Attendant > Inbuilt Call Details Software with search engine software > 4 Analog Trunks > 6 Digital Extensions > 64 Analog Extensions > 1 Digital Key Phone with minimum 16 Keys (Must work only on 2 wires) > Expandable to 64 Analog Extensions or more Approved Brands: NEC/ Alcatel/ Karel/ Unify	1 No	104000.00
1605	ELEC-8.3.5	IP Based digital Telephone (EPABX) system - ----complied with following specifications: > IP @ Core, PCM/TDM, Non blocking, > Must Support PRI, E1, Analog Junctions > Must Support PC Console,> Must support Mobile SIP (Android and I O.S) > Must support Voice Mail > Must support Card based GSM > Inbuilt 8 Channel Auto Attendant > Inbuilt Call Details Software with search engine software > 4 Analog Trunks > 1 ISDN PRI Module > 6 Digital Extensions > 64 Analog Extensions > 1 Digital Key Phone with minimum 16 Keys (Must work only on 2 wires)> Expandable to 64 Analog Extensions or more Approved Brands: NEC/ Alcatel / Karel / Unify	1 No	113900.00
1606	ELEC-8.3.6	Analog Extension Card (with Caller ID) 8 extensions.	1 No	13900.00
1607	ELEC-8.3.7	Analog Extension Card (with Caller ID) 16 extensions.	1 No	18100.00
1608	ELEC-8.3.8	Analog Trunk Card (with Caller ID) 4 trunks.	1 No	15400.00
1609	ELEC-8.3.9	Analog Trunk Card (with Caller ID) 8 trunks.	1 No	19200.00
1610	ELEC-8.3.10	Digital Extension Card for 8 digital	1 No	17900.00

Sl. No.	Code	DESCRIPTION OF ITEM	Unit	Scheduled Rates for the Year 2020-21
		extensions:		
1611	ELEC-8.3.11	Digital Extension Card for 16 digital extensions:	1 No	30000.00
1612	ELEC-8.3.12	E1 Trunk Card or PRI Card 30 ISDN PRI or R2 trunk channels.	1 No	45000.00
	8.4	LARGE SYSTEM		
1613	ELEC-8.4.1	Supply, Installation, Testing and Commissioning of IP Based digital Telephone (EPABX) system--complied with following specifications: > IP @ Core, PCM/TDM switching, Non blocking, > Must Support PRI, E1, Analog Junctions > Must Support PC Console, > Must support Mobile SIP (Android and I O.S) > Must support Voice Mail > Must support Card based GSM > Inbuilt Call Details Software with search engine software > 8 Analog Trunks > 8 Digital Extensions > 96 Analog Extensions > 1 Digital Key Phone with minimum 16 Keys (Must work only on 2 wires) > Expandable to 220 Ports wired or more at extra cost Approved Brands: NEC/ Alcatel/ Karel/ Unify	1 No	227300.00
1614	ELEC-8.4.2	Supply, Installation, Testing and Commissioning of IP Based digital Telephone (EPABX) system--complied with following specifications: > IP @ Core, PCM/TDM switching, Non blocking, > Must Support PRI, E1, Analog Junctions> Must Support PC Console, > Must support Mobile SIP (Android and I O.S) > Must support Voice Mail > Must support Card based GSM > Inbuilt Call Details Software with search engine software > 8 Analog Trunks> 1 PRI Trunk module > 8 Digital Extensions > 128 Analog Extensions > 1 Digital Key Phone with minimum 16 Keys (Must work only on 2 wires) > Expandable to 220 Ports wired or more at extra cost Approved Brands: NEC/ Alcatel/ Karel/ Unify	1 No	344700.00
1615	ELEC-8.4.3	Supply, Installation, Testing and Commissioning of IP Based digital Telephone (EPABX) system--complied with following specifications:	1 No	414500.00

Sl. No.	Code	DESCRIPTION OF ITEM	Unit	Scheduled Rates for the Year 2020-21
		<ul style="list-style-type: none"> > IP @ Core, PCM/TDM switching, Non blocking, > Must Support PRI, E1, Analog Junctions > Must Support PC Console, > Must support Mobile SIP (Android and I O.S) > Must support Voice Mail > Must support Card based GSM > Inbuilt Call Details Software with search engine software > 8 Analog Trunks > 1 PRI Trunk module > 8 Digital Extensions > 160 Analog Extensions > 1 Digital Key Phone with minimum 16 Keys (Must work only on 2 wires) > Inbuilt hotstandby for CPU and PSU. > Compatibility to run on DC -48v source. > Expandable to 220 Ports wired or more at extra cost <p>Approved Brands: NEC/ Alcatel/ Karel/ Unify</p>		
1616	ELEC-8.4.4	<p>Supply, Installation, Testing and Commissioning of IP Based digital Telephone (EPABX) system--complied with following specifications:</p> <ul style="list-style-type: none"> > IP @ Core, PCM/TDM switching, Non blocking, > Must Support PRI, E1, Analog Junctions> Must Support PC Console, > Must support Mobile SIP (Android and I O.S) > Must support Voice Mail > Must support Card based GSM > Inbuilt Call Details Software with search engine software > 8 Analog Trunks> 1 PRI Trunk module > 16 Digital Extensions > 224 Analog Extensions > 1 Digital Key Phone with minimum 16 Keys (Must work only on 2 wires)> Inbuilt hotstandby for CPU and PSU. > Compatibility to run on DC -48v source. > Expandable to 400 Ports wired or more at extra cost <p>Approved Brands: NEC/ Alcatel/ Karel/ Unify</p>	1 No	577150.00
1617	ELEC-8.4.5	<p>Supply, Installation, Testing and Commissioning of IP Based digital Telephone (EPABX) system--complied with following specifications:</p> <ul style="list-style-type: none"> > IP @ Core, PCM/TDM switching, Non blocking, > Must Support PRI, E1, Analog Junctions > Must Support PC Console, 	1 No	669000.00

Sl. No.	Code	DESCRIPTION OF ITEM	Unit	Scheduled Rates for the Year 2020-21
		<ul style="list-style-type: none"> > Must support Mobile SIP (Android and I O.S) > Must support Voice Mail > Must support Card based GSM > Inbuilt Call Details Software with search engine software > 8 Analog Trunks > 1 PRI Trunk module > 16 Digital Extensions > 304 Analog Extensions > 1 Digital Key Phone with minimum 16 Keys (Must work only on 2 wires) > Inbuilt hotstandby for CPU and PSU. > Compatibility to run on DC -48v source. > Expandable to 400 Ports wired or more at extra cost <p>Approved Brands: NEC/ Alcatel/ Karel/ Unify</p>		
1618	ELEC-8.4.6	Analog Extension Card (with Caller ID) 16 extensions.	1 No	19900.00
1619	ELEC-8.4.7	Analog Trunk Card (with Caller ID) 8 trunks.	1 No	19900.00
1620	ELEC-8.4.8	Digital Extension Card for 8 digital extensions:	1 No	19900.00
1621	ELEC-8.4.9	Digital Extension Card for 16 digital extensions:	1 No	32700.00
1622	ELEC-8.4.10	E1 Trunk Card or PRI Card 30 ISDN PRI or R2 trunk channels.	1 No	49100.00
1623	ELEC-8.4.11	IP CPU card for redundancy purpose	1 No	35800.00
1624	ELEC-8.4.12	PSU card for redundancy purpose	1 No	21800.00
1625	ELEC-8.4.13	Digital Key Telephone with 2 line display, 10 programmable keys, handsfree dialing.	1 No	8400.00
1626	ELEC-8.4.14	Digital Key Telephone with 2 line display, 16 programmable keys, fully handsfree talk back.	1 No	14700.00
1627	ELEC-8.4.15	IP Gateway card for 8 channels	1 No	41500.00
1628	ELEC-8.4.16	IP Gateway card for 16 channels	1 No	60000.00
1629	ELEC-8.4.17	SIP extensions licenses pack (5 SIP extensions)	1 No	4250.00
1630	ELEC-8.4.18	SIP extensions licenses pack (10 SIP extensions)	1 No	7450.00
1631	ELEC-8.4.19	IP phone with POE.	1 No	16800.00
1632	ELEC-8.4.20	4 port GSM card	1 No	43800.00
1633	ELEC-8.4.21	Expansion cabinet for 220 more extensions	1 No	83000.00
1634	ELEC-8.4.22	100 Pair MDF along with IPM	1 No	13400.00
		SECTION - 9		
	9.1	MISSILLANEOUS ITEMS		

Sl. No.	Code	DESCRIPTION OF ITEM	Unit	Scheduled Rates for the Year 2020-21
1635	ELEC-9.1.1	TW Separators / Gutties	100 Nos	211.00
1636	ELEC-9.1.2	Rawl Plugs	100 Nos	37.00
1637	ELEC-9.1.3	PVC Grips	100 Nos	36.00
1638	ELEC-9.1.4	U Nails	100 Nos	36.00
1639	ELEC-9.1.5	Alluminium Link Clips	144 Nos	36.00
1640	ELEC-9.1.6	50 mm G.I.Nut and Bolts.	1 Set	18.00
1641	ELEC-9.1.7	63 to 100 mm G.I.Nut and Bolts.	1 Set	28.00
1642	ELEC-9.1.8	50 mm 0 Gauge Nails	1 Doz	50.00
1643	ELEC-9.1.9	63 to 100 mm 0 Gauge Nails	1 Doz	84.00
1644	ELEC-9.1.10	Hard Coke	1 Kg	23.00
1645	ELEC-9.1.11	Salt	1 Kg	18.00
1646	ELEC-9.1.12	PVC Cleats 2 Way	100 Nos	375.00
1647	ELEC-9.1.13	PVC Cleats 4 Way	100 Nos	502.00
1648	ELEC-9.1.14	Binding Wire	1 Kg	70.00
1649	ELEC-9.1.15	PVC / Cotton Insulation tape Role (10 Mtrs)	1 No	22.00
1650	ELEC-9.1.16	C.I.Knob	1 No	28.00
1651	ELEC-9.1.17	Stay tight set (Jum bracket 300 mm)	1 Pair	343.00
1652	ELEC-9.1.18	Stay clamp with bolts and Nuts)	1 Set	226.00
1653	ELEC-9.1.19	L.T.Guy insulator	1 No	88.00
1654	ELEC-9.1.20	12 / 15 MS plain rod fan hook	1 No	36.00
1655	ELEC-9.1.21	19 / 20 mm Steel tube fan down rod	1 Mtr	95.00
1656	ELEC-9.1.22	Consealed box PVC / MS with hook for fan	1 No	113.00
1657	ELEC-9.1.23	Supply and fixing of Anchor fastner with fan hook / Providing MS Fan hook with grouting and cement plastering.	1 No	92.00
1658	ELEC-9.1.24	Coil Earthing	1 No	86.00
1659	ELEC-9.1.25	Cable route Indicators of size 152mm round / 102mm x 102mm / 152mm x 152mm	1 No	102.00
1660	ELEC-9.1.26	40 mm x 40 mm x 6 mm angle iron with I bolt.	1 Set	287.00
1661	ELEC-9.1.27	Mild Steel Items	1 Kg	70.00
1662	ELEC-9.1.28	Acrylic Cover of size 4" x 7" for night lamps.	1 No	23.00
1663	ELEC-9.1.29	TW / PVC Round Blocks	1 No	8.00
1664	ELEC-9.1.30	G.I.Funnel with Mesh 1/2" x 4"	1 No	93.00
1665	ELEC-9.1.31	Asbestos Sheet	1 Sqft	28.00
1666	ELEC-9.1.32	First Aid box 18" x 12" x 8"	1 No	1247.00
1667	ELEC-9.1.33	11 KV/22 KV Hand gloves	1 No	233.00
	9.2	LEGEND PLATES		
	ELEC-9.2.1	Danger Notice Plates of size ----- ---, shall comply with IS:2551-1982.		
1668	a	250x200mm,	1 No	235.00
1669	b	200x150mm,	1 No	210.00
1670	c	150x100mm,	1 No	105.00
1671	ELEC-9.2.2	Bus bar chamber 100mm x 40mm	1 No	50.00
1672	ELEC-9.2.3	Cable Alley 100mm x 40mm	1 No	50.00
1673	ELEC-9.2.4	Earth 40mm x 20mm	1 No	50.00

Sl. No.	Code	DESCRIPTION OF ITEM	Unit	Scheduled Rates for the Year 2020-21
1674	ELEC-9.2.5	Auto / Manual	1 No	50.00
1675	ELEC-9.2.6	Semi oval type alluminium anodized legend plates ON / OFF / Forward / Reverse / Start / Stop / UP / DOWN / R Phase / Y Phase / B Phase / Trip / Open / Close / Left / Right / Motor on / Motor off / Accept / Retract / Reset / Emergency / Running / Pump off / Emergency Stop / Emergnecy on / Slow.	1 No	25.00
1676	ELEC-9.2.7	Shock instrution chart in English / Hindi / Telugu duly framed with front glass.	1 No	475.00
	ELEC-9.2.8	Supply of 1.0 Sqmm FRLS / HFFR PVC insulated 1100V grade as per IS:694/1990 specification for Copper cable.		#DIV/0!
1677	a	Makes : Finolex / RR kabel / Havells / APAR EBXL / KEI / L&T / V-Guard.	100 Mtrs	1050.00
1678	b	Makes : Polycab / HPL / RPG / Kundancab / Nakoda / Anchor / GM / Million / Gold Medal / Power Flex / Fine Cab / Sun Cab / Fortune Art / Bonton / Gloster / Gemini / Uniflex / Sudhakar / Nandicab.	100 Mtrs	925.00
1679	c	Makes : Benlo / Khanthi / Vimal / Stanjo / Airson / Rajnigandha / Orbit	100 Mtrs	800.00
	9.3	COPPER / ALLUMINIUM / G.I. ITEMS (PER KG)		
1680	ELEC-9.3.1	Copper Plate / Strip / SWG wire No.8 / 10 / 14	1 Kg	714.00
1681	ELEC-9.3.2	Copper winding wire	1 Kg	823.00
1682	ELEC-9.3.3	Copper winding wire with PVC Insulated of fine quality	1 Kg	847.00
1683	ELEC-9.3.4	Alluminum Bus bars / Strips / Accessories	1 Kg	278.00
1684	ELEC-9.3.5	Alluminum winding wire	1 Kg	363.00
1685	ELEC-9.3.6	G.I. Strip / Plate / Wire	1 Kg	80.00
	9.4	DMC/ SMC TYPE SUPPORTS FOR THE BUSBARS		
	ELEC-9.4.1	Supply of SMC type supports for the bus bars-----		
1686	a	50 x 70 x 14 mm	1 No	30.00
1687	b	60 x 70 x 14 mm	1 No	35.00
1688	c	70 x 70 x 14 mm	1 No	65.00
1689	d	300 x 50 x 10 mm	1 No	120.00
1690	e	350 x 52 x 10 mm	1 No	160.00
1691	f	420 x 60 x 12 mm	1 No	230.00
1692	ELEC-9.4.2	DMC Earth Flat Supports 20 x3 mm / 20x 6mm / 25 x 6mm / 25 x 3mm / 32 x 3 mm /	1 No	50.00

Sl. No.	Code	DESCRIPTION OF ITEM	Unit	Scheduled Rates for the Year 2020-21
		32 x 6mm / 40 x 3 mm / 40 x 6mm		
1693	ELEC-9.4.3	Heat shrinkable sleeves for the Bus bars up to 70 Sqmm	1 Mtr	15.00
1694	ELEC-9.4.4	Heat shrinkable sleeves for the Bus bars above 70 Sqmm	1 Mtr	25.00
1695	ELEC-9.4.5	3 to 6.2 Volt series bulb LEDs/Normal bulbs	1000 Nos	1000.00
1696	ELEC-9.4.6	3 to 6.2 Volt series bulb with navar plate LEDs/normal bulbs.	1000 Nos	1300.00
1697	ELEC-9.4.7	Supply of Rotating machine	1 No	1200.00
1698	ELEC-9.4.8	Supply of 6mm thick MS Chekered plate.	1 Kg	80.00
1699	ELEC-9.4.9	Supply of fixing of 6mm thick Alluminium Chekered plate.	1 Kg	275.00
1700	ELEC-9.4.11	Cement	1 Kg	8.00
1701	ELEC-9.4.12	Cost of Sand	1 Cum	600.00
1702	ELEC-9.4.13	Cost of Bricks	1000 Nos	4000.00
1703	ELEC-9.4.14	Hylam Sheet	1 Sq.in	1.00
1704	ELEC-9.4.16	80mm Nominal Bore C.I.Earth Pipe of 3 Mtrs Length	1 No	3400.00
1705	ELEC-9.4.17	Earth work excacvation including all soils for trench	1 Cum	250.00
1706	ELEC-9.4.18	Earth work excacvation for all soils for Pole Pit for 3 to 6 Mtrs Pole	1 No	800.00
1707	ELEC-9.4.19	Earth work excacvation for all soils for Pole Pit for 7 to 11 Mtrs Pole	1 No	1200.00
1708	ELEC-9.4.20	Drilling of 16 Nos through holes of 12mm dia to G.I pipe	1 No	6.00
1709	ELEC-9.4.21	G.I Nuts, Bolts and Washers each set	1 Set	12.00
1710	ELEC-9.4.22	18" dia 2" thick hume pipe ring	1 No	250.00
1711	ELEC-9.4.23	18" dia 3" hume pipe ring	1 No	300.00
1712	ELEC-9.4.24	2" thick CC cover for hume pipe ring with handle.	1 No	130.00
	ELEC-9.4.25	Supply of Saddle / Clamps suitable for fixing -----		
1713	a	4 to 10 Sqmm 2 Core Cable.	100 Nos	230.00
1714	b	4 & 6 Sqmm 4 Core Cable.	100 Nos	230.00
1715	c	10 & 16 Sqmm 4 Core Cable.	100 Nos	300.00
1716	d	25 & 35 Sqmm 3.5 Core Cable.	100 Nos	350.00
1717	e	50 Sqmm 3.5 Core Cable.	100 Nos	500.00
1718	f	70 & 95 Sqmm 3.5 Core Cable.	100 Nos	550.00
1719	g	120 to 185 Sqmm 3.5 Core Cable.	100 Nos	700.00
1720	h	240 & 300 Sqmm 3.5 Core Cable.	100 Nos	850.00
1721	i	400 Sqmm 3.5 Core Cable.	100 Nos	1100.00
	ELEC-9.4.26	Supply and fixing of PVC synthetic elastomer electrically insulated mat conforming to IS: 15652-2006 with-----		

Sl. No.	Code	DESCRIPTION OF ITEM	Unit	Scheduled Rates for the Year 2020-21

1722	a	Class A insulation having 2mm thickness upto 3.3KV	1 Sq Mtr	3800.00
1723	b	Class B insulation having 2.5mm thickness upto 11KV	1 Sq Mtr	3900.00
1724	c	Class C insulation having 3mm thickness upto 33KV	1 Sq Mtr	4000.00
1725	ELEC-9.4.27	Supply of round bottom G.I sheet bucket of 9 Ltrs. Capacity as per IS:2546 made out of 24 gauge GI sheet with extra handle at bottom duly painted inside and red out side with printed with FIRE Mark for stand and hook and filled with sand and arranged to existing stand or hook.	1 No	270.00
1726	ELEC-9.4.28	Providing floor mounting stand for keeping 4No of fire bucket 1500mm length, 900mm height made out of 40x40x6mm angle iron welded with 4 hooks and duly painted with one coat of red lead and two coats of enamel paint.	1 No	1100.00
1727	ELEC-9.4.29	Supply and erection of conventional spike type air termination suitable to carry lightning stroke, made up of heavy grade 40 mm dia copper pipe of standard length of 5 Nos copper spikes fixed on copper ball as air terminals duly threaded in copper pipe erected in provided foundation in an approved manner	1 No	4800.00
		SECTION - 10		
	10.1	WIRELESS FIRE ALARM SYSTEM		
1728	ELEC-10.1.1	Supply and fixing of Wireless Repeater. The wireless repeater extends the communication range of detection by relaying data between receiver and remote wireless transmitter Including transportation, all taxes and all labour charges etc complete. Makes : Cease Fire / Visonic / Honeywell	1 No	8400.00
1729	ELEC-10.1.2	Supply and fixing of Wireless Siren Strobe external wireless siren - a fully supervised power code outdoor (IP55) wireless Siren and strobe light. Designed for external installation. Wire - Free connection between control panel and siren. Convenient rapid no- mess installation. Separate fire alarm signals, 98db Piezo siren and high power strobe light. Weather	1 No	11800.00

Sl. No.	Code	DESCRIPTION OF ITEM	Unit	Scheduled Rates for the Year 2020-21
		resistant, IP55, 2-way communication for local and remote diagnostics. Plug-in power supply, NIMH rechargeable back-up power battery, transmits status, tamper, low-battery, supervisory and AC loss messages to the control panel, Tri- State tamper switch identifies screw manipulation removal of cover or playing from the wall Including transportation, all taxes and all labour charges etc complete.Makes : Cease Fire / Visonic / Honeywell		
1730	ELEC-10.1.3	Supply and fixing of wireless Fully Supervised Smoke Detector, Photoelectric detection technology for superior detection sensitivity , sound and transmitted for smoke, tamper and low battery, works on power code protocol, easy programming and enrolling to the control panel, long life 9 volt alkaline or lithium battery Including transportation, all taxes and all labour charges etc complete. Makes : Cease Fire / Visonic / Honeywell	1 No	5800.00
	10.2	ADDRESSABLE - FIRE ALARM SYSTEM		
1731	ELEC-10.2.1	Supply, Installation, testing and commissioning of wall mounting 10 loop micro processor based analog addressable fire control panel expandable by minimum 2 additional loops with minimum 80 character LCD display 4 access levels 1000 events, historical logging, flash E-PROM, 240 volts A C Power supply, automatic battery charger, 24V SLA batteries suitable for operating the entire system including tack back units and the hooters/strobes for a minimum of 4 hours in battery condition the panel shall have suitable power amplifiers for hooter / strobes the panel shall be capable beeing integrated with the BMS system and shall include cost of supply, installation of any additional modules or interfaces required for the same. The panel shall be completed as per the specification and as required fixing of 10 loop Micro processor based Fire Alarm control panel with zonal indications and battery back up as per detailed specifications. Makes : Notifier / Edwards / Honeywell /		

Sl. No.	Code	DESCRIPTION OF ITEM	Unit	Scheduled Rates for the Year 2020-21
		Morley IAS / Bosch / Honeywell / Morley IAS / Bosch/Cooper		
1731	a	10 loop micro processor	1 No	552000.00
1732	b	8 loop micro processor	1 No	400000.00
1733	c	6 loop micro processor	1 No	370000.00
1734	d	4 loop micro processor	1 No	250000.00
1735	e	2 loop micro processor	1 No	210000.00
1736	f	1 loop micro processor	1 No	180000.00
	ELEC-10.2.2	Supply, Installation, testing and commissioning of EN54-2 Listed and LPCB approved----- based analog addressable fire control panel expandable by minimum 2 additional loops with minimum 80 character LCD display 4 access levels 1000 events, historical logging, flash E-PROM, 240 volts A C Power supply, automatic battery charger, 24V SLA batteries suitable for operating the entire system including tack back units and the hooters/strobes for a minimum of 4 hours in battery condition the panel shall have suitable power amplifiers for hooter / strobes the panel shall be capable being integrated with the BMS system and shall include cost of supply, installation of any additional modules or interfaces required for the same. The panel shall be completed as per the specification and as required for fixing of above Micro processor based Fire Alarm control panel with zonal indications and battery back up as per detailed specifications. Makes: Siemens / Morley IAS / Bosch / Ravel / Honeywell/Cooper		
1737	a	10 loop micro processor	1 No	516000.00
1738	b	8 loop micro processor	1 No	365000.00
1739	c	6 loop micro processor	1 No	329000.00
1740	d	4 loop micro processor	1 No	223000.00
1741	e	2 loop micro processor	1 No	187000.00
1742	f	1 loop micro processor	1 No	170000.00
1743	ELEC-10.2.3	Supply, Installation, testing and commissioning of intellegent analogue addressable Repeater panel including the cost of mounting accessories complete as per specification as required. Makes: Notifier / Edwards / Honeywell / Morley IAS / Bosch / Honeywell / Morley	1 No	106000.00

Sl. No.	Code	DESCRIPTION OF ITEM	Unit	Scheduled Rates for the Year 2020-21
		IAS / Bosch/Cooper		
1744	ELEC-10.2.4	Supply and fixing of addressable wall mounting strobes cum hooters including the cost of mounting accessories complete as per specifications and as required including testing and commissioning. Makes: Notifier / Edwards / Honeywell / Morley IAS / Bosch / Honeywell / Morley IAS / Bosch/Cooper	1 No	3766.00
1745	ELEC-10.2.5	Supply and installation of addressable analogue manual call point with resettable flexible element to initiate alarm including the cost of mounting accessories etc. complete. Makes: Notifier / Edwards / Honeywell / Morley IAS / Bosch / Honeywell / Morley IAS / Bosch/Cooper	1 No	3613.00
1746	ELEC-10.2.6	Supply and installation of intelligent analogue addressable photo electric smoke detector including cost of base plate etc., complete as per specification with required fittings and accessories. Makes: Notifier / Edwards / Honeywell / Morley IAS / Bosch/cooper	1 No	2924.00
1747	ELEC-10.2.7	Supply and installation of UL approved intelligent analogue addressable rate of rise cum fixed temperature heat detectors including the cost of base plate. 75mm dia MS outlet box for fixing of the detector base, mounting accessories etc., complete as per specifications and as required. Makes: Notifier / Edwards / Honeywell / Morley IAS / Bosch/Cooper	1 No	2738.00
1748	ELEC-10.2.8	Supply and installation of UL approved intelligent analogue addressable multi criterion detectors below false ceiling/on ceiling including the cost of base plate. 75mm dia MS outlet box for fixing of the detector base, mounting accessories etc., complete as per specifications and as required. Makes: Notifier / Edwards / Honeywell / Morley IAS / Bosch	1 No	2892.00
1749	ELEC-10.2.9	Supply and Installation of UL approved intelligent analogue addressable Control Modules including the cost of mounting accessories complete as per specifications	1 No	3199.00

Sl. No.	Code	DESCRIPTION OF ITEM	Unit	Scheduled Rates for the Year 2020-21
		and as required.Makes: Notifier / Edwards / Honeywell / Morley IAS / Bosch/cooper		
1750	ELEC-10.2.10	Supply and Installation of UL approved intellegent analogue addressable monitor modules including the cost of mounting accessories complete as per specifications and as required. Makes: Notifier / Edwards / Honeywell / Morley IAS / Bosch/cooper	1 No	3199.00
1751	ELEC-10.2.11	Supply and Installation of UL approved intellegent analogue addressable fault isolator modules including the cost of mounting accessories complete as per specifications and complete as required. Makes: Notifier / Edwards / Honeywell / Morley IAS / Bosch/cooper	1 No	3078.00
1752	ELEC-10.2.12	Supply, Installation, testing and commissioning of UL approved intellegent analogue addressable Repeater panel including the cost of mounting accessories complete as per specification as required. Makes: Siemens / Morley IAS / Bosch / Ravel / Honeywell/cooper	1 No	72009.00
1753	ELEC-10.2.13	Supply and fixing of addressable wall mounting strobes cum hooters including the cost of mounting accessories complete as per specifications and as required including testing and commissioning. Makes: Siemens / Morley IAS / Bosch / Ravel / Honeywell/cooper	1 No	3240.00
1754	ELEC-10.2.14	Supply and installation of addressable analogue manual call point with resetable flexible element to initiate alaram including the cost of mounting accessories etc. complete. Makes: Siemens / Morley IAS / Bosch / Ravel / Honeywell/cooper	1 No	3483.00
1755	ELEC-10.2.15	Supply and instllation of UL approved intellegent analogue addressable photo electric smoke detector including cost of base plate etc., complete as per specification with required fittings and accessories. Makes: Siemens / Morley IAS / Bosch / Ravel / Honeywell/cooper	1 No	2754.00

Sl. No.	Code	DESCRIPTION OF ITEM	Unit	Scheduled Rates for the Year 2020-21
1756	ELEC-10.2.16	Supply and installation of UL approved intelligent analogue addressable rate of rise cum fixed temperature heat detectors including the cost of base plate. 75mm dia MS outlet box for fixing of the detector base, mounting accessories etc., complete as per specifications and as required. Makes: Siemens / Morley IAS / Bosch / Ravel / Honeywell/Cooper	1 No	2835.00
1757	ELEC-10.2.17	Supply and installation of UL approved intelligent analogue addressable multi criterion detectors below false ceiling/on ceiling including the cost of base plate. 75mm dia MS outlet box for fixing of the detector base, mounting accessories etc., complete as per specifications and as required. Makes: Siemens / Morley IAS / Bosch / Ravel / Honeywell/Cooper	1 No	3005.00
1758	ELEC-10.2.18	Supply and Installation of UL approved intelligent analogue addressable Control Modules including the cost of mounting accessories complete as per specifications and as required. Makes: Siemens / Morley IAS / Bosch / Ravel / Honeywell/cooper	1 No	3021.00
1759	ELEC-10.2.19	Supply and Installation of UL approved intelligent analogue addressable monitor modules including the cost of mounting accessories complete as per specifications and as required. Makes: Siemens / Morley IAS / Bosch / Ravel / Honeywell/cooper	1 No	2851.00
1760	ELEC-10.2.20	Supply and Installation of UL approved intelligent analogue addressable fault isolator modules including the cost of mounting accessories complete as per specifications and complete as required. Makes: Siemens / Morley IAS / Bosch / Ravel / Honeywell/Cooper	1 No	2754.00
	10.3	CONVENTIONAL - FIRE ALARM SYSTEM (Approved by LPCB / UL Listed)		
	ELEC-10.3.1	Supply, Installation, testing and commissioning of conventional Micro processor based Fire Alarm panel with ----- ----- 12V SMF batteries etc., complete		

Sl. No.	Code	DESCRIPTION OF ITEM	Unit	Scheduled Rates for the Year 2020-21
		with all standard accessories. Makes: System Censor / Ravel / Vertex		
1761	a	2 zone	1 No	14000.00
1762	b	4 zone	1 No	14600.00
1763	c	6 zone	1 No	14800.00
1764	d	8 zone	1 No	15100.00
1765	e	10 zone	1 No	19750.00
1766	f	12 zone	1 No	22000.00
1767	g	14 zone	1 No	24000.00
1768	ELEC-10.3.2	Supply and installation of Repeater panel including the cost of mounting accessories complete as per specifications and as required. Makes: System Censor / Ravel / Vertex	1 No	12000.00
1769	ELEC-10.3.3	Supply and installation of duel tone electronic hooter of 85dB including the cost of mounting accessories complete as per specifications and as required.	1 No	700.00
1770	ELEC-10.3.4	Supply and installation of dust and vermin proof manual call point to initiate audio visual alarm including the cost of mounting accessories complete as per specifications and as required.	1 No	580.00
1771	ELEC-10.3.5	Supply and installation of response indicators for above false ceiling detectors.	1 No	130.00
1772	ELEC-10.3.6	Supply and installation of plug - in type multi criterion detectors including the cost of base plate. 75mm dia M.S. outlet box for fixing of the detector base. Mounting accessories etc., complete as per specifications as required. Makes: System Censor / Ravel / Vertex	1 No	1500.00
1773	ELEC-10.3.7	Supply and installation of plug - in type photo electric smoke detectors including the cost of base plate. 75mm dia MS outlet box for fixing of the detector base. Mounting accessories etc complete and as per specifications and as required. Makes: System Censor / Ravel / Vertex	1 No	1300.00
1774	ELEC-10.3.8	Supply and installation of plug - in type rate of rise cum fixed temperature heat detectors including the cost of base plate. 75mm dia MS outlet box for fixing of the detector base, mounting accessories etc., complete as per specifications and as required.	1 No	1200.00

Sl. No.	Code	DESCRIPTION OF ITEM	Unit	Scheduled Rates for the Year 2020-21
		Makes: System Censor / Ravel / Vertex		
		BEAM DETECTORS		
1775	ELEC-10.3.9	Supply, Installation, Testing and Commissioning of 4 wire conventionally single ended reflected type smoke detector with 8" receiver. The range of smoke detection is maximum 164 ft		33000.00
1776	ELEC-10.3.10	Supply, Installation, Testing and Commissioning of 4 wire conventionally single ended reflected smoke detector with 8" receiver. The range of smoke detection is maximum 325 ft		55000.00
	10.4	POWDER BASED FIRE EXTINGUISHERS		
	ELEC-10.4.1	Supply and fixing of ABC stored pressure squeeze grip type fire extinguishers, 9 kg capacity , IS:15683 : 2006, filled with ABC Mono Ammonium Phosphate base powder-90 complete with discharge hose and wall mounting bracket, 2mm Mild Steel, EPDM Rubbers, Pressure Guage, which work effectively on all class of fires (A, B, C & Electrical fires) with 5 years warranty Including transportation, all taxes and all labour charges etc complete.		
1777	a	Makes : Cease Fire / Minimax	1 No	8160.00
1778	b	Makes : Safex / Kenex / Bharat / Reliance	1 No	5245.00
	ELEC-10.4.2	Supply and fixing of ABC Powder MAP 4 Kg Fire extinguisher Mono ammonium phosphate power 90, stored pressure type, IS 15683 : 2006, pressure gauge gross wt. 6.9 kg, empty wt. 2.9 kg, can Ht.440mm, Diameter 140mm, Discharge time less than 13 sec , controllable discharge mechanism, range min. 4 mts applicable on classes A,B, C & electrically started fires, A- rating 3A, B-rating 34B, can construction: Deep drawn Co2 mig welding, wall construction: Forging & Machining, internal coating of can: Epoxy power coating, External coating of Can:Epoxy polyester powder coating, sheet metal thickness:1.60mm, Helium leakage detection tested, ISI & CE approved with 5 years warranty Including transportation, all taxes and all labour charges etc complete.		
1779	a	Makes : Cease Fire / Minimax	1 No	5700.00
1780	b	Makes : Safex / Kenex / Bharat / Reliance	1 No	3700.00

Sl. No.	Code	DESCRIPTION OF ITEM	Unit	Scheduled Rates for the Year 2020-21
	ELEC-10.4.3	Supply and fixing of ABC Powder MAP 2 Kg Fire extinguisher Mono ammonium phosphate power 90, stored pressure type, IS 15683 : 2006, pressure gauge gross wt. 3.6 kg, empty wt. 1.6 kg, can Ht.344mm, Diameter 108mm, Discharge time less than 8 sec , controllable discharge mechanism, range min. 2 mts applicable on classes A,B, C electrically started fires, A-rating 2A, B-rating 21B, can construction: Deep drawn Co2 mig welding, wall construction: Forging & Machining, internal coating of can: Epoxy power coating, External coating of Can:Epoxy polyster powder coating, sheet metal thickness:1.60mm, Helium leakage detection tested, insta - alert, ISI & CE approved with 5 years warranty Including transportation, all taxes and all labour charges etc complete.		
1781	a	Makes : Cease Fire / Minimax	1 No	4000.00
1782	b	Makes : Safex / Kenex / Bharat / Reliance	1 No	2600.00
	ELEC-10.4.4	Supply and fixing of Ceiling Mounted ABC MAP 90, 5 Kg stored pressure type, pressure gauge, Gross Wt. 7.7 kg, Empty Wt. 2.7 kg, Can Ht264mm , Dia 240mm, Discharge time : less than 8 sec , IS 15683 : 2006 Auto discharge mechanism on temperature rise, Applicable on A,B,C, & Electrically - started fires, Can Construction: Forging & Machining, Internal coating of Can: Epoxy Power coating, External Coating of Can: Epoxy Polyster powder coating, sheet metal thickness:1.60mm , Helium leakage detection tested, ISI approved with 5 years warranty (Cease Fire / Minimax make) Including transportation, all taxes and all labour charges etc complete.		
1783	a	Makes : Cease Fire / Minimax	1 No	6400.00
1784	b	Makes : Safex / Kenex / Bharat / Reliance	1 No	5000.00
		AEROSOL GENERATION SYSTEM (AGS) AND FIRE EXTINGUISHERS		
1785	ELEC-10.4.5	Supply, installation, testing and commissioning of Addressable Control panel for AGS system with monitoring system and provision of interactive TFT color Graphic	1 No	41378.00

Sl. No.	Code	DESCRIPTION OF ITEM	Unit	Scheduled Rates for the Year 2020-21
		Display with touch Screen Control and shall have built in feature of Mimic software which works on a Android based technology and a facility to show the layout location of the installation area and prescribed location of the devices during the fire accident. shall have minimum two level password protection. Shall have alert indication for missing device, contaminated device. The control panel shall have real-time clock (RTC) indicate time, date, month & year and along with a provision of Ethernet based circuit as if required. Makes : SALAMANDRA / SEAARA / AGS		
1786	ELEC-10.4.6	Supply, installation, testing and commissioning of Addressable Multi sensor with integrated smoke sensing chamber and heat sensing element. Addressable smoke detector shall operate on light scatter principle. The build-up of dirt or similar contamination on the sensing chamber shall be continually monitored by control panel, when it exceeds predetermined level; the panel has to indicate that the detector is in need of servicing. The detector shall have an integral microprocessor capable of making alarm decision based on alarm level set. The Obs/ft should be 0.5 obs/ft. The detector shall blink when the detector is addressed and glow steady on alarm. The detector shall have provision to alter the sensitivity from the panel. The detector shall have electronic free base. The detector and base construction shall be made of polycarbonate plastic. The detector shall be capable of reading from the control panel, i.e. health of the detector, alarm level setting. Latching the detector, isolating the detector from the control panel shall be possible. The detector shall preferably have twin LED's for 360 viewing angle.Makes : SALAMANDRA / SEAARA / AGS	1 No	2112.00
1787	ELEC-10.4.7	Supply, installation, testing and commissioning of addressable Loop Powered Sounder with integral beacon within horn using high intensity LED technology. The sounder beacon shall work	1 No	2449.00

Sl. No.	Code	DESCRIPTION OF ITEM	Unit	Scheduled Rates for the Year 2020-21
		with loop power. No separate power supply with cable shall be used. The sounder beacon shall be addressable type. It shall have electronic addressing. No DIP/DIL switches are permitted for address setting in order to avoid unauthorized setting. The construction of the sounder beacon shall be made of polycarbonate plastic. The sounder beacon sound pressure level shall be 85 dB at 10ft. Makes : SALAMANDRA / SEAARA / AGS		
1788	ELEC-10.4.8	Supply, installation, testing and commissioning of addressable Control Module with built-in LED. The LED shall blink when it is addressed and it shall glow steady when it is actuated and it should have principle of working with NC/NO relay circuit. It should have a cross zoning facility with a inbuilt sounder. The control module shall have electronic addressing. The control contact rating shall be a minimum of 2 amps @ 24V DC (Resistive). The control module shall operate from SLC loop power. No external power/cable shall be used. Makes : SALAMANDRA / SEAARA / AGS	1 No	2787.00
1789	ELEC-10.4.9	Supply and installation of manually operated suppression system using Aerosol Generator System for all classes of fire with active substance of 3.3. Kg and does cooling effect with no re-ignition. The product with minimum life of 15 years and no maintenance. The discharge time should be 25 sec and has net weight of 4.6 kg and has a capacity to cover 60 m ³ and shall be confirmed to NFPA 2010 and has other national and international certificates.	1 No	62912.00
1790	ELEC-10.4.10	Supply of Auto Detection and Suppression System using Aerosol Generator System with required fittings as per standard composition for all classes of fire, With a provision to connect to detect smoke and heat with a obt/ft of 0.5 and flexibility of adjusting it for a temperature of 57/68/93/141 degree centigrade as per the site environment. The product Min Life shall be 15 years and no Maintenance. The Discharge time should be 78 sec. The	1 No	101334.00

Sl. No.	Code	DESCRIPTION OF ITEM	Unit	Scheduled Rates for the Year 2020-21
		Generator with a net weight of 10 kg Active Substance of 3.25 kg. and has diameter 220mm and height 220mm The Generator is suitable for Server Room, Electrical Storage and technical appliances, important documents area & etc. Makes : SALAMANDRA / SEAARA / AGS		
1791	ELEC-10.4.11	Supply of Auto Detection and Suppression System using Dry Sprinkler Generator as per standard composition for all classes of fire, with a provision to connect to detect smoke and heat with a obt/ft of 0.5 and flexibility of adjusting it for a temperature of 57/68/93/141 degree centigrade as per the site environment. The product Min Life shall be 15 years and no Maintenance. The Discharge time should be 21 sec. The Generator has a net weight of 1.2 kg. Active Substance of 0.3 kg and has diameter 20mm and height 135mm. The Generator is suitable for Server Room, Electrical Storage and technical appliances, important documents area & etc. Makes : SALAMANDRA / SEAARA / AGS	1 No	33778.00
1792	ELEC-10.4.12	Supply of Auto Detection and Suppression System using Aerosol Generator System as per standard composition with required fittings for all classes of fire, with a provision to connect to detect smoke and heat with a obt/ft of 0.5 and flexibility of adjusting it for a temperature of 57/68/93/141 degree centigrade as per the site environment. The product Min Life shall be 15 years and no Maintenance. The Discharge time should be 50 sec. The Generator has a net weight of 4.5 kg. Active Substance of 1.4 kg and has diameter 40mm and height 187mm. The Generator is suitable for Server Room, Electrical Storage and technical appliances, important documents area & etc. Makes : SALAMANDRA / SEAARA / AGS		59533.33
1793	ELEC-10.4.13	Supply of Aerosol Heat Starter Sprinkler used for Auto Detection and Suppression System for Aerosol Generator System for all Class of Fire. The heat Starter Sprinkler has various starter capacity, which ranges from +50c to +163c. The starter can cover	1 No	7178.00

Sl. No.	Code	DESCRIPTION OF ITEM	Unit	Scheduled Rates for the Year 2020-21
		up to 18 m2. The product Min Life shall be 15 years. The output power from the Starter is 3v and current 0.6A and operates at a temperature range of - 50c to +80c. The Starter Sprinkler is suitable for Server Room, Electrical Storage and technical appliances, Important documents area etc. Makes : SALAMANDRA / SEAARA / AGS		
	10.5	CLEAN AGENT FIRE EXTINGUISHERS		
	ELEC-10.5.1	Supply and fixing of 2 Kg Fire extinguisher Clean Agent HCFC 123, Stored pressure type, IS 15683 : 2006 pressure guage, gross weight 3.7 Kg empty weight 1.7 Kg, can hight 344mm, Diameter 108mm, discharge time minimum 8 secs, controllable discharge mechanism, range minimum 2 meters, applicable on class A,B,C and electrically started Fire, A rating 1A, B rating 21B, can construction: Deep drawn & CO2 mig welded, Valve construction: Forging & Machining, Internal coating of Can: Epoxy powder coating, External coating of can: Epoxy polyster powder coating, sheet metal thickness: 1.60 mm, Helium leak detection tested, ISI & CE approved, 5 Years warranty.		
1794	a	Makes : Cease Fire / Minimax	1 No	11520.00
1795	b	Makes : Safex / Kenex / Bharat.	1 No	9800.00
	ELEC-10.5.2	Supply and fixing of 4 Kg Fire extinguisher Clean Agent HCFC 123, Stored pressure type, IS 15683 : 2006, pressure guage, gross weight 6.9Kg empty weight 2.9 Kg, can hight 440mm, Diameter 140mm, discharge time minimum 8 secs, controllable discharge mechanism, range minimum 2 meters, applicable on class A,B,C and electrically started Fire, A rating 1A, B rating 21B, can construction: Deep drawn & CO2 mig welded, Valve construction: Forging & Machining, Internal coating of Can: Epoxy powder coating, External coating of can: Epoxy polyster powder coating, sheet metal thickness: 1.60 mm, Helium leak detection tested, ISI & CE approved 5 Years warranty.		
1796	a	Makes : Cease Fire / Minimax	1 No	20900.00
1797	b	Makes : Safex / Kenex / Bharat.	1 No	18700.00

Sl. No.	Code	DESCRIPTION OF ITEM	Unit	Scheduled Rates for the Year 2020-21
	ELEC-10.5.3	Supply & Fixing of 4.5Kg, CO2 Type Fire Extinguisher, Trolley Mounted, Easy Weight Management, Used Unused Mechanism, Squeeze Grip, Gross Weight 19.1 Kg, Empty Weight 14.6 Kg, Can Height 860MM, Diameter 140MM, Discharge time minimum 13 Secs , Controllable discharge mechanism, Range minimum 2 Meters, Applicable on Class B,C & electrically started Fire, B Rating 13B, Can Construction : Hot Spinning / Forging, Valve Construction : Forging & Machining, Internal Coating of Can : Not Applicable, External Coating of Can : Spray Painting, Sheet metal thickness : 4.5MM, ISI & CE Approved, 2 Year Warranty Including transportation, all taxes and all labour charges etc complete.		
1798	a	Makes : Cease Fire / Minimax	1 No	9700.00
1799	b	Makes : Safex / Kenex / Bharat / Reliance	1 No	7300.00
1800	ELEC-10.5.4	Supply and fixing of Escape signage boards in Rigid Photo luminescent based glow in Dark rigid sheet with high intensity luminous properties with specificaiton of Cease Fire or its equivalent make Model-1ES01	1 No	1160.00
1801	ELEC-10.5.5	Supply and fixing of Cease fire or its equivalent Escape gear Mild Steel box size 425mmx360mmx140mm Epoxy powder coated to protect it from Weathering , smoke hood tested to Eupropean Standard EN 403 1993-S known to reduce Carbon Monoxide, propend(acrloein), hydrogen chloride, hydrogen Cyanide and Solid and liquid toxic particles to manageable level for atleast 15 minutes shall with stand tempeartures upto 80 degrees single use only Fire Blanket size 1.2m x1.8m used to cover any vessel containing used to Extinguish a clothing fire wrap blanket around the victim.	1 No	13400.00
	10.6	WATER MIST FIRE EXTINGUISHERS		
1802	ELEC-10.6.1	Supply & Fixing of Water Mist 9 Ltr. Fire Extinguisher : Gross Weight - 23.9 kg., Weight of the empty firefighting system without compressed air bottle and bottle valve - 14.9 kg., Can Height - 560 MM, Diameter - 204MM, Weight of the gun-	1 No	163000.00

Sl. No.	Code	DESCRIPTION OF ITEM	Unit	Scheduled Rates for the Year 2020-21
		1.9kg, Nominal charge - 9 Ltr., Recoil - approx. 10N, Extinguishing Media Flow - 0.23 L/ sec, Water Discharge Hose - 13 MM, Discharge time minimum 25 Secs, Range minimum 10 Meters, Compressed Air to Gun - 10 MM, Applicable on Class A, B, C & Electrically started Fires, ARating-27A, BRating-233B, Compressed air bottle (volume/pressure) - 2L / 300bar, Operating pressure(dynamic)-approx 5.0 bar, Lancing distance of the extinguishing agent-in spray Approx. 7.0 m, in jet mode Approx, 12.0 m. Operation time- approx 40 sec, Extinguishing enhancement agent- Foam Additive, CE and ERDA approved, Sheet Metal Thickness - 1.5MM, 1 Year Warranty. Makes: Cease Fire or Equivalent		
1803	ELEC-10.6.2	Refilling of Fire extinguisher of DCP type by dismantling from site to work shop for refilling includes removing of existing powder and cleaning the cylinder, delivery pipe, nozzle internally and refilling new powder complete with reinstalling properly at site with necessary certificate including transportation and labour charges.	1 Kg	200.00
1804	ELEC-10.6.3	Refilling of Fire extinguisher of ABC type by dismantling from site to work shop for refilling includes removing of existing powder and cleaning the cylinder, delivery pipe, nozzle internally and refilling new powder complete with reinstalling properly at site with necessary certificate including transportation and labour charges.	1 Kg	225.00
1805	ELEC-10.6.4	Refilling of Fire extinguisher of CO2 type by dismantling from site to work shop for refilling includes removing of existing powder and cleaning the cylinder, delivery pipe, nozzle internally and refilling new powder complete with reinstalling properly at site with necessary certificate including transportation and labour charges.	1 Kg	175.00
1806	ELEC-10.6.5	Fixed Clean Agent Type Cylinder less gas based Automatic Fire Suppression and Detection System, Consists of a heat sensitive tube made of special plastic which is closed by stainless steel fittings. The tube has both storage and detection		18000.00

Sl. No.	Code	DESCRIPTION OF ITEM	Unit	Scheduled Rates for the Year 2020-21
		function which means the extinguishing agent stored directly in the tube and no additional storage devise such as cylinder is needed. The tube rupters at 90 to 100 degree temp. for panels & Server Racks. Clean Agent should have FM Approval and UL listed. Shelf life 5 years. System is operational 24/7 without power supply. Aska Model no. TD100EA (100 cm) (contains 250 gms \pm 5 "clean gas agent HFC-227ea)		
1807	ELEC-10.6.6	Fixed Clean Agent Type Cylinder less gas based Automatic Fire Suppression and Detection System, Consists of a heat sensitive tube made of special plastic which is closed by stainless steel fittings. The tube has both storage and detection function which means the extinguishing agent stored directly in the tube and no additional storage devise such as cylinder is needed. The tube rupters at 90 to 100 degree temp. for panels & Server Racks. Clean Agent should have FM Approval and UL listed. Shelf life 5 years. System is operational 24/7 without power supply. Aska Model no. TD200EA (200 cm) (contains 500 gms \pm 5 "clean gas agent HFC-227ea)		22000.00
1808	ELEC-10.6.7	Fixed Clean Agent Type Cylinder less gas based Automatic Fire Suppression and Detection System, Consists of a heat sensitive tube made of special plastic which is closed by stainless steel fittings. The tube has both storage and detection function which means the extinguishing agent stored directly in the tube and no additional storage devise such as cylinder is needed. The tube rupters at 90 to 100 degree temp. for panels & Server Racks. Clean Agent should have FM Approval and UL listed. Shelf life 5 years. System is operational 24/7 without power supply. Aska Model no. TD300EA (300 cm) (contains 750 gms \pm 5 "clean gas agent HFC-227ea)		26000.00
1809	ELEC-10.6.8	Fixed Clean Agent Type Cylinder less gas based Automatic Fire Suppression and Detection System, Consists of a heat sensitive tube made of special plastic which is closed by stainless steel fittings. The		30000.00

Sl. No.	Code	DESCRIPTION OF ITEM	Unit	Scheduled Rates for the Year 2020-21
		tube has both storage and detection function which means the extinguishing agent stored directly in the tube and no additional storage devise such as cylinder is needed. The tube rupters at 90 to 100 degree temp. for panels & Server Racks. Clean Agent should have FM Approval and UL listed. Shelf life 5 years. System is operational 24/7 without power supply. Aska Model no. TD400EA (400 cm) (contains 1000 gms ± 5 “clean gas agent HFC-227ea)		
		MAINTENANCE AND CORROSION FREE FIRE EXTINGUISHER-AFFF FOAM		
1810	ELEC-10.6.9	Composite Body (HDPE with Aramid Winding) FIRE EXTINGUISHER (Maintanance Free Corrosion Free) with Magnet, 2 LTR AFFF FOAM (Fire Rating 8A / 55B / E1000V as per EN3-7), Type Stored Pressure, Operating Pressure 12 BAR, Filled Weight 2.8 KGS, Control Discharge, Discharge duratin 18 Seconds, Two Pressure Gauges, UV Resistant Outer Casing, Self Life 20 Years, 10 Years Corrossion Guarantee for Body. Test Reports should be from NABL Accredited Laboratory (Nationally / Internationally) Product Code : ASKA MFCF10 - F2,		10000.00
1811	ELEC-10.6.10	Composite Body (HDPE with Aramid Winding) FIRE EXTINGUISHER (Maintanance Free Corrosion Free) with Magnet (For Inspection), 6 LTR AFFF FOAM (Fire Rating 27A / 183B / E1000V as per EN3-7) , Type Stored Pressure, Oparating pressure 12 bar Filled Weight 8.5KGS, Control Discharge, Discharge duratin 40 Seconds, Two Pressure Gauges, UV Resistant Outer Casing, Self Life 20 Years, 10 Years Corrossion Guarantee for Body. Test Reports should be from NABL Accredited Laboratory (Nationally / Internationally) Product Code: ASKA MFCF10-F6		39000.00
1812	ELEC-10.6.11	Composite Body (HDPE with Aramid Winding) FIRE EXTINGUISHER (Maintanance Free Corrosion Free) with Magnet (For Inspection), Type Stored Pressure, Operating pressure 12 bar, 9 LTR AFFF FOAM (Fire Rating 34A / 233B / E1000 V as per EN3-7), Filled Weight 11.7 KGS, Control		49000.00

Sl. No.	Code	DESCRIPTION OF ITEM	Unit	Scheduled Rates for the Year 2020-21
		Discharge, Discharge duratin 49 Seconds, Two Pressure Gauges, UV Resistant Outer Casing, Self Life 20 Years, 10 Years Corrossion Guarantee for Body. Test Reports should be from NABL Accredited Laboratory (Nationally / Internationally) Product Code: ASKA MFCF10-F9		
		MAINTENANCE AND CORROSION FREE FIRE EXTINGUISHER - ABC POWDER		
1813	ELEC-10.6.12	Composite Body (HDPE with Aramid Winding) FIRE EXTINGUISHER (Maintanance Free Corrosion Free) with Magnet (For Inspection) 2 KG ABC Powder (Fire Rating 13A / 55B, C Flammable Gas and can be used on Live Current). Control Type Stored Pressure, Operating pressure 12 bar, Filled Weight 2.74 KGS, Control Discharge, Discharge duratin 22 Seconds, Two Pressure Gauges, UV Resistant Outer Casing, Self Life 20 Years, 10 Years Corrossion Guarantee for Body. Test Reports should be from NABL Accredited Laboratory (Nationally / Internationally) Product Code: ASKA MFCF10-P2		10000.00
1814	ELEC-10.6.13	Composite Body (HDPE with Aramid Winding) FIRE EXTINGUISHER (Maintanance Free Corrosion Free) with Magnet (For Inspection) 6 KG ABC Powder (Fire Rating 43A / 233B, C Flammable Gas and Electrical Current) Type Stored Pressure, Operating pressure 12 bar, Filled Weight 8.5KGS, Control Discharge, Discharge duratin 20 Seconds, Two Pressure Gauges, UV Resistant Outer Casing, Self Life 20 Years, 10 Years Corrossion Guarantee for Body. Test Reports should be from NABL Accredited Laboratory (Nationally / Internationally) Product Code: ASKA MFCF10-P6		39000.00
1815	ELEC-10.6.14	Composite Body (HDPE with Aramid Winding) FIRE EXTINGUISHER (Maintanance Free Corrosion Free) with Magnet (For Inspection) 9 KG ABC Powder (Fire Rating 55A / 233B, C Flammable Gas and Electrical Current) Type Stored Pressure, Operating pressure 12 bar, Filled Weight 11.7KGS, Control Discharge, Discharge duratin 20		53000.00

Sl. No.	Code	DESCRIPTION OF ITEM	Unit	Scheduled Rates for the Year 2020-21
		Seconds, Two Pressure Gauges, UV Resistant Outer Casing, Self Life 20 Years, 10 Years Corrossion Guarantee for Body. Test Reports should be from NABL Accredited Laboratory (Nationally / Internationally) Product Code: ASKA MFCF10-P9		
	10.7	FIRE HYDRANT AND SPRINKLER SYSTEM		
	ELEC-10.7.1	Supply, Transportation, installation, testing and commissioning of electric driven main fire pump suitable for automatic operation and consisting of following complete in all respect as required		
		a) Horizontal type, multistage, centrifugal, split casing pump of cast iron body & bronze impeller with stainless steel shaft, mechanical seal to ensure a minimum pressure of 3.5 Kg / sq.cm. at highest and farthest outlet at specified flow of ----- lpm at ----- Mtr. head conforming to IS 1520		
		b) Suitable HP SQ cage induction motor, TEFC, synchronous speed 1500 RPM, suitable for operation on 415Volts, 3 phase 50 Hz. AC with IP 55 protection for enclosure, horizontal foot mounted type with Class-'F' insulation, conforming to IS-325		
		c) M.S. Fabricated common base plate, coupling, coupling guard, foundation bolts etc as required.		
		d) Suitable cement concrete foundation duly plastered with anti vibration pads.		
		Makes of Pumps: Kirloskar / Mather&Platt.		
		Makes of Motors: Siemens/ ABB/ Kirloskar		
1816	a	1620 LPM, 56 Mtr Head	1 Set	315000.00
1817	b	1620 LPM, 70 Mtr Head	1 Set	354500.00
1818	c	1620 LPM, 88 Mtr Head	1 Set	385000.00
	ELEC-10.7.2	Supply, Transportation, installation , testing and commissioning of electric driven main fire pump suitable for automatic operation and consisting of following : complete in all respect as required		
		a) Horizontal type, multistage, centrifugal, split casing pump of cast iron body &		

Sl. No.	Code	DESCRIPTION OF ITEM	Unit	Scheduled Rates for the Year 2020-21
		bronze impeller with stainless steel shaft, mechanical seal to ensure a minimum pressure of 3.5 Kg / sq.cm. at highest and farthest outlet at specified flow of ----- lpm at ----- Mtr. head conforming to IS 1520		
		b) Suitable HP SQ cage induction motor, TEFC, synchronous speed 1500 RPM, suitable for operation on 415Volts, 3 phase 50 Hz. AC with IP 55 protection for enclosure, horizontal foot mounted type with Class-'F' insulation, conforming to IS-325		
		c) M.S. Fabricated common base plate, coupling, coupling guard, foundation bolts etc as required.		
		d) Suitable cement concrete foundation duly plastered with anti vibration pads.		
		Makes of Pumps: Kirloskar / Mather&Platt.		
		Makes of Motors: Siemens/ ABB/ Kirloskar		
1819	a	2280 LPM, 56 Mtr Head	1 Set	306000.00
1820	b	2280 LPM, 70 Mtr Head	1 Set	347000.00
1821	c	2280 LPM, 88 Mtr Head	1 Set	376000.00
	ELEC-10.7.3	Supply, Transportation, installation , testing and commissioning of electric driven main fire pump suitable for automatic operation and consisting of following : complete in all respect as required.		
		a) Horizontal type, multistage, centrifugal, split casing pump of cast iron body & bronze impeller with stainless steel shaft, mechanical seal to ensure a minimum pressure of 3.5 Kg / sq.cm. at highest and farthest outlet at specified flow of ----- lpm at----- Mtr. head conforming to IS 1520		
		b) Suitable HP SQ cage induction motor, TEFC, synchronous speed 1500 RPM, suitable for operation on 415Volts, 3 phase 50 Hz. AC with IP 55 protection for enclosure, horizontal foot mounted type with Class-'F' insulation, conforming to IS-325		
		c) M.S. Fabricated common base plate, coupling, coupling guard, foundation bolts etc as required.		
		d) Suitable cement concrete foundation duly plastered with anti vibration pads.		

Sl. No.	Code	DESCRIPTION OF ITEM	Unit	Scheduled Rates for the Year 2020-21
		Makes of Pumps: Kirloskar / Mather&Platt.		
		Makes of Motors: Siemens/ ABB/ Kirloskar		
1822	a	2850 LPM, 56 Mtr Head	1 Set	356000.00
1823	b	2850 LPM, 70 Mtr Head	1 Set	397000.00
1824	c	2850 LPM, 88 Mtr Head	1 Set	426000.00
	ELEC-10.7.4	Supply, Transportation, installation, Testing and commissioning of diesel engine driven main fire pump suitable for automatic operation and consisting of following : complete in all respect as required		
		a) Horizontal type, multistage, centrifugal pump of cast iron body & bronze impeller with stainless steel shaft, mechanical seal to ensure a minimum pressure of 3.5 Kg / sq.cm. at highest and farthest outlet at specified flow of ----- lpm at ---Mtr head conforming to IS 1520		
		b) Suitable HP, 1500 RPM water cooled with radiator, diesel engine conforming to relevant BS & IS standard complete with auto starting mechanism, 12 Volts / 24 Volts electric starting equipment, Diesel Tank, exhaust pipe extended upto 1 m. outside pump house duly insulated with 50mm thick glass wool with 1.0mm thick aluminium sheet cladding, residential silencer, instruments and protection as per specification, stop solenoid for auto stop in the event of fault with audio indications, painted with post office red colour etc as required.		
		c) M.S. Fabricated common base plate, coupling, coupling guard, foundation bolts etc as required.		
		d) Suitable cement concrete foundation duly plastered with anti vibration pads.		
		Makes of Engines : Kirloskar / Cummins.		
		Makes of Pumps : Kirloskar / Mather&Platt		
1825	a	1620 LPM, 56 Mtr Head	1 Set	416000.00
1826	b	1620 LPM, 70 Mtr Head	1 Set	456000.00
1827	c	1620 LPM, 88 Mtr Head	1 Set	486000.00
	ELEC-10.7.5	Supply, Transportation, installation, Testing and commissioning of diesel engine driven main fire pump suitable for automatic operation and consisting of following : complete in all respect as		

Sl. No.	Code	DESCRIPTION OF ITEM	Unit	Scheduled Rates for the Year 2020-21
		required		
		a) Horizontal type, multistage, centrifugal pump of cast iron body & bronze impeller with stainless steel shaft, mechanical seal to ensure a minimum pressure of 3.5 Kg / sq.cm. at highest and farthest outlet at specified flow of ----- lpm at----- Mtr head conforming to IS 1520		
		b) Suitable HP, 1500 RPM water cooled with radiator, diesel engine conforming to relevant BS & IS standard complete with auto starting mechanism, 12 Volts / 24 Volts electric starting equipment, Diesel Tank, exhaust pipe extended upto 1 m. outside pump house duly insulated with 50mm thick glass wool with 1.0mm thick alluminium sheet cladding, residential silencer, instruments and protection as per specification, stop solenoid for auto stop in the event of fault with audio indications, painted with post office red colour etc as required.		
		c) M.S. Fabricated common base plate, coupling, coupling guard, foundation bolts etc as required.		
		d) Suitable cement concrete foundation duly plastered with anti vibration pads.		
		Makes of Engines : Kirloskar / Cummins.		
		Makes of Pumps : Kirloskar / Mather&Platt		
1828	a	2280 LPM, 56 Mtr Head	1 Set	562000.00
1829	b	2280 LPM, 70 Mtr Head	1 Set	603000.00
1830	c	2280 LPM, 88 Mtr Head	1 Set	632000.00
	ELEC-10.7.6	Supply, Transportation, installation, Testing and commissioning of diesel engine driven main fire pump suitable for automatic operation and consisting of following : complete in all respect as required		
		a) Horizontal type, multistage, centrifugal pump of cast iron body & bronze impeller with stainless steel shaft, mechanical seal to ensure a minimum pressure of 3.5 Kg / sq.cm. at highest and farthest outlet at specified flow of ----- lpm at----- Mtr head conforming to IS 1520		
		b) Suitable HP, 1500 RPM water cooled with radiator, diesel engine conforming to relevant BS & IS standard complete with		

Sl. No.	Code	DESCRIPTION OF ITEM	Unit	Scheduled Rates for the Year 2020-21
		auto starting mechanism, 12 Volts / 24 Volts electric starting equipment, Diesel Tank, exhaust pipe extended upto 1 m. outside pump house duly insulated with 50mm thick glass wool with 1.0mm thick aluminium sheet cladding, residential silencer, instruments and protection as per specification, stop solenoid for auto stop in the event of fault with audio indications, painted with post office red colour etc as required.		
		c) M.S. Fabricated common base plate, coupling, coupling guard, foundation bolts etc as required.		
		d) Suitable cement concrete foundation duly plastered with anti vibration pads.		
		Makes of Engines : Kirloskar / Cummins.		
		Makes of Pumps : Kirloskar / Mather&Platt		
1831	a	2850 LPM, 56 Mtr Head	1 Set	637000.00
1832	b	2850 LPM, 70 Mtr Head	1 Set	678000.00
1833	c	2850 LPM, 88 Mtr Head	1 Set	707000.00
	ELEC-10.7.7	Supply, Transportation, installation , testing and commissioning of electric driven pressurisation / Jockey pump suitable for automatic operation and consisting of following : complete in all respect as required	1 Set	50000.00
		a) Horizontal type, multistage, centrifugal pump of cast iron body & bronze impeller with stainless steel shaft, mechanical seal and flow of ----- lpm at ----- Mtr head conforming to IS 1520		
		b) Suitable HP SQ cage induction motor TEFC type suitable for operation on 415Volts, 3 phase 50 Hz. AC with IP 55 class of protection for enclosure, horizontal foot mounted type with Class-'F' insulation, conforming to IS-325		
		c) M.S. Fabricated common base plate, coupling, coupling guard, foundation bolts etc as required.		
		d) Suitable cement concrete foundation duly plastered with anti vibration pads.		
		Makes of Pumps : Kirloskar / Mather&Platt.		
		Makes of Motors : Siemens/ ABB/ Kirloskar		
1834	a	180 LPM, 56 Mtr Head	1 Set	53800.00
1835	b	180 LPM, 70 Mtr Head	1 Set	76100.00

Sl. No.	Code	DESCRIPTION OF ITEM	Unit	Scheduled Rates for the Year 2020-21
1836	c	180 LPM, 88 Mtr Head	1 Set	96000.00
	ELEC-10.7.8	Supply, Transportation, installation , testing and commissioning of electric driven Terrace / Booster pump suitable for automatic operation and consisting of following : complete in all respect as required.		
		a) Horizontal type, multistage, centrifugal pump of cast iron body & bronze impeller with stainless steel shaft, mechanical seal and flow of lpm at Mtr head conforming to IS 1520		
		b) Suitable HP SQ cage induction motor TEFC type suitable for operation on 415Volts, 3 phase 50 Hz. AC with IP 55 class of protection for enclosure, horizontal foot mounted type with Class-'F' insulation, conforming to IS-325		
		c) M.S. Fabricated common base plate, coupling, coupling guard, foundation bolts etc as required.		
		d) Suitable cement concrete foundation duly plastered with anti vibration pads.		
		Makes of Pumps : Kirloskar / Mather&Platt.		
		Makes of Motors : Siemens / ABB / Kirloskar		
1837	a	900 LPM, 45 Mtr Head	1 Set	61000.00
1838	b	750 LPM, 35 Mtr Head	1 Set	55000.00
1839	c	450 LPM, 35 Mtr Head	1 Set	45000.00
		CONTROL PANELS		
1840	ELEC-10.7.9	Fabrication, supply, Transportation, Insallation testing & commissioning of Electrical control panel of cubical construction, floor mounted type, fabricated out of 2mm thick CRCA sheet, compartmentalised with hinged lockable doors, dust and vermin proof, powder coated of approved shade after 7 tank treatment process, cable alley, interconnection with suitable size copper conductor cable/solid copper strip, having switchgears and accessories, mountings and internal wiring, earth terminals, numbering etc. complete in all respect, suitable for main fire pump, pressurisation pump & diesel pump set complete with following in coming and Outgoings, suitable for	1 No	215600.00

Sl. No.	Code	DESCRIPTION OF ITEM	Unit	Scheduled Rates for the Year 2020-21
		operation on 415V, 3 phase, 50Hz Ac Supply. Makes of MCCBs : L&T / Siemens / Legrand / Schneider / ABB / Hager Makes of Meters : Schneider (Conzerve) / L&T / Elmeasure / Siemens		
		<u>INCOMING :</u>		
		250A, 50kA 4 Pole MCCB, Ics=100% Icu rating		
		Digital Voltmeter 0-500V with selector switch		
		Digital Ammeter (0-250 A) with selector switch & CTs etc.		
		LED type RYB phase indicating lamps, ON, OFF, trip indicating lamps		
		Set of Copper Bus Bar 300A		
		<u>OUTGOING :</u>		
		(Note : All outgoing feeders for pumps should have digital Ammeter with selector switches, and LED type ON, OFF, trip indicating lamps)		
		<u>MAIN FIRE PUMP</u>		
		125 A, 50kA TPN MCCB, Ics=100% Icu, with fully automatic Star/Delta starter suitable for 60 HP pump with overload protection, current sensing type single phase preventor complete with all accessories and internal wiring required for automatic operation selector switch for local/remote, auto/manual/OFF operation.		
		<u>JOCKEY PUMP</u>		
		63 A, 50kA TPN MCCB, Ics=100% Icu, with suitable protection, current sensing type single phase preventor complete with all accessories and internal wiring required for automatic operation, selector switch for local/remote, auto/manual/OFF operation.		
		<u>DIESEL ENGINE CONTROL</u>		
		Control for diesel engine comprising - Automatic/Manual selector switch & 3 attempts starting device, timers and relays as required, push buttons, start/stop in manual mode Indicating lamp for high/ Low Lub. Oil pressure, High Water Temp and Engine on indication Water Temp and Engine on indication. Battery charger suitable for 12V/24 V DC with boost and		

Sl. No.	Code	DESCRIPTION OF ITEM	Unit	Scheduled Rates for the Year 2020-21
		trickle selector switch, 0-30 V DC volt meter, and 0- 20 A DC Ammeter All standard relays and accessories for automatic operation of diesel engine System Controller.		
1841	ELEC-10.7.10	Designing, Supply, Transportation, Installation, Testing and commissioning of system controller to control operation of main electric fire pump, diesel pump, Pressurization pump, Terrace pump in sequence as per specification consisting of relays, timers. Sensors, annunciation window for fault indication, complete as per specification Makes of MCCBs : L&T / Siemens / Legrand / Schneider / ABB / Hager Makes of Meters : Schneider (Conzerve) / L&T / Elmeasure / Siemens	1 No	253000.00
		<u>INCOMING :</u>		
		400A, 50kA 4 Pole MCCB, Ics=100% Icu rating		
		Digital Voltmeter 0-500V with selector switch		
		Ammeter (0-400 A) with selector switch & CTs etc.		
		LED type RYB phase indicating lamps, ON, OFF, trip		
		indicating lamps		
		Set of Copper Bus Bar 500A		
		<u>OUTGOING :</u>		
		(Note : All outgoing feeders for pumps should have		
		digital Ammeter with selector switches, and LED type		
		ON, OFF, trip indicating lamps)		
		MAIN FIRE PUMP		
		200 A, 50kA TPN MCCB, Ics=100% Icu, with fully automatic Star/Delta starter suitable for 75 hp pump with overload protection, current sensing type single phase preventor complete with all accessories and internal wiring required for automatic operation, selector switch for local/remote, auto/manual/OFF operation.		
		JOCKEY PUMP		
		100 A, 50kA TPN MCCB, Ics=100% Icu, with suitable HP fully automatic Star/Delta		

Sl. No.	Code	DESCRIPTION OF ITEM	Unit	Scheduled Rates for the Year 2020-21
		starter with overload protection, current sensing type single phase preventor complete with all accessories and internal wiring required for automatic operation, selector switch for local/remote, auto/manual/OFF operation.		
		DIESEL ENGINE CONTROL		
		Control for diesel engine comprising - Automatic/Manual selector switch & 3 attempt starting device, timers and relays as required, push buttons, start/stop in manual mode Indicating lamp for high/ Low Lub. Oil pressure, High Water Temp and Engine on indication Battery charger suitbale for 12V/24 V DC with boost and trickle selector switch, 0-30 V DC volt meter, and 0-20 A DC Ammeter All standard relays and accessories for automatic operation of diesel engine System Controller		
1842	ELEC-10.7.11	Designing, Supply, Transportation, Installation, Testing and commissioning of system controller to control operation of main electric fire pump, diesel pump, Pressurization pump, Terrace pump in sequence as per specification consisting of relays, timers. Sensors, annunciation window for fault indication, complete as per specifications. Makes of MCCBs : L&T / Siemens / Legrand / Schneider / ABB / Hager Makes of Meters : Schneider (Conzerve) / L&T / Elmeasure / Siemens	1 No	284000.00
		<u>INCOMING :</u>		
		630A, 50kA 4 Pole MCCB, Ics=100% Icu rating		
		Digital Voltmeter 0-500V with selector switch		
		Ammeter (0-630 A) with selector switch & CTs etc.		
		LED type RYB phase indicating lamps, ON, OFF, trip		
		indicating lamps		
		Set of Copper Bus Bar 800Amps		
		<u>OUT GOING :</u>		
		(Note : All outgoing feeders for pumps should have		

Sl. No.	Code	DESCRIPTION OF ITEM	Unit	Scheduled Rates for the Year 2020-21
		digital Ammeter with selector switches, and LED type		
		ON, OFF, trip indicating lamps)		
		<u>MAIN FIRE PUMP</u>		
		250 A, 50kA TPN MCCB, Ics=100% Icu, with fully automatic Star/Delta starter suitable for 100 hp pump with overload protection, current sensing type single phase preventor complete with all accessories and internal wiring required for automatic operation, selector switch for local/remote, auto/manual/OFF operation.		
		<u>JOCKEY PUMP</u>		
		125 A, 50kA TPN MCCB, Ics=100% Icu, with Suitable HP fully automatic Star/Delta starter with over load protection, current sensing type single phase preventor complete with all accessories and internal wiring required for automatic operation, selector switch for local/remote, auto/manual/OFF operation.		
		<u>DIESEL ENGINE CONTROL</u>		
		Control for diesel engine comprising - Automatic/Manual selector switch & 3 attempts starting device, timers and relays as required, push buttons, start/stop in manual mode Indicating lamp for high/ Low Lub. Oil pressure, High Water Temp and Engine on indication Battery charger suitable for 12V/24 V DC with boost and trickle selector switch, 0-30 V DC volt meter, and 0-20 A DC Ammeter All standard relays and accessories for automatic operation of diesel engine System Controller.		
1843	ELEC-10.7.12	Designing, Supply, Transportation, Installation, Testing and commissioning of system controller to control operation of main electric fire pump, diesel pump, Pressurization pump, Terrace pump in sequence as per specification consisting of relays, timers. Sensors, annunciation window for fault indication, complete as per specification Makes of MCCBs : L&T / Siemens / Legrand / Schneider / ABB / Hager Makes of Meters : Schneider (Conzerve) / L&T / Elmeasure / Siemens	1 No	328000.00

Sl. No.	Code	DESCRIPTION OF ITEM	Unit	Scheduled Rates for the Year 2020-21
		<u>INCOMING :</u>		
		400A, 50kA 4 Pole MCCB, Ics=100% Icu Rating		
		Digital Voltmeter 0-500V with selector switch		
		Ammeter (0-400 A) with selector switch & CTs etc.		
		LED type RYB phase indicating lamps, ON, OFF, trip		
		indicating lamps		
		Set of Copper Bus Bar 500Amps		
		<u>OUT GOING :</u>		
		(Note : All outgoing feeders for pumps should have		
		digital Ammeter with selector switches, and LED type		
		ON, OFF, trip indicating lamps)		
		MAIN FIRE PUMPS		
		125 Amp, 50kA TPN MCCB, Ics=100% Icu, with fully automatic Star/Delta starter suitable for 60 hp pump with overload protection, current sensing type single phase preventor complete with all accessories and internal wiring required for automatic operation, selector switch for local/remote, auto/manual/OFF operation. - 2 sets		
		JOCKEY PUMP		
		63 Amp, 50kA TPN MCCB, Ics=100% Icu, with Suitable HP fully automatic Star/Delta starter with overload protection, current sensing type single phase preventor complete with all accessories and internal wiring required for automatic operation, selector switch for local/remote, auto/manual/OFF operation. - 2 sets		
		DIESEL ENGINE CONTROL		
		Control for diesel engine comprising - Automatic/Manual selector switch & 3 attempts starting device, timers and relays as required, push buttons, start/stop in manual mode Indicating lamp for high/ Low Lub. Oil pressure, High Water Temp and Engine on indi Battery charger suitable for 12V/24 V DC with boost and trickle selector switch, 0-30 V DC volt meter, and 0-20 A DC Ammeter All standard relays and		

Sl. No.	Code	DESCRIPTION OF ITEM	Unit	Scheduled Rates for the Year 2020-21
		accessories for automatic operation of diesel engine System Controller		
1844	ELEC-10.7.13	Designing, Supply, Transportation, Installation, Testing and commissioning of system controller to control operation of main electric fire pump, diesel pump, Pressurization pump, Terrace pump in sequence as per specification consisting of relays, timers. Sensors, annunciation window for fault indication, complete as per specification Makes of MCCBs : L&T / Siemens / Legrand / Schneider / ABB / Hager Makes of Meters : Schneider (Conzerve) / L&T / Elmeasure / Siemens	1 No	392000.00
		<u>INCOMING :</u>		
		630A, 50kA 4 Pole MCCB, Ics=100% Icu Rating		
		Digital Voltmeter 0-500V with selector switch		
		Ammeter (0-630 A) with selector switch & CTs etc.		
		LED type RYB phase indicating lamps, ON, OFF, trip		
		indicating lamps		
		Set of Copper Bus Bar 800Amps		
		<u>OUT GOING :</u>		
		(Note : All outgoing feeders for pumps should have		
		digital Ammeter with selector switches, and LED type		
		ON, OFF, trip indicating lamps)		
		MAIN FIRE PUMP		
		200 Amp, 50kA TPN MCCB, Ics=100% Icu, with fully automatic Star/Delta starter suitable for 75 hp pump with overload protection, current sensing type single phase preventor complete with all accessories and internal wiring required for automatic operation, selector switch for local/remote, auto/manual/OFF operation. - 2 sets		
		JOCKEY PUMP		
		100 Amp, 50kA TPN MCCB, Ics=100% Icu, with Suitable HP fully automatic Star/Delta starter with overload protection, current sensing type single phase preventor		

Sl. No.	Code	DESCRIPTION OF ITEM	Unit	Scheduled Rates for the Year 2020-21
		complete with all accessories and internal wiring required for automatic operation, selector switch for local/remote, auto/manual/OFF operation. - 2 sets		
		DIESEL ENGINE CONTROL		
		Control for diesel engine comprising - Automatic/Manual selector switch & 3 attempts starting device, timers and relays as required, push buttons, start/stop in manual mode Indicating lamp for high/ Low Lub. Oil pressure, High Water Temp and Engine on indication Battery charger suitbale for 12V/24 V DC with boost and trickle selector switch, 0-30 V DC volt meter, and 0-20 A DC Ammeter All standard relays and accessories for automatic operation of diesel engine System Controller.		
1845	ELEC-10.7.14	Designing, Supply, Transportation, Installation, Testing and commissioning of system controller to control operation of main electric fire pump, diesel pump, Pressurization pump, Terrace pump in sequence as per specification consisting of relays, timers. Sensors, annunciation window for fault indication, complete as per specification Makes of MCCBs : L&T / Siemens / Legrand / Schneider / ABB / Hager Makes of Meters : Schneider (Conzerve) / L&T / Elmeasure / Siemens	1 No	506000.00
		<u>INCOMING :</u>		
		800A, 50kA 4 Pole MCCB, Ics=100% Icu Rating		
		Digital Voltmeter 0-500V with selector switch		
		Ammeter (0-800 A) with selector switch & CTs etc.		
		LED type RYB phase indicating lamps, ON, OFF, trip		
		indicating lamps		
		Set of Copper Bus Bar 1000Amps		
		<u>OUT GOING :</u>		
		(Note : All outgoing feeders for pumps should have		
		digital Ammeter with selector switches, and LED type		
		ON, OFF, trip indicating lamps)		

Sl. No.	Code	DESCRIPTION OF ITEM	Unit	Scheduled Rates for the Year 2020-21
		Main Fire Pump		
		250 Amp, 50kA TPN MCCB, Ics=100% Icu, with fully automatic Star/Delta starter suitable for 100 hp pump with overload protection, current sensing type single phase preventor complete with all accessories and internal wiring required for automatic operation, selector switch for local/remote, auto/manual/OFF operation. - 2 sets		
		JOCKEY PUMP		
		125 Amp, 50kA TPN MCCB, Ics=100% Icu, with Suitable HP fully automatic Star/Delta starter with overload protection, current sensing type single phase preventor complete with all accessories and internal wiring required for automatic operation, selector switch for local/remote, auto/manual/OFF operation. - 2 sets		
		DIESEL ENGINE CONTROL		
		Control for diesel engine comprising - Automatic/Manual selector switch & 3 attempts starting device, timers and relays as required, push buttons, start/stop in manual mode Indicating lamp for high/ Low Lub. Oil pressure, High Water Temp and Engine on indication Battery charger suitable for 12V/24 V DC with boost and trickle selector switch, 0-30 V DC volt meter, and 0-20 A DC Ammeter All standard relays and accessories for automatic operation of diesel engine System Controller		
		MS PIPES		
	ELEC-10.7.15	Supply, Transportation, laying, testing & commissioning of 'C' class heavy duty MS pipe conforming to IS 3589/IS 1239 including Welding, fittings like elbows, tees, flanges, tapers, nuts bolts, gaskets etc. and fixing the pipe on the wall/ceiling with suitable clamp/support frame and painting with two or more coats of synthetic enamel paint of required shade complete as required Makes : Jindal Hissar / Tata pipes		
		C' CLASS		
1846	a	250 mm dia 'C' Class	1 Mtr	4079.00

Sl. No.	Code	DESCRIPTION OF ITEM	Unit	Scheduled Rates for the Year 2020-21
1847	b	200 mm dia 'C' Class	1 Mtr	3474.00
1848	c	150 mm dia 'C' Class	1 Mtr	2592.00
1849	d	100 mm dia 'C' Class	1 Mtr	1654.00
1850	e	80 mm dia 'C' Class	1 Mtr	1080.00
1851	f	65 mm dia 'C' Class	1 Mtr	811.00
1852	g	50 mm dia 'C' Class	1 Mtr	652.00
1853	h	40 mm dia 'C' Class	1 Mtr	551.00
1854	i	32 mm dia 'C' Class	1 Mtr	431.00
1855	j	25 mm dia 'C' Class	1 Mtr	331.00
		B' CLASS		
	ELEC-10.7.16	Supply, Transportation, laying, testing & commissioning of 'B' class heavy duty MS pipe conforming to IS 3589/IS 1239 including Welding, fittings like elbows, tees, flanges, tapers, nuts bolts, gaskets etc. and fixing the pipe on the wall/ceiling with suitable clamp/support frame and painting with two or more coats of synthetic enamel paint of required shade complete as required Makes : Jindal Hissar / Tata pipes		
1856	a	250 mm dia 'B' Class	1 Mtr	3506.00
1857	b	200 mm dia 'B' Class	1 Mtr	3033.00
1858	c	150 mm dia 'B' Class	1 Mtr	2095.00
1859	d	100 mm dia 'B' Class	1 Mtr	1379.00
1860	e	80 mm dia 'B' Class	1 Mtr	970.00
1861	f	65 mm dia 'B' Class	1 Mtr	728.00
1862	g	50 mm dia 'B' Class	1 Mtr	573.00
1863	h	40 mm dia 'B' Class	1 Mtr	431.00
1864	i	32 mm dia 'B' Class	1 Mtr	358.00
1865	j	25 mm dia 'B' Class	1 Mtr	292.00
		HYDRANAT VALVES		
	ELEC-10.7.17	Supply and fixing single headed internal / External hydrant valve with instantaneous Gunmetal/Stainless Steel coupling of 63 mm dia with cast iron wheel ISI marked conforming to IS 5290 (Type -A) with blank Gunmetal/Stainless Steel cap and chain as required : Make: Mini Max / Safex / Newage / Winco / Newtech / Padmini.		
1866	a	Single headed Gunmetal	1 No	7300.00
1867	b	Single headed Stainless Steel	1 No	6000.00
		BUTTER FLY VALVES		
	ELEC-10.7.18	Supply, testing and commissioning of butterfly valve PN 1.6, with Bronze / Gun		

Sl. No.	Code	DESCRIPTION OF ITEM	Unit	Scheduled Rates for the Year 2020-21
		metal seat duly ISI marked complete with Nuts, Bolts, Washers, gaskets, conforming to IS 13095 of following sizes as required. Makes: Audco / Kirloskar / BDK / H-Shankar / Leader/ Zolotto / Intervolve / Honeywell.		
1868	a	250 mm . dia	1 No	16400.00
1869	b	200 mm . dia	1 No	6900.00
1870	c	150 mm dia	1 No	5700.00
1871	d	100 mm dia	1 No	4450.00
1872	e	80 mm dia	1 No	4050.00
		NON RETURN VALVES(NRVS)		
	ELEC-10.7.19	Supply, installation, testing and commissioning of dual plate non - return valve of following sizes confirming to IS: 5312 complete with rubber gasket, GI bolts, nuts, washers etc as required Makes: Audco / Kirloskar / BDK / H-Shankar / Leader/ Zolotto / Intervolve / Honeywell.		
1873	a	200 mm dia	1 No	11200.00
1874	b	150 mm dia	1 No	8960.00
1875	c	100 mm dia	1 No	8350.00
1876	d	80 mm dia	1 No	6200.00
1877	e	50 mm dia	1 No	3050.00
		WAFFER LUG TYPE BUTTER FLY VALVES		
	ELEC-10.7.20	Supply and delivery of CI Wafer Lug type Butterfly Valves conforming to IS 13095/1991 (Reaffirmed 1998) including transportation etc., complete. Makes: Audco / Kirloskar / BDK / H-Shankar / Leader/ Zolotto / Intervolve / Honeywell.		
1878	a	250 mm . dia	1 No	15900.00
1879	b	200 mm . dia	1 No	11100.00
1880	c	150 mm dia	1 No	7200.00
1881	d	100 mm dia	1 No	4800.00
1882	e	80 mm dia	1 No	3600.00
1883	f	50 mm dia	1 No	2900.00
		Y-STAINER		
	ELEC-10.7.21	Supply, installation, testing and commissioning of stainless steel Y-strainer fabricated out of 1.6 mm thick stainless steel, Grade 304, sheet with 3 mm dia holes with stainless steel flange.		
1884	a	250 mm . dia	1 No	23800.00
1885	b	200 mm . dia	1 No	19400.00
1886	c	150 mm dia	1 No	12000.00
1886	d	100 mm dia	1 No	5700.00
1887	e	80 mm dia	1 No	4000.00

Sl. No.	Code	DESCRIPTION OF ITEM	Unit	Scheduled Rates for the Year 2020-21
1888	f	50 mm dia	1 No	2700.00
		GUN METAL VALVES		
	ELEC-10.7.22	Supply, installation, testing and commissioning of gun metal valves of following sizes as required. Make: Newage / Winco / Padmini / Safex.		
1889	a	50 mm dia	1 No	1720.00
1890	b	40 mm dia	1 No	1380.00
1891	c	32 mm dia	1 No	1230.00
		RRL HOSE PIPE		
	ELEC-10.7.23	Supply and fixing 63mm dia, 15 mtr long RRL hose pipe with 63mm dia Male and Female Gun metal / SS couplings duly binded with GI wire, rivets etc conforming to IS 636 (Type -A) as required. Make: Mini Max / Safex / Newage / Winco / Newtech / Padmini.		
1892	a	Gun metal	1 No	5630.00
1893	b	SS couplings		4200.00
		CP HOSE PIPES		
	ELEC-10.7.24	Supply and fixing 63mm dia, 15 mtr long CP hose pipe with 63mm dia Male and Female Gun metal / SS couplings duly binded with GI wire, rivets etc conforming to IS 636 (Type -A) as required. Make: Mini Max / Safex / Newage / Winco / Newtech / Padmini.		
1894	a	Gun metal	1 No	4800.00
1895	b	SS couplings		4000.00
		HOSE REEL		
1896	ELEC-10.7.25	Supply and fixing First -Aid Hose Reel with MS construction spray painted in Post office Red, Conforming to IS 884 with upto date amendments, complete with the following as required.	1 No	6700.00
		a) 36.6 Mtr Long 20mm (Nominal internal) dia water hose Thermoplastic / Textile reinforced / Rubber braided / Polypropylene Type - 2 as per IS:12585 Make: Eversafe / Newage / Newtech / SRI		
		b) 20mm (Nominal internal) dia gun metal globe valve and nozzle. Make: Newage / Winco / Padmini / Newtech / Safex.		
		c) Drum and brackets for fixing the equipments on wall.		

Sl. No.	Code	DESCRIPTION OF ITEM	Unit	Scheduled Rates for the Year 2020-21
		d) Connections from riser with 25mm dia stop valve (gun metal) & MS pipe.		
		CRCA HOSE BOX		
1897	ELEC-10.7.26	Supply and fixing of hose cabinet of size 750mm X 600mm x 250mm made of No 16 gauge SWG CRCA sheet with 6mm thick glazed glass door including necessary locking arrangement suitable to accommodate 2 Nos 15 mtr long Hose pipe, 1 No branch pipe, mounted on wall OR raised brick platform and duly painted with Post office red externally and white internally with synthetic enamel paint complete in all respect, for external hydrant as required. Make: Mini Max / Safex / Newage / Winco / Newtech / Padmini.	1 No	2850.00
		NOZZLES		
	ELEC-10.7.27	Supply and fixing 63mm dia Gun metal branch pipe with 20mm (Nominal internal diameter) size Gun metal / SS nozzle conforming to IS 903, suitable for instantaneous connection to interconnect hose pipe coupling as required. Make : Mini Max / Safex / Newage / Winco / Newtech / Padmini.		
1898	a	Gun metal	1 No	2200.00
1899	b	SS couplings		1600.00
		FIRE BRIGADE CONNECTION		
	ELEC-10.7.28	Supply and fixing ---- way fire brigade connection of cast iron body with --- Nos Gun metal Male instantaneous inlet couplings complete with cap and chain as required for 150mm dia MS pipe connection, conforming to IS 904 as required. Make: Mini Max / Safex / Newage / Winco / Newtech / Padmini.		
1900	a	4Way Fire brigade connection cast iron body with 4 Nos Gun metal male instantaneous	1 No	8000.00
1901	b	3Way Fire brigade connection cast iron body with 3 Nos Gun metal male instantaneous	1 No	7000.00
1902	c	2Way Fire brigade connection cast iron body with 2 Nos Gun metal male instantaneous	1 No	6000.00
		AIRCUSION TANK (AIR VESSEL)		

Sl. No.	Code	DESCRIPTION OF ITEM	Unit	Scheduled Rates for the Year 2020-21
1903	ELEC-10.7.29	Supply and fixing air vessel made of 250 mm dia, 8 mm thick MS sheet, 1200mm in height with air release valve on top and flanged connection to riser, drain arrangement with 25mm dia Gun metal wheel valve, with required accessories, pressure gauge and painting with synthetic enamel paint of approved shade as required.	1 No	15000.00
		SPRINKLERS		
1904	ELEC-10.7.30	Supply, fixing, testing and commissioning of 15mm size quartzoid bulb type sprinklers of rating 68°C. pendent / side wall with required accessories. Makes: SAFEX / HD / TYCO / VIKING / NEWAGE / Newtech / SHARP	1 No	480.00
1905	ELEC-10.7.31	Supply, fixing, testing and commissioning of 15mm size Concealed sprinkler of rating 68°C. with required accessories. Makes: SAFEX / HD / TYCO / VIKING / NEWAGE / SHARP	1 No	1200.00
		FLEXIBLE SPRINKLER HOSE PIPE		
	ELEC-10.7.32	Supply, installation, testing & commissioning of sprinkler flexible pipe (UL Listed) of stainless steel complete with 15 NPT on reducer thread with maximum working pressure of 175 PSI test pressure of 875 PSI (Burst) with branch line (Inlet) 25mm NPT male thread to sprinkler head (Outlet) 15mm NPT female thread with reducer, nipple, 2 side brackets, center bracket, stockbar of following sizes complete as required. Makes: SAFEX / HD / TYCO / VIKING / NEWAGE / SHARP		
1906	a	1500mm	1 No	1250.00
1907	b	1000-1200mm	1 No	1070.00
1908	c	700-800mm	1 No	890.00
		PRESSURE SWITCHES AND FLOW SWITCHES		
1909	ELEC-10.7.33	Supply and fixing of Pressure Switch in the MS pipe Line including connection etc as required. Make : Danfoss / Indfoss	1 No	2500.00
1910	ELEC-10.7.34	Supply and fixing of Flow Switches in 100mm dia MS pipe. Makes : System Sensor / Switzer	1 No	5000.00
1911	ELEC-	Supply and fixing Flow Switches in 150 mm	1 No	7000.00

Sl. No.	Code	DESCRIPTION OF ITEM	Unit	Scheduled Rates for the Year 2020-21
	10.7.35	dia MS pipe. Makes : System Sensor / Switzer		
		PRESSURE GAUGES		
1912	ELEC-10.7.36	Supply, installation, testing and commissioning of Bourden type, stainless steel dial type pressure gauge with isolation valve and pipe having calibration of 0-16 kg/cm ² . Makes : HGURU / FIEBIG	1 No	630.00
1913	ELEC-10.7.37	Supply, installation, testing and commissioning of 25mm dia Gate valve Makes : Zoloto / Leader / Honeywell	1 No	1100.00
1914	ELEC-10.7.38	Supply, installation, testing and commissioning of 25mm dia Ball valve Makes : Zoloto / Leader / Honeywell	1 No	610.00
		AIR RELEASE VALVE		
1915	ELEC-10.7.39	Supply, installation, testing and commissioning of 25 / 20mm dia Air Release Valve	1 No	1170.00
		FIRE SAFTEY AUDIT		
1916	ELEC-10.7.40	Providing / Conducting complete fire audit including submission of fire audit report for the whole premises.	1 Sq Mtr	5.00
		ANTI CORROSIVE BITUMINOUS PAINT		
	ELEC-10.7.42	Supply and wrapping the anti corrosive material for buried pipes with coating of Primer and wrapping with 4 mm thick polymer corrosion resistant tape as per IS : 10221 with 15 mm overlap as per standard specificatios.		
1917	a	80mm nominal dia	1 Mtr	280.00
1918	b	100mm nominal dia	1 Mtr	370.00
1919	c	150mm nominal dia	1 Mtr	420.00
		200mm nominal dia	1 Mtr	590.00
		VANE TYPE WATER FLOW DETECTOR		
	ELEC-10.7.43	Providing, fixing, testing & commissioning of installation control valve of cast iron body, brass/bronze working parts comprising of water motor alarm, bronze seat clapper, clapper arm and hydraulically driven mechanical gong bell to sound continuous alarm when the wet riser/sprinkler system activates, pressure gauges, emergency releases, strainer, pressure switch, cock valve complete with drain valve and bypass, test control box, ball valves, MS pipe of required size,		

Sl. No.	Code	DESCRIPTION OF ITEM	Unit	Scheduled Rates for the Year 2020-21
		flanges, orifice plate, gasket etc of follwing sizes as required : Makes : HD / TYCO / NEWAGE		
1920	a	80mm dia	1 No	36960.00
1921	b	100mm dia	1 No	38600.00
1922	c	150mm dia	1 No	40200.00
		DELUGE VALVE		
	ELEC-10.7.44	Supplying, installation, testing & commissioning of deluge valve (to be used for water curtains) UL listed with wet pilot basic trim assembly for DVA with test and alarm, drip and drain valve with water motor gong complete as required. Makes : HD / TYCO / NEWAGE or its equivalent make as desired by the department.		
1923	a	50 mm dia	1 Set	72000.00
1924	b	80 mm dia	1 Set	74000.00
1925	c	100mm dia	1 Set	76000.00
1926	d	150mm dia	1 Set	92000.00
1927	ELEC-10.7.45	Supply, installation, testing & commissioning of water curtain nozzle 15mm dia nickel chrome plated brass, BSPT, K-factor as per design consideration complete as required.	1 No	550.00
1928	ELEC-10.7.46	Supply, installation, testing & commissioning of electric release trim assembly for deluge wall with two way solenoid valve, weather proof operation on 24 volts DC supply complete as required.	1 No	6000.00
1929	ELEC-10.7.47	Supply, installation, testing & commissioning of adjustable rosette plate for 15mm dia in white finish UL Listed or FM approved complete as required.	1 No	200.00
		SLUICE VALVE		
	ELEC-10.7.48	Supply, fixing, testing & commissioning of double flanged sluice valve of rating PN 1.6 with non rising spindle, bronze/gun metal seat, ISI marked complete with nuts, bolts, washers, gaskets and conforming to IS 780 of following sizes as required :		
1930	a	40 mm dia	1 Set	4500.00
1931	b	50 mm dia	1 Set	6000.00
1932	c	65 mm dia	1 Set	8000.00
1933	d	80 mm dia	1 Set	8500.00

Sl. No.	Code	DESCRIPTION OF ITEM	Unit	Scheduled Rates for the Year 2020-21
1934	e	100 mm dia	1 Set	13000.00
1935	f	150 mm dia	1 Set	18000.00
1936	g	200 mm dia	1 Set	35000.00
1937	h	250 mm dia	1 Set	40000.00
1938	i	300 mm dia	1 Set	55000.00
1939		ORIFICE PLATE		
1940	ELEC-10.7.49	Supply and fixing orifice plate made out of 6 mm thick stainless steel (Grade 304) with orifice of required size to be fitted between flange & landing valve of external and internal hydrants to reduce pressure at the outlet to the level of 3.5 kg/cm ² complete as required.	1 No	10000.00
		SECTION - 11		
	11.1	GENERATORS SPECIFICATION		
	ELEC-11.1.1	Supply, Transportation, erection and commissioning (Excluding Foundation) of 3 Phase, 415, 50Hz, water cooled multi cylinder diesel generator set with alternator of - - - KVA/ - - - - KW out put continuous rating directly coupled Engine and Alternator with guard and mounted on a common base plate of Robust construction and complete with standard control panel having IP-52 protection, Acoustic Enclosure as per CPCB norms, sound absorbing material, to restrict sound level up to 75 dB up to 1 mtr distance and as per CPCB norms etc as per following specifications mentioned below.		
		A. Alternator : Kirloskar / Stamford / Crompton Greaves / Leroy Somer make. The alternator of the output rating shall be 3 Phase, 415V, 50Hz, Ac, 0.8 P.F. lagging at 1500 RPM. The alternator is self excited, self regulated, and shall conform to IS: 13364 of 1992 with regulation of +5% from no load to full load. degree of protections shall be IP23.		
		B. Diesel Engine : Kirloskar / Cummins / Mahindra & Mahindra / Greaves Cotton / Eicher / Ashok Leyland Diesel Engine start, developing suitable ----- BHP output at 1500 RPM with mechanical / electronic governing so as to enable the alternator to give - - - -KVA continuous output at 0.8 P.F. lagging at NTP conditions. The diesel engine shall be capable of providing 10%		

Sl. No.	Code	DESCRIPTION OF ITEM	Unit	Scheduled Rates for the Year 2020-21
		O/L for 1 Hr for every 11 Hrs of continuous running at full load. The engine with 1st filling of oil and Diesel etc. 01. Exhaust pipe of required size and length with insulation as per the site condition with alluminium clading. 02. Diesel tank suitable for 8 to 12 Hours running capacity. 03. Residential Silencer. 04. SMF Batteries with leads as per the Manufacturer standards		
1941	a	15 KVA, 3 Phase, 415, 50 Hz, 19 BHP, water cooled multy cylinder diesel generator set with alternator of 15 KVA output continious rating at 0.8 p.f. Batteries.	1 No	374850.00
1942	b	30 KVA, 3 Phase, 415, 50 Hz, 40 to 42 BHP, water cooled multy cylinder diesel generator set with alternator of 30 KVA output continious rating at 0.8 p.f. Batteries.	1 No	485100.00
1943	c	40 KVA, 3 Phase, 415, 50 Hz, 56 BHP, water cooled multy cylinder diesel generator set with alternator of 40 KVA output continious rating at 0.8 p.f. Batteries.	1 No	604170.00
		DG SET WITH AMF PANEL		
	ELEC-11.1.2	Supply, Transportation, erection and commissioning (Excluding Foundation) of 3 Phase, 415, 50Hz, water cooled multi cylinder diesel generator set with alternator of - - - KVA/ - - - - KW out put contineous rating directly coupled Engine and Alternator with guard and mounted on a common base plate of Robust construction and complete with AMF panel having IP-52 protection, Acoustic Enclosure as per CPCB norms , sound absorbing material, to restrict sound level up to 75 dB up to 1 mtr distance and as per CPCB norms etc as per following specifications mentioned below.		
		A. Alternator : Kirloskar / Stamford / Crompton Greaves / Leroy Somer make. The alternator of the output rating shall be 3 Phase, 415V, 50Hz, Ac , 0.8 P.F. lagging at 1500 RPM. The alternator is self excited, self regulated, and shall confirm to IS: 13364 of 1992 with regulation of +5% from		

Sl. No.	Code	DESCRIPTION OF ITEM	Unit	Scheduled Rates for the Year 2020-21
		no load to full load. degree of protections shall be IP21.		
		<p>B.Diesel Engine : Kirloskar / Cummins / Mahindra & Mahindra / Greaves Cotton / Eicher / Ashok Leyland Diesel Engine start, developing suitable ----- BHP output at 1500 RPM with mechanical / electronic governing so as to enable the alternator to give - - - -KVA continuous output at 0.8 P.F. lagging at NTP conditions. The diesel engine shall be capable of providing 10% O/L for 1 Hr for every 11 Hrs of continuous running at full load. The engine with 1st filling of oil and Diesel etc.</p> <p>01. Exhaust pipe of required size and length with insulation or clading.</p> <p>02. Diesel tank suitable for 8 to 12 Hours running capacity.</p> <p>03. Residential Silencer.</p> <p>04. SMF Batteries with leads as per the Manufacturer standards</p>		
		<p>C. AMF Control Panel:- AMF control panel shall be fabricated with 16SWG CRCA sheet shall be totally enclosed with dust and Vermin proof, floor mounted / wall mounted type and shall be comprising the following.01. Voltmeter with selector switch.02. 4 Pole MCCB incomer of ----- -A rating of Schenieder / L&T make for EB and DG . 03. Ammeter with selector switch with CTs. 04. PF Meter and frequency Meter. 05. Indicator lamps (set Run, Load ON) with fuses. 06. KWH Meter of required rating. 07. Set of control fuses and current transformer. 08. Input Terminal board and output Terminal Board. 09. Battery charger with transformer rectifier unit. 10. Alternator supply air break contactor of L&T make.11. Main supply air break contactor of L&T make. 12. Audio Visual annunciation .13. Main supply voltage set of control relays and timers with one mode selector switch, set of push buttons. 14.Control cable up to 15 Mtrs 2.5Sqmm 6 Core</p>		
1944	a	62.5 KVA, 3 Phase, 415, 50 Hz, 78 to 83 BHP, water cooled multy cylinder diesel	1 No	793800.00

Sl. No.	Code	DESCRIPTION OF ITEM	Unit	Scheduled Rates for the Year 2020-21
		generator set with alternator of 63 KVA output continuous rating at 0.8 p.f. Batteries.		
1945	b	125 KVA, 3 Phase, 415, 50 Hz, 154 BHP, water cooled multi cylinder diesel generator set with alternator of 125 KVA output continuous rating at 0.8 p.f. Batteries.	1 No	1069425.00
1946	c	160 KVA, 3 Phase, 415, 50 Hz, not less than 200 BHP, water cooled multi cylinder diesel generator set with alternator of 160 KVA output continuous rating at 0.8 p.f. Batteries.	1 No	1400175.00
1947	d	250 KVA, 3 Phase, 415, 50 Hz, not less than 310 BHP, water cooled multi cylinder diesel generator set with alternator of 250 KVA output continuous rating at 0.8 p.f. Batteries.	1 No	2160900.00
	ELEC-11.1.3	Supply, Transportation, erection and commissioning (Excluding Foundation) of 3 Phase, 415, 50Hz, water cooled multi cylinder diesel generator set with alternator of - - - KVA/ - - - - KW out put continuous rating directly coupled Engine and Alternator with guard and mounted on a common base plate of Robust construction and complete with AMF panel having IP-52 protection, Acoustic Enclosure as per CPCB norms , sound absorbing material, to restrict sound level up to 75 dB up to 1 mtr distance and as per CPCB norms etc as per following specifications mentioned below.		
		A. Alternator : Kirloskar / Stamford / Crompton Greaves / Leroy Somer make. The alternator of the output rating shall be 3 Phase, 415V, 50Hz, Ac , 0.8 P.F. lagging at 1500 RPM. The alternator is self excited, self regulated, and shall conform to IS: 13364 of 1992 or latest version with regulation of +5% from no load to full load. degree of protections shall be IP23.		
		B. Diesel Engine : Kirloskar / Cummins / Catterpillar Diesel Engine start, developing suitable ----- BHP output at 1500 RPM with mechanical / electronic governing so as to enable the alternator to give - - - -KVA continuous output at 0.8 P.F. lagging		

Sl. No.	Code	DESCRIPTION OF ITEM	Unit	Scheduled Rates for the Year 2020-21
		<p>at NTP conditions. The diesel engine shall be capable of providing 10% O/L for 1 Hr for every 11 Hrs of continuous running at full load. The engine with 1st filling of oil and Diesel etc.</p> <p>01. Exhaust pipe of required size and length with insulation as per the site condition with alluminium clading.</p> <p>02. Diesel tank suitable for 8 to 12 Hours running capacity.</p> <p>03. Residential Silencer.</p> <p>04. SMF Batteries with leads as per the Manufacturer standards</p>		
		<p>C. AMF Control Panel:- AMF control panel shall be fabricated with 16SWG CRCA sheet shall be totally enclosed with dust and Vermin proof, floor mounted / wall mounted type and shall be comprising the following.</p> <p>01. Voltmeter with selector switch.</p> <p>02. 4 Pole MCCB incomer of -----A rating of Schenieder / L&T make for EB and DG .</p> <p>03. Ammeter with selector switch with CTs.</p> <p>04. PF Meter and frequency Meter.</p> <p>05. Indicator lamps (set Run, Load ON) with fuses.</p> <p>06. KWH Meter of required rating.</p> <p>07. Set of control fuses and current transformer.</p> <p>08. Input Terminal board and output Terminal Board.</p> <p>09. Battery charger with transformer rectifier unit.</p> <p>10. Alternator supply air break contactor of L&T make.</p> <p>11. Main supply air break contactor of L&T make.</p> <p>12. Audio Visual annunciation .</p> <p>13. Main supply voltage set of control relays and timers with one mode selector switch, set of push buttons.</p> <p>14. Control cable up to 15 Mtrs 2.5Sqmm 6 Core</p>		
1948	a	320 KVA, 3 Phase, 415, 50 Hz, not less than 380 BHP, water cooled multy cylinder	1 No	2800350.00

Sl. No.	Code	DESCRIPTION OF ITEM	Unit	Scheduled Rates for the Year 2020-21
		diesel generator set with alternator of 320 KVA output continuous rating at 0.8 p.f. Batteries.		
1949	b	500 KVA, 3 Phase, 415, 50 Hz, not less than 580 BHP, water cooled multi cylinder diesel generator set with alternator of 500 KVA output continuous rating at 0.8 p.f. Batteries.	1 No	3913875.00
		DG SET WITH STANDARD CONTROL PANEL		
	ELEC-11.1.4	Supply, Transportation, erection and commissioning (Excluding Foundation) of 3 Phase, 415, 50Hz, water cooled multi cylinder diesel generator set with alternator of - - - KVA/ - - - - KW out put continuous rating directly coupled Engine and Alternator with guard and mounted on a common base plate of Robust construction and complete with AMF panel having IP-52 protection, Acoustic Enclosure as per CPCB norms , sound absorbing material, to restrict sound level up to 75 dB up to 1 mtr distance and as per CPCB norms etc as per following specifications mentioned below.		
		A. Alternator : Kirloskar / Stamford / Crompton Greaves / Leroy Somer make. The alternator of the output rating shall be 3 Phase, 415V, 50Hz, Ac , 0.8 P.F. lagging at 1500 RPM. The alternator is self excited, self regulated, and shall conform to IS: 13364 of 1992 with regulation of +5% from no load to full load. degree of protections shall be IP21.		
		B.Diesel Engine : Kirloskar / Cummins / Mahindra & Mahindra / Greaves Cotton / Eicher / Ashok Leyland Diesel Engine start, developing suitable ----- BHP output at 1500 RPM with mechanical / electronic governing so as to enable the alternator to give - - - -KVA continuous output at 0.8 P.F. lagging at NTP conditions. The diesel engine shall be capable of providing 10% O/L for 1 Hr for every 11 Hrs of continuous running at full load. The engine with 1st filling of oil and Diesel etc.with standard control panel. 01. Exhaust pipe of required size and length with insulation as per the site		

Sl. No.	Code	DESCRIPTION OF ITEM	Unit	Scheduled Rates for the Year 2020-21
		condition with alluminium clading. 02. Diesel tank suitable for 8 to 12 Hours running capacity. 03. Residential Silencer. 04. SMF Batteries with leads as per the Manufacturer standards		
1950	a	62.5 KVA, 3 Phase, 415, 50 Hz, 78 to 83 BHP, water cooled multy cylinder diesel generator set with alternator of 63 KVA output continious rating at 0.8 p.f. Batteries.	1 No	630000.00
1951	b	125 KVA, 3 Phase, 415, 50 Hz, 154 BHP, water cooled multy cylinder diesel generator set with alternator of 125 KVA output continious rating at 0.8 p.f. Batteries.	1 No	825000.00
	ELEC-11.1.5	Supply, Transportation, erection and commissioning (Excluding Foundation) of 3 Phase, 415, 50Hz, water cooled multi cylinder diesel generator set with alternator of - - - KVA/ - - - - KW out put contineous rating directly coupled Engine and Alternator with guard and mounted on a common base plate of Robust construction and complete with AMF panel having IP-52 protection, Acoustic Enclosure as per CPCB norms , sound absorbing material, t to restrict sound level up to 75 dB up to 1 mtr distance and as per CPCB norms etc as per following specifications mentioned below.		
		A. Alternator : Kirloskar / Stamford / Crompton Greaves / Leroy Somer make. The alternator of the output rating shall be 3 Phase, 415V, 50Hz, Ac , 0.8 P.F. lagging at 1500 RPM. The alternator is self excited, self regulated, and shall confirm to IS: 13364 of 1992 or latest version with regulation of +5% from no load to full load. degree of protections shall be IP23.		
		B.Diesel Engine : Kirloskar / Cummins / Catterpillar Diesel Engine start, developing suitable ----- BHP output at 1500 RPM with mechanical / electronic governing so as to enable the alternator to give - - - - -KVA continuous output at 0.8 P.F. lagging at NTP conditions. The diesel engine shall		

Sl. No.	Code	DESCRIPTION OF ITEM	Unit	Scheduled Rates for the Year 2020-21
		be capable of providing 10% O/L for 1 Hr for every 11 Hrs of continuous running at full load. The engine with 1st filling of oil and Diesel etc with standard control panel. 01. Exhaust pipe of required size and length with insulation as per the site condition with alluminium clading. 02. Diesel tank suitable for 8 to 12 Hours running capacity. 03. Residential Silencer. 04. SMF Batteries with leads as per the Manufacturer standards		
1952	a	160 KVA, 3 Phase, 415, 50 Hz, not less than 200 BHP, water cooled multy cylinder diesel generator set with alternator of 160 KVA output continious rating at 0.8 p.f. Batteries.	1 No	1190700.00
1953	b	250 KVA, 3 Phase, 415, 50 Hz, not less than 310 BHP, water cooled multy cylinder diesel generator set with alternator of 250 KVA output continious rating at 0.8 p.f. Batteries.	1 No	1598625.00
1954	c	320 KVA, 3 Phase, 415, 50 Hz, not less than 380 BHP, water cooled multy cylinder diesel generator set with alternator of 320 KVA output continious rating at 0.8 p.f. Batteries.	1 No	2480625.00
1955	d	500 KVA, 3 Phase, 415, 50 Hz, not less than 580 BHP, water cooled multy cylinder diesel generator set with alternator of 500 KVA output continious rating at 0.8 p.f. Batteries.	1 No	3472875.00
		NOTE: if only supply of DG sets is there, deduct 2% on above cost towards, installation, testing and commising.		
		SECTION - 12		
	12.1	UPS SYSTEMS		
	ELEC-12.1.1	Supply and installation of ----- --- home UPS system pure sine wave out put, single phase input / Single phase output. Makes: Servomax / Top Power / Amar Raja / Samhitha / Microtech / Excide / Sucom.		
1956	a	800VA, 12VDC	1 No	8075.00
1957	b	1400VA, 24VDC	1 No	11400.00

Sl. No.	Code	DESCRIPTION OF ITEM	Unit	Scheduled Rates for the Year 2020-21
1958	c	2000VA, 36VDC	1 No	16150.00
	ELEC-12.1.2	Supply, Transportation and installation of -----true on line UPS system IGBT technology pure sine wave out put, double conversion with auto and manual static by pass switch single phase input / Single phase output. Makes: Power one / Numeric / Emerson.		
1959	a	2.0KVA	1 No	24700.00
1960	b	3.0KVA, 72VDC	1 No	33250.00
1961	c	5.0KVA, 180/192VDC	1 No	57600.00
1962	d	7.5KVA, 180/192VDC	1 No	79800.00
1963	e	10KVA, 180/192VDC	1 No	93100.00
	ELEC-12.1.3	Supply, Transportation and installation of ----- on line UPS system IGBT based rectifier with input power factor correction 32 bit microprocessor based with isolation transformers double conversion, SNMP controls, LCD display, Pure sine wave out put, with auto static switch three phase input / Three phase output and modular structure for better thermal technology / cooling facility, with warranty up to three years. Makes: APC / Numeric / Emerson.		
1964	a	10KVA / 312V DC	1 No	130000.00
1965	b	15KVA / 312V DC	1 No	150000.00
	12.2	UPS BATTERY RACKS AND WIRE LEADS		
	ELEC-12.2.1	Supply and providing of UPS cum battery rack -----		
1966	a	Up to 4 batteries	1 No	1350.00
1967	b	5 to 10 batteries	1 No	2500.00
1968	c	11 to 20 batteries	1 No	4600.00
	ELEC-12.2.2	Supply and fixing of ----- SMF battery including wire leads. Makes : Quanta / Racket / Exide.		
1969	a	12V 26 AH	1 No	3400.00
1970	b	12V 42 AH	1 No	5700.00
1971	c	12V 65 AH	1 No	7000.00
1972	d	12V 100 AH	1 No	8800.00
1973	e	12V 120 AH	1 No	9500.00
	ELEC-12.2.3	Supply and fixing of -----MF battery including wire leads. Makes : Amar Raja (Power Zone) or Equivalent model of Exide / Panasonic / Gotech.		

Sl. No.	Code	DESCRIPTION OF ITEM	Unit	Scheduled Rates for the Year 2020-21
1974	a	12V, 120 AH	1 No	8900.00
1975	b	12V, 150 AH	1 No	11500.00
		SECTION - 13		
	13.1	Public Addressing SYSTEM		
1976	ELEC-13.1.1	Supply, Installation, Testing and Commissioning of Amplifier 120 W for PA system suitable to operate on 230 V AC / 12 V DC supply etc., complete.(AHUZA/OMEGA or equivalent)	1 No	18000.00
1977	ELEC-13.1.2	Supply, Installation, Testing and Commissioning of 15 W Sound Column etc., complete with connection (AHUZA/OMEGA or equivalent)	1 No	2800.00
1978	ELEC-13.1.3	Supply, Installation, Testing and Commissioning of microphone etc., complete with connections. (AHUZA/OMEGA or equivalent)	1 No	5000.00
1979	ELEC-13.1.4	Supply, Installation, Testing and Commissioning of stand for microphone etc., complete with connections.	1 No	1800.00
1980	ELEC-13.1.5	Supply, Installation, Testing and Commissioning of Table stand for microphone etc., complete with connections.	1 No	1200.00
1981	ELEC-13.1.6	Supply, Installation, Testing and Commissioning of 2 core shielded microphone cable etc., complete with connections	1 Mtr	135.00
1982	ELEC-13.1.7	Supply, Installation, Testing and Commissioning of 0.5 Sq mm speaker cable etc., complete with connections	1 Mtr	35.00
1983	ELEC-13.1.8	Supply, Installation, Testing and Commissioning of 0.75 Sq mm speaker cable etc., complete with connections	1 Mtr	45.00
1984	ELEC-13.1.9	Supply, Installation, Testing and Commissioning of 1.0 Sq mm speaker cable etc., complete with connections	1 Mtr	50.00
1985	ELEC-13.1.10	Supply, Installation, Testing and Commissioning of 1.5 Sq mm speaker cable etc., complete with connections	1 Mtr	65.00
		OLD MATERIAL RATES		
S.No		Dismantled item :		
1		PVC insulated alluminium cables and wires	1 Kg	11.00

Sl. No.	Code	DESCRIPTION OF ITEM	Unit	Scheduled Rates for the Year 2020-21
2		PVC insulated copper cables and wires	1 Kg	50.00
3		Alluminium Materials	1 Kg	62.00
4		MS / Iron poles, angle etc	1 Kg	25.00
5		Copper/Brass materials	1 Kg	140.00
6		PVC pipe/PVC materials.	1 Kg	5.00
7		IC switches/DBs/Feeder pillers.	1 No	13.00
8		All types of Ammeter/Voltmeter / any meter	1 No	25.00
9		All types of ACBs/OCBs/VCBs LT	1 No	1300.00
10		All types of ceiling fans/cabin fans/Bracket fans and pedastal fans etc.	1 No	150.00
11		All type Tube light fittings/MV/SV/MH fittings.	1 No	21.00
12		All types of Air circulators/Pedastal Type Air Circulators	1 No	500.00
13		All types chokes/condensors/Motor starters	1 Kg	17.00
14		Lift ropes/belt types	1 Kg	20.00
15		All types of electric Motors	1 HP	340.00
16		All types of water pumpsets	1 HP	340.00
17		All types of compressors	1 HP	500.00
18		All Types of AC units (window)	1 No	1800.00
19		All Types of AC units (Split ACs) ODU	1 No	2310.00
20		All Types of Indoor units of Split Acs	1 No	800.00
21		Copper piping of Acs	1 Kg	135.00
22		water cooler instant type	1 No	900.00
23		Water cooler storage type	1 Ltr	40.00
24		Refrigerator upto 165 Ltr	1 No	1452.00
25		Refrigerator above 165 Ltr	1 No	2000.00
26		Exhaust fans 9"	1 No	150.00
27		Exhaust fans 12"	1 No	200.00
28		Exhaust fan 15"	1 No	330.00
29		Exhaust fan 18"	1 No	400.00
30		Exhaust Fan 24"	1 No	500.00
31		Air cooler of any size without fan	1 No	500.00
32		Air cooler of any size with fan	1 No	800.00
33		Transformer Oil	1 Ltr	5.00
34		DG Set	1 KVA	500.00
35		Transformer	1 KVA	200.00
36		EPABX system	1 No	800.00
37		Telephone instrument	1 No	50.00
38		Water Purifier	1 No	80.00
39		Invertor/UPS	1 KVA	100.00
40		Voltage stabilizer	1 KVA	100.00
41		Amplifier small	1 No	400.00
42		Amplifier Big	1 No	450.00
43		Mikes	1 No	70.00

Sl. No.	Code	DESCRIPTION OF ITEM	Unit	Scheduled Rates for the Year 2020-21
		Note: Rates of items which are not covered under above List should be calculated on the basis of materials / equipments considering its site condition and prevailing market rates and approval should be taken from the concerned Superintending Engineer(Electrical)		
		Dismantling Rates		
1		Dismantling the existing ceiling fan / exhaust fan / cabin fan for clearing the site.	1 No	16.00
2		Dismantling the existing steel pole / RS joist pole / Girder with bracket clamps, insulators or stay from the cement concrete foundation clearing the site, refilling the pit etc.	1 No	350.00
3		Dismantling the existing tubelight / SV lamp / MV lamp and making the site clear.	1 No	16.00
4		Dismantling the existing geyser and making the site clear.	1 No	50.00
5		Dismantling Light / Fan / Separate socket wiring with casing / conduit / batten complete with all accessories and clearing the site duly removing the gutties and refilling the holes with cement mortar and painting with match colour of wall and ceiling.	1 No	20.00
6		Dismantling Light / Fan / Separate socket wiring with casing / conduit / batten complete with all accessories and clearing the site.	1 No	10.00
7		Dismantling the existing armoured / unarmoured cable, single / multi core cable of sub main, main circuit of any system of wiring including coiling.	1 No	7.00
8		Dismantling the existing armoured / unarmoured under ground cable.	1 No	14.00
9		Dismantling the DBs and TPN switches	1 No	20.00

PART-IV PUBLIC HEALTH WORKS

PART-IV INDEX

Public Health Works

S.No.	Description	Page No	
		From	To
1	Labour Rates & PH Items	415	435
2	Materials	436	516

PUBLIC HEALTH ITEMS

Sl. No	Description	Unit	Scheduled Rates for the Year 2020-21
1	2	3	4
1	RATES OF LABOUR		
	1. Caulkar	Per Day	As per Labour rates of SoR
	2. Plumber 1st Class	Per Day	
	3. Plumber 2nd Class	Per Day	
	4. Sewer Cleaner	Per Day	
	5. Well Sinker	Per Day	
	6. Pipe line Fitter 1st Class	Per Day	
	7. Pipe line Fitter 2nd Class	Per Day	
	8. Pump Operator	Per Day	
	9. Bore Mechanic	Per Day	
	10. Light Vehicle Driver	Per Day	
	Note:The rate at relevant item in common SoR is applicable for occasional employment.		
2	RATES FOR EARTH WORK :		
a.	Earth work excavation in all types soils for pipe lines, for drainage and water supply, where the depth is more than 1.5 times the width.		To follow the relevant items of Irrigation work items as per Standard data
b.	Earth work excavation in all types soils for pipe lines, for drainage and water supply, where the depth is less than 1.5 times the width.		
c.	Earth work excavation in all types soils for open trenches, for valve pits, inspection chambers, etc.		
3.	Excavation of pipe line trenches for drainage and water supply		
a.	in rock requiring blasting with initial lead and lift including cost of blasting materials where the depth is more than 1.5 times the width, in places where there is no habitation.		
b.	Excavation of pipe line trenches for drainage and water supply in rock requiring blasting with initial lead and lift including cost of blasting materials where the depth is less than 1.5 times the width, in places where there is no habitation.		
c.	Cutting rock for pipe line trenches by hammers, knuckles and chisels including stacking where the depth is 1.5 times or more than the width.		
d.	Cutting rock for pipe line trenches by hammers, knuckles and chisels including stacking where the depth is less than 1.5 times the width.		
e.	Cutting rock for works other than pipe lines trenches by hammers, knuckles and chisels including stacking.		
f.	For controlled blasting at restricted places		
	NOTE :- Rock should be measured in solids. In case it is not possible, stacks should be made in which case 40% for voids to be deducted from the stack measurements.		
4	Loading or unloading materials such as C.I. Pipes, PVC Pipes, AC Pressure Pipes, DI Pipes, SW Pipes, PVC Pipes, A.C/Specials less than 300 mm dia upto 4 m in length including stacking.		

Sl. No	Description	Unit	Scheduled Rates for the Year 2020-21
a.	C.I. Pipes/D.I. Pipes and fittings	Per Tonne	To follow as per Standard data
b.	A.C. Pipes & Specials	Per Tonne	
c.	Stoneware pipes & Specials	Per Tonne	
d.	P.V.C. Pipes and fittings	Per Tonne	
5	Loading or unloading materials such as C.I. Pipes, DI pipes, SW pipes, AC pressure pipes & fittings/ specials from 300 mm to 600 mm dia upto 4 m in length including stacking.		
a.	C.I. Pipes/D.I. Pipes and fittings	Per Tonne	To follow as per Standard data
b.	A.C. Pipes & Specials	Per Tonne	
c.	Stoneware pipes & Specials	Per Tonne	
6	Loading or unloading materials such as C.I. Pipes, DI pipes, PVC pipes, AC pipes less than 300 mm dia, above 4 m in length including stacking.		
a.	C.I. Pipes/D.I. Pipes and fittings	Per Tonne	To follow as per Standard data
b.	A.C. Pipes & Specials	Per Tonne	
c.	P.V.C. Pipes and fittings	Per Tonne	
7	Loading or unloading materials such as C.I. Pipes, DI pipes, AC pipes from 300 mm to 600 mm above 4 m in length including stacking.		
a.	C.I. Pipes/D.I. Pipes and fittings	Per Tonne	To follow as per Standard data
b.	A.C. Pipes & Specials	Per Tonne	
	Note:- For loading and unloading the above materials at Railway Stations, the rates may be adopted based on the competitive quotations or the hammalae charges if prevailing.		
8.	Lowering C.I. / D.I. Pipes (all classes) and specials (fittings) with s/s ends carefully into trenches and laying them true to alignment and gradient including all sundries but excluding cost and conveyance of pipes from source of supply (Ref to specifications. BIS No.3114/1994)		
	Diameter of Pipe/Fittings in mm :		
	80mm to 1000mm dia	Per Metre	To follow as per Standard data
	1100mm dia	Per Metre	1320
	1200mm dia	Per Metre	1513
8.	Lowering C.I. / D.I. Pipes (all classes) and specials (fittings) with flanged ends carefully into trench and laying them true to alignment and gradient including all sundries but excluding cost and conveyance of pipes from source of supply. (Reference to specifications. BIS No.3114/1994).		

Sl. No	Description	Unit	Scheduled Rates for the Year 2020-21
	Diameter of Pipe/Fittings in mm :		
	80mm to 750mm dia		To follow as per Standard data
	800mm dia	Per Metre	632
	900mm dia	Per Metre	821
	1000mm dia	Per Metre	1067
	1100mm dia	Per Metre	1315
	1200mm dia	Per Metre	1564
9.	Jointing CI /DI pipes & fittings with S/S ends including cost of pig lead, Spun yarn and sundries such as cost of fuel for melting lead, filling with water with lead up to 500m and testing to required pressure complete. (Reference to specifications. BIS No.3114/94/12288:1997).		
a.			
	Diameter of Pipe/Fittings in mm :		
	80mm to 800mm		To follow as per Standard data
	900mm dia	Each Joint	14529
	1000mm dia	Each Joint	16271
	1100mm dia	Each Joint	17988
	1200mm dia	Each Joint	19681
9.	Jointing C.I/ D.I. pipes and fittings with rubber gasket (push-on-joint), excluding the cost of the gasket but including all sundries filling with water, with a water lead up to 500m and testing to required pressure, etc. complete (Reference to specifications IS 3114/1994/12888/1997)		
b.			
	Diameter of Pipe/Fittings in mm :		
	80mm to 1000mm dia	Each Joint	To follow as per Standard data
	1100mm dia	Each Joint	1044
	1200mm dia	Each Joint	1129
10	Jointing CI/DI pipes, fittings and valves with flanged ends including cost of jointing materials such as bolts, rubber insertion, white lead including filling with water, with lead up to 500 meters and testing to required pressure complete. (Reference to specifications. BIS No.3114/1994.)		
	Diameter of pipe/Fittings/ valve in mm :		
	80mm to 750mm dia	Each Joint	To follow as per Standard data

Sl. No	Description	Unit	Scheduled Rates for the Year 2020-21
	800mm dia	Each Joint	5814
	900mm dia	Each Joint	6899
	1000mm dia	Each Joint	7987
	1100mm dia	Each Joint	9099
	1200mm dia	Each Joint	10243
11a	Lowering the RCC plain ended pipes carefully into the trench laying them true to alignment and gradient, jointing RCC pipes with Cement joints including curing, the cost of jointing materials i.e., Cement Mortar (1:1.5), hemp yarn etc., and testing including filling with water with a water lead upto 500 metres as per BIS No.783/85.		
	Dia in mm	Per Metre	
	80	Per Metre	74
	100	Per Metre	100
	150	Per Metre	149
	200	Per Metre	199
	250	Per Metre	249
	300	Per Metre	305
	350	Per Metre	355
	400	Per Metre	405
	450	Per Metre	457
	500	Per Metre	507
	600	Per Metre	609
	700	Per Metre	710
	800	Per Metre	812
	900	Per Metre	912
	1000	Per Metre	1014
	1100	Per Metre	1116
	1200	Per Metre	1217
	1400	Per Metre	1420
	1600	Per Metre	1623
	1800	Per Metre	1826
11 b	Lowering the RCC S/S pipes carefully into the ready made trenches laying them true to alignment and gradient, jointing with rubber rings and testing including filling with water lead upto 500 meters excluding cost of rubber rings as per BIS No. 783/1985.		
	80mm to 600mm	Per Metre	To follow as per Standard data
	700mm dia	Per Metre	411
	800mm dia	Per Metre	491
	900mm dia	Per Metre	589

Sl. No	Description	Unit	Scheduled Rates for the Year 2020-21
	1000mm dia	Per Metre	705
12	Lowering and Jointing G.I. pipes and specials / fittings including excavation of trench of 0.5m width and 0.50 m depth in all soils except rock requiring blasting and refilling trenches after laying and jointing pipes and also including cost of jointing materials but excluding the cost of pipes. Reference to specifications. BIS No.783/85		
a	G.I. Pipes :Dia in mm		
	15mm to 150mm	Per Metre	To follow as per Standard data
12	Lowering, Laying, jointing of PVC/HDPE/MDPE pipes as per BIS No.7634 part-III/75 for PVC and BIS No.7634 part-II/75 for HDPE pipes including earth work excavation, testing to hydraulic test pressure including cost of water with a water lead of 500m etc., complete, but excluding road cutting (BT/CC) charges., Complete.		
b	Dia (OD) in mm		
	20mm dia	Per Metre	40
	25mm dia	Per Metre	41
	32mm dia	Per Metre	46
	40mm dia	Per Metre	46
	50mm dia	Per Metre	46
	(ii) If the depth of excavation is more than 0.6 m separate rates to be worked out. The above rates are excluding road cutting if any.		
13	Lowering and laying in ready made trench true to alignment and gradient, jointing, and testing of Stone ware pipes including cost of jointing material such as Cement Mortar (1:1) proportion and hemp yarn but excluding cost and conveyance of pipe. (Reference to specifications BIS No. 6530/72)		
	Dia of Pipes in mm .		
	100mm to 450mm	Per Metre	To follow as per Standard data
14	Lowering, laying, jointing and testing to hydraulic test pressure including cost of water with minimum water lead of 500m for <u>UPVC pressure pipes</u> in ready made trenches true to alignment and gradient including all sundries but excluding cost & conveyance of pipes from source of supply and jointing materials as per BIS No. 7634 - Part III - 1975.		
	Dia of Pipes in mm .		
	63mm to 315mm	Per Metre	To follow as per Standard data
15	Laying and jointing of HDPE pipes in ready made trench by butt fusion welding as per IS:7634 - part-II/1975 as amended from time to time to the alignment and gradient and testing the		

Sl. No	Description	Unit	Scheduled Rates for the Year 2020-21
	pipeline to the required pressure.		
	Outer Dia of pipes in MM		
	63mm dia OD	Per Metre	42
	75mm dia OD	Per Metre	46
	90mm dia OD	Per Metre	52
	110mm dia OD	Per Metre	65
	125mm dia OD	Per Metre	78
	140mm dia OD	Per Metre	82
	160mm dia OD	Per Metre	88
	180mm dia OD	Per Metre	97
	200mm dia OD	Per Metre	106
	225mm dia OD	Per Metre	117
	250mm dia OD	Per Metre	124
	280mm dia OD	Per Metre	137
	315mm dia OD	Per Metre	212
	355mm dia OD	Per Metre	236
	400mm dia OD	Per Metre	263
	450mm dia OD	Per Metre	292
16	Lowering, keeping in position and fixing C.I. sluice valves (with cap / with hand wheel & Reflex valves) excluding cost of bolts, nuts, rubber insertion, sluice valve and tail pieces		To follow as per Standard data
	<u>Dia of Valve in mm.</u>		
	80mm to 600mm	Each	
17	Labour charges for fixing Air valves including boring the mains and threading the bore fixing nipple etc., complete.		
	<u>Dia of Air valve in mm.</u>		
	25mm dia	Each	To follow as per Standard data
	40mm dia	Each	
	50mm dia	Each	216
	80mm dia	Each	232
18	Labour charges for fixing Kinetic Air Valves with isolating Sluice valves, Double Air valves/ Air Cushion valve excluding cost of jointing materials such as bolts, nuts and rubber insertions etc., complete.		
	<u>Dia of Air valve in mm.</u>		
	80mm dia (Double Air valves)	Each	288
	100mm dia (Double Air valves)	Each	337
	125mm dia (Double Air valves)	Each	500
	150mm dia (Double Air valves)	Each	547
	200mm dia (Double Air valves)	Each	595
19	Uprooting C.I./ DI Pipes by melting the lead, loosening the joints, scraping the pipes, hoisting and keeping within a lead of 10 m but excluding earth work excavation and refilling.		
	80mm to 600mm	Per Metre	To follow as per Standard data

Sl. No	Description	Unit	Scheduled Rates for the Year 2020-21
20	Uprooting of RCC pipes including breaking the collars, loosening the joint, separating the pipes, hoisting and keeping within a lead of 10 m but excluding earthwork excavation and refilling.		
	100mm to 300mm	Per Metre	To follow as per Standard data
21	Removing old G.I. pipes and specials / fittings and cleaning, scraping the pipes, hoisting and keeping with in 50m lead but excluding earth work excavation of trenches and refilling.		
	Dia of Pipes in mm		
	15mm to 50mm	Per Metre	To follow as per Standard data
22	Cutting C.I./ DI Pipes without water in mains.		
	Dia of Pipes in mm		
	80mm to 600mm	Each cut	To follow as per Standard data
	700mm dia	Each cut	635
	750mm dia	Each cut	685
	800mm dia	Each cut	728
	900mm dia	Each cut	817
	1000mm dia	Each cut	908
	1100mm dia	Each cut	1002
	1200mm dia	Each cut	1093
23	Cutting A.C. Pipes without water in mains.		
	Dia of Pipes in mm		
	80mm dia	Each cut	38
	100mm dia	Each cut	38
	125mm dia	Each cut	38
	150mm dia	Each cut	38
	200mm dia	Each cut	40
	250mm dia	Each cut	64
	300mm dia	Each cut	64
	350mm dia	Each cut	80
	400mm dia	Each cut	88
	450mm dia	Each cut	110
	500mm dia	Each cut	123
	600mm dia	Each cut	134
24	Drilling and tapping CI/ DI / GI Main and fixing brass screw down ferrule and plug.		
	10 mm to 20mm	Each Tapping	To follow as per Standard data
	25 mm to 40mm	Each Tapping	
25	Cutting road surface including stacking of excavated materials for pipe line trench work.		
	a) Cutting B.T.Road surface	1 Cum	1094

Sl. No	Description	Unit	Scheduled Rates for the Year 2020-21
	b) Cutting C.C.Road Surface	1 Cum	2277
	c) Cutting Water Bound Macadam/Wet Mix Macadam Road.	1 Cum	280
26	Bailing out water		
	a) Bailing out water from the pipe line trenches with oil engine driven pumpsets, including hire charges, fuel charges and wages for Driver and Helper.	HP-Hour	To follow as per I&CAD SoR
	b) Bailing out water from the pipe line trenches with Electric Driven pumpset including hire charges, current charges and wages for Driver and Helper.	HP-Hour	
27	Shoring and strutting of trenches for water and sewer main.		
	a) Single Staging from (0 to 2.5 Mts.)	1 Sqm of Shoring area	To follow as per Standard data
	b) Double staging from (2.5 m to 4.5 Mts.)	1 Sqm of Shoring area	
28	Barricading, hoarding, lighting and watching etc., for water supply and sewerage works for trenches.	1 RMT	To follow as per Standard data
29	Excavation of trenches for infiltration galleries, syphon lines and connecting mains in all soils under water including all leads, lifts, shoring, strutting, bailing out water and removal of shoring and strutting materials, after completion of pipe line work.		
	a) 0 to 1 m deep under water.	1 Cum	1351
	b) 1 to 2 m deep under water.	1 Cum	1935
	c) 2 to 5 m deep under water.	1 Cum	2905
	d) Beyond 5 m deep under water for every additional 1 m depth over item 'c'	1 Cum	555
	NOTE:- The above rates do not include rock requiring blasting or chiselling.		
30	Laying and jointing perforated RCC pipes inclusive of bailing out water and jointing with Cement fillets and all other incidental charges for infiltration gallery inclusive of bailing out water by pumping to keep the trench reasonably dry to facilitate the work excluding cost of perforated pipes and collars.	Per Metre	48
	per every 25 mm dia/mtr.		
31	Centring and scaffolding charges for RCC members including all materials and labour charges for forming and dismantling.		
a)	for R C C Elevated Service Reservoir of staging up to 15 metre below L W L.		
	1) Slabs for thickness (150 mm to 300 mm)	One Sqm of Centering area	4151
	2) Slabs for thickness above 300 mm, extra for every 50 mm thickness.		497
	3) Side walls curved surfaces including both sides of wall per Sqm of member area.		3135
	4) Side wall straight surfaces including both sides of wall per Sqm of member area.		2792

Sl. No	Description	Unit	Scheduled Rates for the Year 2020-21
	5) Top dome		1709
	6) Bottom Dome.		3400
	7) Roof Slab.		938
	8) Columns, braces and beams	One Sqm of Centering area	1399
	9) Circular braces, ring beams & circular column.		1536
	10) Conical Slab 150 mm to 300 mm thickness		4348
	11) Conical Slab for above 300 mm thickness, extra for every 50mm thickness		551
	Note:- For RCC ELSR of staging above 15 m, the % increase in these rates shall be as follows. above 15 m - up to 18 m --- 9% above 18 m - up to 21m --- 15% above 21m - up to 24 m --- 21% above 24 m - up to 27m --- 27% above 27m --- 30%		
b)	For Ground level works/ Below the Ground level works :-		
	1) Slabs	1 Sqm	To follow as per R&B SoR
	2) Beams & Lintels	1 Cum	
	3) Sun shades	1 Sqm	
	4) RCC vertical walls of plane surface including both sides of wall per Sqm of member area	1 Sqm of centering area	1116
	5) RCC vertical walls of circular faces including both sides of wall per Sqm of member area.		1420
	6) Dome		1562
	NOTE: The above centering charges are applicable for water retaining structures only.		
c)	Centering and scaffolding charges including labour charges for erection and dismantling of shuttering and scaffolding for CC /RCC side walls of Culverts / Storm water drains /Nalas (where sewage flows through them and not for normal / routine nature of drain works)	1 Sqm	288.71
32	Lift or delift of materials :		
	a) Lifting of Cement concrete for RCC Elevated/Ground reservoir. For every 3m height or part thereof over the initial lift of 3 m. Rate/1 Cum.	1 Cum	170
	b) Delifting the materials such as stones, concrete etc., for concrete below ground level for construction of ground level reservoirs, inspection wells, test wells and sump wells etc., for every 1 m depth or part thereof beyond the initial depth of 4 meters from ground level. Rate / 1 cum	1 Cum	51
33	Labour charges for fixing ventilating shafts complete with all accessories.	Each	To follow as per Standard data
34	Labour charges for fixing water closets including fixing of foot rests (for all sizes).	Each	Relevant Building SoR items
35	Labour charges for fixing of flushing cistern including fixing of flush pipes, lead pipe, jointing etc., complete	Each	

Sl. No	Description	Unit	Scheduled Rates for the Year 2020-21
36	Labour charges for fixing wash hand basin including fixing of inlet and waste pipe connections etc., complete	Each	
37	Fixing urinal with inlet and waste pipe connections etc., complete.	Each	
38	Refilling the trench for pipe line with excavated earth including watering and tamping etc., complete	10 Cum	
39(a)	Extra allowance for isolated scattered works viz., valve pits, public fountains, meter pits and manholes, etc., complete for maintenance works including cost of material.	Each	50% extra over the basic cost of Work.
(b)	Repairs to the existing mains, interconnections, replacement of valves/specials etc., including the cutting ,jointing, bailing out of water, drying, earth work excavation etc., complete, but excluding cost of pipes, valves and specials.		150% extra over the basic cost of work
40	Removal of wet silt and sludge from sullage drains, with aid of baskets and vessels, etc with initial lift of 3 m and lead of 50 m.	1 Cum	
	Labour component		330
	Implements		36
41	Well sinking in sandy and other loose soils under water either by manual labour, divers, or dredgers, weighting the top of staining to assist sinking etc., including dewatering and other incidental charges such as hire charges for mechanical equipment etc.,		
	Upto 2 m below GL/m	Per metre	
	From 2 to 4 m below GL/m	Per metre	
	From 4 to 6 m below GL/m	Per metre	
	From 6 to 8 m below GL/m	Per metre	
	From 8 to 10 m below GL/m	Per metre	
	Note:-Below 10 m for every metre depth or part there of add Rs.250/- per m. For higher dia, observed data is to be prepared and got approved.		
42	Sinking in Hard strata other than rock but in soils like limestone, gravel, clay under water including, pumping dewatering, hire charges for mechanical equipment etc., complete.		Observed Data
43	Rates for OHSRs/ELSRs including fixtures with a staging of 15 m, with seismic analysis Zone -II and excluding Seigniorage charges.		
a	500 Kilo litres	Per litre	17.75
b	1000 Kilo litres	Per litre	14.43
c	1500 Kilo litres	Per litre	13.32
d	2000 Kilo litres	Per litre	12.59
e	2500 Kilo litres	Per litre	11.94
	1) The above rates are arrived with base rate of Cement Rs.5500/- per MT & Steel for Rs.41500/- per MT (Fe-500/500D/550D from Primary Producers) for the month of May-2020		

Sl. No	Description	Unit	Scheduled Rates for the Year 2020-21
	2) All concrete components shall be designed with minimum of M30 Design Mix.		
	3) For intermediate capacities proportional rates shall be adopted.		
	4) The foundations shall be designed for Annular Raft Footings. The above rates are applicable for Elevated Level Services Reservoirs / OHSRs for SBC of 15 T/Sqm.		
	a) For every decrease of 2.50 T/Sqm of SBC, the rate shall be increased by 2.5% on basic rate .		
	b) For every increase of 2.5 T/Sqm of SBC, the rate shall be decreased by 1.0% on basic rate up to 20 T/Sqm.		
	c) For SBC below 10T/sqm , solid raft shall be provided and for solid raft the rate shall be increased by 10% on basic rates		
	5) For staging less than 15 m, the rate shall be decreased by Rs.0.05 paise on basic rate per litre per every metre decrease in staging.		
	6) For staging above 15 m, the rate shall be increased by Rs.0.10 paise on basic rate per litre per every metre additional staging.		
	7) The above rates shall be increased / decreased due to increase/decrease in the cost of Cement by Basic rate x (Rc-5500)/5500 x 0.069		
	Rc = Rate of Cement (Rs per MT) at the time of preparation of estimate.		
	8) The above rates shall be increased / decreased due to increase/decrease in the cost of Steel by Basic rate x (Rs-41500)/41500 x 0.135		
	Rs = Rate of Steel (Rs. per MT) (Fe-500/500D/550D from Primary Producers) at the time of preparation of estimate.		
	The above formula applicable only for preparation of estimate. The price adjustment shall be adopted on the actual consumption of Steel and Cement.		
	9 a) Rate inclusive of three coats of epoxy paint Food Grade of best quality to inner surface of the Reservoir including roof.		
	b) Rate inclusive of 2 coats of weather proof emulsion painting for external surfaces over one coat of primer of approved make, lettering, all required fixtures, Pipes, Pipe specials, valves of DI material, Valve chambers etc., for pipe connections including cost of pipes, specials and valves as per departmental directions and drawings.		
	10) The above rates adopted for a wind pressure upto "250 kg/sq m". For every 50 kg/sqm decrease in wind pressure, the rate shall be decreased by 2.5%		
	11.a)The Basic rate is adopted by considering the design for Seismic forces for Zone-II only of seismic zones.		
	b) The basic rates shall be increased by 15 % for Zone-III of seismic zones.		

Sl. No	Description	Unit	Scheduled Rates for the Year 2020-21
	12. The ELSR/OHSR shall be designed with minimum of two rows of columns for capacities from 500 KL & upto 1000KL.		
	13. The ELSR/OHSR shall be designed with minimum of three rows of columns for capacities above 1000KL.		
	14) The basic rate is inclusive of following fixtures		
	i) Pipe connections & Specials with D.I materials		
	a) All pipe connections for Inlet, Out let (2 Nos), Over Flow, Scour pipes shall be provided with D/F DI material. b) The Valves for above pipe connections also shall be of DI material of PN 16 c) All specials such as Bends, Tees, Puddle pipes, Reducers, Duckfoot Bends, Bell mouths etc., shall be of DI material.		
	II) The sizes of the verticals for ELSR/OHSR shall be:		
	a) For 500 KL to 750 KL ELSRs Inlet Pipe -Not less than 300mm dia. Out let Pipe -Not less than 350mm dia and DI Valves 02 Nos Over Flow pipe -Not less than 350m dia Scour Pipe -Not less than 200mm dia		
	b) For 800 KL to 1500 KLELSRs Inlet Pipe -Not less than 400mm dia. Out let Pipe -Not less than 450mm dia and DI Valves 02 Nos Over Flow pipe -Not less than 450m dia Scour Pipe -Not less than 200mm dia		
	c) For above 1500 KL to 2500 KL ELSRs Inlet Pipe -Not less than 400mm dia. Out let Pipe -Not less than 500mm dia and DI Valves 02 Nos Over Flow pipe -Not less than 500m dia Scour Pipe - Not less than 200mm dia		
	iii) Manhole Frames & Covers		
	a) All man hole Frames & Covers shall be made of CI/DI materials with min. size of 0.60mX 0.60m - For Roof & Valve Chambers.		
	iv) CI/D.I Double Swan neck ventilators (min.of 150mm dia) shall be provided in top dome and slab with mosquito/fly proof nets - 8Nos minimum.		
	v) RCC Finial ventilator with fly/bird protection with Copper or Stainless Steel mesh - 1 No.		
	vi) RCC precast ladders of 0.60 m width - 2 Nos.		
	vii) RCC dog legged stair case of 1.00 m flight width and 1.20 m landing width hand railing of 1.2 m height by using Stainless Steel pipe of grade 304, with top railing of 40mm dia pipe, middle railing of 25mm dia and verticals with 40mm dia at an interval not more than 1.00m c/c. - 1 No		
	viii)The staircase shall be enclosed with brick masonry walls on three side and collapsible MS gate on front side up to 1 st brace level, to prevent unauthorized entry.		
	ix) Construction of R.C.C valve chambers as per Standard Drawings with RCC cover slab fixed with CI/DI manhole Frame		

Sl. No	Description	Unit	Scheduled Rates for the Year 2020-21
	& Cover with lock and Key arrangement. The Mix shall not be less than VRCC M 20 grade with 150mm thick side walls, 150mm thick top slab, 150mm thick base slab over base course of 100mm thick (1:4:8) prop.		
	x) Balcony of 1.00 m width at floor slab level / middle ring beam level by using Stainless Steel pipe of grade 304 hand railing up to 1.20 m height, with top railing of 40mm dia pipe, middle railing of 25mm dia and verticals with 40mm dia at an interval not more than 1.00m c/c.		
	xi) Water Level Indicator of reputed make - Digital type (1 No) and Conventional type (1 No)		
	xii) Lightning Arrestor with all its accessories complete including earthing, with relevant IS Codes - 1 No.		
44	Rates for OHSRs/ELSRs with a staging of 12 m for Zone-II Seismic and excluding Seigniorage charges.		
a	Upto 10,000 Litres capacity	Per litre	84.75
b	20,000 Litres capacity	Per litre	50.39
c	40,000 Litres capacity	Per litre	40.58
d	60,000 Litres capacity	Per litre	28.92
e	1,00,000 Litres capacity	Per litre	25.55
f	1,20,000 Litres capacity	Per litre	22.34
g	1,50,000 Litres capacity	Per litre	20.30
h	2,00,000 Litres capacity	Per litre	19.15
i	2,50,000 Litres capacity	Per litre	18.57
j	3,00,000 Litres capacity	Per litre	17.97
k	4,00,000 Litres capacity	Per litre	15.71
l	4,50,000 Litres capacity	Per litre	14.00
	NOTE: -1) For intermediate ranges proportional rates may be adopted. All VRCC minimum of M30 grade design mix.		
	2)The above rates are applicable for Elevated Level Services Reservoirs / OHSRs with Raft Foundation and a rate of Rs.5500/- per tonne for Cement and Rs.41500/- per tonne for Steel.		
	3) For every metre of staging less than 12 m, the rate shall be reduced by Rs.0.05 paise per litre per every metre of difference in staging.		
	4) For every metre of staging above 12 m , the rate shall be increase by Rs.0.10 paise per litre per every metre of additional in staging.		
	5)The above rates shall be increased / decreased due to increase / decrease in the cost of Cement by Basic Rate x (Rc-5500)/5500 x 0.069 Rc = Rate of Cement (Rs per MT) at the time of preparation of estimate		
	6)The above rates shall be increased / decreased due to increase / decrease in the cost of Steel by Basic Rate x (Rs-41500)/41500 x 0.135		

Sl. No	Description	Unit	Scheduled Rates for the Year 2020-21
	Rs = Rate of Steel (Rs per MT) (Fe-500/500D/550D from Primary Producers)at the time of preparation of estimate.		
	The above formula applicable only for preparation of estimate. The price adjustment shall be adopted on the actual consumption of Steel and Cement.		
	7) Rate inclusive of three coats of food grade epoxy paint to inner surface of the reservoir including roof dome.		
	8) The above rates be adopted for estimate purposes for construction of ELSR for a finished work including 2 coats of weather proof emulsion painting for external surfaces over one coat of primer of approved make, lettering, all required fixtures, pipes, bends, valves etc., for pipe connections but excluding cost of pipes, bends and valves as per departmental designs and drawings.		
	9) The above rates are applicable for wind pressures upto 250 kg / sq m. For decrease in wind pressure the rate has to be decreased by 2.5% per every 50 kg/sqm. If the ELSR / OHSR is to be designed for seismic forces also, cost shall be arrived by working out detailed quantities based on the designs.		
	10) For Tribal/Agency area, the above rates shall be increased by 5%.		
	11)If the ELSR is to be designed for seismic forces a) The above rates are applied upto Zone-II earth quake. b) for Zone-III earth quake the above rates are to be increased by 15%.		
	12) Fixtures include :		
	a) RCC or Aluminium ladder inside 0.60 m wide.		
	b) spiral staircase on the outside shall be provided up to 200KL ELSR. Above 200KL ELSR Capacity, dog legged staircase shall be provided with staircase flight width of 1.0mts and landing width of 1.20m. S.S railing to stair case upto 1.2m height.		
	c) Lightning arrestor, including conductor and earthing etc with relevant IS codes.		
	d) RCC ventilators with copper or stainless Steel fly proof mesh.		
	e) D.I Manholes frame and cover 0.60x0.60 m as per IS specifications (light duty) - 2 Nos.		
	f) Water level indicator of good quality with ebonite/ copper float approved pattern - 1 No.		
	g) The ladder shall be with Aluminium and Verticals with HDPE of 10kg/Sqcm shall be provided for single column OHSRs only.		
	h) The increase in staging shall be at 1.0mt interval.		
	i)The railing provided to the gallery and stair case shall be with stainless Steel of grade 304 for a height of 1.20m.		
	j)The dog legged staircase shall be enclosed with brick/CRS wall on three sides and front side with PVC door of standard make up to 1st brace level from ground level to prevent unauthorized entry.		
	k) D.I swan neck ventilators shall be provided in top dome and slab-4Nos minimum.		

Sl. No	Description	Unit	Scheduled Rates for the Year 2020-21
	l) The above rates are exclusive of all inlet, outlet connections, valves and bolts & nuts but including labour charges for hoisting, jointing with rubber insertion, nuts and bolts. All valves near inlet, outlet and for scour of ELSRs shall be D.I valves.		
45	Construction of Rapid Gravity Filtration Plant including all Civil, Mechanical and Electrical works using sand as filter media, duly following relevant IS codes in the design of plant components including trial running for 90 days etc., complete and excluding Seigniorage charges.		
	1) 2.0 Mld	Per litre	4.78
	2) 5.0 Mld	Per litre	3.83
	3) 10.0 Mld	Per litre	3.28
	4) 20.0 Mld	Per litre	2.81
	5) 30.00 Mld and above.	Per litre	2.48
	NOTE :-		
	a) For intermediate capacities proportional rates may be adopted		
	b) The above rates are applicable with Cement @ rate of Rs.5500/-MT and Steel of Rs. 41500/MT (Fe-500/500D/550D from Primary Producers)		
	c)The above rates shall be increased / decreased due to increase / decrease in the cost of Cement by Basic Rate x (Rc-5500)/5500 x 0.069 Rc = Rate of Cement (Rs per MT) at the time of preparation of estimate only		
	d)The above rates shall be increased / decreased due to increase / decrease in the cost of Steel by Basic Rate x (Rs-41500)/41500 x 0.135 Rs = Rate of Steel (Rs per MT) (Fe-500/500D/550D from Primary Producers) at the time of preparation of estimate.		
	The above formula applicable only for preparation of estimate. The price adjustment shall be adopted on the actual consumption of Steel and Cement.		
	The components of the filtration plant will include the following		
	A) Civil Works (All works of VRCC minimum of M30 design mix)		
	1) Stilling Chamber including Aeration cascade		
	2) Pre-Settling tank shall be provided for 30 MLD and above capacities of WTP for a minimum of 1 hour capacity.		
	3)Raw water channel with Stainless Steel Weir of SS304L Grade material and also with digital flow meters.		
	4) Flash Mixer chamber with Flash mixing arrangements including SS shaft & SS Blades with gear wheel arrangements etc, Using 304L Grade Steel.		

Sl. No	Description	Unit	Scheduled Rates for the Year 2020-21
	5) Clariflocculator / Flocculation tanks with the components of central driven circular clarifier with scrapper & bridge arrangements made with Stainless Steel Grade 304 L tubes /angulars for durability & chemical resistant with wheel arrangements etc.,.		
	6) Filter house, Chemical house, Alum store, Laboratory room , Chlorination plant room, toilet etc. (All structures shall be provided with RCC roof only).Chemical house & Chlorinator rooms are to be isolated.		
	7) Wash water tank of suitable capacity shall be constructed independently		
	8) All the Doors and Windows shall be of UPVC. The entrance door shall be minimum size of 2.40 X 2.40 mts.		
	9) All pipes and valves in Plant shall be of D.I. materials. All the Connecting pipes of the plant components such as from Flash mixer to Clariflocculator/ Clarifier/Flocculation tank, to Filter beds, sludge disposal pipes shall be of D.I. material. The size of sludge disposal pipe shall be minimum of 450 mm dia with D.I D/F pipe.		
	10) The Pipe gallery way for Clear water/ Back wash water/ pipe connections shall be sufficiently spaced for easy operation, maintenance and inspection .		
	11) The bottom level of the wash water control chamber must be above G.L so as to dispose the wash water and sludge from Clariflocculator by gravity to disposal point.		
	Additional specifications		
	12) Railing for all the components (Clariflocculator, Filter House, Staircase etc.,) shall be provided with Stainless Steel of grade 304 for a height of 1.00m, with 40mm dia pipe for top horizontals,25mm dia for middle row and 40mm dia verticals spaced at interval of not more than 1.00m c/c.		
	13) Inspection / Path ways in filter beds : Middle pathway: Minimum of 1.50m,Side pathway: Minimum of 1.20m.		
	14) Flooring in the buildings (Filter house, Chemical House, Chlorinator Room, Laboratory) shall be provided with Non-skid tiles of approved make & quality , as per standard specifications. Dadoing shall be provided upto 1.80mts from floor level in chemical room and Chlorination room.		
	15) The basement of the Filtration plant building shall be minimum of 0.75m above the existing nearby Road top level.		
	16) Minimum head room of 2.00m shall be provided , at the alum mixing chambers in alum store for inspection & maintenance.		
	17) The minimum width of entrance hall for the Filter House shall be 4.50m , and Laboratory of min size .of 3.30 X 4.50m .		
	18) High efficient Air Blowers of standard make shall be installed to the design requirement with low noise pollution , environmental pollution as per PCB guide lines & Testing of blowers as per I.S norms at site.		

Sl. No	Description	Unit	Scheduled Rates for the Year 2020-21
	19) UPVC pipes shall be provided for water drain. Filter pipe manifolds shall be assembled with HDPE pipes.		
	20) Alum storage capacity shall be designed for minimum period of 90 days. Consumables shall be provided for 2115 Running Hours of WTP.		
	21A) Chlorinator : Vacuum type chlorinator shall be provided with following specifications: a) Vacuum operated solution feed type Vacuum Regulator, Rotometer, Rate setting Valve, built-in NRV, Gas Overflow out let by manifolding to mount the system with the unit. b) The unit shall consists of Ejector with necessary accessories such as Check Valve, Drain Valve and Vacuum relief Valves - for control of chlorinator dosage. c) The Accessories and manifolds shall be chlorine resistant and made of carbon Steel seamless pipes, copper tube with brass fittings of suitable size & dimensions, with diaphragm sealed chlorine pressure gauge arrangements.		
	d) Water Booster Pump of pumping capacity ranging from 2 cum/hr to 12 cum/hr, with Head ranging from 16 to 35 MWC e) The water & solution carrying pipes shall be made of UPVC material of suitable size incl. all specials such as Tee's , Bends, couplings & NRVs and also Pressure Gauges of suitable range. f) Chlorine Gas detector with alarm indicator. The installation includes all necessary accessories, Civil and Mechanical works, manifold header installations, injector fixing, connection with UPVC pipes, solution pipings, fixing of motors as per standard specifications and commissioning of Chlorination plant to the required demand, with a defect liability period of 1 year. The chlorinator may be of any reputed make or any make of Metito/Toshocow-Jesco/Industrial devices.		
	g) Life breathing operators.		
	h) Chlorine escape BA Set.		
	i) 2 to 10 MLD Plants - 1Kg/hr Chlorinator Rate .073 paisa on basic rate of WTP-for Post Chlorination		
	ii) 10 MLD to 20 MLD Plants - 2 Kg/hr Chlorinator Rate .033 paisa on basic rate of WTP-for Post Chlorination		
	iii) 20 MLD to 50 MLD Plants - 5 Kg/hr Chlorinator Rate .015 paisa on basic rate of WTP-for Post Chlorination		
	B) Mechanical Equipment		
	1) Alum dosing equipment with SS 304 material made stirrers & paddles for chemical resistance. (Alum tanks must be bound with corrosion resistant material (HDPE Lining, Bitumen Coating, tiles etc)		
	2) Flash mixer equipment with SS 304 material made stirrers & paddles for chemical resistance.		
	3) Filtration plant equipment instrumentation and piping.		

Sl. No	Description	Unit	Scheduled Rates for the Year 2020-21
	<p>4) Clariflocculation equipment (with stainless Steel blades) with rotating bridge arrangement etc., The equipment consists of following components</p> <p>a) Flocculator Drive Mechanisms These will consist of suitable H.P geared electric motor mounted on M S Frame work on bridge platform.</p> <p>b) Flocculating Mechanisms and raking in the flocculation compartment . These will consist of vertical shafts and arms, paddles, guides, bearings etc with stainless Steel bush bearing for the shafts at the bottom.</p> <p>c) Mechanism for raking in clarifier compartment.</p>		
	<p>d) Revolving Bridge This will be made of suitable sections with torsion proof fabrication of required length and width of 1.22 m. The Bridge will have an outer travelling trolley. The walk way will be 1.22 m wide and shall have chequered plates. The web of the bridge structure shall perform the function of hand railing on both the sides also. The scarping plates will be fitted with the scrapper frame work with hinges and stainless Steel pins and will be fitted 12 mm thick rubber edging . The scrapers will be so adjusted as to ensure smooth and even scarping of the floor.</p> <p>e) Bridge Drive The Bridge will be driven by an electrically operated geared motor with suitable H.P.</p>		
	<p>f) Bridge Drive Mechanisms This will consist of two nos. of Steel wheels driven by electric geared motor. The wheels will be fitted on the trolley with necessary bearings, pedestals etc . These wheels travel along the periphery of the clariflocculator tank on rails.</p> <p>g) Electrical Arrangements These will consist of electrical cables PVC insulated with copper wires run from the main switch board provided in the chemical store and run under the tank and along the central column. The cable will be connected to the central slip arrangements. The electric geared motors will be controlled from the control panel fitted on the bridge with necessary weather proof housing cabinet with necessary cables, wires, starters , switches etc .</p>		
	<p>5) Stainless Steel wheel shall be provided for the bridge clariflocculator.</p>		
	<p>6) Wash water tank fittings and pumpsets with 100% stand by.</p>		
	<p>7)Air blower with motor 100% stand by and pipe connections. Air Scouring type with twin lobe rotary having required capacity and pressure as per hydraulic design having following components: Blower, Base Frame for blower and motor, Foundation Bolts, Nuts and Washers, Slide Rail and Motor Bolts, V Belts, Pulley, Guard, Suction Silencer, Discharge Silencer, Safety Relief Valve and Non Return Valve , Companion Flange,</p>		

Sl. No	Description	Unit	Scheduled Rates for the Year 2020-21
	Interconnection Pipe, Flexible Bellow, Safety Valve and T Connection, First Fill of Lubricants, Anti vibration Pads, Acoustic Enclosure and Motor : CGL/KEC/ABB make.		
	<p>A) Materials of Construction :</p> <p>a) Housing : C.I IS 201 FG 260</p> <p>b) Rotor Shaft : S G IRON</p> <p>c) Shaft : EN 19 forged and heat treated</p> <p>d) Timing Gears : Cast Alloy Steel (20 microns) forged and heat treated.</p> <p>e) Pulley , Gear side , plates and covers : C.I IS 210 FG 260</p> <p>f) V Belts : Reinforced rubber</p> <p>g) Base plate : MS Enamel Painted</p> <p>h) Belt Guard : MS Enamel Painted</p> <p>i) Fasteners : As per IS 1363/ IS 1367</p>		
	8)Spares & Tools and the same shall be handed over after 2 years defect liability period.		
	9)Gaseous Chlorination with cylinders has to be provided with protection measures.		
	C) Electrical Equipment		
	1) Necessary power supply wiring to motors and switches bus bar connections as per IE Rules.		
	2) Internal wiring and illumination and fittings and fixtures for internal and external lighting exhaust fans, ceiling fans etc.		
	3) Erecting mechanical and electrical equipment, trial run for 90 days 23.50 hours per day testing the treated water for efficient standards and maintenance of records and imparting training to staff.		
	4) Supply of 6 - Sets of completion plans and maintenance manual and brochures.		
	5) All cables shall be with of copper material, Cable ducts shall be covered with MS / Aluminium chequered plate.		
	6) Yard lighting shall be provided at 6 locations with required fixtures..		
	D) Equipment for Flow measurements		
	1) Equipment for Flow of Conductivity, Turbidity, Ph value, Residual Chlorine with recording & data storage facility (Computer based) & Alarm by SMS or other methods.		
	2) Off - Site Supervisory and Data Acquisition (OSSADA) system for Raw water & Clear water flows by installing Digital Flow meters to measure the flows at Raw water Channel and at each filter bed individually and combined for measuring the quantities of water treated with a facility to record and store the readings & also to send messages to the assigned designatories about the variations/ deficiencies in the flow including alerts for back wash requirements of filter beds, and recovery of data for the past 360 days. All the Digital Flow Meters & Pressure Gauges shall be provided of standard approved make.		

Sl. No	Description	Unit	Scheduled Rates for the Year 2020-21
	Hardware:		
	i) Wall mounted Sensor House for measuring Raw water & Clear water flow from Filter bed out lets with accessories.		
	ii)Electrode Type: General type, Scraper type or replaceable type Electrode made with material of SS external Ultra Touch Sensors as per requirement.		
	iii)Customised Application Requirement : Sensors with Interface logic control board with serial interfaces, On - sensor Board Buffer, Timer, RS485 Communication, Analog to Digital Sensing Sensor Circuit, 32 Sensors Sensing Tags, Interval Power Supply System , LCD 16c/2L, Filter Bed Working Status Indication LED, Filter Bed Wash Indication Button and memory of Data Storage for 30Days , status of Filter Bed Level indicator, Rating, Reading on LCD Display, Menu Driven Data for sending to Onsite Big Display, operated with Battery Power of any reputed make or any equivalent make.		
	iv)Customised Application Requirement: Power Sensors Interface logic control board with support 8 Power Sensing tags, Central System Interfacing Communication, On - board analog to Digit Convert Integrate Circuit of any reputed make or any equivalent make.		
	v)Customised Application Requirement: Centralized System with two serial interfaces, 3 Nos of Add-On ports, One external DC Power Socket, On - Board Buffer, On - Board Timer, On - Board RS485 Communication, On - Board RS 232 Communication, On - Board GPRS/GSM Module, On - Board Voice Chip, On - Board Power Sensing Module, LCD 16c/2L, Filter Bed Wash Precaution Indication with Stop Button, Memory of Data Storage for 30 Days, Total Bed Rating, Reading display on LCD Display, Menu Driven, Menu Navigate Keypad, sending data to the Web Server, Communication with GPRS , operated with Battery Power of any reputed make or any equivalent make.		
	Software:		
	The software shall be designed with Web Domain with Data Base Server and Web Name as per the directions of the Departmental Authorities		
	The application of Software for Web design & Desktop shall meet the following requirements:		
	Onsite Display: Letters with size of 1.5' Seven Segment LED Display with Interface for each Filter Bed, for Onsite Display, by displaying the Bed Levels, Ratings, Readings in 3 Columns , for each bed of the plant in successive rows and cumulative results at the bottom of the screen.		
	Off Site Display: Letters with size of 1.5' seven Segment LED Display with Interface GPRS/GSM Modules Offsite Display, with Display of Bed Total Rating, Total Cumulative Reading as specified on On-site Display Features.		

Sl. No	Description	Unit	Scheduled Rates for the Year 2020-21
	The system shall have also the features of Onsite Bed Wash Voice Precautions for Bed Levels, Readings, Ratings, Bed Capacity Readings and Ratings and Bed Low Level Triggering, before & after Bed wash.		
	The software shall also have the features of sending messages to the mobiles of the Departmental designatories indicating Bed Low Levels, Power Supply timings, Bed Wash timings and its status, Power Supply timings and its status Grid View Table, Motor Working time and its status Grid View Table, all trigger events and schedule information and including all Snap View Reports, all Daily, Monthly, Yearly Reports, all Power Working Reports, all Power Events Information etc.,.		

1. R.C.C. PLAIN ENDED PIPES

Sl. No.	Description				
	Size	Unit	Rate		
			NP - 2 Class	NP - 3 Class	NP - 4 Class
1	Manufacture, Supply and Delivery of R.C.C. Spun / Vibrated Cast (Reinforced) Plain ended pipes conforming to B.I.S 458/2003, Ex-factory, Excluding transportation & taxes.				
	80 mm dia	Metre	164		
	100 mm dia	Metre	191		
	150 mm dia	Metre	228		
	200 mm dia	Metre	273		
	225 mm dia	Metre	294		
	250 mm dia	Metre	315		
	300 mm dia	Metre	450	1008	1035
	350 mm dia	Metre	564	1275	1297
	400 mm dia	Metre	649	1409	1440
	450 mm dia	Metre	792	1611	1628
	500 mm dia	Metre	872	1754	2005
	600 mm dia	Metre	1292	2623	3097
	700 mm dia	Metre	1654	3255	4133
	800 mm dia	Metre	2029	4291	5398
	900 mm dia	Metre	2545	5384	6715
	1000 mm dia	Metre	3084	6689	9160
	1100 mm dia	Metre	3684	7876	10605
	1200 mm dia	Metre	4384	9269	12394
	1400 mm dia	Metre	5956	11985	17137
	1600 mm dia	Metre	6918	15519	20642
	1800 mm dia	Metre	9052	20532	27638
	2000mm dia	Metre		25094	34021
	2200mm dia	Metre		30079	40989
	2400mm dia	Metre		35066	47959

Note : All the prices are ex-works. Taxes extra as applicable at the time of supply.

The above rates of RCC Plain ended pipes are based on the following raw materials cost.

Cement Rs.5500/- per MT (excluding all taxes but including freight).

Steel (M.S. Rods) - Rs.43500/- per MT. (excluding all taxes but including freight).

The revised cost of RCC pipes due to increase / decrease in the cost of raw materials shall be as per the following formula.

Revised Cost = Cost as per the above table + R1 + R2

R1 = Variation (increase / decrease) in cost (Rs. per metre) due to change in the cost of M.S. Rods = $(S2 - S1) / 1000 \times Ws$.

R2 = Variation (increase / decrease) in cost (Rs. per metre) due to change in the cost of Cement = $(C2 - C1) / 1000 \times Wc$.

S1 = Rs.43500/- , S2 = Cost of M S Rods (Rs. Per MT excluding all taxes but including freight) at the time of preparation of estimate.

C1 = Rs.5500/- C2 = Cost of Cement (Rs. Per MT excluding all taxes but including freight) at the time of preparation of estimate.

Ws = Weight of MS Rods required (Kg.) per metre of pipe as per IS:458/2003.

Wc = Weight of Cement required (Kg.) per metre of pipe.

2. R.C.C. COLLARS

Sl.No.	Description				
1	2				
1	Manufacture, Supply and Delivery of R.C.C. Collars conforming to B.I.S. 458/2003 (rate per each collar) suitable for R.C.C. Plain ended pipes including transportation but excluding taxes.				
	Size	Unit	Rate		
			NP - 2 Class	NP - 3 Class	NP - 4 Class
	80 mm dia	Each	50		
	100 mm dia	Each	50		
	150 mm dia	Each	53		
	200 mm dia	Each	72		
	225 mm dia	Each	73		
	250 mm dia	Each	83		
	300 mm dia	Each	111	158	158
	350 mm dia	Each	135	194	194
	400 mm dia	Each	150	224	224
	450 mm dia	Each	235	296	296
	500 mm dia	Each	268	354	354
	600 mm dia	Each	364	461	461
	700 mm dia	Each	470	621	621
	800 mm dia	Each	663	787	787
	900 mm dia	Each	791	917	917
	1000 mm dia	Each	926	1150	1150
	1100 mm dia	Each	1135	1453	1453
	1200 mm dia	Each	1376	1818	1818
	1400 mm dia	Each	1777	2302	2302
	1600 mm dia	Each	2266	2950	2950
	1800 mm dia	Each	2367	3800	3800

Note: Taxes extra as applicable at the time of supply.

The above rates of RCC Collars suitable to plain ended pipes are based on the following raw materials cost.

Cement. Rs.5500/- per MT (excluding all taxes but including freight).

Steel (M.S. Rods) - Rs.43500/- per MT. (excluding all taxes but including freight).

The revised cost of RCC collars due to increase / decrease in the cost of raw materials shall be as per the following formula.

Revised Cost =Cost as per the above table +R1+R2

R1= Variation (increase / decrease) in cost (Rs. per each) due to change in the cost of M.S. Rods = (S2-S1)/1000 X Ws. R2= Variation (increase / decrease) in cost (Rs. per each) due to change in the cost of Cement = (C2-C1)/1000 X Wc.

S1 = Rs. 43500/- , S2 = Cost of M S Rods (Rs. Per MT excluding all taxes but including freight) at the time of preparation of estimate.

C1 = Rs. 5500/-, C2 = Cost of Cement (Rs. Per MT excluding all taxes but including freight) at the time of preparation of estimate

Ws=Weight of MS Rods required (Kg.) per each collar.

Wc= Weight of Cement required (Kg.) per each collar.

3. R.C.C. S/S PIPES (Non - Pressure)

Sl. No.	Description				
1	2				
1	Manufacture, Supply and Delivery of R.C.C. Spun / Vibrated Cast (Reinforced) Socket and Spigot pipes conforming to B.I.S. 458/2003 at ex-factory (rate per meter of effective length) Excluding transportation & taxes.				
	Size	Unit	Rate		
			NP - 2 Class	NP - 3 Class	NP - 4 Class
	80 mm dia	Metre	205		
	100 mm dia	Metre	231		
	150 mm dia	Metre	272		
	200 mm dia	Metre	330		
	225 mm dia	Metre	362		
	250 mm dia	Metre	385		
	300 mm dia	Metre	541	1280	1360
	350 mm dia	Metre	695	1665	1692
	400 mm dia	Metre	768	1847	1877
	450 mm dia	Metre	955	2037	2052
	500 mm dia	Metre	1098	2326	2521
	600 mm dia	Metre	1552	3260	3357
	700 mm dia	Metre	2014	4146	4350
	800 mm dia	Metre	2570	5481	5680
	900 mm dia	Metre	3237	6879	7126
	1000 mm dia	Metre	3918	7812	8529
	1100 mm dia	Metre	4627	9199	9840
	1200 mm dia	Metre	5253	10844	11507
	1400 mm dia	Metre	7438	14359	16286
	1600 mm dia	Metre	9193	18599	19638
	1800 mm dia	Metre	10390	24601	26286
	2000mm dia	Metre		29950	32013
	2200mm dia	Metre		35886	38570
	2400mm dia	Metre		41823	45129

Note: All the prices are ex-works, Taxes extra as applicable at the time of supply. The above rates of RCC S/S Non-Pressure pipes are based on the following raw materials cost Cement. Rs.5500/- per MT (excluding all taxes but including freight).

Steel (M.S. Rods) - Rs.43500/- per MT. (excluding all taxes but including freight).

The revised cost of RCC pipes due to increase / decrease in the cost of raw materials shall be as per the following formula. Revised Cost = Cost as per the above table +R1+R2

R1= Variation (increase / decrease) in cost (Rs. per metre)due to change in the cost of M.S. Rods = $(S2-S1)/1000 \times Ws$.

R2= Variation (increase / decrease) in cost (Rs. per metre)due to change in the cost of Cement = $(C2-C1)/1000 \times Wc$.

S1 = Rs. 43500/- , S2 = Cost of M S Rods (Rs. Per MT excluding all taxes but including freight) at the time of preparation of estimate.

C1 = Rs.5500/- , C2 = Cost of Cement (Rs. Per MT excluding all taxes but including freight) at the time of preparation of estimate Ws=Weight of MS Rods required (Kg.) per metre of pipe as per IS:458/2003. Wc= Weight of Cement required (Kg.) per metre of pipe.

4. R.C.C. S/S PIPES (Pressure)

Sl.No.	Description				
1	2				
1	Manufacture, Supply and Delivery of R.C.C. Socket and Spigot pipes conforming to B.I.S. 458/2003 Ex-factory (rate per meter of effective length) Excluding transportation, taxes & duties.				
	Size	Unit	Rate		
			P1 - Class	P2 - Class	P3 - Class
	80 mm dia	Metre	263	299	337
	100 mm dia	Metre	300	354	410
	150 mm dia	Metre	411	531	654
	200 mm dia	Metre	481	686	904
	225 mm dia	Metre	541	781	1009
	250 mm dia	Metre	591	837	1063
	300 mm dia	Metre	799	1211	1506
	350 mm dia	Metre	996	1675	2174
	400 mm dia	Metre	1182	2213	2860
	450 mm dia	Metre	1273	2622	3535
	500 mm dia	Metre	1680	2863	4031
	600 mm dia	Metre	2300	4265	5617
	700 mm dia	Metre	3052	5629	7165
	800 mm dia	Metre	3823	6737	8705
	900 mm dia	Metre	4621	7959	
	1000 mm dia	Metre	5790	9175	
	1100 mm dia	Metre	6938		
	1200 mm dia	Metre	8177		

Note: All the prices are ex-works, Taxes extra as applicable at the time of supply.

The above rates of RCC S/S Pressure pipes are based on the following raw materials cost.

Cement. Rs.5500/- per MT (excluding all taxes but including freight).

Steel (M.S. Rods) - Rs.43500/- per MT. (excluding all taxes but including freight).

The revised cost of RCC pipes due to increase / decrease in the cost of raw materials shall be as per the following formula.

Revised Cost = Cost as per the above table + R1 + R2

R1 = Variation (increase / decrease) in cost (Rs. per metre) due to change in the cost of M.S. Rods = $(S2 - S1) / 1000 \times Ws$.

R2 = Variation (increase / decrease) in cost (Rs. per metre) due to change in the cost of Cement = $(C2 - C1) / 1000 \times Wc$.

S1 = Rs. 43500/- S2 = Cost of M S Rods (Rs. Per MT excluding all taxes but including freight) at the time of preparation of estimate.

C1 = Rs. 5500/-, C2 = Cost of Cement (Rs. Per MT excluding all taxes but including freight) at the time of preparation of estimate

Ws = Weight of MS Rods required (Kg) per metre of pipe as per IS: 458 / 2003.

Wc = Weight of Cement required (Kg) per metre of pipe.

5. RUBBER RINGS TO SUIT R.C.C. S/S PIPES

Sl. No.	Description				
1	2				
1	Manufacture, Supply and Delivery of Rubber rings to suit R.C.C. Spun / Vibrated Cast (Reinforced) Socket and Spigot pipes conforming to B.I.S 5382/ 1985 (rate per each rubber ring) including transportation but excluding taxes. the Rubber Rings shall be tested at the factory premises conforming to B.I.S. 5382/1985.				
	Size	Unit	Rate		
			NP - 2 Class	NP - 3 Class	NP - 4 Class
	80 mm dia	Each	30		
	100 mm dia	Each	38		
	150 mm dia	Each	67		
	200 mm dia	Each	78		
	225 mm dia	Each	87		
	250 mm dia	Each	96		
	300 mm dia	Each	118	153	153
	350 mm dia	Each	137	181	181
	400 mm dia	Each	151	206	206
	450 mm dia	Each	171	234	234
	500 mm dia	Each	224	267	267
	600 mm dia	Each	294	390	390
	700 mm dia	Each	399	465	465
	800 mm dia	Each	507	564	564
	900 mm dia	Each	633	763	763
	1000 mm dia	Each	741	920	920
	1100 mm dia	Each	890	1179	1179
	1200 mm dia	Each	1426	1482	1482
	1400 mm dia	Each	1568	1630	1630
	1600 mm dia	Each	1954	1990	1990
	1800 mm dia	Each	2432	2542	2542
	2000mm dia	Each		2901	2901
	2200mm dia	Each		3261	3261
	2400mm dia	Each		3620	3620
2	Manufacture, Supply and Delivery of Rubber rings to suit R.C.C. Socket and Spigot pipes conforming to B.I.S 5382/ 1985 (rate per each rubber ring) including transportation but excluding taxes. The Rubber Rings shall be tested at the factory premises conforming to B.I.S. 5382/1985.				
	Size		P1 - Class	P2 - Class	P3 - Class
	80 mm dia	Each	30	30	30
	100 mm dia	Each	38	40	40
	150 mm dia	Each	67	67	67
	200 mm dia	Each	78	78	78
	225 mm dia	Each	87	88	90
	250 mm dia	Each	96	99	102
	300 mm dia	Each	118	125	130
	350 mm dia	Each	137	157	171
	400 mm dia	Each	151	206	210

	450 mm dia	Each	171	236	242
	500 mm dia	Each	224	267	280
	600 mm dia	Each	294	331	336
	700 mm dia	Each	399	438	465
	800 mm dia	Each	507	560	560
	900 mm dia	Each	633	706	
	1000 mm dia	Each	741	851	
	1100 mm dia	Each	890		
	1200 mm dia	Each	1111		

Note: Taxes as applicable shall be added as per rules at the time of preparation of estimate.

6. CONVEYANCE OF R.C.C. PLAIN ENDED PIPES

Sl.No.	Description	Rate upto 5 Kms Lead including Loading, unloading and stacking	Rate for every additional 1 KM lead or part thereof.	Rate upto 5 Kms Lead including Loading, unloading and stacking	Rate for every additional 1 KM lead or part thereof.
1	2	3	4	5	6
1	Conveyance of R.C.C Spun / Vibrated Cast (Reinforced) Plain ended pipes on all weathered roads including loading, unloading and stacking (per metre)				
		NP - 2 Class		NP - 3 Class & NP - 4 Class	
	80 mm dia	3.79	0.16		
	100 mm dia	4.98	0.16		
	150 mm dia	7.47	0.33		
	200 mm dia	9.95	0.33		
	225 mm dia	11.25	0.49		
	250 mm dia	12.55	0.49		
	300 mm dia	17.52	0.66	48.67	1.34
	350 mm dia	24.98	1.50	52.46	1.50
	400 mm dia	27.47	1.66	62.51	2.01
	450 mm dia	36.24	2.01	67.48	2.32
	500 mm dia	38.71	2.32	73.65	2.32
	600 mm dia	56.24	3.65	111.17	5.16
	700 mm dia	71.16	5.16	123.62	6.00
	800 mm dia	83.71	5.16	148.60	6.00
	900 mm dia	96.15	5.16	194.89	11.31
	1000 mm dia	142.43	10.63	234.79	11.31
	1100 mm dia	156.17	10.63	254.80	12.31
	1200 mm dia	177.37	11.31	284.76	12.31
	1400 mm dia	213.60	11.31	387.28	12.81
	1600 mm dia	247.34	11.31	464.72	12.81
	1800 mm dia	284.76	11.31	619.59	17.97
	2000 mm dia				
	2200 mm dia				
	2400 mm dia				

7. CONVEYANCE OF R.C.C. S/S PIPES

Sl.No.	Description	Rate upto 5 Kms Lead including Loading, unloading & stacking	Rate for every additional 1 KM lead or part thereof.	Rate upto 5 Kms Lead including Loading, unloading and stacking	Rate for every additional 1 KM lead or part thereof.
1	Conveyance of R.C.C. Spun / Vibrated Cast (Reinforced) Socket and Spigot pipes on all weather roads including loading, unloading and stacking (per metre of effective length).				
	Size	NP - 2 & P1 Class		NP - 3 & NP - 4 Class	
	80 mm dia	4.98	0.15		
	100 mm dia	4.98	0.29		
	150 mm dia	8.76	0.29		
	200 mm dia	11.25	0.61		
	225 mm dia	12.55	0.61		
	250 mm dia	13.73	1.37		
	300 mm dia	22.49	1.51	57.42	1.82
	350 mm dia	26.28	1.66	62.51	2.11
	400 mm dia	26.28	1.96	77.44	3.94
	450 mm dia	37.53	2.11	84.90	3.94
	500 mm dia	41.20	2.27	93.66	4.24
	600 mm dia	53.75	3.94	126.21	6.05
	700 mm dia	66.19	4.24	169.90	11.95
	800 mm dia	91.17	6.50	201.16	11.95
	900 mm dia	136.16	11.63	232.30	11.95
	1000 mm dia	154.88	11.63	244.85	11.95
	1100 mm dia	174.88	11.95	262.37	11.95
	1200 mm dia	194.89	11.95	293.52	12.24
	1400 mm dia	242.36	11.95	393.45	12.24
	1600 mm dia	287.35	12.24	464.72	13.15
	1800 mm dia	356.03	12.24	619.59	17.99
		P2 - Class		P3 - Class	
	80 mm dia	4.98	0.15	4.98	0.15
	100 mm dia	4.98	0.29	4.98	0.29
	150 mm dia	8.76	0.29	8.76	0.29
	200 mm dia	11.25	0.61	15.04	1.37
	225 mm dia	15.04	1.37	17.52	1.51
	250 mm dia	16.22	1.51	21.20	1.66
	300 mm dia	31.26	1.82	36.24	1.96
	350 mm dia	38.71	2.11	49.97	2.27
	400 mm dia	46.18	2.27	66.19	3.94
	450 mm dia	58.73	3.79	82.41	3.94
	500 mm dia	66.19	3.94	99.93	5.89
	600 mm dia	87.50	3.94	144.92	7.56
	700 mm dia	131.19	8.00	211.11	11.95
	800 mm dia	173.59	11.34	269.84	11.95
	900 mm dia	211.11	11.95		
	1000 mm dia	259.78	12.24		

8. A.C. PIPES

The PH & ME department banned the usage of RCC & AC pipes for water supply works vide Memo no 146/T2/SoR/2014-15/2014 dated 30.06.2014. However ENC (RWS) requested in the SoR meeting on 06.05.2015 to incorporate A.C pipes rates in SoR for carrying out O&M works, accordingly the following rates are adopted.

Sl.No	Description					
1	Manufacture, Supply of A.C*. Pressure pipes (mazza process) as per BIS No: 1592/2003 as amended from time to time duly marked with BIS mark, including cost of material, incidental handling, loading and packing charges but are exclusive of transportation, unloading, stacking at departmental stores, and excluding taxes. The pipes shall be tested at factory premises conforming to IS code 1592/2003.					
	Size	Unit	Rate			
			Class - 15	Class - 20	Class - 25	
	80 mm dia	Rate/Metre	217	239	298	
	100 mm dia	Rate/Metre	287	364	446	
	125 mm dia	Rate/Metre	373	463	583	
	150 mm dia	Rate/Metre	524	654	820	
	200 mm dia	Rate/Metre	866	1111	1410	
	250 mm dia	Rate/Metre	1098	1426	1785	
	300 mm dia	Rate/Metre	1536	2003	2559	
	350 mm dia	Rate/Metre	1869	2432	3068	
	400 mm dia	Rate/Metre	2429	3182	3949	
	450 mm dia	Rate/Metre	2891	3839	4807	
	500 mm dia	Rate/Metre	3564	4692	5891	
	600 mm dia	Rate/Metre	5069	6625	8441	
	700 mm dia	Rate/Metre	6666	9041	11691	
	750 mm dia	Rate/Metre	7596	10438	13377	
	800 mm dia	Rate/Metre	8690	11825	15176	
	850 mm dia	Rate/Metre	9750	13301	17090	
	900 mm dia	Rate/Metre	10869	14862	19116	
	1000 mm dia	Rate/Metre	13417	18245	23506	
2	Lowering, laying and jointing of AC pressure pipes with ac couplings or CID joints complete with Rubber rings in readymade trenches true to alignment and gradient including filling with water lead upto 500 mts and testing to required pressure including all sundries but excluding cost of jointing materials and conveyance from source of supply as per BIS No. 6530/1972					
	80 mm dia	Rate/Metre	42	42	42	
	100 mm dia	Rate/Metre	62	62	62	
	125 mm dia	Rate/Metre	67	67	67	
	150 mm dia	Rate/Metre	80	80	80	
	200 mm dia	Rate/Metre	105	105	105	
	250 mm dia	Rate/Metre	126	126	126	
	300 mm dia	Rate/Metre	156	156	156	
	350 mm dia	Rate/Metre	264	264	264	
	400 mm dia	Rate/Metre	397	397	397	
	450 mm dia	Rate/Metre	482	482	482	
	500 mm dia	Rate/Metre	613	613	613	

	600 mm dia	Rate/Metre		659	659	659
	700 mm dia	Rate/Metre		736	736	736
	750 mm dia	Rate/Metre		819	819	819
	800 mm dia	Rate/Metre		862	862	862
	850 mm dia	Rate/Metre		919	919	919
	900 mm dia	Rate/Metre		1004	1004	1004
	1000 mm dia	Rate/Metre		1032	1032	1032
	<p>1. The above rates of AC Pipes are based on the Cement cost of Rs. 5500/- per MT (excluding all taxes but including frieght).</p> <p>2. The above rates of AC pipes are based on the Fiber cost of Rs.78,500/- per M.T (excluding all taxes but including frieght)</p> <p>For any Increase/ Decrease in the rate of cement, the price of AC pipe per Rmt shall be increased/decreased as under.</p> <p>$W \times 0.85 \times IC$ Where W = Weight of pipe in Kg's/Rmt IC = Increase/Decrease in cost of cement/Kg</p> <p>For any increase/decrease in the rate of fiber, the price of AC pipe per Rmt shall be increased/Decreased as under :</p> <p>$W \times 0.15 \times IF$ Where : W=: Weight of pipe in Kg's/Rmt IF = Increase /Decrease in cost of fiber/Kg</p>					
Note:	<p>1) The Fiber rates are to be obtained from A.C. Pipe manufacturer of "Mazza" process.</p> <p>2) The cement rate shall be communicated by the sub-committee of Board of Chief engineers.</p> <p>3)The taxes as applicable shall be added as per rules at the time of preparation of estimate</p>					
2	Transportation of AC pressure pipes at site of work anywhere in Telangana State on motor able roads for full truck loads including transit insurance, unloading, and stacking at site of work etc. Complete (AC Couplings and Rubber rings are to be supplied free of transportation charges).				5% on the basic cost of corresponding AC Pressure pipes.	

*Under any Circumstances the A.C. pipes shall not be procured for laying new water lines, except O&M works.

9. A.C. COUPLINGS

The PH & ME department banned the usage of RCC & AC pipes for water supply works vide Memo no 146/T2/SoR/2014-15/2014 dated 30.06.2014. However ENC (RWS) requested in the SoR meeting on 06.05.2015 to incorporate A.C pipes rates in SoR for carrying out O&M works, accordingly the following rates are adopted.

Sl.No	Description					
1	2					
1	Manufacture, Supply of A.C* Couplings suitable to A.C*.Pressure pipes (mazza process) as per BIS: 1592/2003 excluding cost of rubber rings to suit AC* pressure pipes including cost of material, incidental handling, packing, transportation and unloading at site transit risk, but excluding taxes and testing of joints as per IS Code.					
	Size	Unit	Rate			
0			Class - 15	Class - 20	Class - 25	
	80 mm dia	Rate/Each	102	108	125	
	100 mm dia	Rate/Each	130	144	170	
	125 mm dia	Rate/Each	166	181	218	
	150 mm dia	Rate/Each	192	240	296	
	200 mm dia	Rate/Each	352	389	494	
	250 mm dia	Rate/Each	413	521	661	
	300 mm dia	Rate/Each	539	698	898	
	350 mm dia	Rate/Each	696	899	1147	
	400 mm dia	Rate/Each	1074	1400	1789	
	450 mm dia	Rate/Each	1286	1693	2173	
	500 mm dia	Rate/Each	1532	2046	2611	
	600 mm dia	Rate/Each	1893	2379	3043	
	700 mm dia	Rate/Each	2484	3347	4351	
	750 mm dia	Rate/Each	2804	3832	4946	
	800 mm dia	Rate/Each	3181	4313	5582	
	850 mm dia	Rate/Each	3543	4824	6257	
	900 mm dia	Rate/Each	3921	5363	6963	
	1000 mm dia	Rate/Each	4786	6519	8497	

1. The above rates of AC Coupling are based on the Cement cost of Rs.5500/- per MT (Excluding all taxes and freight).

2. The above rates of AC Coupling are based on the Fiber cost of Rs.78,500/- per M.T (Excluding all taxes & Frieght)

For any Increase/ Decrease in the rate of cement, the price of AC Coupling per Each shall be increased/decreased as under.

$W \times 0.85 \times IC$ Where W = Weight of Coupling in Kgs/Each, IC = Increase/Decrease in cost of cement/kg.For any increase/decrease in the rate of fiber, the price of AC Coupling per Each shall be increased/Decreased as under :

$W \times 0.15 \times IF$ Where : W=: Weight of Coupling in Kgs/Each,IF = Increase /Decrease in cost of fiber/kg.The Fiber rates are to be obtained from A.C. Pipe manufacturer of "Mazza" process.The cement rate shall be communicated by the sub-committee of Board of Chief engineers.Note: Taxes as applicable shall be added as per rules at the time of preparation of estimate.

10. RUBBER RINGS TO SUIT A.C. COUPLINGS

The PH & ME department banned the usage of RCC & AC pipes for water supply works vide Memo no 146/T2/SoR/2014-15/2014 dated 30.06.2014. However ENC (RWS) requested in the SoR meeting on 06.05.2015 to incorporate A.C pipes rates in SoR for carrying out O&M works, accordingly the following rates are adopted.

Sl. No.	Description		
1	2		
1	Schedule of rate for supply of Rubber rings manufactured as per BIS: 5382/1988 with BIS Mark embossed per each set suitable for A.C* Couplings including cost of material, incidental, handling, packing, transportation and unloading at site transit risk etc., but excluding taxes. The Rubber Rings shall be tested at the factory premises conforming to B.I.S 5382/1988		
	Size	Unit	Rate
			Class - 15, 20 & 25
	80 mm dia	Each Set	81
	100 mm dia	Each Set	100
	125 mm dia	Each Set	129
	150 mm dia	Each Set	164
	200 mm dia	Each Set	170
	250 mm dia	Each Set	197
	300 mm dia	Each Set	197
	350 mm dia	Each Set	224
	400 mm dia	Each Set	274
	450 mm dia	Each Set	321
	500 mm dia	Each Set	371
	600 mm dia	Each Set	422
	700 mm dia	Each Set	873
	750 mm dia	Each Set	908
	800 mm dia	Each Set	976
	850 mm dia	Each Set	1086
	900 mm dia	Each Set	1143
	1000 mm dia	Each Set	1266

Note: The taxes as applicable shall be added as per rules at the time of preparation of estimate.

11. PRE-STRESSED (NON-CYLINDER) CONCRETE PIPES

Sl. No.	Description							
1	Manufacture, Supply, Delivery of Pre-stressed (Non-cylinder) concrete pipes conforming to IS 784/2001 ex-factory excluding transportation & taxes, for the following field test pressures.(the manufacture shall design the pipes as per the IS Code 784-2001)							
	Size	Unit	Rate					
			Rs.	Rs.	Rs.	Rs.	Rs.	Rs.
			6 Kg/cm2	8 Kg/cm2	10 Kg/cm2	12 Kg/cm2	14 Kg/cm2	16 Kg/cm2
	350 mm dia	Metre	2995	3005	3017	3034	3094	3203
	400 mm dia	Metre	3218	3242	3277	3321	3382	3433
	450 mm dia	Metre	3425	3442	3482	3550	3640	3720
	500 mm dia	Metre	3708	3724	3755	3835	3916	4031
	600 mm dia	Metre	4262	4293	4339	4473	4616	4758
	700 mm dia	Metre	4996	5067	5188	5336	5492	5708
	800 mm dia	Metre	6061	6197	6342	6536	6734	7048
	900 mm dia	Metre	6955	7136	7324	7638	7882	8455
	1000 mm dia	Metre	8199	8435	8681	8930	9231	9891
	1100 mm dia	Metre	9193	9463	9765	10067	10388	11197
	1200 mm dia	Metre	10335	10692	11029	11272	11696	12901
	1300 mm dia	Metre	11714	12117	12520	12925	14086	14600
	1400 mm dia	Metre	13554	14026	14508	15305	16291	17009
	1500 mm dia	Metre	15306	15865	16392	17795	18461	20611
	1600 mm dia	Metre	17226	17831	18439	20126	20871	22955
	1700 mm dia	Metre	18483	19187	19880	21655	23979	25082
	1800 mm dia	Metre	20444	21748	22940	24876	25796	28575
	1900 mm dia	Metre	21840	23042	25078	26516	28824	31059
	2000 mm dia	Metre	24011	25508	26855	29304	32348	33641

2	Cost of laying jointing, testing to hydrostatic field test pressure including cost of rubber rings, cost of transportation of water and emptying pipe line after completion of field testing etc.							
	350 mm dia	Metre	252	252	252	252	252	252
	400 mm dia	Metre	272	272	272	272	272	272
	450 mm dia	Metre	314	314	314	314	314	314
	500 mm dia	Metre	334	334	334	334	334	334
	600 mm dia	Metre	411	411	411	411	411	411
	700 mm dia	Metre	481	481	481	481	481	481
	800 mm dia	Metre	545	545	545	545	545	545
	900 mm dia	Metre	596	596	596	596	596	596
	1000 mm dia	Metre	689	689	689	689	689	689
	1100 mm dia	Metre	774	774	774	774	774	774
	1200 mm dia	Metre	857	857	857	857	857	857
	1300 mm dia	Metre	972	972	972	972	972	972
	1400 mm dia	Metre	1100	1100	1100	1100	1100	1100
	1500 mm dia	Metre	1193	1193	1193	1193	1193	1193
	1600 mm dia	Metre	1337	1337	1337	1337	1337	1337
	1700 mm dia	Metre	1455	1455	1455	1455	1455	1455
	1800 mm dia	Metre	1539	1539	1539	1539	1539	1539
	1900 mm dia	Metre	1625	1625	1625	1625	1625	1625
	2000 mm dia	Metre	1712	1712	1712	1712	1712	1712
3	Conveyance of pre-stressed (Non-cylinder) concrete pipes and accessories including loading at factory, un-loading at site and stacking for the following sizes.(minimum distance of 100 km to be considered if the distance is less by 100 km from factory to site)							
	350 mm dia	PerKM/M	1.67	1.67	1.67	1.67	1.67	1.67
	400 mm dia	PerKM/M	1.67	1.67	1.67	1.67	1.67	1.67
	450 mm dia	PerKM/M	2.04	2.04	2.04	2.04	2.04	2.04
	500 mm dia	PerKM/M	2.14	2.14	2.14	2.14	2.14	2.14
	600 mm dia	PerKM/M	2.39	2.39	2.39	2.39	2.39	2.39
	700 mm dia	PerKM/M	3.94	3.94	3.94	3.94	3.94	3.94
	800 mm dia	PerKM/M	3.94	3.94	3.94	3.94	3.94	3.94

	900 mm dia	PerKM/M	3.94	3.94	3.94	3.94	3.94	3.94
	1000 mm dia	PerKM/M	6.33	6.33	6.33	6.33	6.33	6.33
	1100 mm dia	PerKM/M	6.33	6.33	6.33	6.33	6.33	6.33
	1200 mm dia	PerKM/M	12.04	12.04	12.04	12.04	12.04	12.04
	1300 mm dia	PerKM/M	12.17	12.17	12.17	12.17	12.17	12.17
	1400 mm dia	PerKM/M	12.17	12.17	12.17	12.17	12.17	12.17
	1500 mm dia	PerKM/M	12.17	12.17	12.17	12.17	12.17	12.17
	1600 mm dia	PerKM/M	13.60	13.60	13.60	13.60	13.60	13.60
	1700 mm dia	PerKM/M	13.60	13.60	13.60	13.60	13.60	13.60
	1800 mm dia	PerKM/M	13.95	13.95	13.95	13.95	13.95	13.95
	1900 mm dia	PerKM/M	14.54	14.54	14.54	14.54	14.54	14.54
	2000 mm dia	PerKM/M	14.54	14.54	14.54	14.54	14.54	14.54
4	Cost of Machine End pair (Socket +Spigot) with 100mm length MS Barrel on each side of Socket and Spigot for providing M.S Specials on PSC pipelines excluding cost of M.S Specials & Taxes but including cost of conveyance to site etc., complete.							
	350 mm dia	Per Pair	10736	10736	10736	10736	10736	10736
	400 mm dia	Per Pair	12316	12316	12316	12316	12316	12316
	450 mm dia	Per Pair	13901	13901	13901	13901	13901	13901
	500 mm dia	Per Pair	15498	15498	15498	15498	15498	15498
	600 mm dia	Per Pair	18443	18443	18443	18443	18443	18443
	700 mm dia	Per Pair	21620	21620	21620	21620	21620	21620
	800 mm dia	Per Pair	24716	24716	24716	24716	24716	24716
	900 mm dia	Per Pair	28056	28056	28056	28056	28056	28056
	1000 mm dia	Per Pair	30415	30415	30415	30415	30415	30415
	1100 mm dia	Per Pair	33596	33596	33596	33596	33596	33596

	1200 mm dia	Per Pair	36634	36634	36634	36634	36634	36634
	1300 mm dia	Per Pair	39640	39640	39640	39640	39640	39640
	1400 mm dia	Per Pair	47100	47100	47100	47100	47100	47100
	1500 mm dia	Per Pair	55609	55609	55609	55609	55609	55609
	1600 mm dia	Per Pair	62152	62152	62152	62152	62152	62152
	1700 mm dia	Per Pair	69981	69981	69981	69981	69981	69981
	1800 mm dia	Per Pair	80265	80265	80265	80265	80265	80265
	1900 mm dia	Per Pair	93119	93119	93119	93119	93119	93119
	2000 mm dia	Per Pair	109057	109057	109057	109057	109057	109057
5	Cost of M.S Flanges including cost of bolts, nuts, rubber packing etc., complete and flange thickness conforming to IS:7322-1985 and flange dimensions conforming to IS:1538-1993 excluding cost of MS specials including cost and conveyance to site etc., complete.							
	Diameter and thickness	Unit	Rate	Diameter and thickness	Unit	Rate		
	80 mm diax 15 mm thick	Each Flange	769	500mm diax 20 mm thick	Each Flange	7877		
	100 mm diax 15 mm thick	Each Flange	1060	600 mm diax 20 mm thick	Each Flange	9916		
	125 mm diax 15 mm thick	Each Flange	1274	700 mm diax 25 mm thick	Each Flange	13996		
	150 mm diax 15 mm thick	Each Flange	1699	750 mm diax 25 mm thick	Each Flange	15393		
	200 mm diax 15 mm thick	Each Flange	2121	800 mm diax 25 mm thick	Each Flange	17239		
	250 mm diax 15 mm thick	Each Flange	2763	900 mm diax 25 mm thick	Each Flange	19797		
	300 mm diax 15 mm thick	Each Flange	3144	1000 mm diax 25 mm thick	Each Flange	23329		
	350 mm diax 18 mm thick	Each Flange	4558	1050 mm diax 25 mm thick	Each Flange	24780		
	400 mm diax 18 mm thick	Each Flange	5695	1100 mm diax 25 mm thick	Each Flange	26724		
	450 mm diax 18 mm thick	Each Flange	6622	1200 mm diax 32 mm thick	Each Flange	35402		

Note: a) The above rate of PSC pipes are based on the HT wire cost of Rs.57500/-MT (excluding all taxes but including freight).
and cement price of Rs.5500/- per MT (excluding all taxes but including freight)

The rates may be revised depending upon the increase/decrease in the cost of HT wire and cement as per the following method. The cost of HT wire may be obtained from reputed firms like SAIL/TATA/ SS Ltd. etc.,

Revised Cost = Cost as per the above table + R1 + R2.

R1 = Variation (increase / decrease) in cost (Rs. per metre) due to change in the cost of HT Wire = $(H2-H1)/1000 \times Wh$.

R2 = Variation (increase / decrease) in cost (Rs. per metre) due to change in the cost of Cement = $(C2-C1)/1000 \times Wc$.

H1 = Rs. 57500/- H2 = Cost of HT Wire (Rs. Per MT excluding all taxes but including freight) at the time of preparation of estimate.

C1 = Rs. 5500/- C2 = Cost of Cement (Rs. Per MT excluding all taxes but including freight) at the time of preparation of estimate

Wh = Weight of HT Wire required (Kg.) per metre of pipe. Wc = Weight of Cement required (Kg.) per metre of pipe.

The rates for MS flanges are considering landed price of MS Plates of Rs.43500/- per MT. Price variation to be released on actual weight of flange.

Note: The duties and taxes as applicable shall be added as per rules at the time of preparation of estimate.

12. PRE-STRESSED (CYLINDER) CONCRETE PIPES

SI No.	Description										
1	2										
1	Pre-stressed (Cylinder type) concrete pipes conforming to IS 784/2001 @ ex-factory cost of pipes, excluding transportation, laying, jointing, testing, bends, tees, specials & taxes. For the following field test pressures.(the manufacture shall design the pipes as per the IS Code 784-2001).										
	Size	Unit	Rate								
			4 Kg/cm2	6 Kg/cm2	8 Kg/cm2	10 Kg/cm2	12 Kg/cm2	14 Kg/cm2	16 Kg/cm2	18 Kg/cm2	20 Kg/cm2
	400 mm dia	Meter	5299	5299	5299	5299	5325	5381	5474	5564	5633
	450 mm dia	Meter	5759	5759	5759	5785	5853	5935	6035	6079	6134
	500 mm dia	Meter	6145	6145	6205	6260	6313	6387	6472	6538	6604
	600 mm dia	Meter	7062	7134	7210	7295	7372	7447	7575	7673	7762
	700 mm dia	Meter	8032	8128	8237	8334	8442	8539	8718	8830	8969
	800 mm dia	Meter	9457	9576	9706	9846	9977	10106	10298	10481	10636
	900 mm dia	Meter	10764	10935	11098	11270	11444	11615	12063	12290	12556
	1000 mm dia	Meter	12927	13132	13339	13554	13761	13975	14564	14866	15166
	1100 mm dia	Meter	14369	14618	14877	15127	15386	15634	16356	16689	17092
	1200 mm dia	Meter	15984	16287	16579	16882	17195	17497	18353	18785	19212
	1300 mm dia	Meter	17883	18239	18595	18953	19310	19974	20707	21227	21798
	1400 mm dia	Meter	20066	20507	20957	21449	22311	22892	23711	23957	24938
	1500 mm dia	Meter	23559	24099	24565	25041	25974	26505	27218	28295	28889
	1600 mm dia	Meter	26569	27295	27912	28909	29516	30184	31410	32081	32752
	1700 mm dia	Meter	28605	29401	30011	31148	31832	33261	34051	34817	35591
	1800 mm dia	Meter	31341	32225	33953	35026	36074	38041	39708	40568	41447
	1900 mm dia	Meter	36369	37136	38486	39314	41008	41958	42946	43910	44871
	2000 mm dia	Meter	38386	39792	40725	41670	43559	44606	45708	46775	47850

2	Cost of laying jointing, testing to hydrostatic field test pressure including cost of site welding and fixing of polypropylene diapher cloth, cost of transportation of water and emptying pipe line after completion of field testing etc.										
	400 mm dia	Meter	520	520	520	520	520	520	520	520	520
	450 mm dia	Meter	611	611	611	611	611	611	611	611	611
	500 mm dia	Meter	666	666	666	666	666	666	666	666	666
	600 mm dia	Meter	779	779	779	779	779	779	779	779	779
	700 mm dia	Meter	887	887	887	887	887	887	887	887	887
	800 mm dia	Meter	1019	1019	1019	1019	1019	1019	1019	1019	1019
	900 mm dia	Meter	1149	1149	1149	1149	1149	1149	1149	1149	1149
	1000 mm dia	Meter	1258	1258	1258	1258	1258	1258	1258	1258	1258
	1100 mm dia	Meter	1427	1427	1427	1427	1427	1427	1427	1427	1427
	1200 mm dia	Meter	1556	1556	1556	1556	1556	1556	1556	1556	1556
	1300 mm dia	Meter	1666	1666	1666	1666	1666	1666	1666	1666	1666
	1400 mm dia	Meter	1833	1833	1833	1833	1833	1833	1833	1833	1833
	1500 mm dia	Meter	2035	2035	2035	2035	2035	2035	2035	2035	2035
	1600 mm dia	Meter	2203	2203	2203	2203	2203	2203	2203	2203	2203
	1700 mm dia	Meter	2481	2481	2481	2481	2481	2481	2481	2481	2481
	1800 mm dia	Meter	2630	2630	2630	2630	2630	2630	2630	2630	2630
	1900 mm dia	Meter	2869	2869	2869	2869	2869	2869	2869	2869	2869
	2000 mm dia	Meter	3054	3054	3054	3054	3054	3054	3054	3054	3054
	3	Conveyance of Pre-stressed (Cylinder type) concrete pipes and accessories including loading at factory, un-loading at site and stacking for the following sizes. (minimum distance of 100 km to be considered if the distance is less by 100 km from factory to site)									
400 mm dia		Per KM/M	1.43	1.43	1.43	1.43	1.43	1.43	1.43	1.43	1.43
450 mm dia		Per KM/M	1.43	1.43	1.43	1.43	1.43	1.43	1.43	1.43	1.43
500 mm dia		Per KM/M	2.04	2.04	2.04	2.04	2.04	2.04	2.04	2.04	2.04
600 mm dia		Per KM/M	2.27	2.27	2.27	2.27	2.27	2.27	2.27	2.27	2.27
700 mm dia		Per KM/M	3.58	3.58	3.58	3.58	3.58	3.58	3.58	3.58	3.58
800 mm dia		Per KM/M	3.58	3.58	3.58	3.58	3.58	3.58	3.58	3.58	3.58
900 mm dia		Per KM/M	3.58	3.58	3.58	3.58	3.58	3.58	3.58	3.58	3.58
1000 mm dia		Per KM/M	5.72	5.72	5.72	5.72	5.72	5.72	5.72	5.72	5.72

1100 mm dia	Per KM/M	5.72	5.72	5.72	5.72	5.72	5.72	5.72	5.72	5.72	5.72
1200 mm dia	Per KM/M	11.33	11.33	11.33	11.33	11.33	11.33	11.33	11.33	11.33	11.33
1300 mm dia	Per KM/M	11.33	11.33	11.33	11.33	11.33	11.33	11.33	11.33	11.33	11.33
1400 mm dia	Per KM/M	11.33	11.33	11.33	11.33	11.33	11.33	11.33	11.33	11.33	11.33
1500 mm dia	Per KM/M	11.33	11.33	11.33	11.33	11.33	11.33	11.33	11.33	11.33	11.33
1600 mm dia	Per KM/M	11.33	11.33	11.33	11.33	11.33	11.33	11.33	11.33	11.33	11.33
1700 mm dia	Per KM/M	13.60	13.60	13.60	13.60	13.60	13.60	13.60	13.60	13.60	13.60
1800 mm dia	Per KM/M	13.60	13.60	13.60	13.60	13.60	13.60	13.60	13.60	13.60	13.60
1900 mm dia	Per KM/M	13.60	13.60	13.60	13.60	13.60	13.60	13.60	13.60	13.60	13.60
2000 mm dia	Per KM/M	14.44	14.44	14.44	14.44	14.44	14.44	14.44	14.44	14.44	14.44

Note: The rates of PCCP pipes which were incorporated in the SoR are based on the following raw materials cost.

HT Wire: - Rs.57500/- (excluding all taxes but including freight)

HR Coil (Hot Rolled): - Rs.46500/- (excluding all taxes but including freight)

Cement Cost Rs. 5500/- .per MT (excluding all taxes but including freight)

The rates may be revised depending upon the increase/ decrease in the cost of raw materials (landed price) as per the following method.

Revised Cost =Cost as per the above table +R1+R2+R3.

R1= Variation (increase / decrease) in cost (Rs. per metre)due to change in the cost of HT Wire =(H2-H1)/1000 X Wh.

R2= Variation (increase / decrease) in cost (Rs. per metre) due to change in the cost of HR Coil =(R2-R1)/1000 X Wr.

R3= Variation (increase / decrease) in cost (Rs. per metre) due to change in the cost of Cement =(C2-C1)/1000 X Wc

H1 = Rs. 57500/- H2 = Cost of HT Wire (Rs. Per MT excluding all taxes but including freight) at the time of preparation of estimate.

R1 = Rs. 46500/- R2 = Cost of HR Coil (Rs. Per MT excluding all taxes but including freight) at the time of preparation of estimate.

C1 = Rs. 5500/- C2 = Cost of Cement (Rs. Per MT excluding all taxes but including freight) at the time of preparation of estimate

Wh=Weight of HT Wire required (Kg.) per metre of pipe. Wc= Weight of Cement required (Kg.) per meter of pipe.

Wr = Weight of HR Coil required (kg) per metre of pipe.

Note: The duties and taxes as applicable shall be added as per rules at the time of preparation of estimate

13. BAR WRAPPED STEEL CYLINDER (BWSC) PIPES

Sl.No	Description											
1	Bar Wrapped Steel Cylinder (BWSC) pipes conforming to IS 15155 - 2002, ex-factory excluding transportation, taxes and duties etc., for bar wrapped steel cylinder pipes for the following field test pressures.											
	Size	Unit	Rate									
			4 -12 Kg/cm ²	14 Kg/cm ²	16 Kg/cm ²	18 Kg/cm ²	20 Kg/cm ²	22 Kg/cm ²	24 Kg/cm ²	26 Kg/cm ²	28 Kg/cm ²	30 Kg/cm ²
	250 mm dia	Meter	2589	2589	2589	2589	2589	2589	2871	2961	2990	3142
	300 mm dia	Meter	2893	2893	2893	2893	2893	3018	3419	3545	3613	3802
	350 mm dia	Meter	3506	3506	3506	3562	3730	3910	4078	4246	4425	4605
	400 mm dia	Meter	3861	3861	3939	4164	4376	4600	4811	5035	5267	5473
	450 mm dia	Meter	4328	4361	4652	4920	5210	5427	5687	5904	6143	6638
	500 mm dia	Meter	4691	5005	5341	5698	6019	6389	6699	6966	7435	7904
	600 mm dia	Meter	5796	6188	6681	7150	7653	8173	8746	9331	9885	10375
	700 mm dia	Meter	7040	7723	8361	9020	9767	10501	11181	12178	12803	13393
	800 mm dia	Meter	8455	9371	10209	11125	12178	13071	14209	15077	15945	16905
	900 mm dia	Meter	10205	11291	12331	13475	14636	16016	17137	18271	19596	20986
	1000 mm dia	Meter	12072	13426	14918	16329	17647	19018	20381	21974	23871	25231
	1100 mm dia	Meter	15841	16176	17719	19443	21113	22783	24882	26392	28421	30301
	1200 mm dia	Meter	17290	18464	20332	22291	24273	26360	28824	31230	33433	35353
2	Cost of laying jointing, testing to hydrostatic field test pressure including cost of site welding and fixing of polypropylene diaher cloth, cost of transportation of water and emptying pipe line after completion of field testing.											
	250 mm dia	Meter	354	354	354	354	354	354	354	354	354	354
	300 mm dia	Meter	417	417	417	417	417	417	417	417	417	417
	350 mm dia	Meter	492	492	492	492	492	492	492	492	492	492
	400 mm dia	Meter	551	551	551	551	551	551	551	551	551	551
	450 mm dia	Meter	551	551	551	551	551	551	551	551	551	551
	500 mm dia	Meter	690	690	690	690	690	690	690	690	690	690
	600 mm dia	Meter	849	849	849	849	849	849	849	849	849	849
	700 mm dia	Meter	989	989	989	989	989	989	989	989	989	989
	800 mm dia	Meter	1125	1125	1125	1125	1125	1125	1125	1125	1125	1125

	900 mm dia	Meter	1322	1322	1322	1322	1322	1322	1322	1322	1322	1322
	1000 mm dia	Meter	1461	1461	1461	1461	1461	1461	1461	1461	1461	1461
	1100 mm dia	Meter	1717	1717	1717	1717	1717	1717	1717	1717	1717	1717
	1200 mm dia	Meter	1922	1922	1922	1922	1922	1922	1922	1922	1922	1922
3	Conveyance of Bar Wrapped Steel Cylinder (BWSC) pipes and accessories including loading at factory, un-loading at site and stacking for the following sizes. (minimum distance of 100 km to be considered if the distance is less by 100 km from factory to site)											
	250 mm dia	Per KM/M	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75
	300 mm dia	Per KM/M	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75
	350 mm dia	Per KM/M	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
	400 mm dia	Per KM/M	1.25	1.25	1.25	1.25	1.25	1.25	1.25	1.25	1.25	1.25
	450 mm dia	Per KM/M	1.64	1.64	1.64	1.64	1.64	1.64	1.64	1.64	1.64	1.64
	500 mm dia	Per KM/M	2.01	2.01	2.01	2.01	2.01	2.01	2.01	2.01	2.01	2.01
	600 mm dia	Per KM/M	2.13	2.13	2.13	2.13	2.13	2.13	2.13	2.13	2.13	2.13
	700 mm dia	Per KM/M	2.39	2.39	2.39	2.39	2.39	2.39	2.39	2.39	2.39	2.39
	800 mm dia	Per KM/M	3.14	3.14	3.14	3.14	3.14	3.14	3.14	3.14	3.14	3.14
	900 mm dia	Per KM/M	3.38	3.38	3.38	3.38	3.38	3.38	3.38	3.38	3.38	3.38
	1000 mm dia	Per KM/M	3.89	3.89	3.89	3.89	3.89	3.89	3.89	3.89	3.89	3.89
	1100 mm dia	Per KM/M	8.67	8.67	8.67	8.67	8.67	8.67	8.67	8.67	8.67	8.67
	1200 mm dia	Per KM/M	12.12	12.12	12.12	12.12	12.12	12.12	12.12	12.12	12.12	12.12

Note: The above rates of BWSC pipes are based on the following raw materials' cost.

HR Plates - Rs.46500/- per MT (excluding all taxes but including freight), M.S. Wire rods - Rs.43500/- per MT (excluding all taxes but including freight) Cement Cost Rs. 5500/- per MT (excluding all taxes but including freight)

The rates may be revised depending upon the increase/ decrease in the cost of raw materials (landed price) as per the following method.

Revised Cost = Cost as per the above table +R1+R2+R3.

R1= Variation (increase / decrease) in cost (Rs. per metre)due to change in the cost of HR Plate $= (H2-H1)/1000 \times Wh$.

R2= Variation (increase / decrease) in cost (Rs. per metre)due to change in the cost of wire rods $= (W2-W1)/1000 \times Ww$.

R3= Variation (increase / decrease) in cost (Rs. per metre)due to change in the cost of Cement $= (C2-C1)/1000 \times Wc$

H1 = Rs. 46500/- H2 = Cost of HR Plate (Rs. Per MT excluding all taxes but including freight) at the time of preparation of estimate.

W1 = Rs. 43500/- W2 = Cost of Wire rods (Rs. Per MT excluding all taxes but including freight) at the time of preparation of estimate.

C1 = Rs. 5500/- C2 = Cost of Cement (Rs. Per MT excluding all taxes but including freight) at the time of preparation of estimate

Wh=Weight of HR Plate required (Kg.) per metre of pipe. Wc= Weight of Cement required (Kg.) per metre of pipe.

Ww = Weight of wire rods required (kg) per metre of pipe.

Note: Taxes as applicable shall be added as per rules at the time of preparation of estimate.

14. M.S. PIPES

Sl.No.	Description	Unit	Thickness in mm	Rate (Rs.)
1	2	3	4	5
1	Manufacture, supply and delivery of M.S Pipes conforming to IS 3589/2001 including in lining with cement mortar (1:2) 15mm thick using 4 numbers of 6mm dia M.S.Rings at each end of the pipe and out coating with cement mortar (1:3) 30mm thick by shortcreting or gunetting duly providing wire mesh of size 50x50x3mm including cost of all materials, labour charges, transportation to anywhere in T.G, but excluding all taxes.			
	500 mm dia	Metre	8.00	8756
	500 mm dia	Metre	10.00	10273
	600 mm dia	Metre	8.00	10407
	600 mm dia	Metre	10.00	12212
	700 mm dia	Metre	8.00	12007
	700 mm dia	Metre	10.00	14124
	800 mm dia	Metre	8.00	13602
	800 mm dia	Metre	10.00	15999
	800 mm dia	Metre	12.00	18406
	900 mm dia	Metre	8.00	15233
	900 mm dia	Metre	10.00	17875
	900 mm dia	Metre	12.00	20551
	1000 mm dia	Metre	8.00	16896
	1000 mm dia	Metre	10.00	19852
	1000 mm dia	Metre	12.00	22806
	1000 mm dia	Metre	14.00	25727
	1100 mm dia	Metre	10.00	21672
	1100 mm dia	Metre	12.00	24906
	1100 mm dia	Metre	14.00	28141
	1100 mm dia	Metre	16.00	31430
	1200 mm dia	Metre	10.00	23648
	1200 mm dia	Metre	12.00	27162
	1200 mm dia	Metre	14.00	30631
	1200 mm dia	Metre	16.00	34153
	1200 mm dia	Metre	18.00	37666
	1300 mm dia	Metre	10.00	25515
	1300 mm dia	Metre	12.00	29260
	1300 mm dia	Metre	14.00	33052
	1300 mm dia	Metre	16.00	36899
	1300 mm dia	Metre	18.00	40694
	1300 mm dia	Metre	20.00	44495
	1400 mm dia	Metre	10.00	27398
	1400 mm dia	Metre	12.00	31469
	1400 mm dia	Metre	14.00	35539

Sl.No.	Description	Unit	Thickness in mm	Rate (Rs.)
	1400 mm dia	Metre	16.00	39655
	1400 mm dia	Metre	18.00	43736
	1400 mm dia	Metre	20.00	47863
	1400 mm dia	Metre	22.00	51934
	1500 mm dia	Metre	10.00	29310
	1500 mm dia	Metre	12.00	33661
	1500 mm dia	Metre	14.00	37965
	1500 mm dia	Metre	16.00	42316
	1500 mm dia	Metre	18.00	46721
	1500 mm dia	Metre	20.00	51072
	1500 mm dia	Metre	22.00	55531
	1500 mm dia	Metre	24.00	59881
	1600 mm dia	Metre	10.00	31248
	1600 mm dia	Metre	12.00	35822
	1600 mm dia	Metre	14.00	40495
	1600 mm dia	Metre	16.00	45125
	1600 mm dia	Metre	18.00	49763
	1600 mm dia	Metre	20.00	54392
	1600 mm dia	Metre	22.00	59078
	1600 mm dia	Metre	24.00	63807
	1600 mm dia	Metre	26.00	68502
	1700 mm dia	Metre	10.00	33063
	1700 mm dia	Metre	12.00	38014
	1700 mm dia	Metre	14.00	42923
	1700 mm dia	Metre	16.00	47786
	1700 mm dia	Metre	18.00	52794
	1700 mm dia	Metre	20.00	57703
	1700 mm dia	Metre	22.00	62611
	1700 mm dia	Metre	24.00	67628
	1700 mm dia	Metre	26.00	72593
	1700 mm dia	Metre	28.00	77556
	1800 mm dia	Metre	10.00	35035
	1800 mm dia	Metre	12.00	40231
	1800 mm dia	Metre	14.00	45407
	1800 mm dia	Metre	16.00	50594
	1800 mm dia	Metre	18.00	55783
	1800 mm dia	Metre	20.00	61023
	1800 mm dia	Metre	22.00	66266
	1800 mm dia	Metre	24.00	71454
	1800 mm dia	Metre	26.00	76740
	1800 mm dia	Metre	28.00	81992
	1900 mm dia	Metre	10.00	36910
	1900 mm dia	Metre	12.00	42365
	1900 mm dia	Metre	14.00	47832
	1900 mm dia	Metre	16.00	53287
	1900 mm dia	Metre	18.00	58761
	1900 mm dia	Metre	20.00	64285
	1900 mm dia	Metre	22.00	69794
	1900 mm dia	Metre	24.00	75268

Sl.No.	Description	Unit	Thickness in mm	Rate (Rs.)
	1900 mm dia	Metre	26.00	80835
	1900 mm dia	Metre	28.00	86358
	2000 mm dia	Metre	10.00	38767
	2000 mm dia	Metre	12.00	44513
	2000 mm dia	Metre	14.00	50256
	2000 mm dia	Metre	16.00	56001
	2000 mm dia	Metre	18.00	61791
	2000 mm dia	Metre	20.00	67537
	2000 mm dia	Metre	22.00	73333
	2000 mm dia	Metre	24.00	79136
	2000 mm dia	Metre	26.00	84925
	2000 mm dia	Metre	28.00	90728
	2000 mm dia	Metre	30.00	96581
	2100 mm dia	Metre	12.00	46719
	2100 mm dia	Metre	14.00	52743
	2100 mm dia	Metre	16.00	58757
	2100 mm dia	Metre	18.00	64791
	2100 mm dia	Metre	20.00	70858
	2100 mm dia	Metre	22.00	76927
	2100 mm dia	Metre	24.00	83007
	2100 mm dia	Metre	26.00	89084
	2100 mm dia	Metre	28.00	95166
	2100 mm dia	Metre	30.00	101289
	2100 mm dia	Metre	32.00	107414
	2100 mm dia	Metre	34.00	113559
	2200 mm dia	Metre	12.00	48869
	2200 mm dia	Metre	14.00	55161
	2200 mm dia	Metre	16.00	61473
	2200 mm dia	Metre	18.00	67819
	2200 mm dia	Metre	20.00	74167
	2200 mm dia	Metre	22.00	80471
	2200 mm dia	Metre	24.00	86827
	2200 mm dia	Metre	26.00	93231
	2200 mm dia	Metre	28.00	99535
	2200 mm dia	Metre	30.00	105938
	2200 mm dia	Metre	32.00	112349
	2200 mm dia	Metre	34.00	118809
	2200 mm dia	Metre	36.00	125168
	2300 mm dia	Metre	12.00	51035
	2300 mm dia	Metre	14.00	57606
	2300 mm dia	Metre	16.00	64226
	2300 mm dia	Metre	18.00	70852
	2300 mm dia	Metre	20.00	77444
	2300 mm dia	Metre	22.00	84070
	2300 mm dia	Metre	24.00	90697
	2300 mm dia	Metre	26.00	97380
	2300 mm dia	Metre	28.00	103971
	2300 mm dia	Metre	30.00	110653
	2300 mm dia	Metre	32.00	117336
	2300 mm dia	Metre	34.00	124073

Sl.No.	Description	Unit	Thickness in mm	Rate (Rs.)
	2300 mm dia	Metre	36.00	130765
	2400 mm dia	Metre	12.00	53168
	2400 mm dia	Metre	14.00	60017
	2400 mm dia	Metre	16.00	66879
	2400 mm dia	Metre	18.00	73843
	2400 mm dia	Metre	20.00	80694
	2400 mm dia	Metre	22.00	87599
	2400 mm dia	Metre	24.00	94569
	2400 mm dia	Metre	26.00	101475
	2400 mm dia	Metre	28.00	108393
	2400 mm dia	Metre	30.00	115299
	2400 mm dia	Metre	32.00	122269
	2400 mm dia	Metre	34.00	129286
	2400 mm dia	Metre	36.00	136246
	2500 mm dia	Metre	14.00	62518
	2500 mm dia	Metre	16.00	69646
	2500 mm dia	Metre	18.00	76832
	2500 mm dia	Metre	20.00	84016
	2500 mm dia	Metre	22.00	91259
	2500 mm dia	Metre	24.00	98444
	2500 mm dia	Metre	26.00	105629
	2500 mm dia	Metre	28.00	112870
	2500 mm dia	Metre	30.00	120019
	2500 mm dia	Metre	32.00	127259
	2500 mm dia	Metre	34.00	134554
	2500 mm dia	Metre	36.00	141794
	2600 mm dia	Metre	14.00	64986
	2600 mm dia	Metre	16.00	72394
	2600 mm dia	Metre	18.00	79810
	2600 mm dia	Metre	20.00	87274
	2600 mm dia	Metre	22.00	94738
	2600 mm dia	Metre	24.00	102252
	2600 mm dia	Metre	26.00	109724
	2600 mm dia	Metre	28.00	117244
	2600 mm dia	Metre	30.00	124708
	2600 mm dia	Metre	32.00	132225
	2600 mm dia	Metre	34.00	139754
	2600 mm dia	Metre	36.00	147329
	2600 mm dia	Metre	38.00	154848
	2600 mm dia	Metre	40.00	162424
	2600 mm dia	Metre	42.00	170008
	2700 mm dia	Metre	18.00	82860
	2700 mm dia	Metre	20.00	90546
	2700 mm dia	Metre	22.00	98289
	2700 mm dia	Metre	24.00	106041
	2700 mm dia	Metre	26.00	113826
	2700 mm dia	Metre	28.00	121676
	2700 mm dia	Metre	30.00	129472
	2700 mm dia	Metre	32.00	137223
	2700 mm dia	Metre	34.00	145023

Sl.No.	Description	Unit	Thickness in mm	Rate (Rs.)
	2700 mm dia	Metre	36.00	152878
	2700 mm dia	Metre	38.00	160685
	2700 mm dia	Metre	40.00	168539
	2700 mm dia	Metre	42.00	176337
	2800 mm dia	Metre	18.00	85830
	2800 mm dia	Metre	20.00	93860
	2800 mm dia	Metre	22.00	101882
	2800 mm dia	Metre	24.00	109905
	2800 mm dia	Metre	26.00	117927
	2800 mm dia	Metre	28.00	126000
	2800 mm dia	Metre	30.00	134127
	2800 mm dia	Metre	32.00	142149
	2800 mm dia	Metre	34.00	150227
	2800 mm dia	Metre	36.00	158312
	2800 mm dia	Metre	38.00	166446
	2800 mm dia	Metre	40.00	174524
	2800 mm dia	Metre	42.00	182701
	2900 mm dia	Metre	18.00	88929
	2900 mm dia	Metre	20.00	97174
	2900 mm dia	Metre	22.00	105476
	2900 mm dia	Metre	24.00	113785
	2900 mm dia	Metre	26.00	122084
	2900 mm dia	Metre	28.00	130429
	2900 mm dia	Metre	30.00	138785
	2900 mm dia	Metre	32.00	147094
	2900 mm dia	Metre	34.00	155501
	2900 mm dia	Metre	36.00	163902
	2900 mm dia	Metre	38.00	172314
	2900 mm dia	Metre	40.00	180679
	2900 mm dia	Metre	42.00	189092
	3000 mm dia	Metre	18.00	91859
	3000 mm dia	Metre	20.00	100484
	3000 mm dia	Metre	22.00	109016
	3000 mm dia	Metre	24.00	117594
	3000 mm dia	Metre	26.00	126175
	3000 mm dia	Metre	28.00	134798
	3000 mm dia	Metre	30.00	143442
	3000 mm dia	Metre	32.00	152022
	3000 mm dia	Metre	34.00	160701
	3000 mm dia	Metre	36.00	169387
	3000 mm dia	Metre	38.00	178030
	3000 mm dia	Metre	40.00	186721
	3000 mm dia	Metre	42.00	195401
2	Cost of Laying, Jointing, Hydrostatic Filed Test Pressure, Including Cost of Site Welding, Jointing Materials And Cost of Transportation of Water Including Emptying Pipe Line After Completion Of Field Testing.			Rate
	500 mm dia	Metre	8.00	863
	500 mm dia	Metre	10.00	884

Sl.No.	Description	Unit	Thickness in mm	Rate (Rs.)
	600 mm dia	Metre	8.00	1066
	600 mm dia	Metre	10.00	1088
	700 mm dia	Metre	8.00	1346
	700 mm dia	Metre	10.00	1373
	800 mm dia	Metre	8.00	1550
	800 mm dia	Metre	10.00	1580
	800 mm dia	Metre	12.00	1626
	900 mm dia	Metre	8.00	1882
	900 mm dia	Metre	10.00	1915
	900 mm dia	Metre	12.00	1971
	1000 mm dia	Metre	8.00	2082
	1000 mm dia	Metre	10.00	2118
	1000 mm dia	Metre	12.00	2179
	1000 mm dia	Metre	14.00	2207
	1100 mm dia	Metre	10.00	2185
	1100 mm dia	Metre	12.00	2250
	1100 mm dia	Metre	14.00	2281
	1100 mm dia	Metre	16.00	2344
	1200 mm dia	Metre	10.00	2253
	1200 mm dia	Metre	12.00	2324
	1200 mm dia	Metre	14.00	2357
	1200 mm dia	Metre	16.00	2424
	1200 mm dia	Metre	18.00	2493
	1300 mm dia	Metre	10.00	2323
	1300 mm dia	Metre	12.00	2400
	1300 mm dia	Metre	14.00	2435
	1300 mm dia	Metre	16.00	2510
	1300 mm dia	Metre	18.00	2582
	1300 mm dia	Metre	20.00	2681
	1400 mm dia	Metre	10.00	2554
	1400 mm dia	Metre	12.00	2636
	1400 mm dia	Metre	14.00	2673
	1400 mm dia	Metre	16.00	2751
	1400 mm dia	Metre	18.00	2831
	1400 mm dia	Metre	20.00	2862
	1400 mm dia	Metre	22.00	3029
	1500 mm dia	Metre	10.00	2615
	1500 mm dia	Metre	12.00	2702
	1500 mm dia	Metre	14.00	2743
	1500 mm dia	Metre	16.00	2825
	1500 mm dia	Metre	18.00	2910
	1500 mm dia	Metre	20.00	3023
	1500 mm dia	Metre	22.00	3054
	1500 mm dia	Metre	24.00	3170

Sl.No.	Description	Unit	Thickness in mm	Rate (Rs.)
	1600 mm dia	Metre	10.00	2675
	1600 mm dia	Metre	12.00	2769
	1600 mm dia	Metre	14.00	2814
	1600 mm dia	Metre	16.00	2903
	1600 mm dia	Metre	18.00	2994
	1600 mm dia	Metre	20.00	3109
	1600 mm dia	Metre	22.00	3195
	1600 mm dia	Metre	24.00	3338
	1600 mm dia	Metre	26.00	3495
	1700 mm dia	Metre	10.00	2742
	1700 mm dia	Metre	12.00	2840
	1700 mm dia	Metre	14.00	2886
	1700 mm dia	Metre	16.00	2980
	1700 mm dia	Metre	18.00	3077
	1700 mm dia	Metre	20.00	3201
	1700 mm dia	Metre	22.00	3329
	1700 mm dia	Metre	24.00	3468
	1700 mm dia	Metre	26.00	3621
	1700 mm dia	Metre	28.00	3784
	1800 mm dia	Metre	10.00	3035
	1800 mm dia	Metre	12.00	3137
	1800 mm dia	Metre	14.00	3188
	1800 mm dia	Metre	16.00	3284
	1800 mm dia	Metre	18.00	3389
	1800 mm dia	Metre	20.00	3519
	1800 mm dia	Metre	22.00	3654
	1800 mm dia	Metre	24.00	3802
	1800 mm dia	Metre	26.00	3964
	1800 mm dia	Metre	28.00	4133
	1900 mm dia	Metre	10.00	3474
	1900 mm dia	Metre	12.00	3586
	1900 mm dia	Metre	14.00	3636
	1900 mm dia	Metre	16.00	3741
	1900 mm dia	Metre	18.00	3850
	1900 mm dia	Metre	20.00	3986
	1900 mm dia	Metre	22.00	4128
	1900 mm dia	Metre	24.00	4283
	1900 mm dia	Metre	26.00	4452
	1900 mm dia	Metre	28.00	4636
	2000 mm dia	Metre	10.00	4391
	2000 mm dia	Metre	12.00	4507
	2000 mm dia	Metre	14.00	4560
	2000 mm dia	Metre	16.00	4669
	2000 mm dia	Metre	18.00	4783
	2000 mm dia	Metre	20.00	4927
	2000 mm dia	Metre	22.00	4974
	2000 mm dia	Metre	24.00	5136
	2000 mm dia	Metre	26.00	5315
	2000 mm dia	Metre	28.00	5506

Sl.No.	Description	Unit	Thickness in mm	Rate (Rs.)
	2000 mm dia	Metre	30.00	5814
	2100 mm dia	Metre	12.00	5062
	2100 mm dia	Metre	14.00	5120
	2100 mm dia	Metre	16.00	5232
	2100 mm dia	Metre	18.00	5355
	2100 mm dia	Metre	20.00	5505
	2100 mm dia	Metre	22.00	5663
	2100 mm dia	Metre	24.00	5831
	2100 mm dia	Metre	26.00	6018
	2100 mm dia	Metre	28.00	6042
	2100 mm dia	Metre	30.00	6360
	2100 mm dia	Metre	32.00	6406
	2100 mm dia	Metre	34.00	6781
	2200 mm dia	Metre	12.00	5643
	2200 mm dia	Metre	14.00	5704
	2200 mm dia	Metre	16.00	5821
	2200 mm dia	Metre	18.00	5929
	2200 mm dia	Metre	20.00	5948
	2200 mm dia	Metre	22.00	6094
	2200 mm dia	Metre	24.00	6272
	2200 mm dia	Metre	26.00	6467
	2200 mm dia	Metre	28.00	6677
	2200 mm dia	Metre	30.00	7004
	2200 mm dia	Metre	32.00	7197
	2200 mm dia	Metre	34.00	7383
	2200 mm dia	Metre	36.00	7846
	2300 mm dia	Metre	12.00	6407
	2300 mm dia	Metre	14.00	6468
	2300 mm dia	Metre	16.00	6593
	2300 mm dia	Metre	18.00	6726
	2300 mm dia	Metre	20.00	6888
	2300 mm dia	Metre	22.00	7082
	2300 mm dia	Metre	24.00	7247
	2300 mm dia	Metre	26.00	7450
	2300 mm dia	Metre	28.00	7491
	2300 mm dia	Metre	30.00	7827
	2300 mm dia	Metre	32.00	8034
	2300 mm dia	Metre	34.00	8171
	2300 mm dia	Metre	36.00	8703
	2400 mm dia	Metre	12.00	7714
	2400 mm dia	Metre	14.00	7778
	2400 mm dia	Metre	16.00	7908
	2400 mm dia	Metre	18.00	8045
	2400 mm dia	Metre	20.00	8217
	2400 mm dia	Metre	22.00	8395
	2400 mm dia	Metre	24.00	8587
	2400 mm dia	Metre	26.00	8799
	2400 mm dia	Metre	28.00	9027
	2400 mm dia	Metre	30.00	9273
	2400 mm dia	Metre	32.00	9486

Sl.No.	Description	Unit	Thickness in mm	Rate (Rs.)
	2400 mm dia	Metre	34.00	9755
	2400 mm dia	Metre	36.00	10105
	2500 mm dia	Metre	14.00	9500
	2500 mm dia	Metre	16.00	9634
	2500 mm dia	Metre	18.00	9808
	2500 mm dia	Metre	20.00	9957
	2500 mm dia	Metre	22.00	10141
	2500 mm dia	Metre	24.00	10340
	2500 mm dia	Metre	26.00	10563
	2500 mm dia	Metre	28.00	10799
	2500 mm dia	Metre	30.00	11051
	2500 mm dia	Metre	32.00	11325
	2500 mm dia	Metre	34.00	11615
	2500 mm dia	Metre	36.00	11920
	2600 mm dia	Metre	14.00	9707
	2600 mm dia	Metre	16.00	9848
	2600 mm dia	Metre	18.00	9998
	2600 mm dia	Metre	20.00	10179
	2600 mm dia	Metre	22.00	10372
	2600 mm dia	Metre	24.00	10581
	2600 mm dia	Metre	26.00	10810
	2600 mm dia	Metre	28.00	11054
	2600 mm dia	Metre	30.00	11319
	2600 mm dia	Metre	32.00	11601
	2600 mm dia	Metre	34.00	11902
	2600 mm dia	Metre	36.00	12217
	2600 mm dia	Metre	38.00	12558
	2600 mm dia	Metre	40.00	12914
	2600 mm dia	Metre	42.00	13284
	2700 mm dia	Metre	18.00	10084
	2700 mm dia	Metre	20.00	10275
	2700 mm dia	Metre	22.00	10474
	2700 mm dia	Metre	24.00	10691
	2700 mm dia	Metre	26.00	10929
	2700 mm dia	Metre	28.00	11183
	2700 mm dia	Metre	30.00	11457
	2700 mm dia	Metre	32.00	11747
	2700 mm dia	Metre	34.00	12061
	2700 mm dia	Metre	36.00	12390
	2700 mm dia	Metre	38.00	12740
	2700 mm dia	Metre	40.00	13105
	2700 mm dia	Metre	42.00	13556
	2800 mm dia	Metre	18.00	10298
	2800 mm dia	Metre	20.00	10492
	2800 mm dia	Metre	22.00	10698
	2800 mm dia	Metre	24.00	10926
	2800 mm dia	Metre	26.00	11170
	2800 mm dia	Metre	28.00	11431
	2800 mm dia	Metre	30.00	11714
	2800 mm dia	Metre	32.00	12019

Sl.No.	Description	Unit	Thickness in mm	Rate (Rs.)
	2800 mm dia	Metre	34.00	12342
	2800 mm dia	Metre	36.00	12561
	2800 mm dia	Metre	38.00	12920
	2800 mm dia	Metre	40.00	13305
	2800 mm dia	Metre	42.00	13706
	2900 mm dia	Metre	18.00	11718
	2900 mm dia	Metre	20.00	11923
	2900 mm dia	Metre	22.00	12134
	2900 mm dia	Metre	24.00	12368
	2900 mm dia	Metre	26.00	12621
	2900 mm dia	Metre	28.00	12895
	2900 mm dia	Metre	30.00	13188
	2900 mm dia	Metre	32.00	13499
	2900 mm dia	Metre	34.00	13833
	2900 mm dia	Metre	36.00	14188
	2900 mm dia	Metre	38.00	14559
	2900 mm dia	Metre	40.00	14953
	2900 mm dia	Metre	42.00	15367
	3000 mm dia	Metre	18.00	11814
	3000 mm dia	Metre	20.00	12021
	3000 mm dia	Metre	22.00	12242
	3000 mm dia	Metre	24.00	12482
	3000 mm dia	Metre	26.00	12747
	3000 mm dia	Metre	28.00	13027
	3000 mm dia	Metre	30.00	13330
	3000 mm dia	Metre	32.00	13654
	3000 mm dia	Metre	34.00	13999
	3000 mm dia	Metre	36.00	14363
	3000 mm dia	Metre	38.00	14749
	3000 mm dia	Metre	40.00	15157
	3000 mm dia	Metre	42.00	15584

The above rates of MS Spiral pipes are based on the following raw materials cost.

MS Plates = Rs 43500/- Per MT (excluding all taxes but including freight). The rates may be revised depending upon the increase/decrease in the cost of raw materials (landed price) as per the following method. Revised Cost = Cost as per the above table "R₁". R₁= Variation (Increase/Decrease) in cost (Rs. Per metre) due to change in cost of MS Plates = $(M_2 - M_1) / 1000 \times W_m$, M₁= Rs.43500/- , M₂= Cost of MS Plates (Rs. Per MT excluding all taxes but including freight) at the time of preparation of estimate, W_m=Weight of MS Plates required (Kg) per meter of pipe. Note: The duties and taxes as applicable shall be added as per rules at the time of preparation of estimate.

15. POLYETHYLENE PIPES (PE - 100 GRADE) FOR WATER SUPPLY

Sl.No	Description	6.0 kg/sqcm (SDR 21)	8.0 kg/sqcm (SDR 17)	10.0 kg/sqcm (SDR 13.6)	12.5 kg/sqcm (SDR 11)	16.0 kg/sqcm (SDR 9)
1	2	3	4	5	6	7
I	Manufacture, supply, & delivery of Polyethylene pipes (PE-100 Grade) for water supply conforming to IS 4984-2016 including transportation to any where in T.G, but excluding GST and specials etc., complete. (Supply upto 90 mm dia in coil & above 90 mm dia stright length in 6 M.)					
		Rate per Meter				
	OD 20 mm					30
	OD 25 mm					38
	OD 32 mm			36	49	60
	OD 40 mm		47	56	73	91
	OD 50 mm	58	73	87	113	142
	OD 63 mm	89	108	134	182	222
	OD 75 mm	126	157	190	257	316
	OD 90 mm	180	219	268	358	456
	OD 110 mm	306	330	396	544	669
	OD 125 mm	353	424	517	701	856
	OD 140 mm	440	532	647	883	1087
	OD 160 mm	580	697	846	1150	1400
	OD 180 mm	726	876	1069	1446	1769
	OD 200 mm	904	1085	1314	1794	2189
	OD 225 mm	1162	1401	1714	2265	2760
	OD 250 mm	1435	1731	2112	2808	3416
	OD 280 mm	1791	2170	2680	3527	4298
	OD 315 mm	2262	2754	3350	4442	5434
	OD 355 mm	2841	3446	4186	5643	6935
	OD 400 mm	3687	4457	5408	7152	8756
	OD 450 mm	4592	5537	6750	9041	10972
	OD 500 mm	5655	6843	8326	11200	13143
	OD 560 mm	6518	7871	9543	12405	
	OD 630 mm	8197	9954	12086	14596	
	OD 710 mm	10482	12627	15329		
	OD 800 mm	13269	16041	19567		
	OD 900 mm	16811	20308			
	OD 1000 mm	20769				

Note:-

Taxes extra as applicable at the time of supply.

The IPCL resin cost adopted for the above rates are

For PE - 100 grade Rs.82910/- per MT. (Excluding Taxes)

The variation in cost of HDPE pipes due to increase / decrease in raw material cost shall be allowed as per the following price variation formula.

Price variation formula as follows:

$P2 = P1 + (A2 - A1) / 1000 \times M \times 0.95$ (for increase in raw material cost)

$P2 = P1 - (A1 - A2) / 1000 \times M \times 0.95$ (for decrease in raw material cost)

P2 = Revised pipe price in Rs. Per Metre Excluding Taxes

P1 = Existing pipe price in Rs. Per Metre Excluding Taxes

A2 = Revised price of raw material Rs. Per MT Excluding Taxes

A1 = Existing price of raw material Rs. Per MT Excluding Taxes

M = Weight of pipe in Kgs per Metre as per weight chart.

16. H.D.P.E FITTINGS

	Manufacture, Supply, & Delivery of HDPE fittings conforming to IS 4984 - 1995 including transportation to anywhere in T.G. Excluding taxes.	Rate per Each
I (a)	PIPE ENDS LONG NECK	
	OD 50 mm	62
	OD 63 mm	79
	OD 75 mm	95
	OD 90 mm	123
	OD 110 mm	170
	OD 125 mm	306
	OD 140 mm	309
	OD 160 mm	431
	OD 180 mm	611
	OD 200 mm	786
	OD 225 mm	900
	OD 250 mm	1055
	OD 280 mm	1179
	OD 315 mm	1361
	OD 355 mm	2843
	OD 400 mm	3789
	OD 450 mm	6305
	OD 500 mm	7018
(b)	MS FLANGES	
	OD 50 mm	102
	OD 63 mm	130
	OD 75 mm	164
	OD 90 mm	178
	OD 110 mm	186
	OD 125 mm	255
	OD 140 mm	276
	OD 160 mm	363
	OD 180 mm	512
	OD 200 mm	663
	OD 225 mm	828
	OD 250 mm	979
	OD 280 mm	1109
	OD 315 mm	1304
	OD 355 mm	2210
	OD 400 mm	2741
	OD 450 mm	3580

	OD 500 mm	4098
(c)	END CAPS	
	OD 50 mm	42
	OD 63 mm	52
	OD 75 mm	64
	OD 90 mm	85
	OD 110 mm	98
	OD 125 mm	133
	OD 140 mm	156
	OD 160 mm	238
	OD 180 mm	388
	OD 200 mm	423
	OD 225 mm	441
	OD 250 mm	628
	OD 280 mm	643
	OD 315 mm	878
	OD 355 mm	1354
	OD 400 mm	2368
	OD 450 mm	3808
	OD 500 mm	7018
(d)	REDUCERS	
	OD 50 mm x 63 mm	60
	OD 63 mm x 75 mm	85
	OD 75 mm x 90 mm	139
	OD 90 mm x 110 mm	192
	OD 110 mm x 125 mm	293
	OD 125 mm x 140 mm	405
	OD 140 mm x 160 mm	563
	OD 160 mm x 180 mm	781
	OD 180 mm x 200 mm	1008
	OD 200 mm x 225 mm	1239
	OD 225 mm x 250 mm	1689
	OD 250 mm x 280 mm	2401
	OD 280 mm x 315 mm	3392
	OD 315 mm x 355 mm	3891
	OD 355 mm x 400 mm	5492
	OD 400 mm x 450 mm	5697
	OD 450 mm x 500 mm	7304

(e)	TEES	
	OD 50 mm	81
	OD 63 mm	130
	OD 75 mm	156
	OD 90 mm	274
	OD 110 mm	325
	OD 125 mm	488
	OD 140 mm	673
	OD 160 mm	1161
	OD 180 mm	1574
	OD 200 mm	2168
	OD 225 mm	3078
	OD 250 mm	4212
	OD 280 mm	5899
	OD 315 mm	8406
	OD 355 mm	11987
	OD 400 mm	17559
	OD 450 mm	24940
	OD 500 mm	34253
(f)	BENDS	
	OD 50 mm	52
	OD 63 mm	114
	OD 75 mm	148
	OD 90 mm	253
	OD 110 mm	332
	OD 125 mm	492
	OD 140 mm	647
	OD 160 mm	964
	OD 180 mm	1386
	OD 200 mm	1877
	OD 225 mm	2662
	OD 250 mm	3649
	OD 280 mm	5263
	OD 315 mm	7277
	OD 355 mm	10088
	OD 400 mm	15216
	OD 450 mm	22370
	OD 500 mm	30327

II	Supply and Fixing Electro Fusion Tapping saddle complying with BS EN 12201-3-2011, PN 12.5 rating & WRAS approved raw material as per BS 6920, manufactured from virgin resin of PE-80/PE-100 having blue/black colour using food grade compounded raw material for usage in drinking water system and having working pressure of 10 bar. The cost shall include testing of all materials, labour, inspection charges, transportation upto site, transit insurance, loading, unloading, stacking, providing and fixing etc. Complete as specified and directed by the Departmental Engineers, but excluding of all taxes.	Rate per Each
	SIZE	Rs.
	(Main pipe outer diameter in mm & Tapping size in Inches)	
	63x1/2"	253
	63 x3/4"	294
	63 x1"	338
	75 x1/2"	266
	75 x3/4"	306
	75 x1	336
	90 x1/2"	280
	90 x3/4"	318
	90 x1"	348
	90 x 1 1/4"	348
	90 x 1 1/2"	348
	90 x2"	348
	110x1/2"	280
	110 x3/4"	318
	110 x1"	348
	110 x 1 1/4"	348
	110x1 1/2"	348
	110x2"	348
	125x1/2"	280
	125x3/4"	340
	125x1"	370
	125x1 1/4"	370
	125x1 1/2"	370
	125x2"	370
	140x1/2"	280
	140x3/4"	324

140x1"	360
140x1 1/4"	360
140x1 1/2"	360
140x2"	360
160 x1/2"	294
160 x3/4"	342
160 x1"	372
160 x 1 1/4"	372
160 x 1 1/2"	372
160 x 2"	372
200 x 1/2"	294
200 x 3/4"	355
200 x 1"	385
200 x 1 1/4"	385
200 x 1 1/2"	385
200x 2"	385
250 x 1/2"	372
250 x3/4"	408
250 x1"	444
250 x 1 1/4"	444
250 x1 1/2"	444
250 x 2"	444
315 x 1/2"	396
315 x3/4"	432
315x1"	492
315x1 1/4"	492
315x1 1/2"	492
315x2"	492

S.No.	Description	
III	HOUSE SERVICE CONNECTIONS (COMPRESSION FITTINGS)	
A	Supply and Fixing of Compression Fittings shall comply with ISO 17885 - 2015, PN-16 rating and manufactured from virgin resin of PE-80 having blue colour. Raw material must be WRAS Approved as per BS 6920 for effect on water quality intended for human consumption. Compression fittings should have moulded-in SS 304 threaded insert outlet with thread dimension conforming to IS 554/ISO 7. The cost shall include testing of all materials, labour, inspection charges, transportation up to site, transit insurance, loading, unloading, stacking, providing and fixing etc. Complete as specified and directed by the Departmental Engineers, but excluding all taxes.	Rate per each
1	Compression Male/ Female threaded adapter with SS Insert D20mmx1/2"	103
2	Compression Male/Female threaded adapter with SS Insert D25mmx3/4"	137
3	Compression Male/Female threaded adapterwith SS Insert D32mmx1"	191
4	Compression Male/Female threaded elbow with SS Insert D20mmx1/2"	106
5	Compression Male/Female threaded elbow with SS Insert D25mmx3/4"	143
6	Compression Male/Female threaded elbow with SS Insert D32mmx1"	198
7	Double compression elbow 20mm	48
8	Double compression elbow 25mm	66
9	Double compression elbow 32mm	94
B	HOUSE SERVICE CONNECTIONS (Composite Strap Saddle for DI/CI Pipes)	
	Supply and Fixing of Composite Strap Saddle shall be of wrap around design, PN-16 rating. Body shall be manufactured using virgin compounded PE80/PE100 polymer with Stainless steel 304 grade stirrup plate mounted with PE straps(Engineering plastic) with Nut bolt joint. Sealing between the saddle and mains shall be obtained by using an elastomer seal(Underneath projection for self interlocking).The cost shall include testing of all materials, labour, inspection charges, transportation up to site, transit insurance, loading, unloading, stacking, providing and fixing etc. Complete as specified and directed by the Departmental Engineers, but excluding all taxes.	
	(Main pipe outer diameter in mm & Tapping size in Inches)	
1	100X1/2"	450
2	100X3/4"	502
3	100X1"	535
4	150X1/2"	470
5	150X3/4"	522
6	150X1"	555
7	200X1/2"	490
8	200X3/4"	542
9	200x1"	575
C	HOUSE SERVICE CONNECTIONS (Regulating Brass ferrule)	
	The cost shall include testing of all materials, labour, Inspection charges, Transportation up to site, transit insurance, loading, unloading,stacking,providing and fixing etc. complete as specified and directed by departmental engineers, but excluding of all taxes.	
1	1/2"	136
2	3/4"	223
3	1"	389

	Electrofusion Couplers	
1	EF Coupler D20mm PE 100BK 4PIN	32
2	EF Coupler D25mm PE 100BK 4PIN	34
3	EF Coupler D32mm PE 100BK 4PIN	36
4	EF Coupler D40mm PE 100BK 4PIN	62
5	EF Coupler D50mm PE 100BK 4PIN	76
6	EF Coupler D63mm PE 100BK 4PIN	90
7	EF Coupler D75mm PE 100BK 4PIN	204
8	EF Coupler D90mm PE 100BK 4PIN	210
9	EF Coupler D110mm PE 100BK 4PIN	274
10	EF Coupler D125mm PE 100BK 4PIN	366
11	EF Coupler D140mm PE 100BK 4PIN	1058
12	EF Coupler D160mm PE 100BK 4PIN	938
13	EF Coupler D180mm PE 100BK 4PIN	1019
14	EF Coupler D200mm PE 100BK 4PIN	1226
15	EF Coupler D225mm PE 100BK 4PIN	1162
16	EF Coupler D250mm PE 100BK 4PIN	1558
17	EF Coupler D280mm PE 100BK 4PIN	1966
18	EF Coupler D315mm PE 100BK 4PIN	2862
E	EF ELBOW 90 Degree	
1	EF Elbow D20mm PE 100BK 4PIN	76
2	EF Elbow D25mm PE 100BK 4PIN	86
3	EF Elbow D32mm PE 100BK 4PIN	95
4	EF Elbow D40mm PE 100BK 4PIN	103
5	EF Elbow D63mm PE 100BK 4PIN	196
6	EF Elbow D75mm PE 100BK 4PIN	261
7	EF Elbow D90mm PE 100BK 4PIN	514
8	EF Elbow D110mm PE 100BK 4PIN	726
9	EF Elbow D125mm PE 100BK 4PIN	822
F	EF ELBOW 45 Degree	
1	EF Elbow D75mm PE 100BK 4PIN	294
2	EF Elbow D90mm PE 100BK 4PIN	586
G	EF EQUAL TEE	
1	EF Equal Tee D20mm PE 100BK 4PIN	71
2	EF Equal Tee D25mm PE 100BK 4PIN	78
3	EF Equal Tee D32mm PE 100BK 4PIN	91
4	EF Equal Tee D40mm PE 100BK 4PIN	121
5	EF Equal Tee D63mm PE 100BK 4PIN	292
6	EF Equal Tee D75mm PE 100BK 4PIN	383
7	EF Equal Tee D90mm PE 100BK 4PIN	546
8	EF Equal Tee D110mm PE 100BK 4PIN	614
9	EF Equal Tee D125mm PE 100BK 4PIN	1054
H	EF REDUCER	
1	EF Reducer D25X20mm PE 100BK 4PIN	38
2	EF Reducer D32X20mm PE 100BK 4PIN	42
3	EF Reducer D32X25mm PE 100BK 4PIN	47
4	EF Reducer D40X32mm PE 100BK 4PIN	59
5	EF Reducer D63X32mm PE 100BK 4PIN	98

6	EF Reducer D63X40mm PE 100BK 4PIN	104
7	EF Reducer D63X50mm PE 100BK 4PIN	109
8	EF Reducer D75X63mm PE 100BK 4PIN	230
9	EF Reducer D90X50mm PE 100BK 4PIN	318
10	EF Reducer D90X63mm PE 100BK 4PIN	451
11	EF Reducer D90X75mm PE 100BK 4PIN	471
12	EF Reducer D110X63mm PE 100BK 4PIN	543
13	EF Reducer D110X75mm PE 100BK 4PIN	565
14	EF Reducer D110X90mm PE 100BK 4PIN	587
15	EF Reducer D125X63mm PE 100BK 4PIN	702
16	EF Reducer D125X90mm PE 100BK 4PIN	755
I	EF END CAP	
1	EF End Cap D20mm PE 100BK 4PIN	69
2	EF End Cap D25mm PE 100BK 4PIN	70
3	EF End Cap D32mm PE 100BK 4PIN	72
4	EF End Cap D40mm PE 100BK 4PIN	190
5	EF End Cap D50mm PE 100BK 4PIN	247
6	EF End Cap D63mm PE 100BK 4PIN	168
7	EF End Cap D75mm PE 100BK 4PIN	392
8	EF End Cap D90mm PE 100BK 4PIN	504
9	EF End Cap D110mm PE 100BK 4PIN	596
10	EF End Cap D125mm PE 100BK 4PIN	653
11	EF End Cap D140mm PE 100BK 4PIN	1393
J	PP Clamp Saddle shall comply with AS/NZS 4793 or relevant international standards-Mechanical tapping saddles for water works purposes and designed for use with PVC/PE pipe as per IS 4985/ IS 4984 respectively. These saddles should be contoured to fit around the pipe. PP Saddles shall be blue with moulded SS female threaded outlets. Seal shall be thermoplastic elastomer rubber suitable for drinking water and SS nut-bolt-washer. Maximum working pressure rating of 10 bar.	Rate per each
1	63X1/2"	127
2	63X3/4"	127
3	63X1"	127
4	75X1/2"	148
5	75X3/4"	148
6	75X1"	148
7	90X1/2"	169
8	90X3/4"	169
9	90X1"	169
10	110X1/2"	203
11	110X3/4"	203
12	110X1"	203
13	125X1/2"	242
14	125X3/4"	242
15	125X1"	242
16	140X1/2"	288
17	140X3/4"	288
18	140X1"	288

19	160X1/2"	344
20	160X3/4"	353
21	160X1"	353
22	180X1/2"	359
23	180X3/4"	449
24	180X1"	499
25	200X1/2"	379
26	200X3/4"	469
27	200X1"	519

Note: The above rates (Items from D to J) are exclusive of GST.

17. PVC PIPES

Sl. No.	Description	4.0 Kgs/cm ²	6.0 Kgs/cm ²	10.0 Kgs/cm ²
1	2	3	4	5
1	Manufacture, Supply and Delivery of Unplasticised PVCs Pipes for potable water supplies conforming to IS : 4985/2000 (3 rd revision) with bell ends (Socket) as per specification in light Grey/Natural Ivory Grey/ Any other Color (except White) inclusive of transportation to the sub-divisional stores anywhere in TG excluding Taxes.			
	DIA IN MM	Rs.	Rs.	Rs.
	20			16
	25			24
	32			35
	40		34	55
	50		51	84
	63	56	81	121
	75	82	111	177
	90	112	161	251
	110	163	232	373
	125	212	297	486
	140	265	381	604
	160	349	495	792
	180	445	637	1014
	200	540	776	1236
	225	722	1042	1658
	250	838	1276	2013
	280	1096	1612	2547
	315	1387	2027	3215
	355	1819	2640	
	400	2294	3359	

Note: Taxes as applicable shall be added as per rules at the time of preparation of estimate.

The resin cost adopted for the above rates is Rs.78000/- per MT (Basic rate excluding Taxes)

The variation in cost of PVC pipes due to increase / decrease in raw material cost shall be allowed subject to the following price variation formula.

The price variation formula to be adopted is as follows:

$$P2 = P1 + (A2 - A1) / 1000 \times M \times 0.95 \text{ (for increase in raw material cost)}$$

$$P2 = P1 - (A1 - A2) / 1000 \times M \times 0.95 \text{ (for decrease in raw material cost)}$$

P2 = Revised pipe price in Rs. Per Metre, P1 = Existing pipe price in Rs. Per Metre

A2 = Revised price of raw material Rs. Per MT, A1 = Existing price of raw material Rs. Per MT

M = Weight of pipe in Kgs per Metre as per weight chart.

18. NON- PRESSURE P.V.C.U PIPES

Code No	Description	
1	2	3
	Manufacture, Supply, & Delivery of unplasticized Non-pressure polyvinyl chloride(PVC-U) pipes of dark (any shade of brown) for use in underground drainage & sewerage system conforming to IS 15328/2003) <u>with solvent cement jointing</u> as per specification inclusive of transportation to the sub-divisional stores anywhere in T.G, excluding Taxes.	Rate per Meter Rs.
	Pipe Series (S25)	
	OD 160 mm	295
	OD 200 mm	451
	OD 250mm	698
	OD 315 mm	1101
	Pipe Series (S20)	
	OD 125 mm	230
	OD 160 mm	367
	OD 200 mm	556
	OD 250mm	866
	OD 315 mm	1361
	Pipe Series (S16.5)	
	OD 110 mm	202
	OD 125 mm	272
	OD 160 mm	425
	OD 200 mm	661
	OD 250mm	1023
	OD 315 mm	1618

Note: Taxes as applicable shall be added as per rules at the time of preparation of estimate.

The resin cost adopted for the above rates is Rs.78000/- per MT (Basic rate, excluding Taxes)

The variation in cost of PVC pipes due to increase / decrease in raw material cost shall be allowed subject to the following price variation formula.

The price variation formula to be adopted is as follows:

$$P2 = P1 + (A2 - A1) / 1000 \times M \times 0.95 \text{ (for increase in raw material cost)}$$

$$P2 = P1 - (A1 - A2) / 1000 \times M \times 0.95 \text{ (for decrease in raw material cost)}$$

P2 = Revised pipe price in Rs. Per Metre

P1 = Existing pipe price in Rs. Per Metre

A2 = Revised price of raw material Rs. Per MT

A1 = Existing price of raw material Rs. Per MT

M = Weight of pipe in Kgs per Meter as per weight chart.

19. NON- PRESSURE P.V.C.U PIPES

Code No	Description	
1	2	3
	Manufacture, supply, & delivery of un-plasticized Non-Pressure Polyvinyl Chloride(PVC-U) pipes of dark (any shade of Brown) for use in underground drainage & sewerage system conforming to IS 15328/2003) <u>with Elastomeric Seal Ring Joints</u> (Ringtite PVC Pipes)as per specification inclusive of transportation to the Sub-Divisional stores any where in T.G, excluding Taxes.	Rate per Meter Rs.
	Pipe Series (S25)	
	OD 160 mm	316
	OD 200 mm	479
	OD 250mm	744
	OD 315 mm	1170
	Pipe Series (S20)	
	OD 125 mm	246
	OD 160 mm	388
	OD 200 mm	590
	OD 250mm	920
	OD 315 mm	1445
	Pipe Series (S16.5)	
	OD 110 mm	214
	OD 125 mm	289
	OD 160 mm	454
	OD 200 mm	699
	OD 250mm	1087
	OD 315 mm	1714

Note: Taxes as applicable shall be added as per rules at the time of preparation of estimate.

The resin cost adopted for the above rates is Rs.78000/- per MT (Basic rate excluding Taxes)

The variation in cost of PVC pipes due to increase / decrease in raw material cost shall be allowed subject to the following price variation formula.

The price variation formula to be adopted is as follows:

$$P2 = P1 + (A2 - A1) / 1000 \times M \times 0.95 \text{ (for increase in raw material cost)}$$

$$P2 = P1 - (A1 - A2) / 1000 \times M \times 0.95 \text{ (for decrease in raw material cost)}$$

P2 = Revised pipe price in Rs. Per Metre

P1 = Existing pipe price in Rs. Per Metre

A2 = Revised price of raw material Rs. Per MT

A1 = Existing price of raw material Rs. Per MT

M = Weight of pipe in Kgs per Metre as per weight chart.

20. CENTRIFUGALLY CAST (SPUN) IRON PRESSURE PIPES

Sl. No.	Description	Unit	Rate		
1	2	3	4	5	6
I	Socket and Spigot Centrifugally Cast (Spun) Iron pressure pipes for water, Gas and Sewage conforming to specification No: IS 1536/2001 (third revision) with amdt. No: 1 & 2 in standard lengths of 3.66 m, 4 m, 4.5m, 5 m, 5.5 m & 6 m and details given below, suitable either for lead jointing or rubber gasket (push on) jointing at purchasers option at ex-factory excluding transportation & taxes.		LA Class (Rs)	A Class (Rs)	B Class (Rs)
	Nominal dia (in MM)				
	80	Rmt	853	925	995
	100	Rmt	1040	1143	1221
	125	Rmt	1316	1437	1548
	150	Rmt	1600	1753	1889
	200	Rmt	2336	2536	2744
	250	Rmt	3149	3428	3709
	300	Rmt	4060	4441	4810
	350	Rmt	5183	5623	6100
	400	Rmt	6311	6896	7443
	450	Rmt	7633	8386	9045
	500	Rmt	9016	9821	10625
	600	Rmt	11933	13027	14110
	700	Rmt	15670	17120	18497
	750	Rmt	17551	19190	20817
	800	Rmt	19646	21407	23157
	900	Rmt	23940	27403	28303
	1000	Rmt	28762	31418	33957
II	Conveyance of Centrifugally Cast (Spun) Iron Pressure Pipes and accessories including loading at Factory, un-loading at site and stacking for the following sizes. (The Minimum distance/lead in Km for destination below 100 Km to be taken as 100 Km)		Class		
	SIZE IN MM	UNIT	LA	A	B
	80	Per KM/RMT	0.28	0.28	0.28
	100	Per KM/RMT	0.28	0.28	0.28
	125	Per KM/RMT	0.43	0.43	0.43
	150	Per KM/RMT	0.43	0.43	0.43
	200	Per KM/RMT	0.72	0.72	0.72
	250	Per KM/RMT	0.87	0.87	0.87
	300	Per KM/RMT	1.16	1.30	1.30

350	Per KM/RMT		1.59	1.59	1.73
400	Per KM/RMT		1.87	1.87	2.02
450	Per KM/RMT		2.17	2.31	2.46
500	Per KM/RMT		2.59	2.75	2.89
600	Per KM/RMT		2.59	2.75	2.89
700	Per KM/RMT		2.59	2.75	2.89
750	Per KM/RMT		4.33	4.61	4.91
800	Per KM/RMT		7.35	7.35	7.35
900	Per KM/RMT		7.35	7.35	7.35
1000	Per KM/RMT		7.35	7.35	7.35

Note:Taxes as applicable shall be added as per rules at the time of preparation of estimate.

Price Variation Formula due to Increase / Decrease in the cost of pig iron.

$$P2=P1+ (R2-R1)/1000*M*1.0$$

Where M= Weight of pipe in kg per metre.

P2 = Revised rate of pipe in Rs. per Rmt.

P1 = Rate of pipe in Rs. per Rmt. as per above table.

R2 = Price of Pig Iron (Rs per MT excluding Taxes) at the time of preparation of estimate.

R1 = Price of Pig Iron (Rs per MT excluding Taxes) at the time of preparation of SoR =Rs. 32000/-

21.DUCTILE IRON PRESSURE PIPES

Sl. No.	Description	Unit	Rate	
1	2	3	4	5
1	Centrifugally cast (Spun) Ductile Iron pressure pipes for water, gas and sewage with <u>Socket Spigot ends</u> conforming to IS.: 8329/2000 in standard working lengths of 4, 5 5.5 & 6 meter for classification K9 & K7 suitable for push-on-joint (rubber gasket d jointing) with cement mortar lining inside the pipes with outside zinc coating. Rates are ex-factory, excluding transportation & taxes.			
	Nominal Dia in mm	Rmt	K7	K9
	100	Rmt	859	1023
	150	Rmt	1197	1515
	200	Rmt	1661	2025
	250	Rmt	2223	2659
	300	Rmt	2851	3368
	350	Rmt	3586	4198
	400	Rmt	4347	5058
	450	Rmt	5220	6049
	500	Rmt	6215	7039
	600	Rmt	8266	9285
	700	Rmt	10682	11985
	750	Rmt	11962	13451
	800	Rmt	13232	14846
	900	Rmt	16138	18099
	1000	Rmt	19140	21466
	1100	Rmt	-	23113
	1200	Rmt	-	27003
2	Centrifugally cast (Spun) Ductile Iron pressure pipes for water, gas and sewage <u>with plain ends</u> conforming to IS:8329/2000in standard working lengths of 4, 5, 5.5 & 6 meter for classification K9 & K7 with cement mortar lining inside the pipes with outside zinc coating. Rates are ex-factory, excluding transportation & taxes.			
	Nominal Dia in mm		K7	K9
	100	Rmt	738	941
	150	Rmt	1066	1385
	200	Rmt	1502	1881
	250	Rmt	1956	2495
	300	Rmt	2566	3155
	350	Rmt	3219	3920
	400	Rmt	3890	4722
	450	Rmt	4650	5582
	500	Rmt	5531	6649
	600	Rmt	7320	8595

	700		Rmt		9661	10903	
	750		Rmt		10798	12216	
	800		Rmt		11949	13488	
	900		Rmt		14448	16310	
	1000		Rmt		17177	19389	
	1100		Rmt			20802	
	1200		Rmt			24200	
3	Centrifugally cast (Spun) Ductile Iron pressure pipes with <u>flanged (welded) ends</u> for water, gas, sewage conforming to IS: 8329/2000 in standard working lengths of 1,2,3, 4, 5 mts for classification K9 with cement mortar lining inside the pipes with outside zinc coating. Rates are ex-factory, excluding transportation & taxes.						
	Nominal Dia in mm		1.0 Mt. Length	2.0 Mt. Length	3.0 Mt. Length	4.0 Mt. Length	5.0 Mt. Length
	100	Each	3418	4498	5576	6168	7225
	150	Each	4845	6425	8006	8982	10551
	200	Each	6434	8596	10761	12224	14386
	250	Each	8411	11293	14177	16159	19040
	300	Each	10540	14187	17827	20428	24080
	350	Each	16447	20970	25495	28215	32738
	400	Each	20236	25699	31162	34062	39518
	450	Each	24431	30877	37320	40663	47104
	500	Each	29620	37185	44750	48596	56148
	600	Each	41914	51862	61810	66470	76397
	700	Each	49948	62573	75199	81431	94034
	800	Each	61598	77215	92830	100611	116198
	900	Each	73437	92319	111204	120800	143500
	1000	Each	93650	115942	139101	149550	171959
	1100	Each	109077	133009	157384	186910	201955
4	Conveyance of Ductile Iron Pressure Pipes and accessories including loading at Factory, unloading at site and stacking for the following sizes				Class		Welded Double Flanged Pipes
	SIZE IN MM	UNIT	K7	K9	K9		
	100	Per KM/RMT	0.24	0.24	0.36		
	150	Per KM/RMT	0.36	0.36	0.47		
	200	Per KM/RMT	0.36	0.47	0.71		
	250	Per KM/RMT	0.47	0.60	0.96		
	300	Per KM/RMT	0.71	0.71	1.19		
	350	Per KM/RMT	0.83	0.96	1.43		
	400	Per KM/RMT	0.96	1.07	1.67		
	450	Per KM/RMT	1.19	1.31	2.03		
	500	Per KM/RMT	1.43	1.54	2.38		
	600	Per KM/RMT	2.03	2.03	3.10		
	700	Per KM/RMT	2.97	2.97	4.53		

	750	Per KM/RMT	3.57	3.57	5.47
	800	Per KM/RMT	6.07	6.07	9.04
	900	Per KM/RMT	6.07	6.07	9.04
	1000	Per KM/RMT	6.07	6.07	9.04
	1100	Per KM/RMT	6.07	6.07	
	1200	Per KM/RMT	6.49	6.49	
5	Supply and Delivery of Polyethylene (PE) Sleeves for Ductile Iron Pipes used to guard the pipe against corrosion.				
	DIA IN MM				
	100 mm dia			RMT	41
	150 mm dia			RMT	50
	200 mm dia			RMT	64
	250 mm dia			RMT	74
	300 mm dia			RMT	81
	350 mm dia			RMT	91
	400 mm dia			RMT	127
	450 mm dia			RMT	127
	500 mm dia			RMT	154
	600 mm dia			RMT	154
	700 mm dia			RMT	200
	750 mm dia			RMT	200
	800 mm dia			RMT	200
	900 mm dia			RMT	227
	1000 mm dia			RMT	227
	1100 mm dia			RMT	227
6	Additional price for HAC(high alumina cement motar lining)				
	DIA IN MM				
	100 mm dia			RMT	57
	150 mm dia			RMT	85
	200 mm dia			RMT	113
	250 mm dia			RMT	149
	300 mm dia			RMT	188
	350 mm dia			RMT	233
	400 mm dia			RMT	278
	450 mm dia			RMT	330
	500 mm dia			RMT	386
	600 mm dia			RMT	509
	700 mm dia			RMT	649
	750 mm dia			RMT	725
	800 mm dia			RMT	806
	900 mm dia			RMT	978
	1000 mm dia			RMT	1167
	1100 mm dia			RMT	1389
	1200 mm dia			RMT	1539

Note: Taxes as applicable shall be added as per rules at the time of preparation of estimate.

Price Variation Formula due to Increase / Decrease in the cost of pig iron.

$P2 = P1 + (R2 - R1) / 1000 * M * 0.96$, Where

M = Weight of pipe in kg per metre as per I.S.8329-1994.

P2 = Revised rate of pipe in Rs. per Rmt.

P1 = Rate of pipe in Rs. per Rmt. as per above table.

R2 = Price of Pig Iron (Rs per MT excluding Taxes) at the time of preparation of estimate.

R1 = Price of Pig Iron (Rs per MT excluding Taxes) at the time of preparation
of SoR = Rs.32000/-

22.DUCTILE IRON FITTINGS

Sl. No.	Description	Unit	Rate
1	2	3	4
	Centrifugally cast (spun) Ductile Iron Fittings conforming to IS:9523/2000 having dimensions as per table. The rates mentioned here under are for fittings, zinc coated externally with inside mortar lining (with finishing as per class 13/IS 9523/2000) (ex-works) Excluding Transportation and Taxes.		
I	DI double socket branch flange Tee		
	Upto 500 x 500 mm dia	Kg	105
	Above 500 x 500 mm dia	Kg	117
II	DI All Socket Tees		
	Upto 300 x 300 mm dia	Kg	105
	Above 300 x 300 mm dia	Kg	117
III	DI Double socket Tapers (Reducer)		
	Upto 500 x 450 mm dia	Kg	105
	Above 500 x 450 mm dia	Kg	117
IV	DI Flanged Socket		
	Upto 500 mm dia	Kg	105
	Above 500 mm dia	Kg	117
V	DI Flanged Spigot		
	Upto 500 mm dia	Kg	105
	Above 500 mm dia	Kg	117
VI	DI Double Socket Duck Foot Bend		
	Upto 300mm dia	Kg	105
	Above 300mm dia	Kg	117
VII	DI Double Flange Duck/Foot bend		
	Upto 300 mm dia	Kg	105
	Above 300 mm dia	Kg	117
VIII	DI All socket Cross.		
	Upto 300 x 300 mm dia	Kg	105
	Above 300 x 300 mm dia	Kg	117
IX	DI All Flange Tee		
	Upto 500 x 500 mm dia	Kg	105
	Above 500 x 500 mm dia	Kg	117
X	DI All Flange Cross		
	Upto 300 x 300 mm dia	Kg	105
	Above 300 x 300 mm dia	Kg	117

XI	DI Double Flange Reducer		
	Upto 500 x 450 mm dia	Kg	105
	Above 500 x 450 mm dia	Kg	117
XII	Blank Flange		
	Upto 500 mm dia	Kg	105
	Above 500 mm dia	Kg	117
XIII	Mechanical Joints		
	Upto 300 mm dia	Kg	105
	Above 300 mm dia	Kg	117
XIV	DI Double Socket Bends		
	Upto 500mm dia	Kg	105
	Above 500 mm dia	Kg	117
XV	DI Double Flanged Bends		
	Upto 500mm dia	Kg	105
	Above 500 mm dia	Kg	117

Note: Taxes as applicable shall be added as per rules at the time of preparation of estimate.

23. RUBBER GASKETS SUITABLE FOR C.I/ D.I. S/S PIPES

Sl. No.	Description	Unit	Rate
1	2	3	4
1	Manufacture as per BIS:12820/2004 with S.B.R. Quality Rubber conforming to BIS: 5382/85, supply and delivery of Rubber Gaskets suitable for C.I/ D.I S/S pipes anywhere in T.G. F.O.R. Destination departmental stores including cost of material, loading, incidental handling with companies standard packing, transportation, unloading & stacking but excluding taxes.		
	80mm dia	Each	65
	100mm dia	Each	101
	125mm dia	Each	120
	150mm dia	Each	148
	200mm dia	Each	180
	250mm dia	Each	200
	300mm dia	Each	305
	350mm dia	Each	386
	400mm dia	Each	420
	450mm dia	Each	452
	500mm dia	Each	627
	600mm dia	Each	744
	700mm dia	Each	988
	750mm dia	Each	1098
	800mm dia	Each	1315
	900mm dia	Each	1588
	1000mm dia	Each	1737

24. CI PIPES AND SPECIALS

Sl. No.	Description	Quality or sort	Rate/ Kg including packing, forwarding, Transit risk and delivery any where in T.G. Rs.
1	2	3	4
	Manufacture, Supply and Delivery of Cast Iron Fittings (spls.) Conforming to IS. No. 7181/1986, 5531/1988, 3950/1979 and C.I.D Joints conforming to IS No.8794/1988 at site of work anywhere in T.G. Including, loading, unloading, transportation to site of work stacking at site transit risk and package, excluding all taxes.	I.S. No. 7181/1986 5531/1988 3950/1979 & 8794/1988	74.60

Foot Note: The rate of CI pipes, CI Specials and CID Joints etc., which are to be incorporated in the SoR are based on the following raw materials cost.

Pig Iron: Rs.32000/- per M.T.(Excluding Taxes)

Coke : Rs.55,000/- per M.T. .(Excluding Taxes)

The rates may be revised depending upon the increase/decrease in the cost of raw materials as per the following method. For every increase/decrease of Rs.1000/- in the cost of raw materials or part there of proportionately.

In respect of Pig Iron: The increase/decrease in cost of CI Specials per Kg is 3.43%.

In respect of coke: The increase/decrease in cost of CI Specials per Kg is 0.67%.

The above price is at site of work , Taxes extra as applicable at the time of supply.

Note: The taxes as applicable shall be added as per rules at the time of preparation of estimate.

25. WATER HAMMER CONTROL DEVICES

(Rate Each in Rs.)

Sl. No.	Description	TEST PRESSURE				Additional charges for Flanged ended valves
		10 Kgs/cm ²	15 Kgs/cm ²	20 Kgs/cm ²	25 Kgs/cm ²	
1	2	3	4	5	6	7
1	Manufacture, supply and delivery of zero velocity valve/ PSLV with CI body with flanged ends as per AWWA, ex-factory excluding transportation etc., complete.					
	DIA IN MM Rate/Each	Rs.	Rs.	Rs.	Rs.	
	150	66761	77929	82534	90790	
	200	69746	80207	86224	94844	
	250	78693	90496	97284	107013	
	300	88559	101843	109484	120430	
2	Manufacture, Supply and delivery of zero velocity valve/ PSLV with MS Fabricated Body with Plain ends. as per AWWA, Ex-factory excluding transportation etc. complete.					
	DIA IN MM Rate/ Each	Rs.	Rs.	Rs.	Rs.	Rs.
	350	94324	108471	116607	128266	8173
	400	104261	119899	128891	141786	9854
	450	121263	139453	149912	164904	11776
	500	140150	161170	173259	190585	12740
	525/550	150537	171131	188479	207326	16464
	600	168552	193833	208371	229208	23486
	650	188674	207544	235905	254653	26559
	700	219922	242033	274962	296954	31726
	750	243595	267989	304524	328919	35619
	800	296742	341256	366847	403530	40138
	900	352697	405602	427824	479625	48552
	1000	427824	427824	427824	594508	61649
	1050	432102	432102	432102	625969	64116
	1100	545067	618062	673855	741242	71385
	1200	656037	721655	822120	885694	80758
	1400	984056	1082480	1233180	1328536	113566
	1500	1146593	1261241	1433209	1547739	115837
	1600	1169524	1286463	1461874	1578691	121137

3	Manufacture, Supply and delivery of Air Cushion valves / Quick Released damped Air Valves (QRDA) as per AWWA, Ex-factory excluding transportation etc., complete.						
	DIA IN MM	Rate/Each	Rs.	Rs.	Rs.	Rs.	
	100		61050	70209	77228	84948	
	150		92776	106693	117361	129097	
	200		99025	113877	125267	137793	
4	Conveyance of valves and accessories including loading at factory and unloading, stacking at site of work.		5% on basic cost of valves				

Note: The taxes as applicable shall be added as per rules at the time of preparation of estimate.

26. CAST STEEL VALVES

Sl.No.	Description				
1	2	3	4	5	6
1	Manufacture, Supply and Delivery of Cast Carbon Steel rising / Non rising spindle sluice valve design standard as per IS:14846/2000 for Water Supply Scheme with SS Spindle & SS Working parts the grade of Cast Steel for body Bonnet, Dome, Stool Cover, Wedge, Stuffing Box, Gland Thrust Plate, shall be as per IS : 1030 / 1998. (The valve shall be used for High pressure schemes & pumping stations) excluding transportation etc., complete. ISI Marked	Class-150 Body 425PSI Seat 300 PSI PN-20	Class-300 Body 1100 PSI Seat 750 PSI PN-30	for Enclosed Spur Gear Arrangement.	
	Rate/Each			Class 150	Class 300
	DIA IN MM	Rs.	Rs.	Rs.	Rs.
	40	5443	10885		
	50	8968	16326		
	65	11223	20408		
	80	13461	24490		
	100	17952	32652		
	125	23023	41862		
	150	26936	48978		
	200	43504	88435	53246	97289
	250	61231	139191	70973	148047
	300	77349	175820	87089	184675
	350	103142	234428	116424	246503
	400	209520	476181	222803	488256
	450	234846	523275	248130	535352
	500	276289	627930	289572	640006
	600	315429	715841	328713	727917
	700	610138		623421	
	750	656187		674783	
	800	759795		778391	
	900	897941		916537	
	1000	1151206		1169802	
	1100	1243302		1261898	
	1200	1404471		1423067	
2	Manufacture, Supply and delivery of Cast Carbon Steel Bolted Cover Non Return Valve as per IS : 5312 / Part1 /2004. Round body heavy duty material spec. As per IS:1030/1998 with SS Hinge & Seat Rings. excluding transportation etc.,				

	complete. Dia in mm.				
	Rate/Each Rs.	PN-20	PN-30		
	40	5410	9838		
	50	8051	14651		
	65	10061	18315		
	80	12075	21978		
	100	16567	29305		
	125	20722	37677		
	150	22784	41443		
	200	34536	75351		
	250	48351	125586		
	300	69072	156983		
	350	92097	209311		
	400	188798	429086		
	450	211822	481413		
	500	248661	565138		
	600	287801	654093		
3	Manufacture, Supply and delivery of Cast Carbon Steel Multi Door Type Non return Valve as per IS; 5312/ Part II / 1984 Heavy duty material spec. as per 1030/1998 with SS hinges & Seat Rings excluding transportation and GST etc., complete.	PN-20			
		Rate/Each			
	500	418619			
	600	523275			
	700	627930			
	750	774448			
	800	1151206			
	900	1381446			
	1000	1507032			
	1100	1779136			
	1200	1800067			
4	Manufacture, Supply and delivery of Cast Carbon Steel D/F Butter fly Valves conforming to IS; 13095/1991 manually heavy duty Gear operation, excluding transportation and GST etc., complete.				
	DIA IN MM	PN-	PN-2.5		
	Rate/Each	1.0/1.6			
	300	79899	99601		
	350	107481	135062		

	400	129153	167459		
	450	156514	198105		
	500	178405	227657		
	600	207957	267059		
	700	326164	404968		
	750	404968	503473		
	800	444370	552726		
	900	503473	631531		
	1000	798991	996002		
	1100	996002	1191518		
	1200	1193013	1291518		
	1300	1597980	1784047		
	1400	1685540	1882552		
	1500	1784047	1981058		
	1600	2079563	2375081		
	1800	2572092	2769103		
	2000	3557148	3852664		
5	Conveyance of valves and accessories including loading at factory and unloading, stacking at site of work.	5% on basic cost of valves			

Note : Taxes as applicable shall be added as per rules at the time of preparation of estimate.

27. DI D/F VALVES

Rate/Each in Rs.

Sl. No.	Description	TEST PRESSURE			
		3	4	5	6
1	Manufacture, supply and delivery of Single Chamber DI <u>Air Valve</u> with Body and cover in Ductile Iron of grade GGG-40/SG-400/15 or GGG-50/SG-500/7 or equivalent grade as per I.S.3896-part2-1985 and subsequent revisions. All internal parts such as float, shell etc., all cover bolts, of stainless steel, and Gaskets and seals of EPDM food grade quality Epoxy powder coating (EP-P) inside and outside colour blue. Drilled as per requirement of the dept.				
	DIA IN MM	<u>PN 10</u>	<u>PN 16</u>	<u>PN 25</u>	
	25 (Screwed End)	8559	8559		
	32 (Screwed End)	17023	17023		
	40 (Screwed End)	17870	17870		
	50	30745	30745	39560	
	80	41016	41016	41016	
	100	47888	47888	55070	
	150	58298	58298	66625	
	200	63850	63850	74260	
	300	103455	103455	113905	
2	Manufacture, Supply and delivery of DI D/F <u>Gate Valves</u> (Soft Seated) Resilient seated soft sealing gate valves (Sluice valves) with body bonnet of ductile cast iron of grade GGG-40/ SG- 400/15 or GGG-50/SG-500/7 or equivalent grade as per I.S.3896-part2-1985 and subsequent revisions, wedge fully rubber lined with EPDM food grade quality and seals of NBR and the valves should be of vacuum tight and 100% leak proof with face to face dimensions as per BS5163-89/IS14846-2000/DIN 3202 F 4. All the valves should be with Electrostatic powder coating both inside and outside pocket less body passage. Drilled as per requirement of the dept.				
	DIA IN MM	<u>PN 10</u>	<u>PN 16</u>	<u>PN 25</u>	
	50	7360	7360	12439	
	80	9426	9426	15337	
	100	12434	12434	17389	
	150	19577	19577	29004	
	200	32532	32532	48920	
	250	45058	45058	72663	
	300	68098	68098	117862	

	350	206179	206179	344900	
	400	216249	216249	350810	
	450 With By-pass & Gear	372041	372041	699327	
	500 With By-pass & Gear	395083	395083	742639	
	600 With By-pass & Gear	508754	508754	956304	
3	Manufacture, Supply and delivery of DI D/F <u>Butterfly Valves</u> with GGG-40/SG-400/15 or GGG-50/SG-500/7 or equivalent grade as per I.S.3896-part 2-1985 and subsequent revisions, Double eccentrically Disc., with renewable soft seal on the disc and Body seat face of stainless steel / nickel weld overlay, with powder or liquid Epoxy coating with minimum thickness of 250 microns applied on both body and disc inside and outside. Face to face dimensions as per AWWA C 504 or BS 5155 or IS:13095. Drilled as per requirement of dept.				
	DIA IN MM	PN 10	PN 16	PN 25	PN 40
	150	78461	78461	80993	107529
	200	85456	88230	103668	130748
	250	99568	102462	120012	183215
	300	118806	122304	136415	192382
	350	135933	148297	172720	209389
	400	171210	193973	225841	320123
	450	187958	208609	265678	
	500	189744	223971	356159	395586
	600	248686	351120	413392	433457
	700	490950	518029	778576	
	800	532249	554677	1136362	
	900	696076	696076		
	1000	872565	872565	1647797	
	1100	1003450	1003450		
	1200	1169137	1169137	1840795	
	1400	2512703	2512703		
	1600	2996167	2996167		
	1800	3674971	3674971		
	2000	6277801	6277801		
	2200	9063238	9063238		

	Manufacture, Supply and delivery of DI D/F <u>Swing Check Valves</u> Slanted/Straight seated with metallic, corrosion proof and wear resistant seat faces resilient seat, Body and Disc of ductile cast iron GGG-40/SG 400/15 or GGG-50/SG-500/7 or equivalent grade as per IS 3896(part2)-1985 and subsequent revisions. All the inside and outside of the body is to be coated with double coating of epoxy liquid. Drilled as per requirement of dept.. Specification and Dimensions as per I.S 5312 or equivalent codes.				
	DIA IN MM	<u>PN 10</u>	<u>PN 16</u>	<u>PN 25</u>	<u>PN 40</u>
	100	31090	34544		
	150	52206	58007		
	200	79170	83880	123017	161019
	250	87128	92406	149407	188790
	300	109214	115710	181886	230443
	350	128539	136253	206897	251555
	400	156146	165484	209494	272424
	500	198533	210552	265521	349402
	600	297869	315775	391423	505935
	700	429941	468873	573115	726768
	800	537581	585885	722674	915539
5	Manufacture, supply and delivery of DI (Ductile Iron) Wafer Butterfly valves conforming to IS 13095 (and its amendments). With hand lever below 150 mm, with Worm gear for 200 mm and above.				
	DIA IN MM	<u>PN 10</u>	<u>PN 16</u>		
	40	5330	5330		
	50	5330	5330		
	65	5767	5767		
	80	6289	6892		
	100	8842	9166		
	125	11111	11111		
	150	15005	15330		
	200	20359	20359		
	250	27092	27092		
	300	38121	38121		
	350	46260	50183		

6	Manufacture and supply of "Air Release - Vacuum Break - Surge Alleviation" Valve for potable water. Construction material Cylindrical Body of Ductile Iron GGG-50/SG-500-7, Three cylindrical Floats of High Density Poly Ethylene. Baffle Plate, Orifice venture and all construction bolts of stainless steel, coating internally and externally. Electrostatically applied epoxy (1) Flange connection as per IS 1538, (2) Female (BSP/NPT Threaded for sizes 25 mm				
	DIA IN MM	<u>PN 10</u>	<u>PN 16</u>	<u>PN 25</u>	
	25 mm dia	14073	-	-	
	50 mm dia	-	45353	45353	
	80 mm dia	-	71151	71151	
	100 mm dia	-	78454	78454	
	150 mm dia	-	160890	160890	
	200 mm dia	-	241636	241636	
7	Manufacturer and supply of Metal Seated Gate Valve Non- Rising Stem with by-pass & gear operated, for water and sewage applications& dimensions conforming to IS 14846-2000. Material construction Body, Bonnet, Wedge and Distance Piece of ductile iron GGG-50/SG500/7 DIN1693 or equivalent. Body seat, Wedge seat and Stem nut of Aluminum Bronze BS EN 1982 CC331G/equivalent, Stem of Stainless steel BS EN 100881.4057 or equivalent. 'O' Seal Body/Cover is of EPDM food grade Quality. Fastners is of Steel Sheraplex coated to BS 3692 Gr 8.8 or equivalent. Body and Bonnet internally and externally blue two pack epoxy to WIS 4-52-01 Class B. Leakage tested for seat 1.1 PN and body 1.5 x PN. Flange connection as per IS 1538, ISI Marked.				
	DIA IN MM	<u>PN 10</u>	<u>PN 16</u>		
	DN700	1303581	1303581		
	DN800	1648187	1648187		
	DN 900	1863121	1863121		
	DN 1000	2087471	2087471		
	DN 1100	2844366	2844366		
	DN 1200	3233031	3233031		

NOTE:-All the prices are ex-go down /ex-factory. Taxes Extra as applicable at the time of supply. Packaging and Transportation extra at 5% on basic cost. The duties and taxes as applicable may be added as per rules at the time of preparation of estimate. The grade of DI & conformation to specifications shall be certified by a third party Quality Control Agency approved by indenting authority at the cost of supplier.

28. SFRC MAN-HOLE FRAME WITH COVERS

Sl.No.	Description	Unit	Rate.
1	2	3	4
I	Manufacture as per BIS:12592 (Part 1&2) Supply & Delivery of manhole covers and frames with ISI marking anywhere in T.G., F.O.R. destination including, loading, un-loading & stacking at site but excluding all taxes, as applicable. <u>I.S.I Mark</u>		Rs.
a)	M.D. -10 with 500mm diaclear opening	Each	1782
b)	H.D.-20 with 500mm diaclear opening	Each	2297
c)	H.D.-10with 560mmdia clear opening(New item)	Each	1802
d)	H.D.-20 with 560mm diaclear opening	Each	2464
e)	H.D.-35 with 560mm diaclear opening.	Each	2640
f)	24x24 MD 10	Each	1943
g)	24x18 MD 10	Each	1788
h)	24x24 HD 20	Each	2184
i)	24x18 HD 20	Each	2225
II	Manufacture as per company's standard specification supply and delivery of encapsulated plastic steps for man holes anywhere in T.G. including cost of materials packing as per company's standards, loading, transportation, unloading and stacking at site of work etc, complete but excluding taxes and others etc., as applicable.	Each	186

Note: Taxes as applicable shall be added as per rules at the time of preparation of estimate.

29. CI and M.S. DISMANTLING JOINTS

Sl.No.	Description	Unit	Rate
1	2	3	4
1	Manufacture, Supply and Delivery of C.I Dismantling Joints with both side flange end suitable for installation in between flange end pipes. These rates are excluding all Taxes and transportation charges etc., complete.		Rs.
	Nominal Dia. In MM		
	50	Each	5078
	80	Each	5559
	100	Each	7294
	125	Each	9379
	150	Each	10289
	200	Each	14591
	250	Each	17369
	300	Each	27791
2	Manufacture, Supply and Delivery of M.S. Dismantling Joints with both side flange end suitable for installation in between flange end pipes. Thickness as per IS: 7322. These rates are excluding all Taxes and transportation charges etc., complete	Each	
	Nominal Dia. In MM		
	350		65913
	400		75529
	450		81943
	500		98077
	600		114126
	700		126965
	750		130178
	800		155855
	900		162599
	1000		194768
	1100		210847
	1200		243013
	1300		275176
	1400		307966
	1600		340194
	1800		402859
	2000		501340
3	Conveyance of joints and accessories including loading at factory and unloading, stacking at site of work.		5% on basic cost
Note:	Taxes as applicable shall be added as per rules at the time of preparation of estimate.		

30. OTHER ITEMS

Sl. No.	Description	Unit	Rate
1	2	3	4
1	SUPPLY AND DELIVERY OF PIG LEAD 99.99 % PURE EXCLUDING ALL TAXES.	Per Kg	300
2	SUPPLY AND DELIVERY OF LEAD WOOL BEST QUALITY EXCLUDING ALL TAXES.	Per Kg	165
3	SUPPLY AND DELIVERY OF SPUN YARN OF BEST QUALITY EXCLUDING ALL TAXES.	Per Kg	126
4	SUPPLY AND DELIVERY OF RUBBER PACKING EXCLUDING ALL TAXES.		
	a) 3 MM THICK	Per Kg	101
	b) 6 MM THICK	Per Kg	101
5	SUPPLY AND DELIVERY OF BOLTS AND NUTS WITH DOUBLE WASHERS EXCLUDING ALL TAXES. (1/2" TO 1")	Per Kg	As per I&CAD SoR

31. GLASS FIBRE REINFORCED PLASTIC (GRP) PIPES

The PH & ME department deleted GRP pipes from the SoR 2013-14 and was not included in SoR 2014-15. The ENC (RWS) requested in the SoR meeting on 06.05.2015 to incorporate GRP pipes from SoR-2015-16 for carrying out O&M works, accordingly the following rates are adopted and ENC(RWS) addressed this office, vide Lr no AE/DEE/TDWSP(Plg)/2015 dt 22.05.2015 to incorporate GRP pipes from SoR 2015-16 for O&M works.

Sl.No.	Description						
1	2						
1	GLASSFIBRE REINFORCED PLASTIC (GRP*) PIPES CONFORMING TO IS 12709 - 1994 Stiffness class 124 Kpa including transportation to any where in T.S. with jointing materials i.e., Reka couplings, Rubber Gaskets etc., for jointing pipes including cost of specials, loading, un-loading and stacking etc., complete but excluding all taxes.						
	Size	Unit	Rate				
			3 Bar	6 Bar	9 Bar	12 Bar	15 Bar
	300 mm dia	Metre	2428	2497	2567	2633	2748
	350 mm dia	Metre	2607	2643	2725	2802	2928
	400 mm dia	Metre	2902	3031	3144	3289	3419
	450 mm dia	Metre	3406	3538	3731	3914	4137
	500 mm dia	Metre	3787	3941	4165	4426	4679
	600 mm dia	Metre	4931	5134	5446	6000	6281
	700 mm dia	Metre	5911	6181	6932	7561	8134
	800 mm dia	Metre	7237	7577	8181	8901	9609
	900 mm dia	Metre	9046	9432	10245	11111	12033
	1000 mm dia	Metre	10841	11340	12199	13304	14339
2	Cost of laying jointing, testing to Hydrostatic field test pressure including cost of transportation of water and emptying pipe line after completion of field testing.						
	Size	Unit	Rate.				
			3 Bar	6 Bar	9 Bar	12 Bar	15 Bar
	300 mm dia	Metre	112	112	112	112	112
	350 mm dia	Metre	168	168	168	168	168
	400 mm dia	Metre	252	252	252	252	252
	450 mm dia	Metre	308	308	308	308	308
	500 mm dia	Metre	392	392	392	392	392
	600 mm dia	Metre	419	419	419	419	419
	700 mm dia	Metre	475	475	475	475	475
	800 mm dia	Metre	559	559	559	559	559
	900 mm dia	Metre	614	614	614	614	614
	1000 mm dia	Meter	713	713	713	713	713

***Under any Circumstances the GRP pipes shall not be procured for laying new water lines, except O&M works.**

Note: 1) The material component is 50% of total cost.

2) Taxes as applicable shall be added as per rules at the time of preparation of estimate

3) The cost of other specials like tees, reducers etc with flange will be charge @4 times per meter cost of pipe.

4) The cost of other special like plain ended tees, reducers etc will be charge @ 2.50 times per meter cost of pipe.

The methodology adopted for rates is as follows:

Percentage of raw materials in the finished product of the pipe

a) Hoop Glass Fibre Rovings H% (35%), 2) Chop Glass C% (40%) and 3) Resin R% (25%)

The cost of variation in Raw materials are:

a) Variation in cost of Hoop Glass : h%

b) Variation in cost of Chop Glass : c%

c) Variation in cost of Resin : r%

The percentage of variation in cost of pipe allowed is $(H \times h + C \times c + R \times r)/100$

The above raw materials rates are obtained from the principal manufacturers.

The rates of raw materials are:

a) Hoop Glass Fibre Rovings - Rs. 85.25/kg (Excluding taxes)

b) Chop Glass - Rs. 95.50/kg (Excluding taxes)

c) Resin - Rs.123.00/kg (Excluding taxes)

32. TRENCH LESS TECHNOLOGY WITH PIPE JACKING METHOD

Sl. No.	Description	Unit	Rate
1	2	3	4
1	Railway crossing/Road crossing/Canal crossing by adopting trenchless technology tunneling work through specialized pipe jacking method by erecting the equipment to true to the alignment and gradient, by hydraulic pipe jacking technique complete including tunneling, excavation in all types of soils including hard rock and construction of RCC chambers suitable to casing pipe pits, and conveyance charges of machinery and other required materials but excluding cost of encasing pipe, in co-ordination with the concerned authorities as per approved drawings and directed by the Engineer-in -Charge.		
	600 mm dia	Rmt	25200
	700 mm dia	Rmt	26100
	800 mm dia	Rmt	27300
	900 mm dia	Rmt	28665
	1000 mm dia	Rmt	30030
	1100 mm dia	Rmt	31395
	1200 mm dia	Rmt	32760
	1300 mm dia	Rmt	34125
	1400mm dia	Rmt	36855
	1500 mm dia	Rmt	40950

Note: Taxes as applicable shall be added as per rules at the time of preparation of estimate.

33. WATER METERS

A	Mechanical Flow meter (Domestic meters)		
1	Supply of magnetically coupled, multijet, inferential type, dry dial Class-B water meters (Screwed end) AMR compatible manufactured in accordance with ISO 4064 standards and its latest ammendments/IS 779/1994 and its latest ammendments and shall have ISI/EEC/MID pattern approval (valid life cylce certificate and IP 68 protection from FCRI, GOI). (excluding all taxes-with 3 years warranty)	Unit	Rate
	15 mm Dia	Each	1100
	20 mm Dia	Each	1650
2	Installation & fixing cost of water meter.	Each	200
B	Electromagnetic Flow Meters (Bulk Flow Meter)		
	Supply & delivery of Electromagnetic Flow meter, manufacturer should have ISO 9001:2008 certification and flow meter testing conforming to ISO 17025; Flow meter Tube: SS 304;Flanges: Carbon Steel as per DIN PN 10 or higher rating as per requirement; Liner: Hard Rubber or PTFE suitable for drinking water application; Grounding: Grounding Rings SS 304 /Grounding Electrodes of material SS 316; Coil Housing and Junction Box: SS 304 /Die Cast Aluminum/ Carbon Steel with anticorrosive epoxy coating of minimum thickness 150 microns/ equivalent as per EN ISO-12944 standard (as per the site condition) ; Ingress Protection: IP 68 for sensor and IP 67 for transmitter; Flow Transmitter Accuracy: +/- 0.5% of the measured value for velocities 0.5 m/sec and above; Display: Digital LCD/LED (backlit LCD / LED) Display, Instantaneous flow, Bi- Directional flow and Totalized flow; Cable between Flow Head and Transmitter: Maximum 25 meters including PVC conduit; Surge Arrester: To be provided;Power Supply & Output: 230 V AC or 24 V DC as applicable to Site condition & 4-20 mA HART; Compatible to SCADA/WEB Based Data acquisition System; Flow meter test lab certification should be provided from NABL approved lab/FCRI ; Excluding all taxes with 5 years Warranty. (Make: M/s Krohne Marshall/Endress+Hauser/ Yokogawa /Siemens/ Emerson/ABB/ or equivalent make)	Unit	Rate
	100 mm dia	Each	102120
	150 mm dia	Each	113220
	200 mm dia	Each	141660
	250 mm dia	Each	167100
	300 mm dia	Each	186780
	400 mm dia	Each	326520
	450 mm dia	Each	369604
	500 mm dia	Each	405035
	600 mm dia	Each	465479
	700 mm dia	Each	525949
	800 mm dia	Each	627284
	900 mm dia	Each	735853

	1000 mm dia	Each	787435
	1100 mm dia	Each	1304100
	1200 mm dia	Each	1422225
C	AMR Water Meters		
i)	Multijet (Domestic) AMR Water Meter		
	<p>Supply installation and satisfactory field testing of Multijet Inferential Dry Dial screwed end Water Meters conforming to latest editions of IS 779/ISO 4064 with ISI/MID marking (PN-10). The water meters shall be manufactured with copper can/non magnetic metallic register and IP 68 protection. The module must be connected to meter without wire. The same model of the meter must have passed life cycle/Endurance test from FCRI after 2015. The meter should have IP 68 test report certificate conducted in FCRI. The RF based AMR accuracy test conducted at FCRI should also be submitted. The modules shall be warranted for 5 years battery life. The Module or meter interface unit shall be Radio Frequency based. The remote reading shall be two way communicating. The module should be battery operated and external power supply should not be required. The readings should be obtainable by either walkby or drive by on Android device. The module shall be fitted on the meter wirelessly and shall be with IP 68 protection. The IP 68 test report for module should have been conducted at FCRI. The radio frequency shall be as per Dept of Communications, Govt of India and supplier should specify the frequency of the AMR on the module. In case the RF band is free band, necessary documents from Dept. of Telecom, Govt of India shall be submitted along with declaration on a Rs.100 Stamp paper mentioning the band. The RF based meter reading software should have sync facility to upload the data back to CLOUD server after reading the meters from site using GPRS/Wifi. The AMR meters shall carry warranty of atleast 5 years from the date of delivery/date of installation which ever is earlier. The meter, module and AMR software shall be from the same manufacturer. Lot samples of the meters supplied shall be tested as per IS779 at FCRI for accuracy of meters. The rates are excluding GST.</p>	Unit	Rate
	15 mm	Each	6450
	20 mm	Each	7000
	25 mm	Each	7800
	40 mm	Each	9500
ii)	Woltman type (Bulk) AMR Meter		
	<p>Supply, installation and field testing of Horizontal Woltman type hermetically sealed type water meters with IP 68 protection (PN-10/ PN-16). The meters shall be manufactured as per ISO 4064 - 1:1993 with MID marking. The meter must have passed life cycle/Endurance test from FCRI. The module should be battery operated by inbuilt. The data logger shall be capable of transmitting data on daily bases to central server through GSM/GPRS. The AMR data hourly shall be collected by MIU and</p>	Unit	Rate

	<p>stored. The MIU shall be connected to Data logger. The data logger should have inbuilt battery. The AMR meter should be capable of providing data like reverse flow, tampering, daily flow rate distribution. The System shall send alerts for blocked meter, flow rate above limit, pressure below or above limits, back flow detection. The meters shall be installed with CI strainers. The AMR meter and battery shall carry warranty of atleast 5 years from the date of delivery/date of installation which ever is earlier. The data shall be accessible on web server as required by the Client. The rates are excluding of GST.</p>		
50 mm		Each	54600
80 mm		Each	58800
100 mm		Each	63840
150 mm		Each	76440
200 mm		Each	94080
250mm		Each	124320
300mm		Each	264600

34.INSTRUMENTATION

1	Ultrasonic Flow Meter:	Unit	Rate
	Providing, installing and giving satisfactory test & trial of Ultrasonic Flow meter of ISO working on 85 -260 V AC, 50 HZ electric power supply of following type working on time of flight principle suitable for satisfactory continuous operation in all seasons & with following accessories, working conditions Specifications & duly tested as specified below:		
A)	Ultrasonic Clamp-on portable type Flow Meter (Single Channel)		
	Providing, installing and giving satisfactory test & trial of No ultrasonic clamp on portable type flow meter working on conditions & specifications, calibration, inspection, testing, training, guarantees and manufacturers test certificate/declaration copy along with accessories as mentioned above along with accessories like. 1)Magnetic Clamos - 1 Pair & 2)Suitable carrying case-1 No.	Each	304464
B)	Ultrasonic Clamp-on Fixed type Flow Meter (Single Channel)		
	Providing,installing and giving satisfactory test & trial of Ultrasonic damp on Fixed type flow meter working on conditions & specifications, calibration, inspection, testing, training, guarantees and manufacturers test certificate/ declaration copy along with accessories as mentioned in a (1) to (14) below	Each	296943
C)	Ultrasonic Insertion Fixed type Flow Meter (Single Channel)		
	Providing, installing and giving satisfactory test & trial of ultrasonic Insertion Fixed type flow meter working on conditions & specifications, calibration, inspection, testing, training, guarantees and manufacturers test certificate/ declaration copy along with accessories as mentioned in a (1) to (14) below & with inbuilt assembly to fix the insertion type transducer on the pipeline	Each	283843
a)	Mandatory Accessories:		
	1) Integrated signal converter transmitter enclosed in die cast aluminum case / any anticorrosive material conforming to IP-65 or better -1 No. 2) Pair of transducers (Sensors) conforming to IP-68 or better with junction boxes -1 No. 3) Stainless steel straps for mounting clamp on type sensors - 2 Nos. (only required for category A,B) 4) Grease count plant, 100 ml : Bottle - 5 Nos. (only required for category A,B) 5) Signal & power cables for each transducer -50 Mtrs length/each (insertion type flow meter) & 10 mtrs length /each (portable type flow meter) 6) a) for fixed type flow meter-UPS working on 230 V AC, 50 Hz or 24V DC power supply suitable for 24 hrs continuous operation.-1 No. (only required for category B,C). b) Built in portable type battery back up for minimum 5 Hrs continuous operation with spare battery and separate battery charger working on 230 V AC, 50 Hz power supply for charging battery-1 No. (only required for category A) c) Aluminium / anticorrosive carrying case for flow meter and all accessories (only required for category A)		

	<p>7) Data storage capacity with built in or separate for date, time, actual flow rate, totaliser & error messages if any with storage capacity of 120 days and at 5 minutes interval data logging along with local indication and necessary cables and software to download data to laptop -1 No</p> <p>8) Dot matrix printer of EPSON, WIPRO, WEP or Hewlett Packard make with built in or separate printer interface unit for printing of stored data with online / offline printing facility -1 No.</p> <p>9) Proper earthing shall be provided for protection against high voltage surge (only required for category B,C)</p> <p>10) Suitable over voltage protection unit for protection of instrument from higher voltage (upto 275 V-300 V AC & above)</p> <p>11) M.S. sensor protection boxes with suitable size for above ground lines where construction of chamber is not possible. (only required for category B,C)</p> <p>12) Magnetic clamp for metallic pipe lines and Nylon / SS strips, chain arrangement for clamp on sensors suitable for pipe diameters 50 mm to 3000 mm (only required for category A,B)</p> <p>13) Battery powered ultrasonic thickness gauge along with charger, test sample, coupling agent and carrying case suitable measuring thickness of 1 mm to 100 mm (only required for category A)</p> <p>14) 5 meter steel measurement tape with level bottle (only required for category A)</p>		
b)	Additional/Optional Accessories		
	1) Pressure transducer, which should be connected to the pressure lead of dual channel data loggers, compatible with the dual channel loggers of appropriate type with a pressure range of 5m to 150 m with an accuracy of not less than +/-1% to be supplied and installed at the upstream of the flow meters.	Each	21834
	2) Fixing flow meter transmitter to internal walls of buildings in a suitably designed panel cabinet with proper locking arrangement with glass window on front door for seeing the readings of flow transmitter and data logger without opening of the panel cabinet. It should house complete ancillaries and including the provision for connection of electrical power supply from nearby apparatus. The panel cabinet shall be prewired and with suitable gland entries.	Each	23144
	3) Laptop with core 2 duo processor, 2 GB RAM, 256 GB HDD, DVD writer, web cam, 14" LCD screen with carrying case, windows XP professional branded with necessary software & upload data should be provided	Each	26201
	4) The portable Device shall be compatible to the logger & flow meters for the purpose of retrieving data & resetting the data loggers, The portable device should be simple to operate & robust in design. The portable hand held units shall have sufficient memory to download & store data up to 6 flow meters. Hand held units shall be supplied with necessary communication leads for data logger to hand held & hand held to commercial PC, All the necessary software for download & upload to be provided.	Each	26201

	5) Remote monitoring system for data acquisition/data transfer & alert SMS /warning based on GSM technology with complete hardware like wireless communication device, cables,necessary software system (BOM with each GSM system is as given below) for each flow meter excluding data SIM card & its regular billing.	Each	43668
	a) Wireless communication device to communicate between central computer & flow transmitter installed at remote site with GSM based system		
	b) DA Scheduler software for CSV file storage and data acquisition c) Cables for pressure, flow & totalized details from transmitter to field gate system {10 Mtrs with each GSM / GPRS system) d) OPC Software to be installed in central PC for SCADA interface. e) Commissioning charges for each locations f) Customized page with Java Applets XML-Data import software for online MIMIC g) R.F. Module / Cyble for operation of AMR shall be taken as Rs.7000 per meter h) RTU (Remote Terminal Unit) for each meter shall be taken as Rs. 12000/-		
	6) Sensor/Transmitter cable of following specification 3 x 0.38 mm ² PVC cable with common branded copper shielded 7mm dia and individually shielded cores-with empty pipe detection 9 EPD: 4 x 0.38 mm ² PVC cable with common branded copper shield 7 mm dia and individually shielded cores. Conductor resistance: </=50 Ohm/Km. (Rate per meter).	Each	230
	7) Conduit pipe (PVC / HDPE plumbing) 32 mm diameter with suitable digging, laying and concealing the duct. (Rate Per Meter)	Each	18
	8) Other Civil Works:		
	a)Flow meter chamber work with suitable man hole for entering the chamber & removal of flow meter for maintenance in future		
	b) Construction of meter room with roof slab (100 mm) brick masonry with pile foundation of minimum 1.5 M x 1.5 M or as per instruction from Engineer-in -Charge with RCC beam/column minimum 0.15m x 0.15m size with steel door & cement jali ventilator and plinth height of minimum 0.5 M above GL and roof slab shall be 2.1 M from plinth inner and outer plaster with water proof cement painting		
c)	Working Condition & Specifications		
	a) Water Temp : 10° to 50° C b) Water Quality: Raw water, turbid in nature. Potable chlorinated water c) Operating pressures0-15 Kg./cm2 d) Pipeline MOC : Cl, Dl, MS with /without mortar lined, Non-metallic pipes. e) Pipe diameter :> 1000 mm -4000 mm f) Flow -Up to 300 Mld g) Pipe Condition: Pipe shall be running full h) Ultrasonic flow meters shall be designed, manufactured to international standards with accuracy of +/- 2% of actual flow. The supplier should have full ISO -9000 series accreditation & facility for		

	<p>fully traceable calibration flow rig as per international standard</p> <p>i) Functional details: Freely programmable</p> <p>j) Measurement - Volumetric flow rate, totalized flow</p> <p>k) Flow direction- Forward & Reverse</p> <p>l) Display- LCD display with suitable lines, digits, segments, markers, for identification of current output. The digit shall be clear, bold & can be read from 1 Mtrs distance</p> <p>m) Out put- for current-4 m A-20mA HART (active/passive) for measuring flow in pipeline. Frequency output shall be 1 khz, Open collector, passive</p> <p>n) Status output-open collector</p> <p>o) Meter shall be suitable for remote facility</p> <p>p) Power supply-85-260 V AC(45-65 Hz)/20-55 V AC (45-65 Hz)/16-62 V DC</p> <p>q) Galvanic isolation- input & output galvanically isolated from power supply from the sensor and from each other</p> <p>r) instruments must carry "CE" mark</p> <p>s) Functionality verification check should be possible inline using recommended software tools</p> <p>t) Future upgradation to field bus foundation. Profibus should be possible with minimal changes</p>		
d)	Calibration, Testing & Inspection		
	<p>The 10% of total supply quantity shall be inspected and tested .The flowmeter shall be calibrated at manufacturers place as per international standard given above.Manufacturer having NABL lab accreditation ,the calibration testing shall be witness by Third party approved by MJP The manufacturer not having NABL lab accreditation shall be tested at FCRI/CWPRS/IDEMl etc, for which third party inspection is not required.</p>		
e)	Manufacturers Guarantee, Certificate & Training		
	<p>The flow meters shall be supplied with manufacturer's test certificate as per international standards -given above, calibration certificates. 12 months guarantee for the trouble free performance and given Adequate training for handling flow meter and installation in field so that trainees can carryout the job independently</p>		
f)	60 Month's O & M towards flow meter & accessories:		
	<p>The O & M shall be decided based on " planned preventive maintenance" Program (PPM) to be finalized with suppliers with following service included (but not limited) for 60 months beyond standard warranty terms as per H) However for project cases user must discuss with supplier for lumpsum O & M cost for the overall project.</p> <p>Planned Preventive Maintenance (PPM):</p> <p>a) Regular visit to the flow meters (once in 2 month to check the healthyness of instruments)</p> <p>b) Repairs/ replacement of components/spare parts as may be necessary during the flow meter inspection.</p> <p>c) Free replacement of the spare parts and consumables as necessary</p> <p>d) Emergency visit to site within 48 hours for attending any major trouble shooting and break downs.</p> <p>e) Technical training/ trouble shooting training to the user by the</p>		

	supplier. f) Providing complete technical details on instrument with necessary manuals		
g)	General Terms & Conditions		
	<p>a) General Specifications with accessories (except required for each type of meter specified) working conditions, mandatory accessories, calibration, inspection testing manufacturers test certificates, installation and commissioning, guarantee and training shall be common for all flow meters as mentioned above. The Additional/ optional accessories mentioned above to be considered as per project and site requirements.</p> <p>b) The above prices are inclusive of import duty as applicable.</p> <p>c) The above prices inclusive of counter vailing duty (CVD) as applicable with education cess of 2% on CVD. Also includes necessary charges for customs clearances clearing and forwarding charges in India.</p> <p>d) The above prices are includes local inland transportation from manufacturer's godown /custom's godown upto sites anywhere in Telangana.</p> <p>e) The above prices includes necessary packing & forwarding charges as applicable for each project</p> <p>f) Octroi charges are not included in above rates and shall be as per actuals which will be included wherever applicable in estimates for meter up to site storage</p> <p>g) The above prices are inclusive of Marine & inland insurance of flow meters up to site storage</p> <p>h) Meter shall be procured with prior permission from concerned superintending Engineer/Chief Engineer.</p> <p>i) Planning for installation for meter shall be done during execution of pipe work. Straight pipe length of 5 D or more on up stream side and 2 D or more on down stream side of meter is necessary (D is diameter of flow meter) The meters shall be installed so as to have a laminar flow with pipe running full.</p> <p>j) The above rates are exclusive of GST.</p>		
S.No	Item Description	Unit	Rates
2	Providing, installation, testing and commissioning of ULTRASONIC LEVEL TRANSMITTER for water application : Principle: Time of Flight / Sensor MOC PP/ Process connection 1 1/2 inch BSP or 2 inch BSP threaded type / Power Supply: 24 V DC / Out put: 4-20mA / Display: Integral Display for programming and Display reading/IP66. Ranging from 0 - 5 Mts, including LCD Display and configurable to any level and warranty for 5 years. The rates are excluding GST.	Each	62890
3	Providing, installation, testing and commissioning of PRESSURE TRANSMITTER: for water application: Range: 0-10 bar/power supply: 24 V DC / Output: 4-20 mA with HART / Diaphragm: SS316L / Process Connection: ½ "NPT (M) / Accuracy: 0.15% , Protection: IP67, including LCD Display and configurable to any level and warranty for 5 years. The rates are excluding GST.	Each	70751

35. FLOW CONTROL CUM NON-RETURN VALVE

S.No.	Description	Unit	Rate
	Supply of tamper proof house hold non return cum flow control valve (with all three parts made by using sold steel bars of SS316) with CNC machine make and of 15mm dia designed for 5 LPM discharge @ 0.5 bar pressure loss, not exceeding the flow of 7 LPM at 1 bar pressure and working on float principle (as per CPHEEO manual) including cost of materials, manufacturing, loading, unloading, stacking, transit insurance, transportation but excluding GST.		
1	15mm dia	Each	265

36. MDPE PIPE

S.No.	Description	Unit	Pipe Series	Pressure Class	Rate
	Manufacture, Supply & Delivery of MDPE pipe conforming to ISO 4427 Part-2 (or any equivalent Bureau of Indian Standards code) of PE-80 grade material along with all fittings, including cost of materials, manufacturing, loading, unloading, stacking, transit insurance, transportation to any where in Telangana but excluding GST.				
1	20mm OD	Mtr	SDR-11	PN-12.5	22.97
2	25mm OD	Mtr	SDR-11	PN-12.5	33.46
3	32mm OD	Mtr	SDR-11	PN-12.5	54.85

37.DWC HDPE PIPES CONFORMING TO IS 16098- PART-2

1	Manufacture, supply, & delivery of (DWC) structured wall polyethylene/polypropylene piping system class SN-8 with non smooth external annular corrugated and smooth internal surface (Double Wall) for non pressure sewage & Drainage application pipes of standard length 6 m, grade conforming to IS 16098 (part-II: 2013) including rubber gasket, transportation to anywhere in Telangana, loading, unloading charges but excluding all taxes etc complete.							
	Pipe OD	Pipe ID		Rate /mt				
	120	100		190.00				
	180	150		335.00				
	235	200		500.00				
	295	250		825.00				
2	Lowering , laying of Class SN 8 Double wall corrugated (DWC) pipping system in into ready made trenches , laying true to line and level and perfect linking at joints, encasing the pipe around with soft gravel, testing and commissioning, and giving necessary hydraulic test to the required pressure as per ISS etc complete for finished item of work.							
	Pipe OD	Pipe ID		Rate /mt				
	120	100		150.00				
	180	150		210.00				
	235	200		230.00				
	295	250		285.00				

38. CONSUMABLES FOR O&M WORKS

S.No	Description of item	Unit	Rate in Rs.
1.	Manufacture, supply and delivery of Grade - IV Ferric Alum (solid form), 16% strength conforming to IS: 299 / 2012 for removal of turbidity for purifying raw water including cost of material, labour charges, loading, conveyance of material as directed by the Department / agency / contractor to anywhere in Telangana State, unloading, stacking the material, transit insurance, transportation, etc., complete including all but excluding GST.	1 MT	8500.00
2.	Manufacture, supply and delivery of Grade - (Technical) Non - Ferric Alum (solid form), 17% strength conforming IS: 260 / 2001 for removal of turbidity for purifying raw water including cost of material, labour charges, loading, conveyance of material as directed by the Department / agency / contractor to anywhere in Telangana State, unloading, stacking the material, insurance charges, etc complete including all but excluding GST.	1 MT	16650.00
3.	Manufacture, supply and delivery of Grade - I Bleaching Powder conforming IS: 1065:1989 for disinfecting water including cost of material, labour charges, loading, conveyance of material as directed by the Department / agency / contractor to anywhere in Telangana State, unloading, stacking the material, transit insurance, transportation, etc., complete including all but excluding GST.	1 MT	25000.00
4.	Manufacture, supply and delivery of Sodium Hypochlorite Solution (Liquid Chlorine) Grade - II with 12.5% - 15% Chlorine percentage by volume, conforming IS: 11673 / 1992 including cost of material, labour charges, loading, conveyance of material as directed by the Department / agency / contractor to anywhere in Telangana State, unloading, stacking the material, transit insurance, transportation, etc., complete including all but excluding GST.	1 MT	14000.00
5.	Manufacture, supply and delivery of liquid chlorine anhydrous guaranteed chemically 99.8% purity conforming IS: 646 / 1986 & code of safety for chlorine conforming to IS: 4263:1967 in suppliers returnable standard leak proof containers of 900 Kg (Net Weight) containers respectively as per Indian Explosive Act 1984 and Gas Cylinder Rules of 1981 fitted with standard valves conforming to IS: 3224 including cost of material, labour charges, loading, transportation of containers and re-transportation of empty containers back to their factory as directed by the Department / agency / contractor to anywhere in Telangana State, unloading, stacking the material, transit insurance, transportation, etc., complete including all but excluding GST.	1 No	13950.00

Annexure

1. Latest G.Os
2. Seigniorage Charges

GOVERNMENT OF TELANGANA
ABSTRACT



Mines & Minerals - New Sand Mining Policy - 2014 for the State of Telangana - Usage of Manufactured Sand - Certain Instructions - Issued.

INDUSTRIES AND COMMERCE (MINES.I) DEPARTMENT

G.O.Ms.No.37

Date:29.05.2018.

Read the following:-

1. G.O.Ms.No.38, Ind. & Com (M.I) Department, dated.12.12.2014
2. G.O.Ms.No.03, Ind. & Com (M.I) Department, dated.08.01.2015

ORDER:

The Government of Telangana is committed to encourage use of Manufactured Sand as an alternative to river sand in order to conserve the environment on the one hand and to overcome the problem of growing shortage of natural sand on the other hand. In the references read above, the Government of Telangana have issued orders, for regulation of sand mining wherein it was mentioned that usage of Manufactured Sand shall be encouraged in place of river sand to meet the requirement of bulk consumers. Manufactured sand is defined as purpose made crushed fine aggregate produced from a suitable source material.

2. The utility and demand for manufactured sand has increased considerably over a period of time due to certification by reputed Scientific Organizations such as National Council for Cement and Building Material (NCCBM), National Academy of Construction (NAC), BICARD, a Scientific Research and Certification Lab at Department of Civil Engineering, JNTU, Hyderabad. The Technical viability of Manufactured Sand has been established without doubt.

3. Government, hereby direct all the Engineering Works Departments to use Manufactured Sand (Rock Sand) and Natural River sand in the ratio of 50:50 in all the mixes of cement concrete and in the items of works where sand is used earlier, to reduce the burden on Natural Resources and to make the sustainable ecosystem.

4. The Engineer in Chiefs, Roads and Buildings, Irrigation & Command Area Development and Panchayat Raj & Rural Development shall take necessary action in the matter accordingly.

(BY ORDER AND IN THE NAME OF THE GOVERNOR OF TELANGANA)

SHAIENDRA KUMAR JOSHI
CHIEF SECRETARY TO GOVERNMENT

To
The Engineer in Chief, Roads and Buildings.
The Engineer in Chief, Irrigation & Command Area Development.
The Engineer in Chief, Panchayat Raj.
The Engineer in Chief, RWS&S.

Copy to:

The I&CAD Department, Telangana Secretariat.
The TR&B Department, Telangana Secretariat.
The PR&RD Department, Telangana Secretariat, Hyderabad.
The Director of Mines & Geology, Telangana State, Hyderabad.
The Vice Chairman & Managing Director, TSMDC Ltd, Hyderabad.
The Commissioner of Panchayat Raj, Hyderabad
All the District Collectors in the State of Telangana
P.S to Principle Secretary to the Hon'ble Chief Minister.
P.S to Hon'ble Minister for Mine and Geology.
P.S to Hon'ble Minister for Panchayat Raj & Rural Development.
P.S to Hon'ble Minister for Irrigation
P.S to Hon'ble Minister for Roads & Buildings
P.S to Chief Secretary to Government.
P.S to Prl. Secretary Government & CIP (FAC), Ind & Com Dept.
Sf/Sc (C.No.2823/M.I(1)/2018)

//FORWARDED : : BY ORDER//

Mam/aj
SECTION OFFICER

*Circulate to all today
Mink(R)
P
Dul
30/5/18*

GOVERNMENT OF TELANGANA
ABSTRACT

Mines and Minerals – Revision of Rates of Seigniorage Fee and Dead Rent - Orders
– Issued.

INDUSTRIES AND COMMERCE (MINES.I) DEPARTMENT

G.O.MS.No. 67

Dated: 26/09/2015
Read the following

- 1) G.O.Ms.No.198, Industries & Commerce (M.I) Dept., dt:13.08.2009
- 2) Government Memo No.418/M.I(1)/2015, dated:08.07.2015.
- 3) From the Director of Mines and Geology, Hyderabad Letter No.3305/MR/2014, dated:08.07.2015.

ORDER:

The following notification will be published in the Extra-Ordinary Issue of the Telangana Gazettee dated:the 26th September, 2015.

NOTIFICATION

In exercise of the powers conferred by Section Sub-Section (1) of 15 of the Mines & Minerals (Development & Regulation) Act, 1957 (Central Act No.67 of 1957), the Government of Telangana hereby issue the following amendments to the A.P. Minor Mineral Concession Rules, 1966 issued in G.O.Ms.No.1172, Industries & Commerce (Mines-I) Department, dated:04-09-1967 and as amended subsequently from time to time and as adapted vide G.O.Ms.No.55, Industries & Commerce (Mines.I) Department, dated:26.08.2015 as A.P. Minor Mineral Concession Rules, 1966 (Telangana Adaptation) order, 2015.

AMENDMENTS

In the said rules, under rule 10 for Schedules I and II the following shall be substituted, namely:

SCHEDULE-I
RATES OF SEIGNIORAGE FEE

Sl. No.	Name of the Minor Mineral	Unit	Rate of Seigniorage fee (In Rupees)
1	Building Stone, Rough Stone/ Boulders, Road Metal and Ballast	M3/MT	75/50
2	Dimensional Stone used for Kerbs & Cubes	MT	100/MT
3	Lime Kankar/ Limestone	MT	The rate of royalty as applicable to Limestone (other than LD Grade) in respect of major Minerals as per the 2 nd Schedule of the Mines & Minerals (D&R) Act, 1957.
4	Marble	M3/MT	250/100
5	Mosaic chips	MT	45
6	Morrum/Gravel & Ordinary Earth	M3/MT	30/20
7	Ordinary Sand	M3/MT	40/27
8	Shingle	M3/MT	25/17
9	Chalcedony Pebbles	M3/MT	75/50
10	Fullers Earth/ Bentonite	MT	150
11	Shale/Slate	MT	150
12	Rehmatti	MT	25
13	Limestone slabs	M2/MT	8/100

14	Brick Earth used in the manufacture of Bricks including Mangalore Tiles.	-	Rs.6000/- per kiln per annum	
15	Granite useful for cutting and polishing	Gangsaw above 270 x above 150	Below 270 X below 150	Equal and below 70
a	Black Granite	3000	2300	1200
b	Colour Granite	2300	2000	1000

The rates shown at Sl.No.15 shall come into force w.e.f., two years from the date of this G.O. until then the rates ordered in G.O.Ms.No.198, Industries & Commerce (M.I) Dept., dt:13.08.2009 shall continue to be inforce.

SCHEDULE-II
Rates of Dead Rent

Sl. No.	Name of the mineral	Rate of Dead Rent per hectare per Annuam (in Rs.)
1	Black Granite	1,00,000
2	Colour Granite	80,000
3	Limestone other than classified as Major Minerals used for Lime burning or building construction purposes, Marble, Boulders, Building Stone including Stone used for Road Metal, Fullers Earth, Ballast Concrete and other Constructions purposes, Slate and Pyllites.	50,000
4	Gravel Morrur, Shingle, Limestone Slabs, used for Flooring purposes, Chalcedony Pebbles used in the building purposes, Limeshell for burning used for building purposes and Rehmatti.	40,000

2. The rate of royalty revised by Government of India with effect from 01.09.2014 in respect of (31) Major Minerals now declared as Minor Minerals and transferred to the State Government in the extra-ordinary issue of the Gazette Government of India Notification No.423(E) dated:10.02.2015 shall be continued, until further orders.

3. This order issues with the concurrence of Finance Department vide their U.O.No.11350/292/EBS-VII/I&C/2015, dated:18-09-2015.

(BY ORDER AND IN THE NAME OF THE GOVERNOR OF TELANGANA)

ARVIND KUMAR
SECRETARY TO GOVERNMENT & CIP

To,

The Commissioner of Printing, Stationary & Stores Purchase (Ptg. Wing)
Hyderabad. (He is requested to publish the above Notification in the Extra-Ordinary issue of Telangana Gazette, and arrange to send 1000 copies of the same to Government in Industries & Commerce (M.I) Department).

The Director of Mines and Geology, Telangana State, Hyderabad
The Vice Chairman & Managing Director, Telangana State Mineral Development Corporation Ltd., Hyderabad.

All the Joint Director/Deputy Director/Assistant Directors of Mines and Geology through the Director of Mines and Geology, Hyderabad

Copy to:

The Secretary to Government, Ministry of Mines, GoI

The Law (A) Department.

The Finance Department.

The Industries and Commerce (Mines.II) Department.

The P.S. to Hon'ble Minister for Mines and Geology.

The P.S. to Secretary to Government & CIP, Ind. & Com. Dept.,

SF/Sc.(C.No.418/M.I(1)/2015)

//Forwarded::By order//

SECTION OFFICER

GOVERNMENT OF TELANGANA
ABSTRACT

Irrigation & CAD Department – Deduction of 0.385% towards insurance component from the provision of 14% towards contractor's profit and over heads for adoption in Standard Data in all Engineering Departments – Orders – Issued.

IRRIGATION AND CAD (REFORMS) DEPARTMENT

G.O.Ms.No. 71

Dated: 31-07-2018

Read the following:

1. G.O.Ms.No.49, I&CAD (PW: Reforms) Department, Dt:02-03-2009.
2. G.O.Ms.No.61, I&CAD (PW: Reforms) Department, Dt. 25.06.2013.
3. G.O.Ms.No.5, Finance (W&P) Department, Dt: 05-03-2014.
4. From the Engineer-in-Chief (IW), Hyderabad Lr.No.ENC/IW/P&M/EE.I/DEE.2/AEE.4/SoR16-17/Vol.I/16,Dt:05-08-2016,Dt:02-01-2017 and Dt: 02-01-2018 and Dt: 12-03-2018.

ORDER:-

In the references 1st read above, orders were issued for adoption of revision and updating of A.P. Standard Dara in all Engineering and Public Works Department and other organizations wherein a provision of 14% is added in the data towards Contractor's Profit and Overheads. The overheads include site accommodation, water supply, electricity and general site arrangements, Laboratory Equipment, Mobilization/De-mobilization of resources and work Insurance/Compensation etc.,. But the percentage breakup for each component of overheads is not mentioned in the A.P. Revised standard Data.

2. Subsequently, the Government in the reference 2nd read above, have issued orders to dispense with insuring all works of I& CAD Department including weirs, dams, spill ways and critical components like high level bridges, tunnels and deep cuts etc. It is further instructed that if any critical work like dam or high bridge etc., is to be insured, proposal is to be sent by concerned Chief Engineer to the Government and the Government will take a case by case decision whether to insure or not to insure the work.

3. In the reference 3rd read above, Government have further issued orders dispensing with insurance cover of all works of Engineering Departments uniformly.

4. In the reference 4th read above, based on the recommendations of the Board of Chief Engineers minutes Dt: 25-05-2015 and 28-02-2018, the Engineer-in-Chief (IW) and the Chairman of the BOCE has requested the Govt., for deduction of 0.385% towards insurance component from the provision of 14% towards contractors profit and over heads for adoption in Standard Data for the works in all Engineering Departments, duly ratifying the action taken in adopting the over heads and contractors profit of 13.615% excluding insurance component in the Standard Data for the year 2015-16 onwards.

5. Government after careful examination of the above proposal, hereby permit the Engineer-in-Chief (IW) for deduction of 0.385% towards insurance component from the provision of 14% towards contractors profit and over heads for adoption in Standard Data for the works in all Engineering Departments as per the recommendations of the BOCEs, and ratify the action taken in adopting the over heads and contractors profit of 13.615% excluding insurance component in the Standard Data for the year 2015-16 onwards.

6. The Engineer-in-Chief (IW), Hyderabad shall take necessary action accordingly while preparing the Telangana State Revised Standard Data.

7. This order issues with the concurrence of Finance (EBS-IX) Department vide their U.O.No.3350/409/EBS.IX/A1/2018 Dt: 25-07-2018.

(BY ORDER AND IN THE NAME OF THE GOVERNOR OF TELANGANA)

Dr. SHAIENDRA KUMAR JOSHI
SPECIAL CHIEF SECRETARY TO GOVERNMENT (FAC)

To
The Engineer-in-Chief (I.W)/ The Engineer-in-Chief (I), I&CAD Department,
Jalasoudha Buildings, Errumanzil, Hyderabad.

(P.T.O)

// 2 //

7. This order issues with the concurrence of Finance (EBS-IX) Department vide their U.O.No.3350/409/EBS.IX/A1/2018 Dt: 25-07-2018.

(BY ORDER AND IN THE NAME OF THE GOVERNOR OF TELANGANA)

**Dr. SHAILENDRA KUMAR JOSHI
SPECIAL CHIEF SECRETARY TO GOVERNMENT (FAC)**

To

The Engineer-in-Chief (I.W)/ The Engineer-in-Chief (I), I&CAD Department,
Jalasoudha Buildings, Errumanzil, Hyderabad.

Copy to:-

The Engineer-In-Chief (A.W) and the Chief Engineers, Irrigation & CAD Department
The Accountant General /Principal Accountant General, Telangana, Hyderabad.
The Director Works & Accounts, Telangana, Hyderabad.
The Commissioner, Commissionerate of Tenders, Hyderabad.
The Engineer-in-Chief, TR&RB, Hyderabad.
The Engineer-in-Chief, PR&RD Department, Hyderabad
The Engineer-in-Chief, MA&UD Department
The Engineer-in-Chief, PH Department, Hyderabad
The Finance (EBS.IX) Department.
The Special Chief Secretary (FAC) to I& CAD Department.
The Principal Secretary, TR&B Department.
The Principal Secretary, PR&RD Department.
The Principal Secretary MA&UD Department.
The P.S. to Hon'ble Chief Minister.
The P.S to Hon'ble Minister, Irrigation.
The P.S. to Hon'ble Minister, TR&B Department.
The P.S. to Hon'ble Minister, PR &RD Department.
The P.S. to Hon'ble Minister, MA&UD Department.
The Dy. Director Monitoring Wing, I&CAD Department.
All work Sections in this Department.
SF/SC (C.No.326/Reforms/2016).

//FORWARDED::BY ORDER//

P. v. v. s. kishna / ceem
SECTION OFFICER

seri

Endr. No.ENC/IW/P&M/EE.1/DEE.2/AEE.4/BOCEs/2018 Dt: 02.08.2018

--:o0o:--

Copy of G.O here with communicated to all the members of Board of Chief Engineers (BOCE) for favour of information and necessary action.

B.Nagendra Rao,
Engineer-in-Chief (I.W.) & Chairman
Irrigation & CAD Department,

Manaf...
for Engineer-in-Chief (IW) 2/18
CBK